State	Thursday, 29 April 2021, 2:16 PM Finished Thursday, 29 April 2021, 2:52 PM
	36 mins 7 secs
	24.00/30.00
Grade	8.00 out of 10.00 (80 %)
Question 1	
Correct	
Mark 1.00 out of 1.00	
For what purpose,	bg ' is used in Tkinter widget ?
a. To change the	direction of widget
b. To change the	size of widget
c. To change the	color of widget
d. To change the	e background color of widget
Your answer is corre	ect.
The correct answer	
To change the back	ground color of widget
Question 2	
Correct	
Mark 1.00 out of 1.00	
Minimum number o	of arguments passed in a function to create a rectangle using canvas in tkinter is
a. 3	
O b. 1	
© c. 4	•
O d. 2	
Your answer is corre	ect.
The correct answer	is:
4	

Question 3 Correct	
Mark 1.00 out of 1.00	
Screen inside another screen is possible by creating	
o a. Labels	
○ b. Buttons	
○ c. Another window	
d. Frames	~
Your answer is correct.	
The correct answer is:	
Frames	
Question 4	
Correct	
Mark 1.00 out of 1.00	
The function used to delete any widget from the screen is	
a. destroy()	~
○ b. break()	
c. delete()	
od. stop()	
Your answer is correct.	
The correct answer is: destroy()	
Question 5	
Incorrect Mark 0.00 out of 1.00	
Midik 0.00 Out Of 1.00	
Which widget is used to get multiline user data?	
○ a. Label	
b. Entry	×
○ c. Message	
○ d. Text	
Your answer is incorrect.	
The correct answer is:	
Text	

, , ,	
Question 6	
Incorrect	
Mark 0.00 out of 1.00	
Which function is used to hold a screen?	
a. None of the above	×
b. mainloop()	
○ c. stop()	
od. pause()	
Your answer is incorrect.	
The correct answer is:	
mainloop()	
Question 7	
Correct	
Mark 1.00 out of 1.00	
Which of the following geometry managers is not available in Tkinter?	
which of the following geometry managers is not available in Tkinter:	
a. flow()	~
○ b. pack()	
c. grid()	
○ d. place()	
Your answer is correct.	
The correct answer is:	
flow()	

, , ,	
Question 8	
Correct	
Mark 1.00 out of 1.00	
Select the correct code to create a button under a parent window with command process Button	
a. Button(window ,text= "Hello" ,command=processButton)	~
b. Button(text= "hello",command=processButton)	
c. Button(window ,text= "Ok" ,fg= "black ")	
d. Button(set.text= "Hello")	
Your answer is correct.	
The correct answer is: Button(window ,text= "Hello" ,command=processButton)	
Question 9	
Correct	
Mark 1.00 out of 1.00	
This geometry manager organizes widgets in blocks before placing them in the parent widget.	
a. pack()	~
O b. card()	
oc. grid()	
Od. place()	
Your answer is correct.	
The correct answer is: pack()	

Question 10	
Correct Mark 1.00 out of 1.00	
How to install tkinter in your system ?	
a. tkinter install	
○ b. pip install python	
c. pip install tkinter	~
od. tkinter pip install	
Your answer is correct.	
The correct answer is:	
pip install tkinter	
Question 11	
Correct	
Mark 1.00 out of 1.00	
To change the property of the widget after the declaration of widget, we use	
	_
a. config() function	•
○ b. title() function	
o c. pack() function	
od. mainloop() function	
Your answer is correct.	
The correct answer is: config() function	

Question 12	
Question 12	
Correct	
Mark 1.00 out of 1.00	
Which of the following tool provides a GUI in python	
a. tkinter	~
○ b. Scipy	
○ c. Numpy	
○ d. Opencv	
Your answer is correct.	
The correct answer is:	
tkinter	
10	
Question 13 Correct	
Mark 1.00 out of 1.00	
Mark 1.00 out of 1.00	
Which of the following is used to call a function by the Button widget in tkinter python?	
Which of the following is used to call a function by the Button widget in tkinter python ? a. call	
	~
o a. call	~
a. callb. command	~
o a. call	~
a. callb. command	~
a. callb. commandc. contact	~
a. callb. commandc. contact	~
a. callb. commandc. contact	~
 a. call b. command c. contact d. All of the above Your answer is correct.	*
 a. call b. command c. contact d. All of the above 	~

Question 14	
Incorrect Mark 0.00 out of 1.00	
Which of the following is not a NoSQL Database	
○ a. Column	
○ b. Graph	
c. Document	×
○ d. Relational	
Your answer is incorrect.	
The correct answer is: Relational	
Question 15	
Correct Mark 1.00 out of 1.00	
Maix 1.00 Out of 1.00	
MongoDB stores data in documents	
○ a. MIME	
b. JSON	~
○ c. XML	
○ d. BSON	
Your answer is correct.	
The correct answer is: JSON	
Question 16	
Incorrect	
Mark 0.00 out of 1.00	
Identify the method used to connect with MongoDB	
a. MongoClient()	
O b. Client()	
c. ClientMongo()	
d. Mongo()	×
Your answer is incorrect.	
The correct answer is: MongoClient()	

Question 17	
Correct Mark 1.00 out of 1.00	
Which of the following python package is used to work with MongoDB?	
○ a. mongodb	
b. pymongo	~
○ c. mongopy	
○ d. Mongoclient	
Your answer is correct.	
The correct answer is: pymongo	
Question 18	
Incorrect Mark 0.00 out of 1.00	
Which function is used to Check if Database Exists in MongoDB server	
a. names_database()	
b. list_database_names()	
c. database_names()	×
c. database_names()d. database_names_list()	×
	×
	×
d. database_names_list()Your answer is incorrect.The correct answer is:	×
d. database_names_list()Your answer is incorrect.	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect 	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect 	×
<pre>d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect Mark 0.00 out of 1.00</pre>	×
od. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect Mark 0.00 out of 1.00 Which function is used to insert more records in MongoDB Collection	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect Mark 0.00 out of 1.00 Which function is used to insert more records in MongoDB Collection a. insert_many() 	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect Mark 0.00 out of 1.00 Which function is used to insert more records in MongoDB Collection a. insert_many() b. insert_one() 	×
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect Mark 0.00 out of 1.00 Which function is used to insert more records in MongoDB Collection a. insert_many() b. insert_one() c. many_insert() 	
 d. database_names_list() Your answer is incorrect. The correct answer is: list_database_names() Question 19 Incorrect Mark 0.00 out of 1.00 Which function is used to insert more records in MongoDB Collection a. insert_many() b. insert_one() c. many_insert() 	

Question 20
Correct Mark 1.00 out of 1.00
Find documents where the address starts with the letter "S" or higher:
a. find('address'={"\$gt":"S"})
<pre>b. find(address={"\$":"S"})</pre>
c. find(address={"gt\$":"S"})
<pre>d. find(address={"gt":"S"})</pre>
Your answer is correct.
The correct answer is: find('address'={"\$qt":"S"})
Question 21
Correct
Mark 1.00 out of 1.00
Which of the following functions is used to delete the document?
o a. delete()
b. many_delete()
c. one_delete()
d. delete_many()
Your answer is correct.
The correct answer is:
delete_many()
Question 22 Correct
Mark 1.00 out of 1.00
Identify the python package used to connect with MySQL Server
a. mysql
c. connector.mysql
○ d. Connector
Your answer is correct.
The correct answer is: mysgl.connector

Question 23	
Correct Mark 1.00 out of 1.00	
The following function is used to execute a mysql query in python	
o a. connector()	
b. execute()	
oc. connect()	
od. curser()	
Your answer is correct.	
The correct answer is: execute()	
Question 24	
Correct Mark 1.00 out of 1.00	
Identify the server socket methods used in creation of network server.	
a. accept(),pack(), place()	
b. bind(),pack(), place()	
c. bind(),listen(), accept()	
c. bind(),listen(), accept()d. pack(),listen(), accept()	
d. pack(),listen(), accept()Your answer is correct.	
d. pack(),listen(), accept()Your answer is correct.The correct answer is:	
d. pack(),listen(), accept()Your answer is correct.	
 d. pack(),listen(), accept() Your answer is correct. The correct answer is: bind(),listen(), accept() Question 25 	
 d. pack(),listen(), accept() Your answer is correct. The correct answer is: bind(),listen(), accept() 	
 d. pack(),listen(), accept() Your answer is correct. The correct answer is: bind(),listen(), accept() Question 25 Correct 	
 d. pack(),listen(), accept() Your answer is correct. The correct answer is: bind(),listen(), accept() Question 25 Correct 	
Od. pack(), listen(), accept() Your answer is correct. The correct answer is: bind(), listen(), accept() Question 25 Correct Mark 1.00 out of 1.00	
Od. pack(), listen(), accept() Your answer is correct. The correct answer is: bind(), listen(), accept() Question 25 Correct Mark 1.00 out of 1.00 Identify the python module used for SMTP	
 d. pack(),listen(), accept() Your answer is correct. The correct answer is: bind(),listen(), accept() Question 25 Correct Mark 1.00 out of 1.00 Identify the python module used for SMTP a. smtplib 	
Od. pack(), listen(), accept() Your answer is correct. The correct answer is: bind(), listen(), accept() Question 25 Correct Mark 1.00 out of 1.00 Identify the python module used for SMTP ■ a. smtplib ■ b. pysmtp	
 d. pack(),listen(), accept() Your answer is correct. The correct answer is: bind(),listen(), accept() Question 25 Correct Mark 1.00 out of 1.00 Identify the python module used for SMTP a. smtplib b. pysmtp c. smtp d. libsmtp ✓ d. libsmtp 	
Od. pack(), listen(), accept() Your answer is correct. The correct answer is: bind(), listen(), accept() Question 25 Correct Mark 1.00 out of 1.00 Identify the python module used for SMTP ■ a. smtplib b. pysmtp c. smtp	

Question 26
Correct Mark 1.00 out of 1.00
which function is used to get the local host address
o a. get()
b. gethostname()
c. gethost()
○ d. getname()
Your answer is correct.
The correct answer is: gethostname()
Question 27
Correct Mark 1.00 out of 1.00
Mark 1.00 out of 1.00
Which of the following connect() function is correct one.
a. connect((port,host))
b. connect((host,port))
c. connect(host,port)
d. connect(port,host)
Your answer is correct.
The correct answer is: connect((host,port))
connect((nost,porty)
Question 28
Correct
Mark 1.00 out of 1.00
What is the use of server.starttls()
 a. Start the process of verifying authenticity of the sender
b. Start the process of verifying authenticity of the Receiver
c. Process of verifying authenticity of the sender
d. Process of verifying authenticity of the receiver
Your answer is correct.
The correct answer is: Start the process of verifying authenticity of the sender.

https://sathyabama.cognibot.in/mod/quiz/review.php?attempt = 496249&cmid = 33141

Question 29
Correct
Mark 1.00 out of 1.00
Datagram is basically just a piece of information but there is no guarantee of its content, arrival or arrival time.
Select one:
True ✓
○ False
The correct answer is 'True'.
The correct answer is line.
Question 30
Correct
Mark 1.00 out of 1.00
TCP, FTP, Telnet, SMTP, POP etc. are examples of
■ a. Protocol ✓
○ b. Socket
O. Socket
○ c. MAC Address
od. IP Address
Your answer is correct.
The correct answer is:
Protocol



 $\textbf{Sathyabama Learning Management System} \; {\sim} \; \text{Developed by } \; \underline{\text{Cognibot}}$

■ e-Resources

INFO

<u>Facebook</u>

<u>Twitter</u>

<u>Instagram</u>

<u>YouTube</u>

GET SOCIAL



Copyright © 2020 - cognibotrobotics.com