#### **Experiment 4**

Student Name: Souradeep Banerjee UID: 23BAI70654

**Branch:** BE-AIT-CSE **Section/Group:** 23AIT-KRG-G2

Semester: 5th Date of Performance: 8<sup>th</sup> Sept, 2025

Subject Name: ADBMS Subject Code: 23CSP-333

### 1. Consider a relation R having attributes as R(ABCD), functional dependencies are given below:

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Ans: Closure Property: -

$$AB+ = \{A, B, C, D\}$$

$$BC+ = \{B, C, D, A\}$$

$$AC+ = \{A, C, D\}$$

$$BD+=\{B, D, C, A\}$$

Thus, Candidate Keys =  $\{AC, BC, BD\}$ 

Prime Attributes =  $\{A, B, C, D\}$ 

Non-Prime Attributes = {Phi}

Thus, it is in 3NF.

#### 2. Relation R(ABCDE) having functional dependencies as:

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Ans: Closure Property: -

$$AC+ = \{A, C, B, E, D\}$$

$$AB+=\{A,B,D\}$$

$$BC+ = \{B, C, D, A, E\}$$

Thus, Candidate Keys =  $\{AC, BC\}$ 

Prime Attributes =  $\{A, C, B\}$ 

Non-Prime Attributes =  $\{D, E\}$ 

Thus, it is in 1NF.

## 3. Consider a relation R having attributes as R(ABCDE), functional dependencies are given below:

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Ans: Closure Property: -

$$B+ = \{B, A, C, E, D\}$$
  
 $A+ = \{A, C, B, E, D\}$ 

Thus, Candidate Keys =  $\{A, B\}$ 

Prime Attributes =  $\{A, B\}$ 

Non-Prime Attributes =  $\{C, D, E\}$ 

Thus, it is a BCNF.

# 4. Consider a relation R having attributes as R(ABCDEF), functional dependencies are given below:

Identify the set of candidate keys possible in relation R. List all the set of prime and non-prime attributes.

Ans: Closure Property: -

$$A+ = \{A, B, C, D, E\}$$

$$B+=\{B, C, D, E, A\}$$

$$D+ = \{D, A, B, C, E\}$$

Thus, Candidate Keys =  $\{A, B, D\}$ 

Prime Attributes =  $\{A, B, D\}$ 

Non-Prime Attributes =  $\{C, E\}$ 

Thus, it is BCNF.