

Technical Fault Report – getmax.com.au

1■■■ Website Not Loading

The most visible problem is that the website does not display any content in the browser. Even though the domain resolves to a server IP, the webpage itself fails to render. Users attempting to access the site encounter either a blank screen or no response from the web application.

This indicates a failure in the application or web server layer, preventing the website from delivering HTML content to the browser.

2■■■ Server Responds to Network Requests but Not Web Requests

Testing shows that the server IP 132.148.178.96 responds to ping requests. This confirms that:

- The domain is active
- DNS resolution is working
- The server is reachable on the network

However, despite the server being reachable, the website still does not load in a browser. This means the web service responsible for serving website content is not functioning properly.

3■■■ Web Server Configuration Issue

The web server responsible for delivering webpages (such as Apache or Nginx) appears to be misconfigured or not serving the website content correctly.

Possible indicators include:

- Improper virtual host configuration
- Incorrect document root mapping
- Server not linked to the domain correctly
- Hosting configuration errors

When such issues occur, the server can remain reachable but fails to provide any webpage output.

4■■■ Missing or Corrupted Website Files

Another major fault is the possibility that the core website files are missing or corrupted inside the hosting directory.

If essential files such as index.php or index.html are missing, the web server cannot display the homepage. This can happen due to:

- incomplete website deployment
- accidental deletion of files
- failed website migration
- hosting account reset

When the primary entry file of a website is missing, browsers receive no content.

5■■■ Application-Level Failure

If the site is built on a content management system such as WordPress or a custom PHP application, the system may be experiencing a critical runtime error.

This type of failure occurs when:

- the application code crashes
- incompatible scripts run on the server
- required modules fail to load
- server-side processes terminate unexpectedly

Such errors commonly result in a blank page or unresponsive website.

6■■■ Possible Database Connectivity Problem

Websites that rely on dynamic content require database communication. If the server cannot connect to the database, the site will fail to load content.

This situation can arise when:

- database credentials are incorrect
- the database server is offline
- database access permissions are invalid
- the database itself has been deleted or corrupted

In these cases, the application cannot retrieve data required to build the webpage.

7■■■ Expired or Improper SSL Configuration

The site also shows signs of SSL configuration problems. SSL certificates are responsible for secure HTTPS communication between browsers and servers.

When SSL certificates expire or are improperly configured:

- browsers may block the connection
- security warnings may appear
- HTTPS communication may fail

Improper SSL handling can prevent the website from loading correctly in secure browsers.

8■■■ DNS and Hosting Infrastructure Risks

Although DNS resolution appears functional, inconsistencies in domain and hosting integration may still exist. Misalignment between the domain configuration and hosting infrastructure can cause:

- incorrect server routing
- partial domain resolution
- domain pointing to an inactive environment

These inconsistencies can lead to intermittent availability or complete website inaccessibility.

9■■■ Lack of Technical Optimization

The website also appears to lack several important technical components commonly expected in modern web platforms. These include:

- structured metadata
- search engine optimization configuration
- performance optimization layers
- caching mechanisms

The absence of these components can negatively affect both performance and search visibility.

10■■■ Security Vulnerability Risk

If the site is running outdated software or plugins, it may be exposed to various security vulnerabilities. Websites without proper security maintenance can experience:

- malware infections
- unauthorized file modifications
- website defacement
- backend access exploitation

Security vulnerabilities can also lead to partial or complete website failure.