


## Contents

Architectural Overview .....	2
.....	2
Flow of control .....	2
Application Initialization .....	2
Execution of a user action .....	3
Overview on entities and its methods .....	3
Controller class .....	3
Service Interface .....	4
Service Class .....	4
Query Manager .....	5
User Interface .....	5
Home Page .....	5
Result of search action from user .....	6
Testing .....	7


## Architectural Overview




## Flow of control

### Application Initialization

- On execution of main, invocation happens in the following sequence and the dataset gets populated in the database.




## Execution of a user action



## Overview on entities and its methods

### Controller class




#### 1. Init ()

- called when servlet is first created. It is called only once during the first creation and not called for each request from user.
- Init method is responsible for starting the server and makes a call to *getJsonDataForDisneyCharacter ()* internally.


2. *getJsonDataForDisneyCharacter ()*
  - responsible initiating a http URL connection to an API having the dataset of Disney characters.
  - The json data and received and passed on to the service class, *disneyCharacterService*
3. *doGet (HttpServletRequest request, HttpServletResponse response)*
  - Handles the user request and is responsible for sending back the response to a certain request.
  - It reads the user input set via java script file and passes these values to the *disneyCharacterService*
  - It is also responsible for converting the result received from the service class to json format and print it on to the UI.

#### Service Interface




- Provides the declaration for Service methods to save the data into database and fetch the data based on user input.

#### Service Class



1. *saveDisneyCharacter (String)*
  - gets called by *getJsonDataForDisneyCharacter ()*.
  - saves all the data that is received by a json API after it is been mapped.
2. *getDineyCharacters (), getCharacterByName (), getCharacterById ()*
  - frames a string of query statement based on user input and sends it to the query manager for execution


## Query Manager




1. `createConnection ()`
  - is responsible to establish jdbc connection to mysql.
2. `executeUpdateQuery (String)`, `executeQuery (String)`
  - executes query on the tables in connected database and returns the result of execution.

## User Interface


### Home Page



Result of search action from user  
-performing search



-result of the search



## Testing

-We have used Junit Test framework for testing our application. The following screenshots show the detailed coverage result from test execution,

