```
root@testPSQS01:/tmp# wget https://downloads.apache.org/kafka/4.2.0/kafka_2.13-4.2.0.tgz
--2026-04-13 18:26:22--  https://downloads.apache.org/kafka/4.2.0/kafka_2.13-4.2.0.tgz
Resolving downloads.apache.org (downloads.apache.org)... 135.181.214.104, 88.99.208.237, 2a01:4f9:3a:2c57::2, ...
Connecting to downloads.apache.org (downloads.apache.org)|135.181.214.104|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 136097050 (130M) [application/x-gzip]
Saving to: ‘kafka_2.13-4.2.0.tgz’

kafka_2.13-4.2.0.tgz                  100%[===================================================================================>] 129,79M  3,06MB/s    in 64s

2026-04-13 18:27:26 (2,02 MB/s) - ‘kafka_2.13-4.2.0.tgz’ saved [136097050/136097050]

root@testPSQS01:/tmp# tar -xzf kafka_2.13-4.2.0.tgz -C /opt
root@testPSQS01:/tmp# mv /opt/kafka_2.13-4.2.0 /opt/kafka
root@testPSQS01:/tmp# sudo chown -R kafka:kafka /opt/kafka
```

```
-controllers.
root@testPSQS01:/opt/kafka# sudo -u kafka bin/kafka-storage.sh format -t $UUID -c /opt/kafka/config/server.properties --standalone
Bootstrap metadata: BootstrapMetadata(records=[ApiMessageAndVersion(FeatureLevelRecord(name='metadata.version', featureLevel=29) at version 0), ApiMessageA
ndVersion(FeatureLevelRecord(name='eligible.leader.replicas.version', featureLevel=1) at version 0), ApiMessageAndVersion(FeatureLevelRecord(name='group.ve
rsion', featureLevel=1) at version 0), ApiMessageAndVersion(FeatureLevelRecord(name='share.version', featureLevel=1) at version 0), ApiMessageAndVersion(Fe
atureLevelRecord(name='streams.version', featureLevel=1) at version 0), ApiMessageAndVersion(FeatureLevelRecord(name='transaction.version', featureLevel=2)
 at version 0)], metadataVersionLevel=29, source=format command)
Formatting dynamic metadata voter directory /tmp/kraft-combined-logs with metadata.version 4.2-IV1.
root@testPSQS01:/opt/kafka#
```

```
Created symlink /etc/systemd/system/multi-user.target.wants/kafka.service → /etc/systemd/s
● kafka.service - Apache Kafka (KRaft)
     Loaded: loaded (/etc/systemd/system/kafka.service; enabled; vendor preset: enabled)
     Active: active (running) since Mon 2026-04-13 18:56:15 UTC; 350ms ago
   Main PID: 508429 (java)
      Tasks: 9 (limit: 4515)
     Memory: 20.6M
        CPU: 278ms
     CGroup: /system.slice/kafka.service
             └─508429 java -Xmx1G -Xms1G -server -XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX

anp 13 18:56:15 testPSQS01 systemd[1]: Started Apache Kafka (KRaft).
lines 1-11/11 (END)
```

```
Processed a total of 4 messages
root@testPSQS01:/opt/kafka# apt install --yes kafkacat
Чтение списков пакетов… Готово
Построение дерева зависимостей… Готово
Чтение информации о состоянии… Готово
Будут установлены следующие дополнительные пакеты:
  librdkafka1 libyajl2
Следующие НОВЫЕ пакеты будут установлены:
  kafkacat librdkafka1 libyajl2
Обновлено 0 пакетов, установлено 3 новых пакетов, для удаления отмечено 0 пакетов, и 111 пакетов не обновлено.
Необходимо скачать 683 kB архивов.
После данной операции объём занятого дискового пространства возрастёт на 2 009 kB.
Пол:1 http://ru.archive.ubuntu.com/ubuntu jammy/universe amd64 librdkafka1 amd64 1.8.0-1build1 [633 kB]
Пол:2 http://ru.archive.ubuntu.com/ubuntu jammy-updates/main amd64 libyajl2 amd64 2.1.0-3ubuntu0.22.04.1 [21,0 kB]
Пол:3 http://ru.archive.ubuntu.com/ubuntu jammy/universe amd64 kafkacat amd64 1.6.0-1 [29,0 kB]
Получено 683 kB за 0с (4 218 kB/s)
Выбор ранее не выбранного пакета librdkafka1:amd64.
(Чтение базы данных … на данный момент установлено 183707 файлов и каталогов.)
Подготовка к распаковке …/librdkafka1_1.8.0-1build1_amd64.deb …
Распаковывается librdkafka1:amd64 (1.8.0-1build1) …
Выбор ранее не выбранного пакета libyajl2:amd64.
Подготовка к распаковке …/libyajl2_2.1.0-3ubuntu0.22.04.1_amd64.deb …
Распаковывается libyajl2:amd64 (2.1.0-3ubuntu0.22.04.1) …
Выбор ранее не выбранного пакета kafkacat.
Подготовка к распаковке …/kafkacat_1.6.0-1_amd64.deb …
Распаковывается kafkacat (1.6.0-1) …
Настраивается пакет libyajl2:amd64 (2.1.0-3ubuntu0.22.04.1) …
Настраивается пакет librdkafka1:amd64 (1.8.0-1build1) …
Настраивается пакет kafkacat (1.6.0-1) …
Обрабатываются триггеры для man-db (2.10.2-1) …
Обрабатываются триггеры для libc-bin (2.35-0ubuntu3.13) …
Scanning processes ...
Scanning candidates ...
Scanning linux images ...
```

```
No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@testPSQS01:/opt/kafka# kafka-topics.sh --bootstrap-server localhost:9092 --create --topic clickhouse_test --partitions 1 --replication-factor 1
kafka-topics.sh: command not found
root@testPSQS01:/opt/kafka# /opt/kafka/bin/kafka-topics.sh --create --topic clickhouse_test --bootstrap-server localhost:9092 --partitions 1 --replication-
factor 1
WARNING: Due to limitations in metric names, topics with a period ('.') or underscore ('_') could collide. To avoid issues it is best to use either, but no
t both.
Created topic clickhouse_test.
root@testPSQS01:/opt/kafka# ^C
root@testPSQS01:/opt/kafka# /opt/kafka/bin/kafka-console-producer.sh --bootstrap-server localhost:9092 --topic clickhouse_test
> {"id": 1, "name": "Alice", "value": 100.5, "timestamp": "2026-04-13 10:00:00"}
> {"id": 2, "name": "Bob", "value": 200.3, "timestamp": "2026-04-13 10:01:00"}
> {"id": 3, "name": "Charlie", "value": 150.2, "timestamp": "2026-04-13 10:02:00"}
>1,: command not found
2,: command not found
3,: command not found
root@testPSQS01:/opt/kafka# /opt/kafka/bin/kafka-console-producer.sh --bootstrap-server localhost:9092 --topic clickhouse_test
>{"id": 1, "name": "Alice", "value": 100.5, "timestamp": "2026-04-13 10:00:00"}
>{"id": 2, "name": "Bob", "value": 200.3, "timestamp": "2026-04-13 10:01:00"}
>{"id": 3, "name": "Charlie", "value": 150.2, "timestamp": "2026-04-13 10:02:00"}
>root@testPSQS01:/opt/kafka#
```

```
testPSQS01 :) CREATE TABLE kafka_consumer
(
    id UInt32,
    name String,
    value Float64,
    timestamp DateTime
) ENGINE = Kafka
SETTINGS
    kafka_broker_list = 'localhost:9092',
    kafka_topic_list = 'clickhouse_test',
    kafka_group_name = 'clickhouse_consumer_group',
    kafka_format = 'JSONEachRow',
    kafka_num_consumers = 1;

CREATE TABLE kafka_consumer
(
    `id` UInt32,
    `name` String,
    `value` Float64,
    `timestamp` DateTime
)
ENGINE = Kafka
SETTINGS kafka_broker_list = 'localhost:9092', kafka_to
chRow', kafka_num_consumers = 1

Query id: 2dac6fe8-45f3-402a-84c4-8708d364b6fc

Ok.

0 rows in set. Elapsed: 0.008 sec.
```

```
testPSQS01 :) CREATE TABLE kafka_data
(
    id UInt32,
    name String,
    value Float64,
    timestamp DateTime
) ENGINE = MergeTree()
ORDER BY timestamp;

CREATE TABLE kafka_data
(
    `id` UInt32,
    `name` String,
    `value` Float64,
    `timestamp` DateTime
)
ENGINE = MergeTree
ORDER BY timestamp

Query id: fc5f2910-affb-4d63-a47b-f665607af4cd

Ok.
```

```
testPSQS01 :) CREATE MATERIALIZED VIEW kafka_mv TO kafka_data AS
SELECT id, name, value, timestamp FROM kafka_consumer;

CREATE MATERIALIZED VIEW kafka_mv TO kafka_data
AS SELECT
    id,
    name,
    value,
    timestamp
FROM kafka_consumer

Query id: 7eb2f95e-b1ec-4831-8698-2940aff98959

Ok.

0 rows in set. Elapsed: 0.005 sec.
```

```
testPSQS01 :) SELECT * FROM kafka_data;

SELECT *
FROM kafka_data

Query id: 79908719-398d-4b10-a916-44433e0627c1

    ┌─id─┬─name────┬─value─┬─────────────────timestamp─┐
1.  │  1 │ Alice   │ 100.5 │ 2026-04-13 10:00:00       │
2.  │  2 │ Bob     │ 200.3 │ 2026-04-13 10:01:00       │
3.  │  3 │ Charlie │ 150.2 │ 2026-04-13 10:02:00       │
    └────┴─────────┴───────┴───────────────────────────┘

3 rows in set. Elapsed: 0.004 sec.
```