ECOMMERCE DATABASE DESIGN (B2C)

1. Categories

Description: This table contains information about the main categories of products in the store.

• id: INTEGER NOT NULL AUTO_INCREMENT • category_name: VARCHAR(255) NOT NULL

• description: TEXT

url_slug: VARCHAR(255) UNIQUEstatus: TINYINT(1) DEFAULT 1

• created_at: DATETIME DEFAULT CURRENT_TIMESTAMP

• updated at: DATETIME DEFAULT CURRENT TIMESTAMP ON UPDATE

CURRENT TIMESTAMP

• deleted_at: DATETIME DEFAULT NULL

2. Sub_Categories

Description: Stores details of subcategories linked to categories.

• id: INTEGER NOT NULL AUTO_INCREMENT

• parent_id: INTEGER DEFAULT NULL

• name: VARCHAR(255) NOT NULL

• description: TEXT

• created at: DATETIME DEFAULT CURRENT TIMESTAMP

• updated_at: DATETIME DEFAULT CURRENT TIMESTAMP ON UPDATE

CURRENT_TIMESTAMP

• deleted_at: DATETIME DEFAULT NULL

• FOREIGN KEY (parent id) REFERENCES categories(id) ON DELETE SET NULL

3. Brands

Description: Holds details of product brands available in the store.

• id: INTEGER NOT NULL AUTO INCREMENT

• brand name: VARCHAR(255) NOT NULL UNIQUE

• logo: VARCHAR(255) DEFAULT NULL

• description: TEXT DEFAULT NULL

• website: VARCHAR(255) DEFAULT NULL

• created at: DATETIME DEFAULT CURRENT TIMESTAMP

• updated at: DATETIME DEFAULT CURRENT TIMESTAMP ON UPDATE

CURRENT TIMESTAMP

deleted at: DATETIME DEFAULT NULL

4. Products

Description: Stores details of all products available in the store.

- id: INTEGER NOT NULL AUTO INCREMENT
- product_name: VARCHAR(255) NOT NULL
- url slug: VARCHAR(255) UNIQUE
- category id: INTEGER NOT NULL
- sub_category_id: INTEGER DEFAULT NULL
- brand id: INTEGER DEFAULT NULL
- description: TEXT
- summary: TEXT
- price: DECIMAL(10, 2) NOT NULL
- stock_quantity: INTEGER DEFAULT 0
- weight: DECIMAL(10, 2) DEFAULT NULL
- dimensions: VARCHAR(100) DEFAULT NULL
- is_active: TINYINT(1) DEFAULT 1
- created_at: DATETIME DEFAULT CURRENT_TIMESTAMP
- updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT TIMESTAMP
- deleted at: DATETIME DEFAULT NULL
- FOREIGN KEY (category_id) REFERENCES categories(id) ON DELETE CASCADE
- FOREIGN KEY (sub_category_id) REFERENCES sub_categories(id) ON DELETE SET NULL
- FOREIGN KEY (brand id) REFERENCES brands(id) ON DELETE SET NULL

5. Product_Attributes

Description: Defines attributes for products, such as size, color, and material.

- id: INTEGER NOT NULL AUTO INCREMENT
- name: VARCHAR(100) NOT NULL
- value: VARCHAR(255) NOT NULL
- description: TEXT DEFAULT NULL
- is filterable: TINYINT(1) DEFAULT 0

6. Product_SKUs

Description: Stores stock-keeping unit (SKU) information for products, including variants.

- id: INTEGER NOT NULL AUTO INCREMENT
- product id: INTEGER NOT NULL
- size attribute id: VARCHAR(50)
- color attribute id: VARCHAR(50)
- material: VARCHAR(100) DEFAULT NULL
- stock_quantity: INTEGER DEFAULT 0
- weight: DECIMAL(10, 2) DEFAULT NULL
- **SKU**: VARCHAR(255)
- price: DECIMAL(10, 2) NOT NULL
- is_active: TINYINT(1) DEFAULT 1
- created at: DATETIME DEFAULT CURRENT TIMESTAMP
- updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE

CURRENT TIMESTAMP

- deleted_at: DATETIME DEFAULT NULL
- FOREIGN KEY (product_id) REFERENCES products(id) ON DELETE CASCADE

7. Offers

Description: Contains promotional offers applicable to products.

- id: INTEGER NOT NULL AUTO_INCREMENT
- product id: INTEGER NOT NULL
- discount_percentage: DECIMAL(10,2)
- color attribute id: VARCHAR(50)
- start_date: DATETIME DEFAULT CURRENT_TIMESTAMP
- end date: DATETIME DEFAULT CURRENT TIMESTAMP
- conditions: JSON

8. Users

This table stores the details of all users registered in the system.

- id: INTEGER NOT NULL AUTO INCREMENT
- avatar: VARCHAR(255) DEFAULT NULL
- first_name: VARCHAR(100) NOT NULL
- last_name: VARCHAR(100) NOT NULL
- user name: VARCHAR(100) NOT NULL
- email: VARCHAR(255) UNIQUE NOT NULL
- password: VARCHAR(255) NOT NULL
- phone_number: VARCHAR(15) UNIQUE DEFAULT NULL
- birth date: DATE DEFAULT NULL
- age: INTEGER NOT NULL
- preferences: JSON DEFAULT NULL
- loyalty_points: INTEGER DEFAULT 0
- subscription_status: TINYINT
- account created date: DATETIME DEFAULT CURRENT TIMESTAMP
- last_login_date: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

9. User Addresses

This table manages addresses associated with users for shipping or billing purposes.

- id: INTEGER NOT NULL AUTO INCREMENT
- user_id: INTEGER NOT NULL
- title: VARCHAR(50) DEFAULT NULL
- address line 1: VARCHAR(255) NOT NULL
- address line 2: VARCHAR(255) DEFAULT NULL
- country: VARCHAR(100) NOT NULL
- state: VARCHAR(100) NOT NULL
- city: VARCHAR(100) NOT NULL
- postal code: VARCHAR(20) NOT NULL
- landmark: VARCHAR(255) DEFAULT NULL
- created at: DATETIME DEFAULT CURRENT TIMESTAMP
- updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE
 CURRENT TIMESTAMP
- FOREIGN KEY (user_id) REFERENCES users(id) ON DELETE CASCADE

•

10. Cart

This table manages users' shopping carts, tracking the total items and price of products added.

- id: INTEGER NOT NULL AUTO_INCREMENT
 - user id: INTEGER NOT NULL
 - total items: INTEGER DEFAULT 0
 - total price: DECIMAL(10, 2) DEFAULT 0.00
 - created at: DATETIME DEFAULT CURRENT TIMESTAMP
 - updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT TIMESTAMP
 - FOREIGN KEY (user_id) REFERENCES customers(id) ON DELETE CASCADE

11. Cart_Items

This table tracks the items added to a cart, including their quantities and prices.

- id: INTEGER NOT NULL AUTO_INCREMENT
 - cart id: INTEGER NOT NULL
 - product id: INTEGER NOT NULL
 - product sku id: INTEGER DEFAULT NULL
 - quantity: INTEGER NOT NULL
 - unit price: DECIMAL(10, 2) NOT NULL
 - total_price: DECIMAL(10, 2) NOT NULL (calculated as unit_price * quantity)
 - created_at: DATETIME DEFAULT CURRENT_TIMESTAMP
 - updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
 - FOREIGN KEY (cart id) REFERENCES cart(id) ON DELETE CASCADE
 - FOREIGN KEY (product_id) REFERENCES products(id) ON DELETE CASCADE

12. Orders

This table records details of orders placed by users.

- id: INTEGER NOT NULL AUTO INCREMENT
- user_id: INTEGER NOT NULL
- total amount: DECIMAL(10, 2) NOT NULL
- discount_amount: DECIMAL(10, 2) DEFAULT 0.00
- shipping_amount: DECIMAL(10, 2) DEFAULT 0.00
- net_amount: DECIMAL(10, 2) NOT NULL
- status: ENUM('Pending', 'Processing', 'Shipped', 'Delivered', 'Cancelled', 'Refunded') DEFAULT 'Pending'
- order_date: DATETIME DEFAULT CURRENT_TIMESTAMP
- shipped date: DATETIME DEFAULT NULL
- delivery date: DATETIME DEFAULT NULL
- FOREIGN KEY (user_id) REFERENCES users(id) ON DELETE CASCADE

13. Order_Items

This table tracks the items included in each order.

- id: INTEGER NOT NULL AUTO INCREMENT
- order id: INTEGER NOT NULL
- product id: INTEGER NOT NULL
- product sku id: INTEGER DEFAULT NULL
- quantity: INTEGER NOT NULL
- unit_price: DECIMAL(10, 2) NOT NULL
- total price: DECIMAL(10, 2) NOT NULL
- FOREIGN KEY (order id) REFERENCES orders(id) ON DELETE CASCADE
- FOREIGN KEY (product_id) REFERENCES products(id) ON DELETE CASCADE
- FOREIGN KEY (product_sku_id) REFERENCES product_variants(id) ON DELETE CASCADE

14. Payments

This table contains information about payments made for orders.

- id: INTEGER NOT NULL AUTO INCREMENT
- order id: INTEGER NOT NULL
- transaction id: VARCHAR(255) UNIQUE DEFAULT NULL
- provider: VARCHAR(100) NOT NULL
- status: ENUM('Pending', 'Completed', 'Failed', 'Refunded')
 DEFAULT 'Pending'
- amount: DECIMAL(10, 2) NOT NULL
- payment_date: DATETIME DEFAULT CURRENT_TIMESTAMP
- FOREIGN KEY (order_id) REFERENCES orders(id) ON DELETE CASCADE

15. Reviews

This table stores reviews provided by users for products.

- id: INTEGER NOT NULL AUTO INCREMENT
- user id: INTEGER NOT NULL
- product id: INTEGER NOT NULL
- rating: TINYINT(1) NOT NULL
- review: TEXT DEFAULT NULL
- status: TINYINT(1) DEFAULT 1
- created at: DATETIME DEFAULT CURRENT TIMESTAMP
- updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
- FOREIGN KEY (user_id) REFERENCES users(id) ON DELETE CASCADE
- FOREIGN KEY (product_id) REFERENCES products(id) ON DELETE CASCADE

16. Shipping

This table manages the shipping details of orders.

- id: INTEGER NOT NULL AUTO INCREMENT
- order id: INTEGER NOT NULL
- courier service: VARCHAR(255) DEFAULT NULL
- address_id: INTEGER NOT NULL
- full_address: VARCHAR(255) DEFAULT NULL
- state : VARCHAR(255) DEFAULT NULL
- city: VARCHAR(255) DEFAULT NULL
- zip code: VARCHAR(255) DEFAULT NULL
- phone : VARCHAR(255) DEFAULT NULL
- tracking_number: VARCHAR(255) DEFAULT NULL
- shipping_provider: VARCHAR(255) DEFAULT NULL
- estimated delivery date: DATE DEFAULT NULL
- actual_delivery_date: DATE DEFAULT NULL
- shipment_status: ENUM('Pending', 'In Transit', 'Delivered', 'Cancelled') DEFAULT 'Pending'

•

- FOREIGN KEY (order_id) REFERENCES orders(id) ON DELETE CASCADE
- FOREIGN KEY (address_id) REFERENCES user_addresses(id) ON DELETE CASCADE

17. Refund

This table manages the refund details of orders.

- id: INTEGER NOT NULL AUTO INCREMENT
- order id: INTEGER NOT NULL
- reason: TEXT
- refund_status: TINYINT
- refund amount: DECIMAL(10, 2)
- processed_date: DATE DEFAULT NULL

18. Wishlist

This table manages the products that users save to their wishlist.

- id: INTEGER NOT NULL AUTO INCREMENT
- user id: INTEGER NOT NULL
- product id: INTEGER NOT NULL
- status: TINYINT
- created at: DATETIME DEFAULT CURRENT TIMESTAMP
- updated_at: DATETIME DEFAULT CURRENT_TIMESTAMP ON UPDATE

CURRENT TIMESTAMP

- deleted_at: DATETIME DEFAULT NULL
- FOREIGN KEY (user id) REFERENCES customers(id) ON DELETE CASCADE
- FOREIGN KEY (product_id) REFERENCES products(id) ON DELETE CASCADE
- FOREIGN KEY (product_sku_id) REFERENCES product_variants(id) ON DELETE SET NULL

19. Analytics

This table tracks user interactions with products, such as views and purchases, for analysis purposes.

- id: INTEGER NOT NULL AUTO INCREMENT
- user id: INTEGER NOT NULL
- views count: INTEGER NOT NULL
- purchase count: INTEGER NOT NULL
- product_sku_id: INTEGER DEFAULT NULL
- date: DATETIME DEFAULT CURRENT TIMESTAMP