

TOI-270

TOI-270, also known as **L 231-32**, is a <u>red dwarf</u> star 73.3 <u>light-years</u> (22.5 <u>parsecs</u>) away in the constellation <u>Pictor</u>. It has about 39% the mass and 38% the radius of the Sun, and a <u>temperature</u> of about 3,506 <u>K</u> (3,233 $^{\circ}$ C; 5,851 $^{\circ}$ F). TOI-270 hosts a system of three known <u>exoplanets</u>.

Planetary system

The three planets of TOI-270 were discovered in 2019 by the <u>transit method</u> with <u>TESS</u>. [4] Their masses have since been measured by both <u>Doppler spectroscopy</u> and <u>transit-timing variations</u>. [6] The innermost planet, TOI-270 b, is a rocky <u>super-Earth</u>, while the two outer planets are <u>mini-Neptunes</u>. [5] TOI-270 b & c orbit near a 5:3 <u>resonance</u>, while TOI-270 c & d orbit near a 2:1 resonance.

Observations of the outermost planet, TOI-270 d, by the Hubble Space Telescope suggest a hydrogen-rich atmosphere with signs of water vapor. [7] TOI-270 c & d are good targets for atmospheric detection with the James Webb Space Telescope. [8]

The James Webb Space Telescope detected <u>methane</u> (CH₄), <u>carbon dioxide</u> (CO₂) and <u>water vapor</u> in the atmosphere of TOI-270 d. [9] The atmosphere of this planet was also found to be metal-rich, with a <u>mean molecular weight</u> of $5.47^{+1.25}_{-1.14}$ and an atmospheric metal mass fraction (percentage of the mass of metals in the atmosphere) of $58\%^{+8\%}_{-12\%}$. Possible signatures of <u>sulfur dioxide</u> (SO₂) and <u>carbon disulfide</u> (CS₂) were also found. [9]

TOI-270

Observation data

Epoch J2000 Equinox J2000

Constellation Pictor^[1]

 Right ascension
 $04^h 33^m 39.72001^{s[2]}$

 Declination
 $-51^{\circ} 57' 22.4354''^{[2]}$

Apparent magnitude (V) 12.617^[3]

Characteristics

Evolutionary stage Main sequence

Spectral type $M3.0V^{[4]}$

Apparent magnitude (V) $12.617 \pm 0.03^{\boxed{3}}$

Apparent magnitude (R) $12.147 \pm 0.05^{[3]}$

Apparent magnitude (G) $11.621 \pm 0.003^{[2]}$

Apparent magnitude (J) $9.099 \pm 0.032^{[3]}$

Apparent magnitude (H) $8.531 \pm 0.073^{[3]}$

Apparent magnitude (K) $8.251 \pm 0.029^{[3]}$

Astrometry

Radial velocity (R_v) 25.90 ± 0.37^[2] km/s

Proper motion (\mu) RA: +83.082 mas/yr^[2]

Dec.: -269.803 mas/yr^[2]

Parallax (π) 44.4899 ± 0.0147 mas^[2]

Distance $73.31 \pm 0.02 \text{ ly}$

 $(22.477 \pm 0.007 pc)$

Details^[5]

Mass $0.386 \pm 0.008 M_{\odot}$

Radius $0.378 \pm 0.011 \,\underline{R}_{\odot}$

Luminosity (bolometric) $0.0194 \pm 0.0019 L_{\odot}$

Surface gravity (log g) 4.872 ±0.026 cgs

Temperature $3506 \pm 70 \text{ K}$

Metallicity [Fe/H] -0.20 ± 0.12 dex

Other designations

L 231-32, PM J04336-5157, TOI-270,

TIC 259377017,


2MASS J04333970-5157222^[3]

Database references

data (https://simbad.cds. unistra.fr/simbad/sim-id? Ident=TOI-270)

The TOI-270 planetary system^{[5][6]}

Companion (in order from star)	Mass	Semimajor axis (AU)	Orbital period (days)	Eccentricity	Inclination	Radius
b	1.48 ± 0.18 M_{\oplus}	0.031 97(22)	3.360 1538(48)	0.0167(84)	89.39 ±0.37°	1.206 ±0.039 <u>R</u> ⊕
С	6.20 ± 0.31 M_{\oplus}	0.045 26(31)	5.660 5731(31)	0.0044(6)	89.36 ±0.24°	2.355 ±0.064 <u>R</u> ⊕
d	4.20 ±0.16 M _⊕	0.072 10(50)	11.379 573(13)	0.0066(20)	89.73 ±0.16°	2.133 ±0.058 <u>R</u> ⊕



Comparison of the TOI-270 planetary system to Jupiter's moon system^[10]

References

- 1. "Finding the constellation which contains given sky coordinates" (http://djm.cc/constellation.html). djm.cc. 2 August 2008.
- 2. Vallenari, A.; et al. (Gaia collaboration) (2023). "Gaia Data Release 3. Summary of the content and survey properties" (https://doi.org/10.1051%2F0004-6361%2F202243940). Astronomy and Astrophysics. 674: A1. arXiv:2208.00211 (h ttps://arxiv.org/abs/2208.00211). Bibcode:2023A&A...674A...1G (https://ui.adsabs.harvard.edu/ abs/2023A&A...674A...1G). doi:10.1051/0004-6361/202243940 (https://doi.org/10.1051%2F00



Artist's impression of the three known planets in the TOI-270 system and their size comparison with Earth

3%204781196115469953024) at VizieR. 3. "L 231-32" (http://simbad.u-strasbg.fr/simbad/sim-basic?Ident=L+231-32). SIMBAD. Centre de données astronomiques de Strasbourg. Retrieved 18 October 2023.

04-6361%2F202243940). S2CID 244398875 (https://api.semanticscholar.org/CorpusID:24439 8875). Gaia DR3 record for this source (https://vizier.u-strasbg.fr/viz-bin/VizieR-S?Gaia%20DR

- 4. Günther, Maximilian N.; Pozuelos, Francisco J.; et al. (July 2019). "A super-Earth and two sub-Neptunes transiting the nearby and quiet M dwarf TOI-270". Nature Astronomy. 3 (12): 1099-1108. arXiv:1903.06107 (https://arxiv.org/abs/1903.06107). Bibcode:2019NatAs...3.1099G (htt ps://ui.adsabs.harvard.edu/abs/2019NatAs...3.1099G). doi:10.1038/s41550-019-0845-5 (http s://doi.org/10.1038%2Fs41550-019-0845-5). S2CID 256707535 (https://api.semanticscholar.or g/CorpusID:256707535).
- 5. Van Eylen, V.; Astudillo-Defru, N.; et al. (October 2021). "Masses and compositions of three small planets orbiting the nearby M dwarf L231-32 (TOI-270) and the M dwarf radius valley" (ht tps://doi.org/10.1093%2Fmnras%2Fstab2143). Monthly Notices of the Royal Astronomical Society. 507 (2): 2154–2173. arXiv:2101.01593 (https://arxiv.org/abs/2101.01593). Bibcode:2021MNRAS.507.2154V (https://ui.adsabs.harvard.edu/abs/2021MNRAS.507.2154 V). doi:10.1093/mnras/stab2143 (https://doi.org/10.1093%2Fmnras%2Fstab2143).

- Kaye, Laurel; Vissapragada, Shreyas; et al. (March 2022). "Transit Timing Variations in the three-planet system: TOI-270" (https://doi.org/10.1093%2Fmnras%2Fstab3483). Monthly Notices of the Royal Astronomical Society. 510 (4): 5464–5485. arXiv:2308.10763 (https://arxiv.org/abs/2308.10763). Bibcode:2022MNRAS.510.5464K (https://ui.adsabs.harvard.edu/abs/2022MNRAS.510.5464K). doi:10.1093/mnras/stab3483 (https://doi.org/10.1093%2Fmnras%2Fstab3483).
- 7. Mikal-Evans, Thomas; Madhusudhan, Nikku; et al. (March 2023). "Hubble Space Telescope Transmission Spectroscopy for the Temperate Sub-Neptune TOI-270 d: A Possible Hydrogenrich Atmosphere Containing Water Vapor" (https://doi.org/10.3847%2F1538-3881%2Faca90b). The Astronomical Journal. 165 (3): 84. arXiv:2211.15576 (https://arxiv.org/abs/2211.15576). Bibcode:2023AJ....165...84M (https://ui.adsabs.harvard.edu/abs/2023AJ....165...84M). doi:10.3847/1538-3881/aca90b (https://doi.org/10.3847%2F1538-3881%2Faca90b).
- 8. Chouqar, J.; Benkhaldoun, Z.; et al. (June 2020). "Properties of sub-Neptune atmospheres: TOI-270 system" (https://doi.org/10.1093%2Fmnras%2Fstaa1198). Monthly Notices of the Royal Astronomical Society. 495 (1): 962–970. arXiv:2004.12475 (https://arxiv.org/abs/2004.12475). Bibcode:2020MNRAS.495..962C (https://ui.adsabs.harvard.edu/abs/2020MNRAS.495..962C). doi:10.1093/mnras/staa1198 (https://doi.org/10.1093%2Fmnras%2Fstaa1198).
- 9. Benneke, Björn; Roy, Pierre-Alexis; Coulombe, Louis-Philippe; Radica, Michael; Piaulet, Caroline; Ahrer, Eva-Maria; Pierrehumbert, Raymond; Krissansen-Totton, Joshua; Schlichting, Hilke E. (2024-03-05), JWST Reveals CH\$_4\$, CO\$_2\$, and H\$_2\$O in a Metal-rich Miscible Atmosphere on a Two-Earth-Radius Exoplanet, arXiv:2403.03325 (https://arxiv.org/abs/2403.03325)
- 10. Reddy, Francis (29 July 2019). "NASA's TESS Mission Scores 'Hat Trick' With 3 New Worlds" (https://www.nasa.gov/universe/nasas-tess-mission-scores-hat-trick-with-3-new-worlds/). NASA. Retrieved 18 October 2023.

Retrieved from "https://en.wikipedia.org/w/index.php?title=TOI-270&oldid=1242635309"