

Initiation à l'analyse de données Oxford Nanopore

un focus sur la reconstruction de virus



Adapted from ONT training SG 2021

Prepared by Aurore Comte , Julie Orjuela and Denis Filloux

Ouagadougou, Septembre 2022



Let's discover Jupyter through the IFB cloud

Working environment

What is jupyter book ?

- One of the most popular tool among data scientists to perform data analysis
- Provides a complete environment in which numerous programming languages can be used through a simple web browser


ex : Bash (Linux), Python, Java, R, Julia, Matlab, Octave, Scheme, Processing, Scala



Why use jupyter book ?

An unique interface/file where text,code and output codes can be mixed :

- code can be executed inside each cell of the notebook
- code output is directly displayed in the notebook



Why use jupyter book ?

An unique interface/file where text,code and output codes can be mixed :

- code can be executed inside each cell of the notebook
- code output is directly displayed in the notebook
- explanations, formulas, charts can be added

The screenshot shows a Jupyter Notebook interface with the following details:

- Header:** jupyter parseCstr-Copy1 Dernière Sauvegarde : Il y a 8 minutes (auto-sauvegarde) Se déconnecter Python 3 O
- Toolbar:** Fichier Édition Affichage Insérer Cellule Noyau Widgets Aide
- Cell Content:**
 - Section Header:** Anchoring data analysis
 - Section 1:** 1 - CDHIT data analysis *before anchoring on genome*
 - Section 1.1:** 1.1 Removing redundancy with CDHIT
 - CDHIT Input : 1,306,676 contigs assembled from no mapped reads
 - Tests & results
 - Data Table:**

	0.9	0.95
0.80	378,615	484,394
0.85	418,136	531,326
0.90	473,270	588,983
0.95	544,441	659,658
 - Text:** clusters generated after cdhit analysis : 484,394
 - Section 2:** 1.2 Converting cdhit file into a csv loaded as a dataframe with pandas
 - Text:** The script cdhitVsAnchoring.py creates the csv file allCtgtsIRIGIN_TOG5681.dedup8095.PANDAS.csv
 - Section 3:** Load csv file into a pandasframe
 - Code Cell [1]:**

```
Entrée [1]: 1 import pandas as pd
2 import matplotlib.pyplot as plt
3 import numpy as np
4
5 csv_cdhit_file = "/home/christine/Documents/These/Data/CDHIT/ALL_CTGS_MERGE/allCtgtsIRIGIN_TOG5681.dedup8095.PANDAS.csv"
6 df_cdhit= pd.read_csv(csv_cdhit_file,names=['ctg','sp','ctg-list','sp_list'], header=0)
7 #print(df_cdhit)
8
```

Lab notebook for science data ?






- One file to analyze data and generate reports
- Can be exported to many formats, including PDF and HTML, which makes it easy to share your project with anyone.
- Analysis are more transparent, repeatable and shareable

How to become a super datascientist ?

- facilement importer des fichiers tabulés dans des dataframes, similaires aux dataframes sous R.
(et exporter)
- manipuler ces tableaux de données / DataFrames
- facilement tracer des graphes à partir de ces DataFrames grâce à matplotlib

pandas
 $y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$



How will you use Jupyter Notebook ?

Launch our analyses through a jupyter book within a virtual machine launched via the IFB cloud “BIOSPHERE”



How will you use Jupyter Notebook ?

- Launch our analyses through a jupyter book within a virtual machine launched via the IFB cloud “BIOSPHERE”



Through this virtual machine, we will create jupyter books and execute all our analysis


The screenshot shows a web browser window for the IFB Cloud. The address bar indicates the URL is <https://134.158.247.8/tree/mydatalocal>. The main content area is titled "jupyter" and contains three tabs: "Files", "Running", and "Clusters". Below the tabs, there's a message: "Select items to perform actions on them." A sidebar on the left shows a file tree with a folder named "mydatalocal". The central area displays the message: "La liste des notebooks est vide." (The list of notebooks is empty). On the right side, there is a "Notebook" dropdown menu with options: Bash, Julia 1.5.3, Python 3, R, and a "New" button. Below the "Notebook" menu, there are sections for "Other": Text File, Folder, and Terminal. At the bottom of the interface, there are "Upload" and "Logout" buttons.

IFB ?



INSTITUT FRANÇAIS DE BIOINFORMATIQUE

22 plateformes-membres
7 plateformes contributrices
8 équipes associées
>400 experts (~200 FTE)




Biosphere, IFB CLOUD FOR LIFE SCIENCES

- A federation of clouds, which relies on interconnected IFB's infrastructures, providing distributed services to analyze life science data
- Access to a large set of virtual machines (computing ressources, bioinformatics tool)
- Used for scientific production in the life sciences, developments, and also to support events like cloud and scientific training sessions, hackathons or workshops.


Let's start with biosphere

- Open the biosphere website : <https://biosphere.france-bioinformatique.fr/cloud/> and sign in



Connected / here we are

RAINBIO catalog to access our Virtual Machine (VM)



The screenshot shows a web browser window with the URL <https://biosphere.france-bioinformatique.fr>. The page title is "WELCOME ON BIOSPHERE, IFB CLOUD FOR LIFE SCIENCES". The header includes the IFB logo, "Biosphere", "RAINBio", "mgVM", and "DATA". A "Support" link and an email address "christine.tranchant@ird.fr (eduGAIN)" are also present. The main content area is titled "BIOSPHERE FEATURES" and lists various services and resources available through the portal.

BIOSPHERE FEATURES

With IFB-Biosphere, you get:

- Pre-defined bioinformatics environments, available with an one-click deployment from the RAINBio catalogue
- Single sign-on, with your academic credentials for all sites ([Sign in](#))
- An unified portal (Biosphere portal) for users to [deploy virtual machines on all clouds](#)
- More than 5.400 vCPU and 27 TB RAM ([System status](#))
- Modular cloud environments, from a single virtual machine (VM) to tenths of VMs, up to 48 vCPU and 250 GB of RAM per VM
- Big memory VM with up to 3 TB RAM
- Admin right in your environment to tune bioinformatics tools and configurations
- High-availability thanks to the different sites of the federation
- Usual public biological reference databases
- Support for your training or workshop (CPU, RAM, storage, IFB experts)

BIOSPHERE PORTAL

The Biosphere portal provides high-level cloud interfaces

- The RAINBio catalogue to select the bioinformatics cloud appliances, useful for your analysis.
- An operating center to manage your cloud deployments with single virtual machines (VM) or complex applications with multiple VM
- A data center showing the public reference databases available in the IFB's clouds.

BIOINFORMATICS APPLIANCES

The **bioinformatics appliances** available in the RAINBio catalogue provide scientists with thematic environments, base appliances, web-based and desktop appliances.

Bioinformatics apps :

- Genomics, genome annotation, comparative genomics, transcriptomics, metagenomics,
- biomining,
- metabolic pathway, metabolomics,
- microbial ecology
- ...

Base apps :

- Linux distributions: Ubuntu, Debian, CentOS, with apt/yum, pip, docker (compose & swarm), ansible, conda (bioconda and R channels),
- Workflow environments (BioPipes), with Nextflow, SnakeMake, CWLtool, conda + Bioconda, Docker + Compose
- Web-based: Rstudio (BioManager, any R modules), Rshiny (Bring your own Rshiny app), Jupyter (Kernels Python & R), WellInverter...
- Graphical Desktop (XFCE4, Xfce, Bioimagine, Fiji/lov, Cytoscape)

Searching for the vm we will use

vm's name : **virus_ONT**

 **RAINBIO - APPLIANCES BIOINFORMATIQUES DANS LE CLOUD**

Catalogue des appliances bioinformatiques dans le cloud, filtrez-les en utilisant les termes présents dans l'ontologie EDAM, ou en langage naturel.

App Store (58) Appliances Outils Topics Appliance éditable Ajouter 

AnalysesSV	CoursAnalysesNanoporeSG	virus_ONT	ANF MetaBioDiv
<ul style="list-style-type: none">bcftools, BEDTools, BWA, Jupyter, Matplotlib, pandas, SAMtoolsDNA polymorphism, Genetic variation, Genotyping experiment, GWAS study	<ul style="list-style-type: none">bandage, JupyterData architecture, analysis and design, Mathematics, Statistics and probability	<ul style="list-style-type: none">JupyterData architecture, analysis and design, Mathematics, Statistics and probability	<ul style="list-style-type: none">DESeq2, ggplot2, phyloseq, RStudioTranscriptomics, Microbiology, Metagenomics, Sequence analysis

DONE !

Let's run your vm through the cloud

The screenshot shows a web-based interface for managing virtual machines. At the top, there's a navigation bar with the IFB Biosphere logo, RAINBio, myVM, and DATA links. On the right, there's a user profile for 'julie.orjuela@ird.fr (eduGAIN)' with options for Support, EDITER, LANCER, LANCIER, and DÉPLOIEMENT AVANÇÉ.

Description: VM used for train scientists and students from Burkina Faso and West Africa in bioinformatics analysis of data from Oxford nanopore sequencing technology with main of study viral métagenome.

Domaines associés: Computational biology, Sequence analysis

Outils:

Jupyter	
OS	Debian 11
Recette de l'app (git)	https://github.com/SouthGreenPlatform/training_ONT_VM/tree/2022
App de base	Jupyter

Caractéristiques:

Nom long	VM used for analyse metagenomic of viruses
Version	1.0

DONE !

Let's run your vm through the cloud

The screenshot shows the IFB Biosphere interface for deploying an appliance. The main window displays the 'Appliance virus_ONT' configuration. A modal dialog titled 'Configurer le déploiement d'une appliance' is open, specifically for the 'Déploiement de l'appliance "virus_ONT"'.

In the modal, the 'Name' field is set to 'Julie_ONT'. The 'Groupe à utiliser' dropdown shows 'virus_ont (Initiation à l'analyse de la séquençage) 828.01'. The 'Cloud' dropdown shows 'ifb-core-cloudbis'. The 'Gabarit d'image cloud' dropdown is expanded, listing various cloud image templates. One template, 'ifb.m4.2xlarge (8 vCPU, 32Go GB RAM, 200Go GB local disk)', is highlighted with a blue selection bar. An arrow points from the bottom left towards this highlighted item.

At the top right of the main window, there are buttons for 'EDITER', 'LANCER', '▶ LANCRER', and '▶ DÉPLOIEMENT AVANCÉ'. On the far right, a user profile for 'julie.orjuela@ird.fr (eduGAIN)' is visible, along with a 'Support' link.

DONE !

Let's run your vm through the cloud

Loading...

The screenshot shows the RAINBio myVM interface with the following components:

- Header:** IFB Biosphère RAINBio myVM DATA Support julie.orjuela@ird.fr (eduGAIN)
- Left Sidebar:** CLOUD
- Main Area:** Déploiements

ID	Nom	Début	Groupes	Spécification	Broker	Cloud	Accès
19804	virus_ONT (1.0) testontvirus	Sep 05 2022, 17h00	virus_ont	8 32 200	da98	ifb-core-cloudbis	
19759	virus_ONT (1.0)	Sep 05 2022, 10h25	DIADE	1 4 25	b680		

Bottom Buttons: Arrêter les déploiements, Tout voir (6)

DONE !

Let's run your vm through the cloud

ready !

The screenshot shows a cloud deployment interface with the following details:

- Déploiements**: A table listing one deployment.
- ID**: 19804
- Nom**: virus_ONT (1.0)
- Début**: Sep 05 2022, 17h00
- Groupes**: virus_ont
- Spécification**: 8 cores, 32 GB RAM, 200 GB disk
- Broker**: da98
- Cloud**: ifb-core-cloudbis
- Accès**: https Params 134.158.248.119

A red arrow points from the text "Let's run your vm through the cloud" to the "Accès" (Access) row in the table.

Let's run your vm through the cloud

get the url... link "https"

The screenshot shows a cloud deployment interface with the following details:

- Déploiements**: A table listing one deployment.
- ID**: 19804
- Nom**: virus_ONT (1.0)
- Début**: Sep 05 2022, 17h00
- Groupes**: virus_ont
- Spécification**: Broker (8 cores, 32 GB RAM), Cloud (32 cores, 200 GB RAM), Accès (da98, ifb-core-cloudbis, https Params 134.158.248.119)
- Actions**: Arrêter les déploiements (Stop deployments) button.

A red arrow points to the "Accès" section of the deployment specification, highlighting the "https Params" field.

Let's run your vm through the cloud

Récupère ta VM [ici](#)

<https://docs.google.com/spreadsheets/d/1BEkqmLL1lwVwlwVx7Q68WuelJEYDUDPzl4oMQ78trk8/edit?usp=sharing>

Let's run our vm through the cloud


Get the token identifiant... link “Params”

The screenshot shows a cloud management interface with a sidebar on the left featuring icons for 'myVM' (selected), 'DATA', 'Support', and an email address 'julie.orjuela@ird.fr (eduG...)'. The main area displays a table of jobs. One job named 'virus' is selected, showing its details in a modal dialog titled 'Paramètres'. The dialog lists a single parameter: 'JUPYTER_TOKEN' with the value '28f9a32ae92eaecbc816880489c9217e3263f9fd4614352'. Below the modal, the job 'virus' is shown in the table with columns for 'Début', 'Groupes', 'Spécification', 'Broker', 'Cloud', and 'Accès'. The 'Accès' column for the 'virus' job contains the URL 'https://134.248.119:134'. A yellow arrow points from the text 'link “Params”' in the previous slide to this URL.

	Début	Groupes	Spécification	Broker	Cloud	Accès
virus	Sep 05 2022, 17h00	virus_ont	8 32 200	da98	ifb-core-cloudbis	https://134.248.119:134


Let's run our vm through the cloud

Open your vm (https link) to access to your own jupyter lab




Create your first jupyter book

Go into the directory “work” and create a new jupyter book
-> kernel : bash



Rename your first jupyter book

myFirstJupyterBook



Run your first bash command - *git clone*

All jupyterbook used for practice are here :

https://github.com/SouthGreenPlatform/training_ONT_teaching/tree/2022

Download all the jupyter books with the command *git clone*

`git clone --branch 2022 https://github.com/SouthGreenPlatform/training_ONT_teaching.git`


The screenshot shows a Jupyter Notebook interface. On the left, there is a file browser window titled 'work' showing two files: 'training_SV_teaching' and 'MyFirstJupyterBook.ipynb'. The 'MyFirstJupyterBook.ipynb' file is selected. On the right, there is a main notebook area with three tabs: 'Day4_SV_genome.ipynb', 'MyFirstJupyterBook.ipynb', and a new tab. The 'MyFirstJupyterBook.ipynb' tab is active. Inside the notebook, there is a heading 'My first Juptyper book - Training SG SV' and a sub-heading 'My first linux command - pwd'. Below that, a code cell shows the output of the 'pwd' command: [4]: /home/jovyan/work. Further down, there is a text block: 'Download all jupyter book we will use for this week - git clone url https://github.com/SouthGreenPlatform/training_SV_teaching/tree/2022' followed by a code cell containing the command: [3]: `git clone --branch 2022 https://github.com/SouthGreenPlatform/training_SV_teaching.git`. The output of this command is shown below the cell, indicating the cloning process is complete.

```
Cloning into 'training_SV_teaching'...
remote: Enumerating objects: 70, done.
remote: Counting objects: 100% (70/70), done.
remote: Compressing objects: 100% (48/48), done.
remote: Total 70 (delta 35), reused 49 (delta 20), pack-reused 0
Unpacking objects: 100% (70/70). 134.35 KiB | 1.62 MiB/s. done.
```




let's start !

Why use Long reads ?





Microbial genomes	Human genomes	Animal genomes	Plant genomes
-------------------	---------------	----------------	---------------

- Simplify de novo assembly and correct existing genomes
- They bridge repetitions and build less fragmented genomes. SV, repeats, phasing
- They come from technologies which do not amplify the DNA fragments and therefore have less coverage bias.
- They are affordable.
- Detecting base modifications : they provide methylation information
- Analysing long-read transcriptomes




A lot of tools are being developed and upgraded frequently!






Typical pipeline for virus reconstruction analysis



Typical pipeline for virus reconstruction analysis



Les données



Echantillon : Pineapple (*Ananas comosus*) 16-1 symptomatique

Extraction ARN : RNeasy plant

Date séquençage : mars 2019

Lieu de séquençage : Montpellier

Kit : cDNA-PCR (SQK-PCS109)

Type Flow cell : MinION




(D. Massé ; Anses, Reunion)


Chapitre 1

Reads Quality Control

ONT Read calling




Recurrent Neural Network (RNN) – works like your brain! It can learn on the previous data and improve its performance on new data




Nanopore basecallers are trained on many sequenced data, so you can run it on your data even if you are sequencing first time

ONT Read calling



Guppy basecaller releases



V 6.0.1
includes sup
models and now
can be specific
to some taxons !

(+ Many other basecallers prior to Guppy [1] and to come.)


Guppy basecaller releases

- v 3.3.0**
 - New basecall models
 - PromethION model for barcode detection

- v 3.3.3**
 - Bug fixes

- v 3.4**
 - Improved basecalling
 - Improved R10 basecal

(+ Many other



Harmeet Singh @GiessenSingh 5:25 PM - 28 avr. 2021 · Twitter Web App

Contiguity comparison between Wheat @nanopore assemblies using Guppy and Bonito base calling. Looks like Bonito increases N50. #Bioinformatics #longreads Traduire le Tweet

16 Retweets 57 J'aime

Tweetez Répondre

harish @harishk19... 30 avr. En réponse à @GiessenSingh @kazumachack et @nanopore Do you have any comparisons as to how Bonito basecalled and HiFi reads behave?

Harmeet Singh @... 30 avr. Not yet!! but I will have that in some time

Nick Vereecke @m... 29 avr.

summary_file.txt

filename	FAK47038_aa36ef836fd50817477a5770772dffc63bfed2eb_30
read_id	188e2a0b-780c-440d-9223-61d8979dd002
run_id	aa36ef836fd50817477a5770772dffc63bfed2eb
batch_id	0
channel	70
mux	3
start_time	9688.985500
duration	1.610500
num_events	1288
passes_filtering	TRUE
template_start	9689.318000
num_events_template	1022
template_duration	1.278000
sequence_length_template	545
mean_qscore_template	11.462492
strand_score_template	3.165753
median_template	79.270927
mad_template	9.512511
scaling_median_template	79.270927
scaling_mad_template	9.512511



TP1a. Basecalling


https://github.com/SouthGreenPlatform/training_ONT_teaching/blob/2022/T_P1.Basecalling_QC.ipynb

ONT demultiplexing

Deepbinner: Demultiplexing barcoded ONT reads with deep convolutional neural networks (CNN). The network is trained to classify barcodes based on the raw nanopore signal.

Guppy

In contrast to Deepbinner, guppy barcoding requires basecalling of all reads and detects barcodes in the sequence



ONT Read calling, cleaning and filtering

Sequencer ONT : raw fast5 files

- Transform fast5 signal in fastq standard format *Guppy, Bonito*
- Optional Demultiplexing and removing adapters *Guppy options*
- Optional Find and remove adapters from reads *Porechop*
- Optional Quality filtering using the *sequencing_summary.txt* information : *Guppy options, filtlong, nanofilt*

Guppy is a neural network based basecaller that in addition to basecalling also performs filtering of low quality reads, clipping of Oxford Nanopore adapters and estimation of methylation probabilities per base

FASTQ FORMAT

1 séquence = 4 lignes

```
@H4:C7C99ACXX:6:1101:1360:74584/2
CTGTTTCTTAGTATTTTGATGTCAATTCCGTGTTGGTTAGTTGCAAGGT
+
@@@DADFFHHFFHIIIEFEIGJGGHI4FFIEIGHI<FHGAHGGGB@3?BDB9D
@H4:C7C99ACXX:6:1101:1452:19906/2
CTGAGATCAATTGGATCCTGATGATACTGTGCTTAGCTATTACCTTGCT
+
@@@DDDD>FFFAFBEBB4C+3?:CBB@<<A?E4A???9C@CFF*9*B3D?B
@H4:C7C99ACXX:6:1101:1476:35220/2
CATGTGCTATTACCAAAAGTCAGTAACGACCTATAAATTAAAGTAGC
+
@CFFFFFFGGHHHHJJJJIEE<HHHIJJIGBHGGEEIJJEIEIJIHHJFIIJJGHJJ
@H4:C7C99ACXX:6:1101:1491:94128/2
AGAAGTCTCGGAAAGTTGGGTATGGCTCTAGTAGCTTTGTCTTAT
+
@C@FFFFFFGGHHDHGIIEEHIII<CGHIJJIJJ:FC9DGAFGHII?DGBFIJHBI
@H4:C7C99ACXX:6:1101:1538:34462/2
ACAAAAAAGCTAAAAGAACACAGTTGCTGAAGCAGCAAACACAAGAAC
+
B@@@DFFFFFGHHHHJIIIIJJJIIGJCHHEIII>GHIG@GHIDHGJIIFHIIJJG
@H4:C7C99ACXX:6:1101:1568:67898/2
ACAAATGGGTGTGAAGAGTTAAAAACAATTATGAGCAACTGAGTTG
+
@@@CFFFFFFHFFFHFGIJJIIHHIIJJIIHJJECGHJJCHGICDGHHJ<FGGIJJ
@H4:C7C99ACXX:6:1101:1575:18963/2
AACATGTTGTCGGGGTTGGAAATTGTCACTTCTGCTACAATGCCG
+
@<@DDDDDHFFFFDIIBDFGHGG;FGGCHHAGGGIIH@E>AEDDEECAB>
```



- @identifiant de la séquence
- Séquence
- + (id séquence).
- Qualité de la séquence = un caractère ASCII pour chaque base

Quality in reads, is it similar to illumina phred score ?

Phred quality score: confidence score for each sequenced base

Ranging from 0 to 93 (the higher the better)

Base	T	G	A	T	A	G	T	T	A	T	G
Score	32	40	41	35	29	23	26	32	36	32	14
ASCII	A	I	J	D	>	8	;	A	E	A	/

In FASTQ files scores are encoded in ASCII characters

Score indicates probability P of a wrong base:

$$P = 10^{-\frac{Q}{10}}$$


Phred score of 10 \leftrightarrow 10% error rate ; score of 20 \leftrightarrow 1% error rate

Nanopore quality score (Q) does not follow Phred scores

Yet enables to estimate error rate (E) (locally and at read level)

- HAC (High-Accuracy models) mode reduces error rate by 2%
- HAC mode basecalls homopolymers up to twice better than FAST (but also library R10 instead of R9)
- FAST mode is only about 2 times faster now

Calculate depth of coverage




depth of coverage estimation :

- Count how much base pairs in all sequenced reads? *total_pb*
- What is the expected genome size? *genome_size*

$\text{depth_of_coverage} = \text{total_pb}/\text{genome_size}$

Reads Quality control : NanoPlot



Read lengths vs Average read quality plot using dots




Summary statistics

General summary	
Mean read length	656.0
Mean read quality	11.2
Median read length	463.0
Median read quality	11.4
Number of reads	906,090.0
Read length N50	823.0
STDEV read length	488.3
Total bases	594,378,530.0

Weighted histogram of read lengths



What is N50 and L50?



- 
- N50, length of the contig at 50% assembly: 75 kb
 - L50, number of contigs until 50% assembly: 3

Reads Quality control

NanoPlot : <https://github.com/wdecoster/NanoPlot>

NanoComp : <https://github.com/wdecoster/nanocomp>

mini_qc : https://github.com/roblanf/minion_qc


Conclusion : check reads N50, reads length distribution, and calculate coverage !



TP1b. Quality Control

https://github.com/SouthGreenPlatform/training_ONT_teaching/blob/2022/TP1.Basecalling_QC.ipynb

What do you want to do with these long reads?



Problem

We are interested in the composition of the metavirome of the pineapple.

1) What are the viruses present in our dataset?

Chapitre 2

- mapping for cleaning and searching
- affiliation taxonomique

2) Can we identify and assemble new viruses in this metavirome?

Chapitre 3

- Assemblies

Chapitre 2

1. Cleaning by Mapping

Remove unnecessary reads from the dataset

Sequencing with cDNA-PCR Barcoding kit => All RNA with a poly(A) tail sequenced:

- Host (Pineapple)
- Viruses
- Fungi
- Bacteriae
- Other Eukaryote (human...)

Taxonomic assignation and **assembly of long reads** are long processes which need a lot of resources.

→ we need to remove the maximum of unnecessary reads

Prepare the “contamination” library

RefSeq: NCBI Reference Sequence Database

A comprehensive, integrated, non-redundant, well-annotated set of reference sequences including genomic, transcript, and protein.

<https://ftp.ncbi.nlm.nih.gov/refseq/release/>

Index of /refseq/release

Name	Last modified	Size
Parent Directory		-
announcements/	2022-07-14 10:59	-
archaea/	2022-07-14 17:27	-
bacteria/	2022-07-14 16:16	-
complete/	2022-07-15 03:52	-
fungi/	2022-07-15 04:11	-
invertebrate/	2022-07-14 18:08	-
mitochondrion/	2022-07-14 16:19	-
other/	2022-07-15 03:55	-
plant/	2022-07-14 11:24	-
plasmid/	2022-07-14 11:28	-
plastid/	2022-07-15 03:58	-
protozoa/	2022-07-14 17:33	-
release-catalog/	2022-07-15 04:12	-
release-error-notice/	2022-07-14 10:58	-
release-notes/	2022-07-15 09:04	-
release-statistics/	2022-07-15 04:12	-
vertebrate_mammalian/	2022-07-14 17:23	-
vertebrate_other/	2022-07-14 12:22	-
viral/	2022-07-14 16:19	-
README	2022-07-14 10:58	4.6K
RELEASE_NUMBER	2022-07-15 04:12	4

fungi.1.1.genomic.fna.gz	2022-07-15 04:03	31M
fungi.1.genomic.gbff.gz	2022-07-15 04:03	13M
fungi.1.protein.faa.gz	2022-07-15 04:03	10M
fungi.1.protein.gpff.gz	2022-07-15 04:03	22M
fungi.1.rna.fna.gz	2022-07-15 04:03	17M
fungi.1.rna.gbff.gz	2022-07-15 04:03	48M



wget pour télécharger:

wget <https://ftp.ncbi.nlm.nih.gov/refseq/release/fungi/fungi.1.protein.faa.gz>

Mapping des reads sur la library

K. Sahlin et al. 2022




Figure 1 Differences in the main steps between short-read mapping (left) and long-read mapping (right). *Query* denotes the read and *reference* denotes a genome region. Mainly, short-read approaches extend (orange parts) from a single anchor (in blue) on the whole read length while long-read approaches gather multiple anchors, and chain (yellow line) them in for a candidate extending procedure that is done between pairs of anchors.

SAM format

```
@HD VN:1.3 SO:coordinate
@SQ SN:ref LN:45
r001 163 ref 7 30 8M2I4M1D3M = 37 39 TTAGATAAAAGGATACTG *
r002 0 ref 9 30 3S6M1P1I4M * 0 O AAAAGATAAGGATA * 
r003 0 ref 9 30 5H6M * O O AGCTAA * NM:i:1
r004 0 ref 16 30 6M14N5M * O O ATAGCTTCAGC *
r003 16 ref 29 30 6H5M * O O TAGGC
r001 83 ref 37 30 9M = 7 -39 CAGCGCC
```

Header

- Ligne commençant par @
- Metadonnees sous forme de tag

Type	Tag	Description
HD - header	VN*	File format version.
	SO	Sort order. Valid values are: <i>unsorted</i> , <i>queryname</i> or <i>coordinate</i> .
	GO	Group order (full sorting is not imposed in a group). Valid values are: <i>none</i> , <i>query</i> or <i>reference</i> .
SQ - Sequence dictionary	SN*	Sequence name. Unique among all sequence records in the file. The value of this field is used in alignment records.
	LN*	Sequence length.
	AS	Genome assembly identifier. Refers to the reference genome assembly in an unambiguous form. Example: HG18.
	M5	MD5 checksum of the sequence in the uppercase (gaps and space are removed)
	UR	URI of the sequence
	SP	Species.
RG - read group	ID*	Unique read group identifier. The value of the ID field is used in the RG tags of alignment records.
	SM*	Sample (use pool name where a pool is being sequenced)
	LB	Library
	DS	Description
	PU	Platform unit (e.g. lane for Illumina or slide for SOLiD); should be a full, unambiguous identifier
	PI	Predicted median insert size (maybe different from the actual median insert size)
	CN	Name of sequencing center producing the read.
	DT	Date the run was produced (ISO 8601 date or date/time).
	PL	Platform/technology used to produce the read.
PG - Program	ID*	Program name
	VN	Program version
	CL	Command line
CO - comment		One-line text comments

SAM format

```
@HD VN:1.3 SO:coordinate
@SQ SN:ref LN:45
r001 163 ref 7 30 8M2I4M1D3M = 37 39 TTAGATAAAGGATACTG *
r002 0 ref 9 30 3S6M1P1I4M * 0 O AAAAGATAAGGATA *
r003 0 ref 9 30 5H6M * O O AGCTAA * NM:i:1
r004 0 ref 16 30 6M14N5M * O O ATAGCTTCAGC *
r003 16 ref 29 30 6H5M * O O TAGGC * NM:i:0
r001 83 ref 37 30 9M = 7 -39 CAGCGCCAT *
```

alignement
Format tabulé

SAM format : <http://samtools.sourceforge.net/samtools.shtml>

SAM format

```
@HD VN:1.3 SO:coordinate
@SQ SN:ref LN:45
r001 163 ref 7 30 8M2I4M1D3M = 37 39 TTAGATAAAAGGATACTG *
r002 0 ref 9 30 3S6M1P1I4M * 0 0 AAAAGATAAGGATA *
r003 0 ref 9 30 5H6M * 0 0 AGCTAA * NM:i:1
r004 0 ref 16 30 6M14N5M * 0 0 ATAGCTTCAG
r003 16 ref 29 30 6H5M * 0 0 TAGGC *
r001 83 ref 37 30 9M = 7 -39 CAGCGCCAT
```

SAM FLAG !!

<https://broadinstitute.github.io/picard/explain-flags.html>

Col	Name	Description
1	QNAME	Query NAME of the read or the read pair
2	FLAG	bitwise FLAG (pairing, strand, mate strand, etc.)
3	RNAME	Reference sequence NAME
4	POS	1-based leftmost POSition of clipped alignment
5	MAPQ	MAPping Quality (Phred-scaled)
6	CIGAR	extended CIGAR string (operations: MIDNSHP)
7	NRNM	Mate Reference NaMe ('=' if same as RNAME)
8	MPOS	1-based leftmost Mate POSition
9	ISIZE	inferred Insert SIZE
10	SEQ	query SEQuence on the same strand as the reference
11	QUAL	query QUALity (ASCII-33=Phred base quality)

SAM format

```
@HD VN:1.3 SO:coordinate
@SQ SN:ref LN:45
r001 163 ref 7 30 8M2I4M1D3M = 3
r002 0 ref 9 30 3S6M1P1I4M *
r003 0 ref 9 30 5H6M *
r004 0 ref 16 30 6M14N5M *
r003 16 ref 29 30 6H5M *
r001 83 ref 37 30 9M =
```

Decoding SAM flags

This utility makes it easy to identify what are the properties of a read based on its SAM flag value, or conversely, to find what the SAM Flag value would be for a given combination of properties.

To decode a given SAM flag value, just enter the number in the field below. The encoded properties will be listed under Summary below, to the right.

SAM Flag: Explain

Switch to mate Toggle first in pair / second in pair

Find SAM flag by property:

To find out what the SAM flag value would be for a given combination of properties, tick the boxes for those that you'd like to include. The flag value will be shown in the SAM Flag field above.

- read paired
- read mapped in proper pair
- read unmapped
- mate unmapped
- read reverse strand
- mate reverse strand
- first in pair
- second in pair
- not primary alignment
- read fails platform/vendor quality checks
- read is PCR or optical duplicate
- supplementary alignment

Summary:

read unmapped (0x4)

SAM FLAG !!

<https://broadinstitute.github.io/picard/explain-flags.html>



TP2. Cleaning

https://github.com/SouthGreenPlatform/training_ONT_teaching/blob/2022/TP2.Cleaning_data.ipynb

Chapitre 3

Taxonomic affiliation

Taxonomic Assignment

Taxonomic assignment is the process of assigning an Operational Taxonomic Unit (OTUs) to sequences, that can be reads or contigs.

To assign an OTU to a sequence it is compared against a database.

There are many programs for doing taxonomic mapping, we will see 2 strategies:

1. **BLAST or DIAMOND**, these mappers search for the most likely hit for each sequence within a database of genomes.

2. **K-mers (KRAKEN)**: The algorithm breaks the query sequence (reads, contigs) into pieces of length k, look for where these are placed within the tree and make the classification with the most probable position.

Pairwise alignment: BLAST / DIAMOND

If you have two or more sequences, you may want to know

- How similar are they?
 - Which residues correspond to each other?
 - Is there a pattern to the conservation/variability of the sequences?
 - What are the evolutionary relationships of these sequences?

Human: ccatcctcagatccgtcttcagaaccaccccccgcatccacggctccatttcatcc
 ||||| ||||| ||||| ||||| ||| ||||| ||| ||| ||||| ||| | |||
Mouse: ccatcctcagaccggtcttcagaqcccccttc---tcgggtccccggccccactgtcttc

BLAST and DIAMOND Compares a QUERY sequence to a DATABASE of sequences

- **Blast**
 - Nucleotide or protein sequences
 - Available as an online web server: <http://blast.ncbi.nlm.nih.gov/Blast.cgi>
 - **Diamond:**
 - For protein and translated DNA searches only
 - High performance analysis of big sequence data
 - Frameshift alignments for long read analysis.
 - 500x-20,000x speed of BLAST

diamond better in our case

What about databases ?

It is important to choose your database wisely.

The database you use will determine the result you get for your data.

Pfam: <http://pfam.xfam.org/>

db link: ftp://ftp.ebi.ac.uk/pub/databases/Pfam/current_release/Pfam-A.fasta.gz

Swiss prot: https://web.expasy.org/docs/swiss-prot_guideline.html

db link: ftp://ftp.uniprot.org/pub/databases/uniprot/current_release/knowledgebase/complete/uniprot_sprot.fasta.gz

UniProt90: <https://www.uniprot.org/help/uniref>

db link: <ftp://ftp.uniprot.org/pub/databases/uniprot/uniref/uniref90/uniref90.fasta.gz>

nr: <ftp://ftp.ncbi.nlm.nih.gov/blast//db/FASTA/nr.gz>

Diamond, as Blast needs a step of formatage for the database

Diamond output

stitle	qtitle	pident	mismatch	qstart	sstart	send	evaluate	bitscore		
		length	gapopen	qend						
YP_009664796.1 heat shock protein 70 [Pineapple mealybug wilt-associated virus 2]	c2615778-aa7c-4906-8c53-75cd9fa196f9	95.7	94	4	0	214	495	405	4983.90e-53	180
NP_813799.1 59 kDa protein [Grapevine leafroll-associated virus 3]	c2615778-aa7c-4906-8c53-75cd9fa196f9	50.6	79	26	2	72	302	358	4259.91e-15	74.7
YP_008411013.1 heat shock protein 70-like protein [Blackberry vein banding-associated virus]	c2615778-aa7c-4906-8c53-75cd9fa196f9	40.9	93	55	0	217	495	406	4988.34e-14	72.0
YP_010086802.1 Hsp70 [Pistachio ampelovirus A]	c2615778-aa7c-4906-8c53-75cd9fa196f9	48.4	64	33	0	18	209	338	4011.75e-12	68.2
YP_004940644.1 HSP70 gene product [Grapevine leafroll-associated virus 1]	c2615778-aa7c-4906-8c53-75cd9fa196f9	49.2	59	30	0	36	212	348	4061.68e-10	62.4

stitle means Subject Title

qtitle means Query title

pident means Percentage of identical matches

length means Alignment length

mismatch means Number of mismatches

gapopen means Number of gap openings

qstart means Start of alignment in query

qend means End of alignment in query

sstart means Start of alignment in subject

send means End of alignment in subject

evaluate means Expect value

bitscore means Bit score

KRAKEN2

Kraken2 is a taxonomic classification system using exact k-mer matches to achieve high accuracy and fast classification speeds.

Like with diamond, you need to choose a database:

- **Minikraken**, a database pre-made by KRAKEN, is a popular database that attempts to conserve its sensitivity despite its small size (Needs 8GB of RAM for the assignment).

Kraken output:

C	799ec77c-6555-4b9f-99a3-e58c9fbc1265	1491	335	0:217 1491:4 0:21 1491:2 0:6 1491:5 0:16 1491:4 2:5 0:20 9606:1
U	37c0c305-d935-4b3b-b336-24b4c4c8021d	0	332	0:56 9606:2 0:240
U	02df7f95-9bbe-4b55-9c8b-78955e3d9210	0	208	0:174
U	b86266e6-4b84-4ed6-abde-302e336f6c24	0	429	0:53 9606:5 0:337
U	b7f946d2-7f1d-492c-b187-3ebc0770a15c	0	292	0:222 131567:2 0:34
U	c2615778-aa7c-4906-8c53-75cd9fa196f9	0	605	0:571
C	b2388cec-c33d-4a6b-948f-4cb151194e5f	1491	417	0:42 9606:1 0:230 1491:1 0:7 1491:2 0:14 1491:5 0:39 1491:1 1239:3 0:38

As we can see, the kraken file is not very readable. So let's look at the report file:

KRAKEN2

Kraken output:

report.txt

0.30	1204	0	7902	432	D	10239	Viruses
0.24	981	0	7065	370	D1	439488	ssRNA viruses
0.24	981	0	7063	369	D2	35278	ssRNA positive-strand viruses
0.24	981	0	7063	369	F	69973	Closteroviridae
0.24	981	0	7063	369	G	217160	Ampelovirus
0.24	981	981	7063	369	S	180903	Pineapple mealybug wilt-associated virus 1
0.05	220	0	806	39	O	2169561	Ortervirales
0.05	220	0	806	39	F	186534	Caulimoviridae
0.05	220	0	806	39	G	10652	Badnavirus
0.05	220	220	800	37	S	2033633	Pineapple bacilliform CO virus

1. Percentage of reads covered by the clade rooted at this taxon
2. Number of reads covered by the clade rooted at this taxon
3. Number of reads assigned directly to this taxon
4. A rank code, indicating (U)nclassified, (D)omain, (K)ingdom, (P)hyllum, (C)lass, (O)rder, (F)amily, (G)enus, or (S)pecies. All other ranks are simply '-'.
5. NCBI taxonomy ID
6. Indented scientific name

KAIJU

Kaiju is a program for sensitive **taxonomic classification** of high-throughput sequencing reads from **metagenomic whole genome sequencing or metatranscriptomics** experiments.

<https://kaiju.binf.ku.dk/>

Kaiju output:


Classified or Unclassified	name of the read	NCBI taxon identifier	score of the best match	taxon identifiers of all database sequences with the best match	accession numbers of all database sequences with the best match	matching fragment sequence	Taxon name
U	b7f946d2-7f1d-492c-b187-3ebc0770a15c	0					
C	2615778-aa7c-4906-8c53-75cd9fa196f9	136234	440	136234	YP_009664796.1	RTITFNTGGRKTMGYVYE GEEVRSYLNALTFRGEYI SNVEGNRTDSATFSVSSD GILSVSVNGTLLKNDLVPS PPTVFSKNLEYLSNIEK	Pineapple mealybug wilt-associated virus 2

Visualization of taxonomic assignment results

KRONA:

You can transform KRAKEN2 and KAIJU output to visualize them with KRONA.

[Krona](#) is a hierarchical data visualization software. Krona allows data to be explored with zooming, multi-layered pie charts and includes support for several bioinformatics tools and raw data formats.



Visualization of taxonomic assignment results

PAVIAN:

Comparison of the composition of several sample.

<https://fbreitwieser.shinyapps.io/pavian/>

The screenshot shows the PAVIAN metagenomics data explorer interface. On the left, a sidebar menu includes options like Data Selection, Results Overview, Sample, Comparison, Alignment viewer, About, and various export/print options. The main content area displays a table of sample classifications. The table has columns for Name, Number of raw reads, Classified reads, Chordate reads, Artificial reads, Unclassified reads, Microbial reads, Bacterial reads, Viral reads, Fungal reads, and Protozoan reads. Two samples are listed: JC1A and JP4D. JC1A has 61,536 raw reads, 34.5% classified, 0% chordate, 0% artificial, 65.5% unclassified, 34.1% microbial, 33.8% bacterial, 0% viral, 0% fungal, and 0% protozoan. JP4D has 751,427 raw reads, 21.9% classified, 0% chordate, 0% artificial, 78.1% unclassified, 21.7% microbial, 21.6% bacterial, 0% viral, 0% fungal, and 0% protozoan. A note at the bottom suggests exploring identifications across all samples in the Sample Comparison View.

Name	Number of raw reads	Classified reads	Chordate reads	Artificial reads	Unclassified reads	Microbial reads	Bacterial reads	Viral reads	Fungal reads	Protozoan reads
JC1A	61,536	34.5%	0%	0%	65.5%	34.1%	33.8%	0%	0%	0%
JP4D	751,427	21.9%	0%	0%	78.1%	21.7%	21.6%	0%	0%	0%



TP3. taxonomic assignation

https://github.com/SouthGreenPlatform/training_ONT_teaching/blob/2022/TP3.Assignation_Taxonomique.ipynb

Chapitre 4. Assemblies

Type	Reference	Application	
Aligners/Alignment-based classifiers			
BLAST, MEGABLAST	[58,59]	Targeted; Shotgun	
minimap2	[33]	Targeted; Shotgun	
Alignment-free classifiers			
Kraken, Kraken2	[35,64]	Targeted; Shotgun	
KrakenUniq	[65]	Shotgun	
Bracken	[66]	Targeted; Shotgun	
Metamaps	[69]	Shotgun	
Centrifuge	[34]	Targeted; Shotgun	
Mash	[72]	Targeted; Shotgun	
Long-read assemblers			
Canu	[90]	Shotgun	
miniasm	[73]	Shotgun	
wtdbg2	[91]	Shotgun	
OPERA-MS	[95]	Shotgun	
MetaFlye	[96]	Shotgun	
MetaSPAdes	[74]	Shotgun	
Sequence correction and polishing tools			
Nanopolish		https://github.com/jts/nanopolish	Targeted; Shotgun
Medaka		https://github.com/nanoporetech/medaka	Targeted; Shotgun
Metagenomic analysis pipelines			
MEGAN-LR	[60]		Shotgun
NanoCLUST	[25]		Targeted
Reticulatus		https://github.com/SamStudio8/reticulatus	Shotgun
MUFFIN	[70]		Shotgun
NanoSPC	[71]		Shotgun
BusyBee		https://ccb-microbe.cs.uni-saarland.de/busybee/	Shotgun

Type	Reference	Application
Aligners/Alignment-based classifiers		
BLAST, MEGABLAST	[58,59]	Targeted; Shotgun
minimap2	[33]	Targeted; Shotgun
Alignment-free classifiers		
Kraken, Kraken2	[35,64]	Targeted; Shotgun
KrakenUniq	[65]	Shotgun
Bracken	[66]	Targeted; Shotgun
Metamaps	[69]	Shotgun
Centrifuge	[34]	Targeted; Shotgun
Mash	[72]	Targeted; Shotgun
Long-read assemblers		
Canu	[90]	Shotgun
miniasm	[73]	Shotgun
wtdbg2	[91]	Shotgun
OPERA-MS	[95]	Shotgun
MetaFlye	[96]	Shotgun
MetaSPAdes	[74]	Shotgun




Sequence correction and polishing tools

Nanopolish	https://github.com/jts/nanopolish	Targeted; Shotgun
Medaka	https://github.com/nanoporetech/medaka	Targeted; Shotgun

Metagenomic analysis pipelines

MEGAN-LR	[60]	Shotgun
NanoCLUST	[25]	Targeted
Reticulatus	https://github.com/SamStudio8/reticulatus	Shotgun
MUFFIN	[70]	Shotgun
NanoSPC	[71]	Shotgun
BusyBee	https://ccb-microbe.cs.uni-saarland.de/busybee/	Shotgun

Reads Correction or not?



Reads Correction process

Correction strategies (*hybrid*)

- External reads : Illumina
- Internal reads : Only long reads or long reads corrected by short ones

Correction pipeline (*non-hybrid*)

- Read alignment
- Consensus calling


Canu module,

Racon can also be used as a read error-correction tool.

Assembly without reads correction

- Miniasm, Smartdenovo, Flye are members of this “new” family
- Improves speed
- Can work with less read depth.
- Can also assemble corrected reads

What assembler to use over my favorite organism?



Long reads simplify genome assembly, with the ability to span repeat-rich sequences (characteristic of antimicrobial resistance genes) and structural variants. Nanopore sequencing also shows a lack of bias in GC-rich regions, in contrast to other sequencing platforms. To perform microbial genome assembly, we suggest using the third-party de novo assembly tool Flye. We also recommend one round of polishing with Medaka.


<https://nanoporetech.com/sites/default/files/s3/literature/microbial-genome-assembly-workflow.pdf>



For assembly, ONT recommend sequencing a human genome to a minimum depth of 30x of 25–35 kb reads. However, sequencing to a depth of 60x is advisable to obtain the best assembly metrics. We also recommend basecalling in high accuracy mode. Greatest contig N50 is usually obtained with Shasta and Flye. Polishing/Correction is also recommended (Racon and Medaka).


<https://nanoporetech.com/sites/default/files/s3/literature/human-genome-assembly-workflow.pdf>

assemblage of metagenome



- alignment and fusion of reads in longer fragments (contigs)
- objective :
 - de novo = reconstruction of new viruses not in database

Overlap–layout–consensus genome assembly algorithm (OLC)



[Canu](#), [Flye](#), [Miniasm](#), [Raven](#), [Smartdenovo](#), [Shasta](#)

checking assemblies quality

QUAST

All statistics are based on contigs of size ≥ 500 bp, unless otherwise noted (e.g., "# contigs (≥ 0 bp)" and "Total length (≥ 0 bp)" include all contigs).


Statistics without reference assembly

# contigs	32
# contigs (≥ 0 bp)	32
# contigs (≥ 1000 bp)	32
# contigs (≥ 5000 bp)	2
# contigs (≥ 10000 bp)	0
# contigs (≥ 25000 bp)	0
# contigs (≥ 50000 bp)	0
Largest contig	6877
Total length	88 391
Total length (≥ 0 bp)	88 391
Total length (≥ 1000 bp)	88 391
Total length (≥ 5000 bp)	12 760
Total length (≥ 10000 bp)	0
Total length (≥ 25000 bp)	0
Total length (≥ 50000 bp)	0
N50	2612
N90	1952
auN	3266
L50	12
L90	27
GC (%)	44.93

Mismatches


# N's per 100 kbp	0
# N's	0

Plots: Cumulative length Nx GC content



Contigs are ordered from largest (contig #1) to smallest.

What is N50 and L50?



- N50, length of the contig at 50% assembly: 75 kb
→ L50, number of contigs until 50% assembly: 3

Polishing / Correction


Racon correct raw contigs generated by rapid assembly methods which do not include a consensus step. It can polish with either Illumina data or data produced by third generation of sequencing. (recursive use)

Medaka and Nanopolish create a consensus sequence of nanopore sequencing data. (mapping + consensus)

- + Medaka uses neural networks where Nanopolish uses HMMs.
- + Medaka uses basecalled reads, not the raw signal.
- + Medaka propose the ability to train one's own basecalling model


Pilon correct assemblies using illumina reads. (recursive use)

Autres : NeuralPolish , ntEdit



Circularisation ?

DNA Replication
in E. coli.



Some assemblers give you information about circularisation of assembled molecules (flye, canu).

Circularisation can be found also on GFA files generated by assemblers. (miniasm, raven, shasta)

You can try to circularise assembled molecules using tools as [circlator](#)

it could be interesting tagging and rotation of circular molecule before each polishing step.

As well as, fixing (dnaA gene) the start position on circular genome. This is efficient when multiple genome alignments are envisaged.



TP4. assemblies

https://github.com/SouthGreenPlatform/training_ONT_teaching/blob/2022/TP4.DeNovoAssembly.ipynb



Les résultats



(D. Massé ; Anses, Reunion)

Pineapple 16-1

Mean read length:	757.4
Mean read quality:	10.7
Median read length:	584.0
Median read quality:	10.8
Number of reads:	4 341 816
Read length N50:	931
Total bases:	3 288 521 171

Durée séquençage : 21 heures
Basecalling : Guppy 3.0.3



Les résultats



(D. Massé ; Anses, Reunion)

Virus trouvés :

- o Pineapple mealybug wilt-associated virus 1, 2 and 3 (ampeloviruses) : 2 348 reads
- o Unknown ampelovirus : 96 reads
- o Pineapple bacilliform comosus virus (badnavirus) : 670 reads
- o Unknown vitivirus (betaflexiviridae) : 2 208 reads

ANNOTATED SEQUENCE RECORD





Identification of a novel vitivirus from pineapple in Reunion Island

Delphine Massé^{1,2} · Denis Filloux^{3,4} · Thierry Candresse⁵ · Sébastien Massart⁶ · Armelle Marais⁵ · Eric Verdin⁷ · Nathalie Cassam¹ · Emmanuel Fernandez^{3,4} · Philippe Roumagnac^{3,4} · Pierre-Yves Teycheney⁸ · Pierre Lefeuvre⁸ · Jean-Michel Lett⁸ 

Received: 15 February 2022 / Accepted: 11 May 2022

© The Author(s), under exclusive licence to Springer-Verlag GmbH Austria, part of Springer Nature 2022





Vitivirus (betaflexiviridae) in pineapple

Vitivirus (betaflexiviridae) in pineapple



The diagram shows the genome structure of Vitivirus. It consists of a 5' end, followed by the RdRp gene (grey box), a 20k gene (pink box), the MP gene (green box), the CP gene (light green box), and an RBP gene (purple box) at the 3' end. A red circle highlights the RdRp gene.

© 2009 ViralZone

	GAA-AAG-TAA-AA-TTAGTATT										CT	TT	CC	T	AC	GT	GG	CA	AAAC	-AT									
FVUD 2. 7e6a5915-5f11-41ea-e31-fc88ae211145	G	T	T	C	C	G	T	G	G	G	A	A	T	A	T	T	A	C	T	AAAC	-AT								
FVUD 3. e66c787f-c367-472f-89cf-e63d6c7e90b7	C	A	G	T	M	T	C	A	T	G	G	G	A	A	T	A	T	C	T	AC	TAAC	-AT							
REV 4. c7246be4-58f3-4966-917d-641a24ac1e0	T	A	T	T	A	T	A	G	T	A	T	G	G	G	A	A	T	C	T	AC	TAAC	-AT							
REV 5. 131da0a0-e-2818-4dbb-8381-04f3me193a	G	A	T	G	G	A	G	G	G	G	G	G	G	G	A	A	T	T	C	AC	GT	GG	CA	TAAC	-AT				
REV 6. 99b3a792-6dbf-4b69-8595-60d44a2a08e9	A	T	A	T	A	T	A	G	T	A	T	G	G	G	G	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT		
REV 7. aebeacf1-5160-4740-94f4-a5641c5a0148	G	T	G	G	G	A	G	G	G	G	G	G	G	G	G	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT	
REV 8. 622986ee-92af-4709-98c3-6a537ab86c46	A	A	C	A	A	C	A	A	C	A	T	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 9. e45bc7e3-1c41-4593-a39b-9a20a1b60de8	A	C	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 10. b9b0412f-8e09-4b1f-b685d193621d8	T	G	T	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 11. 4e20d39aa-1afc-46ef-b05a-ea4de18e3543	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 12. bc9433e0-3561-48c0-bf25-613bf427dcab	T	C	T	T	A	T	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 13. 40aa288a-9c09-447d-afe-8515a22b6bc8	C	A	C	T	M	M	M	M	M	M	M	M	M	M	M	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 14. 3f4e72ab-80dc-419e-93b2-0a2186d15e10	D	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 15. e83f21cf-f7c0-4bb3-b5b8-dbda8ff79d6	T	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 16. 03c03a9c-1539-444e-a727-e2629632e4f6	A	T	A	T	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 17. 48d2d12b-0e1-4f40-9b9d-672c31951586	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 18. 87355643-116e-433a-a59b-0ce13d9e699a	T	C	T	T	A	T	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 19. c5d5bcef-a515-42d1-aa23-6f126b82c7e	T	C	T	T	A	T	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 20. 4baa612b-f2ff-4c1f-9797-e3fb3df6c6aa3	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 21. 4b11129e3-f940-4a89-927c-133b2a55655a	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 22. 3060698-9a59-4249-9963-7df5ea2870f	A	T	A	C	C	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 23. 2bb30c5-5e2d-4cc8-9c7f-9a056e80e0b6	P	G	A	C	C	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 24. ec3499d3-77fa-4038-8f7c-ec331917770	T	G	T	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 25. 9597b645-0a20-492f-8197-69b686ba956a	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 26. 166e31e6-cb17-497f-8fe-183d42bbed14	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 27. 36358728-352d-4666-ab78-179b909722c	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 28. df5f7fc92-3dae-4486-b8b5-0932082d4ff	G	A	C	A	C	H	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 29. 5e5c176-d44d-462e-9f13-adcc34da6f3	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 30. 36eb0e17-6d29-4984-bcaa-b3b5a4bab27	T	C	T	T	A	T	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 31. a979027b-9dd2-4c70-84e2-cf28c1670d48	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 32. e5c75484-d6ee-4fe-9f76-084a225bbb9	T	A	T	T	C	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 33. 2063db77-9700-4a9-bfd7-634b030d77c7	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 34. 6c9eb885-ba97-4b82-bcf7-ad49de845e9c	G	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 35. 35. 9905090-a484-447b-9abc-e9f6174315b	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 36. 8e9ea3ca-a177-4495-a9f8-b338d5b3088	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 37. bc7e66e-6e50-4c5-85d3-76c8860e1	A	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 38. b38f549e-6b8f-486e-bbc1-7230df437e0b	A	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 39. 5e14ebfc-3041-4a12-bb3c-1644851b5b60	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 40. d8d82ed4-7371-4c52-87b3-a6c10bd026c5	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 41. de578c9f-dc1-a475-91bc-4cccd52d9c03	T	C	T	G	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT
FVUD 42. 9f86e9b-9b9da-44f2-bf41-c33c033129b9	G	T	T	C	G	G	G	G	G	G	G	G	G	G	G	A	A	A	A	T	T	CC	T	AC	GT	GG	CA	TAAC	-AT

Exemple d'erreurs de séquençage aléatoires (ou pas)

D ₁ , Consensus Vitivirus_Anan...	A-C-G-T-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-A-G-C-T-C-G-A-T-T-C-C-C-A-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
REV 443. 6177498-07-c485e-95...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-A-G-C-T-C-G-A-T-T-C-C-C-A-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
FWD 452. f8e832ab-3f27-4651-b2...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-A-G-C-G-C-C-T-C-G-C-G-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
REV 488. 567e0c0ec-becd-4642-a4...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-C-T-T-T-G-G-A
REV 451. 9c75cb76-c54e-43e3-a...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-C-T-T-T-G-G-A
REV 459. d7fce92-bdb0-4b31-aa...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
FWD 445. a434c4b-8d6e-4212-aa...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
REV 448. 24a060de-ff1-346a-09...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
REV 450. b39bf17a-cf64-46db-80...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 444. d1098989-9c20-4ce5-9e...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-C-T-T-T-G-G-A
REV 447. af09786-2df2-4e2c-a8...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
FWD 471. 77b2e48-becf-4b2f-b1...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 446. 5c60de9c-8989-414a-98...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
REV 453. 826624ba-05cb-4842-91...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-G-G-A
FWD 468. fed88930-55ab-4417-8f...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 480. e24ca92-04d0-4401-9...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 435. 3f52e34a-d2bb-44a7-e7...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 454. 4804c21b-ad2d-4e07-2b...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 455. 9b954ab-d858-441a-8...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 457. 778e8770-87ec-4b53-9...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 456. 612d05b-8257-4bdd-87...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 458. cfe42cd8-fda5-495a-b1...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 460. 8a0ab47e-b74e-4321-a...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 461. 8020f1-2e89-904f-9c1...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 462. 968b1736-dbd0-4b65-a...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 463. 4416475-d4b1-463c-...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 464. 84b9a1a-6e99-4963-a3...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 465. 390c3d1f3f-d4ca-a09...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 467. d6011511-cec1-48e7-a3...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 468. 676b25fa-e70c-4fae-b7...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 469. 9098619e-0d31-44cb-bdf...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 470. cc4e6b768-91d1-4cd4-be...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 472. e6bc798e-4571-41f1-bbf...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 473. bba0d33d-a941-402-a...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 474. 281a8d9a-7682-4c9d-9...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 475. 476701c7-f516-414b-b1...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 476. 9d167dc5-4f39-4737-a2...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 477. 0e0d002-e8b7-4ed9-83...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 478. fbdff664-e91c-43e3-8cb...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 481. fdbf7e4f-a839-4679-9b...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 482. 3ef248b1-c4ec-4965-ab...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 483. a797d06-d890-436c-8d...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 484. 395193ee-bbbd-4ddc-9...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 485. 24e569a3-d571-425b-...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 486. 9e43d54b-8b5e-4dad-b...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 487. c798dbd-f1205-49c5-b5...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 489. ced0b09-7c77-4482-91...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 490. 2b09f018-a7c5-4447-845...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 491. d205c352-9894-4cb8-88...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
REV 492. 7e80e6at-ab94-4349-...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A
FWD 493. 8989df1b-d73a-4644-ba...	:A-C-C-C-A-G-C-T-G-A-T-A-G-G-G-T-T-C-A-C-A-T-G-C-C-T-T-G-T-C-C-A-C-A-A-T-T-A-C-G-T-G-A-T-T-C-T-T-T-G-G-A

Erreurs de séquençage dûes au homopolymères

REV	1. Consensus_Vitivirus_Ananas_16-1_Polished	Sequence
REV 305.	305.41cd558e-19e2-4e90-a27a-9b58cb55ead runid=f38e8c1c50611a96d2b...	G - A - A - G - A - G - C - T - A - G - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 306.	306.bfd625-62b2-46a4-b3f4-8f0c27c10e11 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 307.	307.a412354-244e-4cb2-a3fb-3546d2523013 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 308.	308.3123c5d5-56e5-4cf3-99ab-b4f0b16a361 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 309.	309.8117d811-7883-45f1-83fd-f3c001c1b5 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 310.	310.37d22718-4a54-4e1c-bc98-0ec7b77464e8 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 311.	311.25dd32f8-3f99-4817-83b9-287d2dc9e329 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 312.	312.354f01fa-6e62-4922-bda0-24b1e055760 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 314.	314.f6268391-00a4-4ad5-3ad-766c9112eaf runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 315.	315.55ea2219-9c8a-42d2-87db-1fe1c7166d98 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 316.	316.7fb0403-3e8e-4a77-ad4e-f6f6633100 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 317.	317.8d69959a-96cd-4b0e-b3cd-80cddd96413 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 318.	318.56dc571-7316-48b8-82a4-e5d6c8380f1 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 319.	319.a0d8df93-31-4d-be8f-c843d98e17 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 320.	320.235e213-4612-440a-015-1f3d88056d48 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 321.	321.99b1c261-25-4669-9ab5-5949dfade05b runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 322.	322.68622a0-3c1-464f-bd67-174b234f022 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 323.	323.44530aa0-064-644b-787b-bf16ab44f9b runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 324.	324.b11c1294-6016-440f-82e3-257731878c9 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 325.	325.a2e6d087-cbb1-4201-a674-9c52z375bd runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 326.	326.1951e6b8-440d-448d-1614-181d27707078 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 327.	327.fcefe707-98cc-4d5b-8db7-b3a8939b6d9f runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - H - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 328.	328.c0be61c1-cab6-42d2-9c74-721ca54453-33 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 329.	329.5214119d-6271-48fe-a4f4-9de40ab563c runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 330.	330.d376179-7fc4-42c2-b3a9-3ec770a2de7 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 331.	331.93b6c334-7e6a-46b3-bd8c-2574eac12cd runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 332.	332.07f14855-c30-403c-b579-5e77a2c4fc6 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 333.	333.eb1c90f1-13c4-4949-b9d4-2a9d93798347 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - H - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 334.	334.7b48e91c-2c11-46f3-964f-1d04d59a183 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 335.	335.93e497d5-d2e7-4b88-06ec-6a7321093 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 336.	336.3e7950d4-52d4-4970-a219-7985c1432830 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 337.	337.46c57d4-48f2-47f3-9e13-1526b666c13 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 338.	338.78e9ed51-e416-4ad-aec1-16d67b573905 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 339.	339.e9d53e4-0a49-43b6-be39-023253652001 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - H - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 340.	340.514f2ca9-9932-46b5-b856-1c857b8f8320 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 341.	341.7b16672-119-438-8792-450fa68722 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 342.	342.8a030242-155e-4112-93d7-feff008784 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 343.	343.603623d-e64d-44f5-a5f1-f8a30a32105 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 344.	344.83e50583-64b9-442b-9d91-78e10db0216 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 345.	345.21900a5-3da4-bb42-aec4-53d0-9986a5a runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 346.	346.82c2d680-f0b4-4a2b-2a4-7033fc043c runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 347.	347.893d3844-2c96-419a-84f6-3e1802b68f54 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - H - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 348.	348.bc261e4f-e1f1-4618-93c7-e227599352f8 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 349.	349.0ba199a-7077-47ca-8224-eeda4f6de666 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 350.	350.2106e07-3ebf4b92-81bc-18af7e295510 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 351.	351.0d44de1-e019-4598-9674-a5c80931c runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 352.	352.7act409-3ca9-4da0-88aa-d1f749174ce6 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 353.	353.9032d6d-512a-4cc4-98c6-5eb18432bb7 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 354.	354.5436a2b-64ac-455c-65eb8-938eefaa runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 355.	355.09975078-ea3f41a9-fd7-807c425472c1 runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A
REV 356.	356.5e865a9c-7c86-44a9-a2bd-7c1d781bc75b runid=f38e8c1c50611a96d2b...	G - A - A - A - G - A - G - C - T - A - C - G - G - G - A - C - T - T - T - C - T - G - G - C - A - G - C - A - C - G - G - T - T - T - A

Formateurs



Aurore Comte IRD



Julie Orjuela IRD

Denis Filloux CIRAD

formateurs de la session 2021 : Francois Sabot, Gautier Sarah et Julie Orjuela
Remerciements à Christine Tranchant pour le matériel pédagogique jupyter notebook.



Service formation IRD

=> Martine: la porteuse du PFS !!



Organisateurs : Ezequiel, Romaric, Fidel, etc ...


Core Cloud : Christophe Blanchet et toute l'équipe biosphère



Merci pour votre attention !

Le matériel pédagogique utilisé pour ces enseignements est mis à disposition selon les termes de la licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions (BY-NC-SA) 4.0 International:

<http://creativecommons.org/licenses/by-nc-sa/4.0/>



En informatique,
la pensée magique ne fonctionne pas !
Il faut pratiquer ... et ... *restez calme !*
... à vous de jouer !



Le matériel pédagogique utilisé pour ces enseignements est mis à disposition selon les termes de la licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions (BY-NC-SA) 4.0 International: <http://creativecommons.org/licenses/by-nc-sa/4.0/>