

-

Subject Index

- ŷ, **96**
- *?, **52**
- +?, **52**
- .wav format, **339**
- 10-fold cross-validation, **116**
- (derives), **427**
- * (RE Kleene *), **50**
- + (RE Kleene +), **50**
- . (RE any character), **50**
- \$ (RE end-of-line), **50**
- ((RE precedence symbol), **52**
- [(RE character disjunction), **49**
- \B (RE non word-boundary), **51**
- \b (RE word-boundary), **51**
-] (RE character disjunction), **49**
- ^ (RE start-of-line), **50**
- [^] (single-char negation), **49**
- 4-gram, **74**
- 4-tuple, **430**
- 5-gram, **74**
- A-D conversion, **338, 348**
- AAC, **68**
- AAE, **47**
- ablating, **251**
- absolute position, **192**
- absolute temporal expression, **490**
- abstract word, **523**
- acceleration feature in ASR, **354**
- accented syllables, **335**
- accessible, **544**
- accessing a referent, **539**
- accomplishment expressions, **488**
- accuracy, **25, 404**
- achievement expressions, **488**
- acknowledgment speech act, **592**
- activation, **152**
- activity expressions, **488**
- add gate, **316**
- add-k, **83**
- add-one smoothing, **82**
- adequacy, **293**
- adjacency pairs, **593**
- Adjectives, **402**
- adverb, **402**
 - degree, **402**
 - directional, **402**
 - locative, **402**
 - manner, **402**
 - temporal, **402**
- Adverbs, **402**
- adversarial loss, **390**
- ad hoc retrieval, **254**
- AED, **364**
- affix, **37**
- affricate sound, **333**
- agent, **24**
- agent, as thematic role, **500**
- agglutinative language, **38**
- AI safety, **29**
- AIFF file, **339**
- AISHELL-1, **359**
- aktionsart, **488**
- ALGOL, **447**
- algorithm
 - byte-pair encoding, **45**
 - CKY, **435**
 - minimum edit distance, **63**
 - semantic role labeling, **507**
 - TextTiling, **582**
 - Viterbi, **411**
- alignment, **29, 60, 373**
 - in ASR, **378**
 - minimum cost, **63**
 - of transcript, **330**
 - string, **60**
 - via minimum edit distance, **63**
- Allen relations, **486**
- allocational harm, **145**
- alveolar sound, **332**
- ambiguity
 - amount of part-of-speech in Brown corpus, **404**
 - attachment, **434**
 - coordination, **434**
 - of referring expressions, **541**
 - part-of-speech, **403**
 - resolution of tag, **404**
- American Structuralism, **446**
- AMI, **359**
- amplitude
 - of a signal, **337**
 - RMS, **340**
- anaphor, **540**
- anaphora, **540**
- anaphoricity detector, **549**
- anchor texts, **558**
- anchors in regular expressions, **50, 65**
- anisotropy, **247**
- antecedent, **540**
- anthropomorphism, **31**
- Apple AIFF, **339**
- approximant sound, **333**
- approximate randomization, **118**
- Arabic, **328**
 - Egyptian, **329**
- Aramaic, **328**
- arc eager, **461**
- arc standard, **455**
- argumentation mining, **585**
- argumentation schemes, **586**
- argumentative relations, **585**
- argumentative zoning, **587**
- Aristotle, **400, 488**
- ARPA, **381**
- ARPAbet, **354**
- article (part-of-speech), **402**
- articulatory phonetics, **330, 330**
- articulatory synthesis, **396**
- ASCII, **39**
- aspect, **488**
- ASR, **357**
- association, **129**
- ATIS corpus, **428**
- ATN, **516**
- ATRANS, **515**
- attachment ambiguity, **434**
- attention
 - cross-attention, **285, 366**
 - encoder-decoder, **285**
 - history in transformers, **207**
- attention head, **182**
- attention mechanism, **323**
- Attribution (as coherence relation), **572**
- augmentative communication, **68**
- authorship attribution, **92**
- autoregressive generation, **196, 311**
- Auxiliary, **403**
- B³, **562**
- Babbage, C., **383**
- backchannel, **593**
- backoff, **84**
- backprop, **170**
- backpropagation through time, **305**
- backtrace
 - in minimum edit distance, **63**
- backtranslation, **291**
- Backus-Naur form, **426**
- backward-looking center, **579**
- bag of words, **255**
 - in IR, **255**
- bakeoff, **381**
 - speech recognition competition, **381**
- base model, **210**
- basic emotions, **520**
- batch training, **107**
- Bayes' rule
 - dropping denominator, **410**
- beam search, **287, 462**
- beam width, **287, 462**
- bear pitch accent, **335**
- benchmarks, **25**
- Berkeley Restaurant Project, **72**
- BERT
 - for affect, **535**
- best-worst scaling, **524**
- bias amplification, **146**
- bias term, **95, 152**
- biases, **7**

- bidirectional RNN, **313**
 bigram, **70**
 bilabial, **331**
 binary branching, **432**
 binary tree, 432
 BIO, **239, 406**
 BIO tagging, **239**
 for NER, 239, 406
 BIOES, 239, 406
 bitext, **283**
 bits for measuring entropy, 85
 blank in CTC, **373**
 BM25, **256, 259**
 BNF (Backus-Naur form), **426**
 bootstrap, 120
 bootstrap algorithm, **120**
 bootstrap test, **118**
 bootstrapping, **118**
 in IE, 479
 bound pronoun, **542**
 boundary tones, **337**
 BoundlessBPE, **46**
 BPE, **7, 43**
 BPE, 45
 bracketed notation, **429**
 Bradley-Terry Model, **218**
 bridging inference, **544**
 broadcast news
 speech recognition of, 381
 Brown corpus
 original tagging of, 422
 byte-pair encoding, **43**
- calibrated, **31, 253**
 CALLHOME, **359**
Candide, 299
 Cantonese, 38
 capture group, **54**
 cascade
 regular expression in
 ELIZA, 55
 case
 sensitivity in regular ex-
 pression search, 49
 case frame, **501, 516**
 CAT, **276**
 cataphora, **542**
 causal, **196**
 CD (conceptual depen-
 dency), **515**
 CELEX, 329
 Centering Theory, **570, 578**
 centroid, **372, 387**
 cepstral coefficients, **352**
 cepstrum
 as basis for cepstral coef-
 ficients, 353
 delta feature, **354**
 formal definition, 354
 history, 356, 380
- CFG, *see* context-free gram-
 mar
 chain rule, **123, 171**
 chain-of-thought, **22**
 channel, **352**
 channels in stored wave-
 forms, **339, 349**
 character disjunction, **49**
 chart parsing, **435**
 CHiME, **359**
 Chinese
 as verb-framed language,
 280
 characters, 328
 words for brother, 279
 Chomsky normal form, **432**
 Chomsky-adjunction, **433**
 chrF, **294**
 CIRCUS, 497
 citation form, **128**
Citizen Kane, 569
 CKY algorithm, 425
 claims, **585**
 clarification, **15**
 class-based n-gram, **89**
 classifier head, **236**
 clefts, **545**
 clitic, **58**
 origin of term, 400
 clitics, **37**
 closed book, **270**
 closed class, **401**
 closure, stop, **332**
 cloze task, **231**
 cluster, **540**
 CMOS (comparative mean
 opinion score), **394**
 CNF, *see* Chomsky normal
 form
 CNN, **360**
 cochlea, **345**
 Cocke-Kasami-Younger al-
 gorithm, *see* CKY
 coda, syllable, **334**
 code, **388**
 code point, **40**
 code switching, **47**
 codebook, **373, 388**
 codec, **385**
 codeword, **373, 388**
 coherence, **569**
 entity-based, **578**
 relations, **571**
 cohesion
 lexical, 570, 582
 ColBERT, **266**
 cold languages, 281
 collaborative completion,
 593
 collection in IR, **254**
 commissive speech act, 592
 common crawl, **17**
 common ground, **15, 592**
 Common nouns, **401**
- complementizers, **402**
 componential analysis, **514**
 compression, 338, 348
 Computational Grammar
 Coder (CGC), 422
 computational linguistics, **15**
 conceptual dependency, **515**
 concrete word, **523**
 conditional generation, **9**
 conditional random field,
 414
 confidence, **298**
 in relation extraction, 480
 confidence values, **480**
 configuration, **455**
 confusion matrix, **113**
 Conjunctions, **402**
 connectionist, **13, 176**
 connotation frame, **535**
 connotation frames, 517
 connotations, **130, 520**
 consonant, **331**
 constative speech act, 592
 constituency, **426**
 constituent, **426**
 titles which are not, 425
 constitutional AI, **31**
 Constraint Grammar, 471
 content words, **36**
 context embedding, **142**
 context-free grammar, **426,**
 430, 445
 Chomsky normal form,
 432
 invention of, 447
 non-terminal symbol, 427
 productions, 426
 rules, 426
 terminal symbol, 427
 weak and strong equiva-
 lence, 432
 contextual embeddings, **180,**
 243
 continuation rise, **336**
 continuer, **593**
 contribution, **593**
 conversation analysis, **593**
 conversational implicature,
 595
 conversational speech, **358**
 convex, **103**
 convolving, **360**
 coordination ambiguity, **434**
 copula, **403**
 CORAAL, **359**
 corefer, **539**
 coreference chain, **540**
 coreference resolution, **540**
 gender agreement, 546
 Hobbs tree search algo-
 rithm, 566
 number agreement, 545
 person agreement, 546
 recency preferences, 546
- selectional restrictions,
 547
 syntactic (“binding”) con-
 straints, 546
 verb semantics, 547
 coronal sound, **332**
 corpus
 ATIS, 428
 Broadcast news, 381
 Brown, 422
 CASS phonetic of Man-
 darin, 330
 fisher, 381
 Kiel of German, 330
 LOB, 422
 Switchboard, 338, 339,
 348, 349, **359**
 TimeBank, 489
 TIMIT, 329
 Wall Street Journal, 381
 cosine
 as a similarity metric, 135
 cost function, **101**
 count nouns, **401**
 counters, 65
 counts
 treating low as zero, 417
 CRF, **414**
 compared to HMM, 414
 inference, 418
 Viterbi inference, 418
 CRFs
 learning, 419
 cross-attention, **285, 366**
 cross-brackets, 444
 cross-correlation, **361**
 cross-entropy, **87**
 cross-entropy loss, **101, 168**
 cross-validation, **116**
 10-fold, **116**
 crowdsourcing, **523**
 CTC, **373**
 cycles in a wave, 338
 cycles per second, 338
- DAMSL, 595
 data contamination, **26, 75**
 datasheet, **48**
 dative alternation, **501**
 de-skilling, **29**
 debiasing, **146**
 decision boundary, **97, 155**
 decoder, **227**
 decoder-only model, **196**
 decoding, **196, 410**
 Viterbi, 410
 deep
 neural networks, **151**
 deep learning, **151**
 definite reference, 542
 degree adverb, **402**
 delta feature, **354**
 demonstrations, **21**

- denoising, **231**
 dental sound, **332**
 dependency
 grammar, **449**
 dependency tree, **452**
 dependent, **450**
 depth, **362**
 derivation
 direct (in a formal language), **430**
 syntactic, 427, **427**, 430, **430**
 Derivational morphemes, **37**
 Det, 426
 determiner, **402**, 426
 Determiners, **402**
 Devanagari, **39**
 development set, **74**
 development test set, **115**
 development test set (dev-test), **75**
 devset, *see* development test set (dev-test), **115**
 DFT, **351**
 dialogue act, **595**
 acknowledgment, 593
 backchannel, 593
 continuer, 593
 dialogue acts
 accept, 597
 check, 597
 hold, 597
 offer, 597
 open-option, 597
 statement, 597
 diathesis alternation, **501**
 diff program, 65
 digit recognition, **358**
 digital divide, **276**
 digitization, **338**, **348**
 dimension, **133**
 diphthong, **333**
 origin of term, 400
 direct derivation (in a formal language), **430**
 directional adverb, **402**
 disambiguation
 in parsing, 441
 syntactic, **435**
 discount, 83, **85**
 discounting, **81**
 discourse, **569**
 segment, **572**
 discourse connectives, **573**
 discourse deixis, **541**
 discourse model, **539**
 discourse parsing, **574**
 discourse-new, **543**
 discourse-old, **543**
 discovery procedure, 446
 discrete Fourier transform, **351**
 disfluency, **34**
 disjunction, 65
 pipe in regular expressions as, **51**
 square brackets in regular expression as, 49
 distant supervision, **481**
 distributional hypothesis, **127**
 distributional similarity, 446
 divergences between languages in MT, **278**
 document
 in IR, **254**
 domination in syntax, **427**
 dot product, **95**, **135**
 dot-product attention, **324**
 double delta feature, **354**
 Dragon Systems, 381
 dropout, **175**
 duration
 temporal expression, **490**
 dynamic programming, **61**
 and parsing, 435
 Viterbi as, 411
 dynamic time warping, **381**
 edge-factored, **464**
 edit distance
 minimum algorithm, **62**
 EDU, **572**
 effect size, **117**
 Elaboration (as coherence relation), **571**
 ELIZA, **33**
 implementation, 55
 sample conversation, 55
 Elman Networks, **302**
 ELMo
 for affect, 535
 EM
 for deleted interpolation, 84
 embedding matrix, **164**
 Embeddings, **11**
 embeddings, **131**
 cosine for similarity, 134
 skip-gram, learning, 139
 sparse, 134
 word2vec, 137
 emission probabilities, **408**
 EmoLex, **522**
 emotion, **520**
 encoder, **227**
 Encoder-decoder, **319**
 encoder-decoder, **228**
 encoder-decoder attention, 285
 encoding, **40**
 end-to-end training, **311**
 endpointing, **592**
 energy in frame, 354
 English
 lexical differences from French, 280
 simplified grammar rules, 428
 verb-framed, 280
 entity dictionary, 417
 entity grid, **580**
 Entity linking, **558**
 entity linking, **540**
 entity-based coherence, **578**
 entropy, **85**
 and perplexity, **85**
 cross-entropy, 87
 per-word, 86
 rate, **86**
 relative, 512
 error backpropagation, **170**
 ESPnet, **382**
 ethos, **585**
 Euclidean distance
 in L2 regularization, 122
Eugene Onegin, 88
 Euler's formula, **351**
 Europarl, **283**
 evalb, **444**
 evaluating parsers, 443
 evaluation
 10-fold cross-validation, 116
 comparing models, 77
 cross-validation, 116
 development test set, 75, 115
 devset, **115**
 devset or development test set, 75
 extrinsic, **74**
 fluency in MT, 293
 Matched-Pair Sentence Segment Word Error (MAPSSWE), 379
 mean opinion score, 393
 most frequent class baseline, 404
 MT, 293
 named entity recognition, 241, 419
 of n-gram, 74
 of n-grams via perplexity, **76**
 pseudoword, 514
 relation extraction, 484
 test set, 75
 training on the test set, 75
 training set, 75
 TTS, 393
 event coreference, **541**
 event extraction, **473**, **484**
 events, **488**
 Evidence (as coherence relation), **571**
 evoking a referent, **539**
 existential risk, **30**
 expansion, 428, 429
 expletive, **545**
 extraposition, **545**
 extrinsic evaluation, **74**
 F (for F-measure), 114
 F-measure, **114**
 F-measure
 in NER, 241, 419
 F0, **340**
 factoid questions, **252**
 Faiss, **267**
 false negatives, **53**
 false positives, **53**
 Farsi, verb-framed, 280
 fast Fourier transform, **351**, 356, 380
 fasttext, **142**
 FASTUS, **495**
 feature cutoff, 417
 feature interactions, **98**
 feature selection
 information gain, **125**
 feature template, **459**
 feature templates, **98**
 part-of-speech tagging, 416
 feature vectors, **348**
 feedforward network, **157**
 fenceposts, **436**
 few-shot, **21**
 FFT, **351**, 356, 380
 file format, .wav, 339
 filled pause, 34
 filler, **34**
 final fall, **336**
 Fine-tuning, **210**
 fine-tuning, **235**
 fine-tuning:supervised, **210**
 first-order co-occurrence, **143**
 flap (phonetic), **333**
 fluency, **293**
 in MT, 293
 fold (in cross-validation), 116
 forget gate, **316**
 formal language, 429
 formant, **345**
 formant synthesis, **395**
 forward-looking centers, **579**
 Fosler, E., *see* Fosler-Lussier, E.
 foundation model, **207**
 fragment of word, **34**
 frame, **349**
 semantic, 505
 frame elements, **505**
 FrameNet, **504**
 free word order, **449**
 Freebase, **475**
 French, 278
 frequency
 of a signal, **337**

- fricative sound, **332**
 Frump, 497
 fully-connected, **157**
 function word, **401**, 421
 function words, **36**
 fundamental frequency, **340**
 fusion language, **38**
- gated feedforward layers, **186**
- Gaussian
 prior on weights, 123
 gazetteer, **417**
 General Inquirer, **522**
 generalize, **121**
 generalized semantic role, **502**
 generation
 of sentences to test a CFG grammar, 428
 generative AI, **14**
 generative grammar, **429**
 generator, 427
 generics, 545
 German, 278, 329
 given-new, **544**
 Glottal, **332**
 glottal stop, **332**
 glottis, **330**
 glyph, **40**
 Godzilla, speaker as, 510
 gold labels, **112**
 gradient, **103**
 Grammar
 Constraint, 471
 Head-Driven Phrase Structure (HPSG), 444
 Link, 471
 grammar
 binary branching, **432**
 checking, 425
 equivalence, 432
 generative, **429**
 inversion transduction, 300
 grammatical function, **450**
 grammatical relation, **450**
 grammatical sentences, **429**
 greedy decoding, **196**
 greedy regular expression patterns, **52**
 Greek, 328
 grep, 48, 65
 Gricean maxims, 595
 grounding, **15**, **592**
 five kinds of, 593
- H* pitch accent, 337
 hallucinate, **31**, **253**
 Hamming, **350**
 Hansard, **299**
 hanzi, **35**
- harmonic, **346**
 harmonic mean, **114**
 head, **182**, **193**, **444**, **450**
 finding, 444
 Head-Driven Phrase Structure Grammar (HPSG), 444
 Heaps' Law, **36**
 Hearst patterns, **476**
 Hebrew, 328
 held-out, **84**
 Herdan's Law, **36**
 hertz as unit of measure, **338**
 hidden, **408**
 hidden layer, **157**
 as representation of input, 158
 hidden units, **157**
 Hindi, 278
 Hindi, verb-framed, 280
 HKUST, **359**
 HMM, **408**
 formal definition of, 408
 history in speech recognition, 381
 initial distribution, 408
 observation likelihood, 408
 observations, 408
 simplifying assumptions for POS tagging, 410
 states, 408
 transition probabilities, 408
 Hobbs algorithm, **566**
 Hobbs tree search algorithm for pronoun resolution, 566
 hold, as dialogue act, 597
 homonymy, **244**
 hot languages, **281**
 HuBERT, **369**
 Hungarian
 part-of-speech tagging, 420
 hybrid, **382**
 hypernym, **475**
 lexico-syntactic patterns for, 476
 hyperparameter, **106**
 hyperparameters, **175**
 Hz as unit of measure, **338**
- IBM Models, **299**
 IBM Thomas J. Watson Research Center, 89, 381
 idf term weighting, 257
 immediately dominates, **427**
 implicature, **595**
 implicit argument, **517**
 in-context learning, **250**
 indefinite reference, 542
- induction heads, **250**
 Inference, **21**
 inference-based learning, **467**
 inflectional morphemes, **37**
 infoboxes, **475**
 information
 structure, 543
 status, 543
 information extraction (IE), **473**
 bootstrapping, 479
 information gain, **125**
 for feature selection, **125**
 Information retrieval, **254**
 information retrieval, **253**
 initiative, **594**
 inner ear, 345
 inner product, **135**
 instance, word, **34**
 Institutional Review Board, **31**
 Instruction tuning, **210**
 instruction tuning, **18**
 intensity of sound, **341**
 intentional stance, **31**
 intercept, **95**
 Interjections, **402**
 intermediate phrase, **336**
 International Phonetic Alphabet, **328**, 354
 interpolated precision, **263**
 interpolation
 in smoothing, **84**
 Interpretability, **14**
 interpretability, **243**
 interpretable, **121**
 interval algebra, **486**
 intonation phrases, **336**
 intrinsic evaluation, **74**
 inversion transduction grammar (ITG), **300**
 inverted index, **260**
 IO, 239, 406
 IOB tagging
 for temporal expressions, 491
 IPA, **328**, 354
 IR, **254**
 idf term weighting, 257
 term weighting, 256
 vector space model, 255
 IRB, **31**
 is-a, **475**
 ISO 8601, 492
 isolating language, **38**
 iSRL, **517**
 ITG (inversion transduction grammar), **300**
- J-lens, **249**
 Japanese, 278, 280, 328, 329
- k-means, **372**
 Kaldi, **382**
 KBP, **497**
 KenLM, **74**, **89**
 kernel, **360**
 key, **182**
 KL divergence, **512**
 Klatt formant synthesizer, 395
 Kleene *, **50**
 sneakiness of matching zero things, 50
 Kleene +, **50**
 knowledge citations, **269**
 knowledge claim, **587**
 knowledge graphs, **473**
 Korean, 329
 Koryak, 38
 Kullback-Leibler divergence, **512**
 KV cache, **204**
- L* pitch accent, 337
 L+H* pitch accent, 337
 L1 regularization, **122**
 L2 regularization, **122**
 labeled precision, 443
 labeled recall, 443
 labial place of articulation, **331**
 labiodental consonants, **331**
 language
 identification, **394**
 universal, **277**
 language model, **5**, **68**
 language model:coined by, 89
 language modeling head, **193**
 Laplace smoothing, **81**
 large language model, **7**
 larynx, **330**
 lasso regression, **122**
 latent semantic analysis, **149**
 lateral sound, **333**
 layer norm, **186**
 LDC, 59
 learning rate, **103**
 lemma, **128**
 Levenshtein distance, 60
 lexical
 category, 427
 cohesion, 570, 582
 gap, **280**
 semantics, **128**
 stress, **335**
 trigger, in IE, **490**
 lexico-syntactic pattern, **476**
 lexicon, **426**
 LibriSpeech, **358**
 light verbs, **485**
 linear chain CRF, **414**, **415**

- linear interpolation for n-grams, 84
 linearly separable, **155**
 Linguistic Data Consortium, 59
 Linguistic Discourse model, 588
 Link Grammar, **471**
 List (as coherence relation), **572**
 listen attend and spell, **364**
 LIWC, **523**
 LLM, **7**
 LLM-as-a-judge, **28**
 LM, 68
 LOB corpus, 422
 localization, **276**
 locative, **402**
 locative adverb, **402**
 log
 why used for probabilities, 73
 why used to compress speech, 339, 349
 log likelihood ratio, **531**
 log odds ratio, **531**
 log probabilities, 73, **73**
 logistic function, **95**
 logistic regression
 conditional maximum likelihood estimation, 101
 Gaussian priors, 123
 learning in, 100
 regularization, 123
 relation to neural networks, 159
 logit, **96, 194**
 logit lens, **249**
 logos, **585**
 long short-term memory, **315**
 lookahead in regex, **55**
 LoRA, **214**
 loss, **101**
 loudness, **342**
 low frame rate, **365**
 LPC (Linear Predictive Coding), 356, 380
 LSI, *see* latent semantic analysis
 LSTM, 423
 LUNAR, **273**
- machine learning
 for NER, 420
 textbooks, 125
 machine translation, **276**
 macroaveraging, **115**
 MAE, **47**
 Mandarin, 278, 329
 Manhattan distance
 in L1 regularization, 122
- manner adverb, **402**
 manner of articulation, **332**
 Markov, **70**
 assumption, **70**
 Markov assumption, **407**
 Markov chain, 88, **407**
 formal definition of, 408
 initial distribution, 408
 n-gram as, 407
 states, 408
 transition probabilities, 408
 Markov model, **70**
 formal definition of, 408
 history, 89
 Marx, G., 425
 Masked Language Modeling, **231**
 mass nouns, **401**
 max-pooling, **165**
 maxent, 125
 maxim, Gricean, **595**
 maximum entropy, **125**
 maximum spanning tree, **464**
 Mayan, 280
 MBR, **289**
 McNemar's test, **380**
 mean
 element-wise, 311
 mean average precision, **263**
 mean opinion score, 393
 mean-pooling, **165**
 mechanical indexing, **148**
 Mechanical Turk, 383
 mel, **351**
 frequency cepstral coefficients, **352**
 scale, **341**
 memory networks, 207
 mention detection, **548**
 mention-pair, **551**
 mentions, **539**
 MERT, for training in MT, **300**
 Message Understanding Conference, **495**
 METEOR, 300
 metonymy, **568**
 MFCC, **352**
 microaveraging, **115**
 Microsoft .wav format, 339
 mini-batch, **107**
 Minimum Bayes risk, **289**
 minimum edit distance, 60, **60, 411**
 example of, 62
 for speech recognition evaluation, 378
 MINIMUM EDIT DISTANCE, 63
 minimum edit distance algorithm, **62**
 Minimum Error Rate Training, **300**
- MLE
 for n-grams, **71**
 for n-grams, intuition, **72**
 MLM, **231**
 MLP, **157**
 MMLU, **26, 270**
 modal verb, **403**
 model card, **120**
 morpheme, **37**
 morphological typology, **38**
 morphology, **37**
 MOS (mean opinion score), **393**
 Moses, Michelangelo statue of, 3
 Moses, MT toolkit, **300**
 MS MARCO, **270**
 MT, **276**
 divergences, **278**
 post-editing, 276
 mu-law, 339, 349
 MUC, **495, 497**
 MUC F-measure, **562**
 multi-head attention, **183**
 multi-layer perceptrons, **157**
 multinomial logistic regression, **108**
 multiword expressions, 149
 MWE, 149
- n-best list, **368**
 n-gram, **68, 70**
 add-one smoothing, **81**
 as approximation, 70
 as generators, 79
 as Markov chain, 407
 equation for, 71
 example of, 72, 73
 for Shakespeare, 79
 history of, 89
 interpolation, **84**
 KenLM, **74, 89**
 logprobs in, 73
 normalizing, 72
 parameter estimation, 71
 sensitivity to corpus, 79
 smoothing, 81
 SRILM, **89**
 test set, 74
 training set, 74
 named entity, **238, 400, 405**
 list of types, 238, 405
 named entity recognition, **238, 405**
 nasal sound, **331, 332**
 nasal tract, **331**
 nats, **203**
 natural language inference, **237**
 Natural Questions, **270**
 negative log likelihood loss, **101, 112, 169**
 NER, **238, 405**
- Neural networks, **11**
 neural networks
 relation to logistic regression, 159
 newline character, **53**
 Next Sentence Prediction, **233**
 NIST for MT evaluation, 300
 NLP, **3**
 noisy-or, **480**
 NomBank, **504**
 Nominal, 426
 non-capturing group, **54**
 non-greedy, **52**
 non-stationary process, **349**
 non-terminal symbols, **427, 428**
 normal form, 432, **432**
 normalization
 temporal, 491
 normalization of probabilities, **71**
 normalize, **99**
 normalizing, **159**
 noun
 abstract, 401
 common, 401
 count, 401
 mass, **401**
 proper, **401**
 noun phrase, **426**
 constituents, 426
 Nouns, **401**
 NP, **426, 428**
 nucleus, **571**
 nucleus of syllable, **334**
 null hypothesis, **117**
 Nyquist frequency, **338, 348**
- observation, **93**
 observation likelihood
 role in Viterbi, 412
 one-hot vector, **164, 192**
 onset, syllable, **334**
 open book, **270**
 open class, **401**
 open information extraction, **482**
 open-weight, **11**
 OpenAI, 65
 operation list, 60
 operator precedence, 52, **52**
 optionality
 use of ? in regular expressions for, 50
 oral tract, **331**
 orthography
 opaque, 329
 transparent, 329
 output gate, **316**
 overconfident, **31**
 overfitting, **121**

- p-value, **117**
 pad, **361**
 Paired, **118**
 palatal sound, **332**
 palate, **332**
 palato-alveolar sound, **332**
 parallel corpus, **283**
 parallel distributed processing, **176**
 parallelogram model, **143**
 parameter-efficient fine-tuning, **214**
 parameters, **7**
 parse tree, **427, 429**
 PARSEVAL, **443**
 parsing, **14**
 ambiguity, **433**
 CKY, **435**
 CYK, *see* CKY
 evaluation, **443**
 relation to grammars, **430**
 syntactic, **425**
 well-formed substring table, **447**
 part of speech
 as used in CFG, **427**
 part-of-speech
 adjective, **402**
 adverb, **402**
 closed class, **401**
 interjection, **402**
 noun, **401**
 open class, **401**
 particle, **402**
 subtle distinction between verb and noun, **402**
 verb, **402**
 part-of-speech tagger
 PARTS, **422**
 TAGGIT, **422**
 Part-of-speech tagging, **403**
 part-of-speech tagging
 ambiguity and, **403**
 amount of ambiguity in Brown corpus, **404**
 and morphological analysis, **420**
 feature templates, **416**
 history of, **422**
 Hungarian, **420**
 Turkish, **420**
 unknown words, **414**
 particle, **402**
 PARTS tagger, **422**
 parts of speech, **400**
 pathos, **585**
 pattern, regular expression, **48**
 PCM (Pulse Code Modulation), **339, 349**
 PDP, **176**
 PDTB, **573**
 PEFT, **214**
 Penn Discourse TreeBank, **573**
 Penn Treebank, **431**
 tagset, **403, 403**
 Penn Treebank tokenization, **59**
 per-word entropy, **86**
 perceptron, **154**
 period, **50**
 period disambiguation, **98**
 period of a wave, **338**
 perplexity, **27, 76, 88, 203**
 as weighted average branching factor, **77**
 defined via cross-entropy, **88**
 perplexity: coined by, **89**
 personal pronoun, **402**
 persuasion, **586**
 phone, **328, 354**
 phonetics, **328**
 articulatory, **330, 330**
 phonotactics, **334**
 phrasal verb, **402**
 phrase-based translation, **300**
 phrase-structure grammar, **426**
 pipe, **51**
 pitch, **341**
 pitch accent, **335**
 ToBI, **337**
 pitch extraction, **342**
 pitch track, **340**
 place of articulation, **331**
 pleonastic, **545**
 plosive sound, **332**
 plural, **37**
 polysynthetic language, **38**
 pool, **165**
 pooling, **311**
 max, **311**
 mean, **311**
 POS, **400**
 position embeddings
 relative, **193**
 positional embeddings, **192**
 possessive pronoun, **402**
 post-editing, **276**
 post-training, **210**
 postings, **260**
 postposition, **278**
 Potts diagram, **530**
 power of a signal, **340**
 PP, **428**
 PP-attachment ambiguity, **434**
 Praat, **356**
 praat, **342, 343, 356**
 precedence, **52**
 precedence, operator, **52**
 precision, **113**
 for IR evaluation, **261**
 for MT evaluation, **300**
 in NER, **241, 419**
 precision-recall curve, **262**
 preference alignment, **19**
 preference-based learning, **216**
 premises, **585**
 prepositional phrase
 constituency, **428**
 prepositions, **402**
 presequences, **594**
 pretokenization, **46**
 pretraining, **9**
 primitive decomposition, **514**
 principle of contrast, **129**
 pro-drop languages, **281**
 probabilistic context-free grammars, **447**
 probing, **247**
 productions, **426**
 projective, **452**
 prominence, phonetic, **336**
 prominent word, **335**
 prompt engineering, **21**
 prompt injection, **30**
 prompts, **9**
 pronoun, **402**
 bound, **542**
 demonstrative, **543**
 non-binary, **546**
 personal, **402**
 possessive, **402**
 wh-, **403**
 pronunciation
 dictionary, **329**
 CELEX, **329**
 CMU, **329**
 PropBank, **503**
 proper noun, **401**
 proprietary, **11**
 prosodic phrasing, **336**
 Prosody, **335**
 prosody
 accented syllables, **335**
 reduced vowels, **336**
 PROTO-AGENT, **502**
 PROTO-PATIENT, **502**
 prototype
 in clustering and VQ, **373**
 proxy metric, **28**
 pseudoword, **514**
 PTRANS, **515**
 punctuation
 for numbers cross-linguistically, **58**
 for sentence segmentation, **59**
 tokenization, **58**
 treated as words, **34**
 treated as words in LM, **80**
 quantization, **339, 349**
 query, **182, 254**
 in IR, **254**
 question
 rise, **336**
 questions
 factoid, **252**
 Radio Rex, **357**
 RAG, **253, 267**
 random sampling, **198**
 range, regular expression, **49**
 ranked retrieval, **261**
 ranking, **293**
 rarefaction, **338, 348**
 RDF, **475**
 RDF triple, **475**
 ReAct, **24**
 Read speech, **358**
 reading comprehension, **270**
 Reason (as coherence relation), **571**
 recall, **113**
 for IR evaluation, **261**
 for MT evaluation, **300**
 in NER, **241, 419**
 receptive field, **362**
 reconstruction loss, **390**
 rectangular, **349**
 red teaming, **31**
 reduced vowels, **336**
 reduction, phonetic, **336**
 reference
 bound pronouns, **542**
 cataphora, **542**
 definite, **542**
 generics, **545**
 indefinite, **542**
 reference point, **487**
 referent, **539**
 accessing of, **539**
 evoking of, **539**
 referential density, **281**
 reflexive, **546**
 reformulation, **593**
 regex
 regular expression, **48**
 regression
 lasso, **122**
 ridge, **122**
 regular expression, **48, 64, 65**
 substitutions, **53**
 regularization, **121**
 relatedness, **129**
 relation extraction, **473**
 relative
 temporal expression, **490**
 relative entropy, **512**
 relative frequency, **72**
 release, stop, **332**
 relevance, **595**
 ReLU, **153**
 reporting events, **485**

- representation learning, **127**
 representational harm, **146**
 representational harms, **119**
 rescore, **368**
 residual
 in RVQ, **389**
 residual stream, **184**
 residual vector quantization,
 389
 resolve, **404**
 Resource Management, **381**
 retrieval-augmented genera-
 tion, **267**
 ReVerb, **483**
 reward, **219**
 rewrite, **427**
 Rhetorical Structure Theory,
 see RST
 rhyme, syllable, **334**
 Riau Indonesian, **402**
 ridge regression, **122**
 rime
 syllable, **334**
 RLVR, **21**
 RMS amplitude, **340**
 RMSNorm, **187**
 RNN-T, **377**
 role-filler extraction, **495**
 root, **37**
 RoPE, **193**
 Rosebud, sled named, **569**
 rounded vowels, **334**
 RST, **571**
 TreeBank, **573, 588**
 rules
 context-free, **426**
 context-free, expansion,
 427
 context-free, sample, **428**
 Russian
 fusion language, **38**
 verb-framed, **280**
 RVQ, **389**

S as start symbol in CFG,
 428
 salience, in discourse model,
 544
 sampling, **78, 197**
 of analog waveform, **338,**
 348
 rate, **338, 348**
 satellite, **280, 571**
 satellite-framed language,
 280
 saturated, **154**
 scaling laws, **7**
 schwa, **336**
 SCISOR, **497**
 sclite, **378**
 sclite package, **65**
 script
 Schankian, **505**
 scripts, **494**
 SDRT (Segmented Dis-
 course Representation
 Theory), **588**
 search engine, **254**
 search tree, **286**
 second-order co-occurrence,
 143
 seed pattern in IE, **479**
 seed tuples, **479**
 segmentation
 sentence, **59**
 selectional association, **513**
 selectional preference
 strength, **512**
 selectional preferences
 pseudowords for evalua-
 tion, **514**
 selectional restriction, **510**
 representing with events,
 511
 violations in WSD, **512**
 self-supervised, **369**
 self-supervision, **137, 307**
 semantic drift in IE, **480**
 semantic feature, **149**
 semantic field, **129**
 semantic relations in IE, **474**
 table, **475**
 semantic role, **500, 500, 502**
 Semantic role labeling, **506**
 semantics
 lexical, **128**
 semivowel, **331**
 sense
 word, **244**
 sentence
 error rate, **378**
 segmentation, **59**
 sentence separation, **320**
 SentencePiece, **282**
 sentiment, **130**
 origin of term, **538**
 sentiment analysis, **92**
 SentiWordNet, **528**
 sequence labeling, **400**
 SFT, **210**
 SGNS, **137**
 Shakespeare
 n-gram approximations to,
 79
 shallow discourse parsing,
 577
 Shannon game, **10**
 sibilant sound, **333**
 side sequence, **594**
 sigmoid, **95, 152**
 significance test
 MAPSSWE for ASR, **379**
 McNemar's, **380**
 similarity, **129**
 cosine, **135**
 singleton, **540**
 singular they, **546**
 skip-gram, **137**
 slot filling, **497**
 smoothing, **81, 81**
 add-one, **81**
 interpolation, **84**
 Laplace, **81**
 linear interpolation, **84**
 sociotechnical, **30**
 softmax, **109, 159**
 source-filter model, **346**
 SOV language, **278**
 spam detection, **92**
 span, **441**
 Spanish, **329**
 Speaker diarization, **394**
 speaker identification, **394**
 speaker recognition, **394**
 speaker verification, **394**
 spectrogram, **345**
 spectrum, **343**
 speech
 telephone bandwidth, **339,**
 349
 speech acts, **592**
 speech recognition
 architecture, **358, 364**
 history of, **380**
 speech synthesis, **383**
 split-half reliability, **525**
 SRILM, **89**
 SRL, **506**
 Stacked RNNs, **312**
 standardize, **99**
 start symbol, **427**
 states, **488**
 static embeddings, **137**
 stationary process, **349**
 stationary stochastic process,
 87
 statistical MT, **299**
 statistical significance
 MAPSSWE for ASR, **379**
 McNemar's test, **380**
 statistically significant, **117**
 stative expressions, **488**
 stop (consonant), **332**
 stop list, **260**
 streaming, **377**
 stress
 lexical, **335**
 stride, **349, 363**
 structural ambiguity, **433**
 stupid backoff, **85**
 subdialogue, **594**
 subjectivity, **519, 538**
 substitutability, **446**
 substitution operator (regular
 expressions), **53**
 subwords, **42**
 SuperBPE, **46**
 supervised fine-tuning, **210**
 supervised machine learn-
 ing, **93**
 SVD, **149**

 SVO language, **278**
 Swedish, verb-framed, **280**
 Switchboard, **359**
 Switchboard Corpus, **338,**
 339, 348, 349, 359
 sycophantic, **29**
 syllabification, **334**
 syllable, **334**
 accented, **335**
 coda, **334**
 nucleus, **334**
 onset, **334**
 prominent, **335**
 rhyme, **334**
 rime, **334**
 synchronous grammar, **300**
 synonyms, **129**
 syntactic disambiguation,
 435
 syntax, **425**
 origin of term, **400**
 synthetic language, **38**
 system prompt, **22**

 TAC KBP, **476**
 TACRED dataset, **475**
 TAGGIT, **422**
 tagset
 Penn Treebank, **403, 403**
 table of Penn Treebank
 tags, **403**
 Tamil, **280**
 tanh, **153**
 tap (phonetic), **333**
 target embedding, **142**
 teacher forcing, **201, 286,**
 308, 322
 technai, **400**
 telephone-bandwidth
 speech, **339, 349**
 telic, **488**
 temperature, **23**
 temperature sampling, **198**
 template
 in clustering or VQ, **373**
 template filling, **473, 494**
 template recognition, **494**
 template, in IE, **494**
 temporal adverb, **402**
 temporal anchor, **493**
 temporal expression
 absolute, **490**
 metaphor for, **487**
 relative, **490**
 temporal logic, **485**
 temporal normalization, **491**
 term
 in IR, **254**
 weight in IR, **256**
 term weight, **256**
 term-document matrix, **255**
 terminal symbol, **427**
 test set, **25, 74**

- development, **75**
 - how to choose, **75**
- test-time compute, **22**
- text categorization, **92**
 - bag-of-words assumption, **255**
- text-to-speech, **383**
- TextTiling, **582**
- thematic grid, **501**
- thematic role, **500**
 - and diathesis alternation, **501**
 - examples of, **500**
 - problems, **502**
- theme, **500**
- theme, as thematic role, **500**
- time-aligned transcription, **330**
- TimeBank, **489**
- TIMIT, **329**
- ToBI, **337**
 - boundary tones, **337**
- token-mixing, **187**
- Tokenization, **42**
- tokenization, **33**
 - sentence, **59**
 - word, **42**
- tokens, **6, 42**
- Top-k sampling, **200**
- top-p sampling, **200**
- topic models, **130**
- toxicity detection, **120**
- trachea, **330**
- training oracle, **457**
- training set, **74**
 - cross-validation, **116**
 - how to choose, **75**
- transcription
 - of speech, **357**
 - reference, **377**
 - time-aligned, **330**
- transduction grammars, **300**
- transfer learning, **227**
- Transformations and Dis-course Analysis Project (TDAP), **422**
- transition probability
 - role in Viterbi, **412**
- transition-based, **454**
- translation
 - divergences, **278**
- TREC, **274**
- treebank, **430**
- trigram, **74**
- TTS, **383**
- tune, **336**
 - continuation rise, **336**
- Turk, Mechanical, **383**
- Turkish
 - agglutinative, **38**
 - part-of-speech tagging, **420**
- turns, **592**
- TyDi QA, **270**
- typed dependency structure, **449**
- types
 - word, **34**
- typology, **278**
 - linguistic, **278**
- unembedding, **195**
- ungrammatical sentences, **429**
- Unicode, **39**
- unigram
 - name of tokenization algorithm, **282**
- unit production, **435**
- unit vector, **135**
- Universal Dependencies, **451**
- universal, linguistic, **277**
- Unix, **48**
- unknown words
 - in part-of-speech tagging, **414**
- unvoiced sound, **330**
- UTF-8, **41**
- Utterance, **34**
- utterance, **34**
- VALL-E, **384**
- value, **182**
- value alignment, **29**
- value sensitive design, **30**
- vanishing gradient, **154**
- vanishing gradients, **315**
- variable-length encoding, **41**
- Vauquois triangle, **299**
- vector, **133, 152**
- vector length, **135**
- vector quantization, **387**
- Vector semantics, **131**
- vector semantics, **127**
- vector space, **133**
- vector space model, **255**
- vehicular, **47**
- velar sound, **332**
- velocity feature, **354**
- velum, **332**
- verb
 - copula, **403**
 - modal, **403**
 - phrasal, **402**
- verb alternations, **501**
- verb phrase, **428**
- verb-framed language, **280**
- Verbs, **402**
- vernacular, **47**
- Vietnamese, **38**
- Viterbi
 - and beam search, **287**
- Viterbi algorithm, **61, 411**
 - inference in CRF, **418**
- VITERBI ALGORITHM, **411**
- vocal
 - cords, **330**
 - folds, **330**
 - tract, **331**
- voiced sound, **330**
- voiceless sound, **330**
- vowel, **331**
 - back, **333**
 - front, **333**
 - height, **333**
 - high, **333**
 - low, **333**
 - mid, **333**
 - reduced, **336**
 - rounded, **333**
- VQ, **387**
- VSO language, **278**
- wake word, **394**
- Wall Street Journal
 - Wall Street Journal*
- speech recognition of, **381**
- warping, **381**
- wav2vec 2.0, **369**
- wavfile format, **339**
- web search, **254**
- weight tying, **194, 309**
- weights, **7, 11**
- well-formed substring table, **447**
- WFST, **447**
- wh-pronoun, **403**
- wikification, **558**
- wildcard, regular expression, **50**
- Winograd Schema, **563**
- word
 - boundary, regular expression notation, **51**
 - closed class, **401**
 - definition of, **34**
 - error rate, **359, 377**
 - fragment, **34**
 - function, **401, 421**
 - open class, **401**
 - punctuation as, **34**
 - tokens, **34**
 - types, **34**
- word sense, **244**
- word sense disambiguation, **245, see WSD**
- word shape, **416**
- word tokenization, **42**
- word-context matrix, **132**
- word2vec, **137**
- wordform
 - and lemma, **128**
- WordNet, **244**
- wordpiece, **282**
- WSD, **245**
- y hat, **96**
- Yonkers Racetrack, **85**
- z-score, **99**
- zero anaphor, **543**
- zero-shot, **21**
- zero-shot TTS, **384**
- zero-width, **55**
- zeros, **81**