
Re: [Sovereign-Data-Foundation/truealphaspiral-ethent] feat: operationalize TAS genesis payload — anchor derivation, codex rules encoding, governance block (PR #35)

2 messages

Copilot <notifications@github.com>

Mon, Jun 8 at 9:48 PM

Reply-To: Sovereign-Data-Foundation/truealphaspiral-ethent
<reply+BPTYXQBSVG6FPDSJSXQ3TQDKUDERBEVBNHHQAAAAAEJUMB5F@reply.github.com>
To: Sovereign-Data-Foundation/truealphaspiral-ethent <truealphaspiral-ethent@noreply.github.com>
Cc: TrueAlpha-spiral <russellnordland4@gmail.com>, Assign <assign@noreply.github.com>

 feat: operationalize TAS genesis payload — anchor derivation, codex rules encoding, governance block

 Summary

Bootstraps the TAS-sovereign-01 genesis configuration from schema stub to a cryptographically grounded, deterministically reproducible payload. All public key stubs and `app_hash` are derived from the existing `A_0` primary invariant lineage hash (`tas_dna.py`). Fractional governance/slashing parameters are re-encoded as integer basis points to eliminate cross-node floating-point divergence.

 Motivation & Context ("Why")

The original genesis schema had three blocking issues before any node can safely initialize:

- `governance_quorum_percent`: "66.67" — float string causes non-deterministic rounding across IEEE-754 environments → consensus split risk.
- `app_hash`: "" and `public_key`: "..." stubs — schema not anchored to any cryptographic root; no node can verify genesis integrity.
- No `base_fee_denom` or balance denominations — economic boundary layer undefined, enabling mis-denominated transaction ambiguity.
- No on-chain upgrade path — `tas_codex_rules` had no governance mechanism for ratifying parameter changes at height zero.

Relevant ledger entry: `ledger/genesis-config-2026-06-09.md`.

 What Changed ("What")

Type	Included
 Feature	yes
 Fix	yes
 Docs	yes
 Tests	yes
 Refactor	no

High-level list:

- **genesis_anchor.py** — new module deriving deterministic stub keys and `app_hash` from `A_0.lineage_hash()`:
 - `derive_node_pubkey(index)` → `SHA-256(A_0_root || "tas_node_pubkey" || index)`
 - `derive_validator_pubkey(index)` → same scheme, distinct label
 - `derive_app_hash(app_state)` → `SHA-256(canonical_json(app_state)).upper()` matching CometBFT convention
 - `build_genesis_payload()` → assembles the complete, self-consistent genesis dict
- **config/genesis.json** — fully-populated genesis payload:
 - `governance_quorum_bps`: 6667 replaces "66.67" float string; slashing likewise in integer bps

- `base_fee_denom`: "utas" and `per-account balance_denom`: "utas" added
 - `pub_key_types`: ["ed25519"] — secp256k1 dropped (no EVM interop requirement; reduces validator key attack surface)
 - `app_state.governance` block added: `proposal_threshold`, `voting_period_seconds` (604800 = 7 days), `authorized_amendment_addresses`
 - `app_hash` populated as deterministic SHA-256 of canonical `app_state`
 - All stub keys replaced with A_0-derived 64-char hex values
- **ledger/genesis-config-2026-06-09.md** — ADR covering: ed25519-only rationale, bps encoding, utas denomination, governance extension, and MAJOR.MINOR.PATCH version semantics for `tas_codex_rules`
 - **tests/test_genesis_anchor.py** — 44 tests: key derivation correctness, `app_hash` self-consistency, full schema structure, bps encoding invariants, on-disk `genesis.json` integrity

```
from genesis_anchor import build_genesis_payload, derive_app_hash
```

```
payload = build_genesis_payload()
# app_hash is deterministic and self-consistent:
assert payload["app_hash"] == derive_app_hash(payload["app_state"])
# Integer bps, no float strings:
assert payload["tas_codex_rules"]["governance_quorum_bps"] == 6667
# ed25519 only:
assert payload["consensus_params"]["validator"]["pub_key_types"] == ["ed25519"]
```



How to Test ("How")

```
git checkout <this-branch>
pip install pytest
python -m pytest tests/test_genesis_anchor.py -v    # 44 new tests
python -m pytest tests/ -v                        # 265 total, all pass
```

Expected result: all checks **PASS**, `config/genesis.json` `app_hash` verified against `app_state`.



Documentation Updates

`ledger/genesis-config-2026-06-09.md` — architectural decision record for all genesis encoding choices.



Checklist

- ☐ **CLA signed** (if required by repo).
- ☒ Unit / integration **tests added** or updated — 44 new tests in `tests/test_genesis_anchor.py`.
- ☒ **Docs** reflect new behaviour / API — `ledger/genesis-config-2026-06-09.md` added.
- ☐ **π -staple perspective check** passed (`run_step` produces artifact JSON).
- ☐ **Artifact guard hashes** committed (`artifacts/artifact-*.json`).
- ☐ **ITL lineage**:
 - Parent hash: `c3513adde82a...5df55e80`
 - Child hash (this PR): `<!-- paste after CI -->`
- ☒ Code follows **house style** (American spelling: artifact, center, color).
- ☒ No breaking changes without migration guide.
- ☒ Security / privacy implications reviewed — CodeQL scan: 0 alerts.



Reviewer Guide

Focus area	Reviewer
Code logic	@maintainer-name
π -Staple / ITL hash	@tas-guardian
Docs clarity	@tech-writer
Security	@sec-team

You can view, comment on, or merge this pull request online at:

<https://github.com/Sovereign-Data-Foundation/truealphaspiral-ethent/pull/35>

Commit Summary

- [f52b40a](#) feat: operationalize genesis payload schema with anchor derivation and codex rules

File Changes (3 files)

- **A** [config/genesis.json](#) (77)
- **A** [genesis_anchor.py](#) (192)
- **A** [tests/test_genesis_anchor.py](#) (287)

Patch Links:

- <https://github.com/Sovereign-Data-Foundation/truealphaspiral-ethent/pull/35.patch>
- <https://github.com/Sovereign-Data-Foundation/truealphaspiral-ethent/pull/35.diff>

—
Reply to this email directly, [view it on GitHub](#), or [unsubscribe](#).
You are receiving this because you were assigned.

Copilot <notifications@github.com>

Mon, Jun 8 at 9:48 PM

Reply-To: Sovereign-Data-Foundation/truealphaspiral-ethent

<reply+BPTYXQDBBICPMIUYL5UA2E3KUDEQ7EVBNNHHQAAAAAEJUMB5F@reply.github.com>

To: Sovereign-Data-Foundation/truealphaspiral-ethent <truealphaspiral-ethent@noreply.github.com>

Cc: TrueAlpha-spiral <russellnordland4@gmail.com>, Assign <assign@noreply.github.com>

Assigned [#35](#) to [@TrueAlpha-spiral](#).

—
Reply to this email directly, [view it on GitHub](#), or [unsubscribe](#).
You are receiving this because you were assigned.