

POAexp4.py - C:/Users/welcome/AppData/Local/Programs/Python/Python311/POAexp4.py (3.11.5)

File Edit Format Run Options Window Help

```
import heapq
class Node:
    def __init__(self, position, parent=None, g=0, h=0):
        self.position = position
        self.parent = parent
        self.g = g
        self.h = h
        self.f = g + h

    def __lt__(self, other):
        return self.f < other.f

def heuristic(a, b):
    return abs(a[0] - b[0]) + abs(a[1] - b[1])

def a_star(grid, start, goal):
    rows, cols = len(grid), len(grid[0])
    open_list = []
    heapq.heappush(open_list, Node(start, None, 0, heuristic(start, goal)))
    closed_set = set()
    while open_list:
        current_node = heapq.heappop(open_list)
        if current_node.position == goal:
            path = []
            while current_node:
                path.append(current_node.position)
                current_node = current_node.parent
            return path[::-1]
        closed_set.add(current_node.position)
        for dr, dc in [(-1, 0), (1, 0), (0, -1), (0, 1)]:
            new_pos = (current_node.position[0] + dr, current_node.position[1] + dc)
            if (0 <= new_pos[0] < rows and
                0 <= new_pos[1] < cols and
                grid[new_pos[0]][new_pos[1]] == 0 and
                new_pos not in closed_set):
                new_node = Node(new_pos, current_node,
                               current_node.g + 1,
                               heuristic(new_pos, goal))
                heapq.heappush(open_list, new_node)
    return None

warehouse_grid = [
    [0, 0, 0, 0, 1],
    [1, 1, 0, 1, 0],
    ..
```

Ln: 38 Col: 17

POAexp4.py - C:/Users/welcome/AppData/Local/Programs/Python/Python311/POAexp4.py (3.11.5)

File Edit Format Run Options Window Help

```
def heuristic(a, b):
    return abs(a[0] - b[0]) + abs(a[1] - b[1])

def a_star(grid, start, goal):
    rows, cols = len(grid), len(grid[0])
    open_list = []
    heapq.heappush(open_list, Node(start, None, 0, heuristic(start, goal)))
    closed_set = set()
    while open_list:
        current_node = heapq.heappop(open_list)
        if current_node.position == goal:
            path = []
            while current_node:
                path.append(current_node.position)
                current_node = current_node.parent
            return path[::-1]
        closed_set.add(current_node.position)
        for dr, dc in [(-1, 0), (1, 0), (0, -1), (0, 1)]:
            new_pos = (current_node.position[0] + dr, current_node.position[1] + dc)
            if 0 <= new_pos[0] < rows and
                0 <= new_pos[1] < cols and
                grid[new_pos[0]][new_pos[1]] == 0 and
                new_pos not in closed_set:
                new_node = Node(new_pos, current_node,
                                current_node.g + 1,
                                heuristic(new_pos, goal))
                heapq.heappush(open_list, new_node)

    return None

warehouse_grid = [
    [0, 0, 0, 0, 1],
    [1, 1, 0, 1, 0],
    [0, 0, 0, 0, 0],
    [0, 1, 1, 1, 0],
    [0, 0, 0, 0, 0]
]

start_position = (0, 0)
goal_position = (4, 4)

path = a_star(warehouse_grid, start_position, goal_position)
print("Optimal Path:", path)
```

Ln: 6 Col: 0

Python 3.11.5 (tags/v3.11.5:oce6ba9, Aug 24 2023, 14:38:34) [MSC v.1936 64 bit (AMD64)] on win32

Type "help", "copyright", "credits" or "license()" for more information.

>>>

= RESTART: C:/Users/welcome/AppData/Local/Programs/Python/Python311/POAExp4.py

Optimal Path: [(0, 0), (0, 1), (0, 2), (1, 2), (2, 2), (2, 3), (2, 4), (3, 4), (4, 4)]

>>>

Ln: 6 Col: 0