

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://sowndaravalli.australiadomainhosting.com.au/seoul/

Checker Input

Show

☐

source

☐

outline

☐

image report

[Options...](#)

Check by

address



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 4, column 2; to line 4, column 25

```
><head><meta charset="UTF-8" /><meta
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 5, column 2; to line 5, column 71

```
TF-8" /><meta name="viewport" content="width=device-width, initial-  
scale=1" /><meta
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 6, column 1; to line 6, column 56

```
ale=1" /><meta name='robots' content='max-image-preview:large' /><titl
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 8, column 1; to line 8, column 49

```
e</title><link rel='dns-prefetch' href='//stats.wp.com' /><link
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 9, column 1; to line 9, column 189

```
p.com' /><link rel="alternate" type="application/rss+xml" title="Seoul  
International Visitors Centre &raquo; Feed"  
href="https://sowndaravalli.australiadomainhosting.com.au/seoul/index.php/feed
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 10, column 1; to line 10, column 207

```
feed/" /><link rel="alternate" type="application/rss+xml" title="Seoul  
International Visitors Centre &raquo; ...s Feed"  
href="https://sowndaravalli.australiadomainhosting.com.au/seoul/index.php/comm
```

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 16, column 1; to line 16, column 175

```
</script><link rel='stylesheet' id='wp-block-image-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
includes/blocks/image/style.min.css?ver=6.6.2' media='all' /><styl
```

8. **Error** CSS: `rotate`: Property `rotate` doesn't exist.

From line 30, column 1009; to line 30, column 1014

```
]){rotate:180deg}</st
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 44, column 1; to line 44, column 185

```
</style><link rel='stylesheet' id='wp-block-navigation-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
includes/blocks/navigation/style.min.css?ver=6.6.2' media='all' /><styl
```

10. **Error** CSS: `rotate`: Property `rotate` doesn't exist.

From line 46, column 649; to line 46, column 654

```
"]){rotate:180deg}</st
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 57, column 1; to line 57, column 175

```
</style><link rel='stylesheet' id='wp-block-cover-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
includes/blocks/cover/style.min.css?ver=6.6.2' media='all' /><link
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 58, column 1; to line 58, column 179

```
= 'all' /><link rel='stylesheet' id='wp-block-gallery-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
includes/blocks/gallery/style.min.css?ver=6.6.2' media='all' /><styl
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 78, column 1; to line 78, column 189

```
</style><link rel='stylesheet' id='wp-block-social-links-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
includes/blocks/social-links/style.min.css?ver=6.6.2' media='all' /><styl
```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 119, column 1; to line 119, column 173

```
</style><link rel='stylesheet' id='shopgrove-style-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
content/themes/shopgrove/style.css?ver=1.3' media='all' /><link
```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 120, column 1; to line 120, column 204

```
= 'all' /><link rel='stylesheet' id='shopgrove-fontawesome-css'  
href='https://sowndaravalli.australiadomainhos...com.au/seoul/wp-  
content/themes/shopgrove/assets/font-awesome/css/all.css?ver=5.15.3'
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 156, column 1; to line 156, column 194

```
</style><link rel='stylesheet' id='contact-form-7-css'  
href='https://sowndaravalli.australiadomainhosting.com.au/seoul/wp-  
content/plugins/contact-form-7/includes/css/styles.css?ver=5.9.8' media='all'
```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 161, column 1; to line 161, column 117

```
</script><link rel="https://api.w.org/"  
href="https://sowndaravalli.australiadomainhosting.com.au/seoul/index.php/wp-
```

18. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 161, column 118; to line 161, column 258
`-json/" /><link rel="EditURI" type="application/rsd+xml" title="RSD"
href="https://sowndaravalli.australiadomainhosting.com.au/seoul/xmlrpc.php?
rsd" /><meta`
19. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 162, column 1; to line 162, column 51
`p?rsd" /><meta name="generator" content="WordPress 6.6.2" /> <sty`
20. **Error** Duplicate attribute `fetchpriority`.
At line 260, column 161
`" fetchpriority="high" decodin`
21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 260, column 122; to line 260, column 636
`u/seoul/"></a></`
22. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 289, column 398; to line 289, column 537
`le: none"><input class="wp-block-search__input" id="wp-block-search__input-1"
placeholder="Search Product" value="" type="search" name="s" required /><butto`
23. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 293, column 80; to line 293, column 295
`ffffff-2">
```

34. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 572, column 72; to line 572, column 622

```
m-border"><img loading="lazy" width="350" height="234" data-wp-
init="callbacks.setButtonStyles" data-wp-on-asy.../wp-
content/uploads/2024/09/Seoilimage1-300x201.jpg 300w" sizes="(max-width:
```

43. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 943, column 654; to line 943, column 1317

```
ontainer"><img loading="lazy" width="640" height="426" data-wp-
init="callbacks.setButtonStyles" data-wp-on-asy...eoul/wp-
content/uploads/2024/09/LANTER1-300x200.jpg 300w" sizes="(max-width: 640px)
```

44. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 960, column 666; to line 960, column 1821

```
ontainer"><img loading="lazy" width="2560" height="1920" data-wp-
init="callbacks.setButtonStyles" data-wp-on-a...
content/uploads/2024/09/templepark-2048x1536.jpg 2048w" sizes="(max-width:
```

45. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 977, column 663; to line 977, column 1349

```
ontainer"><img loading="lazy" width="640" height="480" data-wp-
init="callbacks.setButtonStyles" data-wp-on-asy...-
content/uploads/2024/09/SEOUL-1-edited-300x225.jpg 300w" sizes="(max-width:
```

46. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1094, column 2266; to line 1094, column 2296

```
></svg> <script type='text/javascript'>↵
c
```

47. **Error** Element `img` is missing required attribute `src`.

From line 1144, column 7; to line 1144, column 197

```
s">↵ <img data-wp-bind--
alt="state.currentImage.alt" data-wp-bind--
```



```
class="state.currentImage.imgClassNames" data-wp-bind--style="state.imgStyles"
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

48. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 1144, column 7; to line 1144, column 197

```
s"><img data-wp-bind--
alt="state.currentImage.alt" data-wp-bind--
class="state.currentImage.imgClassNames" data-wp-bind--style="state.imgStyles"
```

49. **Error** Element `img` is missing required attribute `src`.

From line 1149, column 7; to line 1149, column 185

```
s"><img data-wp-bind--
alt="state.currentImage.alt" data-wp-bind--
class="state.currentImage.imgClassNames" data-wp-bind--style="state.imgStyles"
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

50. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 1149, column 7; to line 1149, column 185

```
s"><img data-wp-bind--
alt="state.currentImage.alt" data-wp-bind--
class="state.currentImage.imgClassNames" data-wp-bind--style="state.imgStyles"
```

51. **Error** Element `style` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 1153, column 5; to line 1153, column 46

```
/div><style data-wp-text="state.overlayStyles">
</styl
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 2842 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2