

ONLINE LAPTOP APPLICATION

A Mini Project Report

Submitted by

SOWMIYA S

21CSR198

in partial fulfillment of the requirements

for the award of the degree of

BACHELOR OF ENGINEERING

IN

COMPUTER SCIENCE AND ENGINEERING

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



KONGU ENGINEERING COLLEGE

(Autonomous)

PERUNDURAI ERODE-638060

MAY 2023

AIM:

To develop a online laptop application using HTML, CSS, Bootstrap, JavaScript along with database connectivity.

PROCEDURE:

Login.html:

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>
<link rel="stylesheet" type="text/css" href="styles/login.css">
<style>
body
{
background-image: url("assets/b1.jfif");
background-repeat: no-repeat;
background-size: 100% 1000px;
}
</style>
</head>
<body>
<nav class="navbar navbar-expand-sm navbar-dark bg-dark">
<div class="container-fluid">
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#collapsibleNavbar">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="collapsibleNavbar">
<ul class="navbar-nav me-auto">
```

```
<li class="nav-item">
<a class="nav-link" href="login.html" style="color:white;"><H5>Home</H5></a>
</li>
<a class="nav-link" href="login.html" style="color:white;"><H5>Login</H5></a>
</li>
<li class="nav-item">
<a class="nav-link" href="register.html" style="color:white;"><H5>Register</H5></a>
</li>
<li class="nav-item">
<a class="nav-link" href="abouts.html" style="color:white;"><H5>About us</H5></a>
</li>
<li class="nav-item">
</ul>
</div>
</div>
</div>
</nav>
<br>
<div class="container-fluid">
<div class="row">
<div class="col-md-8">
<div class="welcome">
<h1 style="color:white; text-align: center;">Welcome to our website!!<br>Sign up now & enjoy ur
first purchase</h1><br>
<h5 style="color: white; text-align: center;">You can visit our laptops here</h5>
</div>
</div>
<div class="col-md-4">
<div class="f">
<div class="hello">
<center><h1>Login</h1></center>
</div>
<table><div class="user">
<tr><td>
<label> Name</label></td>
```

```

<td><input type="text" name="name" id="name" placeholder="Enter your name"
required></td></tr>
<br><br>
<tr><td>
<label> Password</label></td>
<td><input type="text" name="password" id="password" placeholder="Enter your password"
required></td></tr></div>
</table>
<br><br>
<center><a href="products.html"><button type="button" class="btn btn-
primary">Login</button></a>
<a href=" "><button type="button" class="btn btn-primary">Forgot
password</button></a></center><br>
<br><center>If there is no account <a href="register.html">Register here</a><br><br></center>
</div>
</div>
</div>
</body>
</html>

```

Register.html:

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>
<link rel="stylesheet" type="text/css" href="styles/register.css">
<style>
<body>

```

```
{
background-color: aliceblue;
}
</style>
</head>
<script type="text/javascript">

window.addEventListener("load",start,false);
function moveone(){
document.getElementById("move").innerHTML="Registration Form";
}
function start()
{
document.getElementById("move").addEventListener("mousemove",moveone,false);
document.getElementById("picture").addEventListener("mouseover",over,false);
document.getElementById("picture").addEventListener("mouseout",out,false);
}
function over(e) {
document.getElementById("picture").setAttribute("src","assets/b1.jfif");
}
function out(e) {
e.target.setAttribute("src","assets/l4.jpg");
}
function myFunction(x) {
x.style.background = "lightgray";
}
function blurFunction(x){
x.style.background="lavender";
}
function create_account(){
var n=document.getElementById("name").value;
var e=document.getElementById("email").value;
var a=document.getElementById("address").value;
var dob=document.getElementById("dob").value;
var mob=document.getElementById("mob").value;
```

```
var p=document.getElementById("password").value;
var cp=document.getElementById("confirm").value;
var letters = /^[A-Za-z]+$;/
var email_val = /^[a-zA-Z0-9_\.\\-]+\@((([a-zA-Z0-9\\-])+\.)+([a-zA-Z0-9]{2,4})+$)/;
if(n=="||e=="||a=="||dob=="||mob=="||p=="||cp==" ){
alert("Enter each details correctly");
}
else if(!letters.test(n))
{
alert('Name is incorrect must contain alphabets only');
}
else if (!email_val.test(e))
{
alert('Invalid email format please enter valid email id');
}
else if(p!=cp)
{
alert("Passwords not matching");
}
else if(document.getElementById("password").value.length > 12)
{
alert("Password maximum length is 12");
}
else if(document.getElementById("password").value.length < 6)
{
alert("Password minimum length is 6");
}
else{
alert("Your account has been created successfully...");
window.location="file:///E:/web-laptop/login.html";
}
}
</script>
<body>
<nav class="navbar navbar-expand-sm navbar-dark bg-dark">
```

```
<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#collapsibleNavbar">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="collapsibleNavbar">
<ul class="navbar-nav me-auto">
<li class="nav-item">
<a class="nav-link" href="login.html" style="color:white;"><H5>Home</H5></a>
</li>
<a class="nav-link" href="login.html" style="color:white;"><H5>Login</H5></a>
</li>
<li class="nav-item">
<a class="nav-link" href="products.html" style="color:white;"><H5>Laptop</H5> </a>
</li>
<li class="nav-item">
<a class="nav-link" href="abouts.html" style="color:white;"><H5>About us</H5></a>
</li>
<li class="nav-item">
</ul>
</div>
</div>
</div>
</nav>
<br>
<div class="container-fluid">
<div class="row">
<div class="col-md-7">
<div class="img-responsive"><br><br><br>
</div>
</div>
<div class="col-md-5">
<div class="f">
<div class="hello">
```

```
<center><h1 id="move">Register</h1></center>
</div><br>
<form>
<table cellspacing="2" align="center" cellpadding="8" border="0">
<tr><td> Name</td>
<td><input type="text" placeholder="Enter your name" name="name" id="name"
onfocus="myFunction(this)" onblur="blurFunction(this)"></td></tr>
<tr><td>Email</td>
<td><input type="text" placeholder="Enter your email id" name="email" id="email"
onfocus="myFunction(this)" onblur="blurFunction(this)"></td></tr>
<tr><td>Address</td>
<td><input type="text" placeholder="Enter your Address" name="address" id="address"
onfocus="myFunction(this)" onblur="blurFunction(this)"></td></tr>
<tr><td>Date of birth</td>
<td><input type="date" name="dob" id="dob" onfocus="myFunction(this)"
onblur="blurFunction(this)"></td></tr>
<tr><td>Mobile number</td>
<td><input type="text" placeholder="Enter your mobile number" name="mob" id="mob"
onfocus="myFunction(this)" onblur="blurFunction(this)"></td></tr>
<tr><td> Set Password</td>
<td><input type="password" placeholder="Set a password" name="password" id="password"
onfocus="myFunction(this)" onblur="blurFunction(this)"></td></tr>
<tr><td>Conform Password</td>
<td><input type="password" placeholder="Confirm your password" id="confirm"
onfocus="myFunction(this)" onblur="blurFunction(this)"></td></tr>
<tr><td>
</td>
</tr>
</table>
<center><button type="button" class="btn btn-primary"
onClick="create_account()">Submit</button></center>
</form>
</div>
</div>
</div>
</div>
```


</body>

</html>

About.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" href="styles/about.css">

<title>Document</title>

</head>

<body>

<div class="bool">

<center> </center>

</div>

<div class="hel"><h1>About Us</h1></div>

<div class="msg">

<p>This website provides easy interface to customer for purchasing laptops online. You can also send us email and call us

on Week days.
Thank you for your patience and hope you had a great shopping here.</p>

</div>

<div class="contact">

<p>EMAIL ID:laptop@gmail.com</p>

<p>CONTACT NO:+91 9876543210</p>

</div>

</body>

</html>

Dellview.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>
</head>
<body>
<div class="container-fluid">
<div class="row">
<div class="col-md-5 col-md-offset-1">
<div class="img-responsive"><br><br><br>
</div>
</div>
<div class="col-md-6">
<div class="hello"><br>
<center><h2>DELL lap</h2></center><br>
<p><b>Price : 49,990.00</b></p>
</div>
<hr>
<b>Processor</b> <br>
12th Gen Intel® Core™ i3-1215U (10 MB cache, 6 cores, 8 threads, up to 4.40 GHz Turbo)
<br><hr>
<b>Operating System </b> <br>
Windows 11
<br><hr>
<b>Memory</b> <br>
8 GB, 1 x 8 GB, DDR4, 3200 MHz
<br><hr>
<b>Hard Drive</b> <br>
512 GB, M.2, PCIe NVMe, SSD
```

```
<br><hr>
<b>Battery</b> <br>
4 Cell, 54 Wh, integrated
<br><hr>
<b>Camera</b><br>
1080p at 30 fps FHD camera
<br><hr>
<br><br>
<center><a href="order.html"><button type="button" class="btn btn-primary">Buy
Now</button></a></center>
</div>
</div>
</div>
</body>
</html>
```

Hpview.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>
</head>
<body>
<div class="container-fluid">
<div class="row">
<div class="col-md-5 col-md-offset-1">
<div class="img-responsive"><br><br><br>
</div>
</div>
<div class=" col-md-6 ">
```

<div class="hello">

<center><h2>HP lap</h2></center>

<p>Price : 47,990.00</p>

</div>

<hr>

Processor

Intel® Core™ i5-1035G1 (1.0 GHz base frequency, up to 3.6 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 4 cores)

<hr>

Operating System

Windows 11

<hr>

Memory

8 GB DDR4-2666 SDRAM (1 x 8 GB)

<hr>

Hard Drive

256 GB PCIe® NVMe™ M.2 SSD

<hr>

Battery

3-cell, 41 Wh Li-ion, Up to 9 hours and 15 minutes

<hr>

Camera

HP TrueVision 720p HD camera

<hr>

<center><button type="button" class="btn btn-primary">Order</button></center>

</div>

</div>

</div>

</body>

</html>

Lenovoview.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>
</head>
<body>
<div class="container-fluid">
<div class="row">
<div class="col-md-5 col-md-offset-1">
<div class="img-responsive"><br><br><br>
</div>
</div>
<div class=" col-md-6 ">
<div class="hello"><br>
<center><h2>Lenovo lap</h2></center><br>
<p><b>Price : 64,490.00</b></p>
</div>
<hr>
<b>Processor</b> <br>
11th Generation Intel® Core™ i5-1135G7 Processor (2.40 GHz up to 4.20 GHz)
<br><hr>
<b>Operating System </b> <br>
Windows 10 Pro 64
<br><hr>
<b>Memory</b> <br>
8 GB SDRAM DDR4 3200MHz
<br><hr>
<b>Hard Drive</b> <br>
1 TB 5400 HDD
```

```

<br><hr>
<b>Battery</b> <br>
3 cell, 45Wh, Upto 6 hours
<br><hr>
<b>Camera</b><br>
720p HD with PrivacyShutter
<br><hr>

<br><br>
<center><a href="order.html"><button type="button" class="btn btn-
primary">Order</button></a></center>
</div>
</div>
</div>
</body>
</html>

```

Products.html

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="styles/products.css">
</head>
<body style="background-color:aliceblue">
<h1 align="center" color="brown">PRODUCTS</h1>
<br><br>
<div class="container">
<div class="row">
<div class="col-md-4"><a href="hpview.html"><br></a> price:47,990.00</div>
<div class="col-md-4"><a href="hpview.html"><br></a> price:54,990.00</div>

```

```

<div class="col-md-4"><a href="hpview.html"><br></a> price:57,499.00</div>
</div>
<br>
<div class="row">
<div class="col-md-4"><a href="lenovoview.html"><br></a> price:64,490.00</div>
<div class="col-md-4"><a href="lenovoview.html"><br></a> price:65,490.00</div>
<div class="col-md-4"><a href="lenovoview.html"><br></a> price:63,490.00</div>
</div>
<br>
<div class="row">
<div class="col-md-4"><a href="dellview.html"><br></a> price:47,990.00</div>
<div class="col-md-4"><a href="dellview.html"><br></a> price:49,990.00</div>
<div class="col-md-4"><a href="dellview.html"><br></a> price:48,990.00</div>
</div>
</div>
</body>
</html>

```

Order.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<title> order</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="styles/order.css">

```

```

</head>
<body style="background-color:whitesmoke;">
<div class="container">
<centre><div class="hello">
<div class="col-md-10">
<h1 style=" color: blue; "> <center>Register your details</center> </h1>
<form id="form">
<table>
<tr><td><label> Name</label></td>
<td><input type="text" class="form-control" name="text" id="fname" placeholder="Enter your
name" required></td></tr>

<tr><td><label for="email">Email</label></td>
<td><input type="email" class="form-control" id="email" placeholder="Enter your email"
name="email" required></td></tr>

<tr><td><label>Mobile no</label></td>
<td><input type="text" class="form-control" required></td></tr>

<tr><td><label>Gender</label></td>
<td>
<input type="radio" id="male" name="gender" value="m">
<label> Male</label>
<input type="radio" id="female" name="gender" value="f">
<label> Female</label><br></td></tr>
<td>
<tr><td> Address
</td>
<td>
<textarea name="address" id="help" class="form-control" cols="120" rows="3"
required></textarea>
</label></td></tr><br>
<tr><td> <label>Date of Birth</td>
<td><input type="date" class="form-control" name="birthDate" required></label></td></tr>

```



```

<tr><td> <label>Laptop Type</td>
<td><br>
<select name="Pack Type" class="custom-select" required>
<option>None</option>
<option>HP</option>
<option>DELL</option>
<option>Lenovo</option>
</select>
</label><br><br></td></tr>
</table>

<div class="checkbox">
<label><input type="checkbox" name="remember"> Remember me</label>
</div>

<center><button type="button" class="btn" onclick="openPopup()">Submit</button>
<div class="popup" id="popup">

<h2>Thank You!</h2>
<p>Your details has been successfully submitted. Thanks!</p>
<button type="button" onclick="closePopup()">OK</button>
<script>

let popup=document.getElementById("popup");
function openPopup(){
popup.classList.add("open-popup");
}
function closePopup(){
popup.classList.remove("open-popup");
}
</script>
</div>
</form>
</div>
</div></centre>

```

```
</div>
</body>
</html>
```

Database.js

```
const express = require("express");
const bodyParser = require("body-parser");
const mongoose = require("mongoose");
const app = express();
mongoose.connect("mongodb://127.0.0.1:27017/laptopapp");
const contactSchema = new mongoose.Schema({
  name: String,
  email: String,
  address: String,
  dob: String,
  mob: String,
  password: String,
});
app.use(bodyParser.urlencoded({ extended: true }));
// app.use(express.static("public"));
app.get("/", function (req, res) {
  res.sendFile(__dirname + "/reg1.html");
});
app.post("/", function (req, res) {
  var Name = req.body.name;
  var Email = req.body.email;
  var Address = req.body.address;
  var Dob = req.body.dob;
  var Mobilenumber = req.body.mob;
  var Password = req.body.password;
  const Contact = mongoose.model("Contact", contactSchema);
  const contact = new Contact({
    name: Name,
    email: Email,
    address: Address,
```

```
dob: Dob,  
mob: Mobileno,  
password: Password,  
});  
contact.save();  
console.log("success fully saved");  
});  
app.listen(3000);
```

Login.css

```
.hello {  
font-size: 14;  
font-family:Arial, Helvetica, sans-serif;  
color: rgb(45, 73, 186);  
}  
.user {  
font-size: 150%;  
font-family:Arial, Helvetica, sans-serif;  
}  
.welcome{  
margin-top: 4cm;  
}  
.f{  
margin-top: 4cm;  
margin-right: 1cm;  
margin-left: 1cm;  
background-color: lavender;  
}  
  
table {  
border-collapse: collapse;  
}  
th, td {  
padding: 15px;  
}
```

Register.css

```
.f{
margin-top: 4cm;
margin-right: 1cm;
margin-left: 1cm;
background-color: lavender;
}

.hello {
font-size: 14;
font-family: Arial, Helvetica, sans-serif;
color: rgb(148, 24, 197);
}

.img-thumbnail {

margin-top: 1cm;
height: 100%;
}

.welcome{
margin-top: 5cm;
}
```

About.css

```
.hel {
text-align: center;
font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
}

.msg {
text-align: center;
font-size: 20px;
font-family: Arial, Helvetica, sans-serif;}

.contact {
text-align: center;
```

```
font-size: 20px;
font-family: Arial, Helvetica, sans-serif;
}
```

Products.css

```
.img-thumbnail {

margin-top: 1cm;
height: 50%;
width: 50%;
}
```

Order.css

```
table {
border-collapse: collapse;
}
th, td {
padding: 15px;
}
.hello {

margin-top: 4cm;
margin-right: 3cm;
margin-left: 3cm;
background-color: lavender;

}
.button {
margin-left: 1.5cm;
background-color: rgb(61, 11, 212);
border: none;
color:white;
font-size: 20px;
height: 1cm;
width: 3cm;
```


```
}  
.btn{  
padding: 10px 60px;  
background: rgb(61, 11, 212);  
border: 0;  
color: white;  
outline: none;  
cursor: pointer;  
font-size: 22px;  
font-weight: 500;  
border-radius: 30px;  
}  
.popup{  
width: 400px;  
background: #fff;  
border-radius: 6px;  
position: absolute;  
top: 0;  
left: 50%;  
transform: translate(-50%,-50%) scale(0.1);  
text-align: center;  
padding: 0 30px 30px;  
color: #333;  
visibility: hidden;  
transition: transform 0.4s, top 0.4s;  
}  
.open-popup{  
visibility: visible;  
top: 50%;  
transform: translate(-50%,-50%) scale(1);  
}  
.popup img{  
width: 100px;  
margin-top: -50px;  
border-radius: 50%;
```

```
box-shadow: 0 2px 5px rgba(0,0,0,0.2);
}
.popup h2{
font-size: 38px;
font-weight: 500;
margin: 30px 0 10px;
}
.popup button{
width: 100%;
margin-top: 50px;
padding: 10px 0;
background: #6fd649;
color: #fff;
border: 0;
outline: none;
font-size: 18px;
border-radius: 4px;
cursor: pointer;
box-shadow: 0 5px 5px rgba(0,0,0,0.2);

}
```

Output

Fig.1.Home and Login page



The image shows a web page with a dark blue header containing navigation links: Home, Login, Register, and About us. The main background is a blurred image of a laptop keyboard with a snail in the foreground. The text "Welcome to our website!!" and "Sign up now & enjoy ur first purchase" is displayed in white. Below this, a smaller text says "You can visit our laptops here". On the right side, there is a white login form titled "Login" with fields for Name and Password, and buttons for Login and Forgot password. A link "Register here" is also present at the bottom of the form.

Home Login Register About us

Welcome to our website!!
Sign up now & enjoy ur first purchase

You can visit our laptops here


Login

Name

Password

If there is no account [Register here](#)

Fig.2.Register page



The image shows a web page with a dark blue header containing navigation links: Home, Login, Laptop, and About us. The main background is a light blue gradient with a blurred image of a laptop and a potted plant. The text "Register" is displayed in purple. Below this, there is a white registration form with fields for Name, Email, Address, Date of birth, Mobile number, Set Password, and Conform Password, and a Submit button.

Home Login Laptop About us

Register

Name

Email

Address

Date of birth

Mobile number

Set Password

Conform Password

Fig.3.Product page




Fig.4.Products detail page




Fig.5.Order page

Register your details

Name

Enter your name

Email

Enter your email

Mobile no

Gender

☐ Male ☐ Female

Address

Date of Birth

dd-mm-yyyy

Laptop Type

None

☐ Remember me

Submit

Fig.6.Submission page

Register your details

Name

Enter your name

Email

Enter your email

Mobile no

Gender

☐ M

Address

Date of Birth

dd

Laptop Type

None

☐ Remember me

Submit

✓

Thank You!

Your details has been successfully submitted.
Thanks!

OK

Fig.7.About page



About Us

This website provides easy interface to customer for purchasing laptops online. You can also send us email and call us on Week days.
Thank you for your patience and hope you had a great shopping here.

EMAIL ID:laptop@gmail.com

CONTACT NO:+91 9876543210

Fig.8.Database connectivity-Mongodb

The screenshot shows the MongoDB Compass web interface. On the left, a sidebar displays a tree view of databases and collections. The 'laptopapp' database is expanded, showing collections like 'contacts', 'login', 'local', and 'users'. The main panel is titled 'laptopapp.contacts' and shows 19 documents and 1 index. The 'Documents' tab is selected, displaying a list of four documents. Each document contains fields: '_id' (ObjectId), 'username', 'email', and '__v' (version number, 0).

Document
<pre>{ "_id": ObjectId("645b788c46bfc809a9b9ede"), "username": "21csr198", "email": "sowish09@gmail.com", "__v": 0 }</pre>
<pre>{ "_id": ObjectId("645b9923ebd0763c6cd0897"), "username": "mythily", "email": "mythu@gmail.com", "__v": 0 }</pre>
<pre>{ "_id": ObjectId("645dd0746a8633f6af827977"), "username": "ram", "email": "ram@gmail.com", "__v": 0 }</pre>
<pre>{ "_id": ObjectId("645dd0996a8633f6af827979"), "username": "raja", "email": "raja@gmail.com", "__v": 0 }</pre>

Result

Thus the web page for online laptop application was designed successfully.