CEPMain

```
package phase1Project; import java.util.*;
public class CEPMain {
public static void main(String[] args) {
CEPOperations cepo = new CEPOperations();
// TODO Auto-generated method stub
Scanner sc = new Scanner(System.in);
System.out.println("Welcome to the LockedMe.com Application!");
System.out.println("-----");
System.out.println("Developed By Sowmiyaa.");
System.out.println("----"):
int choice=0; do {
while (true) {
System.out.println("\nEnter 1 to Retrieve\nEnter 2 to do Operations\nEnter
3 to Exit");
System.out.println("Pick ur choice:");
choice = sc.nextInt();
break;
catch (InputMismatchException e) {
System.out.println("Invalid input....! ");
sc.next();
}
}
switch(choice)
{
case 1:
cepo.Retrieving();
break;
case 2:
int t=1;
do {
System.out.println("\nEnter a to add\nEnter b to delete\nEnter c to
search\nEnter d to go back to home");
char ch = sc.next().charAt(0);
switch(ch) {
case 'a':
cepo.Add();
break:
case 'b':
cepo.delete();
```

```
break;
case 'c':
cepo.search();
break;
case 'd':
t=0;
break;
default:
System.out.println("Invalid Input....!. ");
break;
}
}
while(t!=0);
break;
case 3:
System.out.println("-----");
System.out.println("Thanks for using the app.");
System.exit(0);
default:
System.out.println("Invalid Input....!. ");
break;
}
}
while(true);
}
CEPOperations
package phase1Project; import java.io.*;
import java.util.*;
public class CEPOperations {
Scanner sc = new Scanner(System.in);
public void Retrieving() {
File folder = new File("/Users/sowmiyaa/Downloads/phase1Project");
if (!folder.exists())
{
folder.mkdirs();
}
File[] files = folder.listFiles();
if(files.length==0) {
System.out.println("No Files Found....");
}
else {
```

```
List<String> fileList = new ArrayList<>();
// Loop through each file in the folder and add its name to the list for (File
file: files) {
if (file.isFile())
fileList.add(file.getName());
}
}
int n = fileList.size();
for (int i = 0; i < n - 1; i++) {
for (int j = i + 1; j < n; j++) {
if (fileList.get(i).compareTo(fileList.get(j)) > 0) {
String temp = fileList.get(i);
fileList.set(i, fileList.get(j));
fileList.set(j, temp);
} }
// Print the list of file names for (String fileName : fileList) {
System.out.println(fileName); }
} }
public void Add() {
File folder = new File("/Users/sowmiyaa/Downloads/phase1Project");
if (!folder.exists())
folder.mkdirs();
File[] files = folder.listFiles();
boolean checker;
String nameoffile="";
do
System.out.println("Enter the name of the file to add: ");
nameoffile = sc.next();
checker = false;
for (File file : files) {
if (nameoffile.equalsIgnoreCase(file.getName()))
System.out.println("File name already exists....");
checker = true;
break;
}
}
while(checker);
System.out.println("Enter the content of the file: ");
sc.nextLine();
String contentoffile = sc.nextLine();
```

```
File file = new File(folder, nameoffile);
try {
FileWriter writer = new FileWriter(file);
writer.write(contentoffile);
writer.close();
System.out.println("File created as " + file.getName());
catch (IOException e) {
System.out.println("An error occurred.");
e.printStackTrace();
}
}
public void delete() {
File folder = new File("/Users/sowmiyaa/Downloads/phase1Project");
if (!folder.exists()) {
folder.mkdirs();
File[] files = folder.listFiles();
boolean checker;
String nameoffile="";
do {
System.out.println("Enter the name of the file to delete: ");
nameoffile = sc.next();
checker = true;
for (File file: files) {
if (nameoffile.equalsIgnoreCase(file.getName())) {
file.delete(); System.out.println("File deleted...");
checker = false;
break;
if(checker==true)
System.out.println("File name doesn't exists...");
while(checker);
public void search() {
File folder = new File("/Users/sowmiyaa/Downloads/phase1Project"); if (!
folder.exists()) {
folder.mkdirs();
File[] files = folder.listFiles();
boolean checker;
String nameoffile="";
```

```
do {
System.out.println("Enter the name of the file to search: ");
nameoffile = sc.next();
checker = true;
for (File file : files) {
if (nameoffile.equalsIgnoreCase(file.getName()))
System.out.println("File content:");
try (BufferedReader reader = new BufferedReader(new FileReader(file)))
String line;
while ((line = reader.readLine()) != null)
System.out.println(line);
} catch (IOException e) {
System.err.println("Error reading file: " + e.getMessage());
checker = false;
break;
if(checker==true) {
System.out.println("File name doesn't exists...");
while(checker);
}
```

EXPLANATION

```
Welcome to the LockedMe.com Application!

Developed By Sowmiyaa.

Enter 1 to Retrieve
Enter 2 to do Operations
Enter 3 to Exit
Pick ur choice:
```

Type 1 to Retrieve Type 2 to do Operations Type 3 to Exit Enter your choice:

This is the interface, where user can interact with the application. Here the application gives user 3 choices which includes - to retrieve, to do operations, to exit.

Based on the choice of the user, the working will proceed.

Enter your choice: 2

Type a to add

Type b to delete

Type c to search

Type d to go back to home

If the user choice is 2.

The application will display certain option like - to add, delete, search, to go back home.

Based on the choice the application will proceed.

If it is a, then the application will add a file which the user will enter.

```
Enter a to add
Enter b to delete
Enter c to search
Enter d to go back to home
Enter the name of the file to add:
Enter the content of the file:
File created as sample.txt
Enter a to add
Enter b to delete
Enter c to search
Enter d to go back to home
Enter the name of the file to add:
Enter the content of the file:
File created as sample1.txt
```

If it is b, then the application will delete the file which the user wants

```
Enter a to add
Enter b to delete
Enter c to search
Enter d to go back to home
b
Enter the name of the file to delete:
sample1.txt
File deleted...
```

If it is c, then the user will search for the file the user wants, if deleted it will ask to enter another file name to be searched

```
Enter a to add
Enter b to delete
Enter c to search
Enter d to go back to home

c
Enter the name of the file to search:
sample1.txt
File name doesn't exists...
Enter the name of the file to search:
sample.txt
File content:
hello everyone
```

If it is d, then the application will return the user to the main menu

```
Enter a to add
Enter b to delete
Enter c to search
Enter d to go back to home

Enter 1 to Retrieve
Enter 2 to do Operations
Enter 3 to Exit
Pick ur choice:
```

If the user types 1, then the application will retrieve all the files present in the folder

```
Enter 1 to Retrieve
Enter 2 to do Operations
Enter 3 to Exit
Pick ur choice:


1
.DS_Store
sample.txt
sample2.txt
```

If the user types 3, then the application will exit with a thank you message


```
Enter 1 to Retrieve
Enter 2 to do Operations
Enter 3 to Exit
Pick ur choice:

Thanks for using the app.
```

The folder created is



The files inside the folder is:



The content inside the file:

