





Caddy Tech Catalog Spaces Resources Company START LEARNING English

JavaScript Java C++ TypeScript C C# Go Ruby Rust PHP Dart Lua Luau Swift Web

Terminal

```
user$ ping -c 4 8.8.8.8
PING 8.8.8.8 (8.8.8.8): 56 data bytes
64 bytes from 8.8.8.8: seq=0 ttl=42 time=0.616 ms
64 bytes from 8.8.8.8: seq=1 ttl=42 time=0.671 ms
64 bytes from 8.8.8.8: seq=2 ttl=42 time=0.578 ms
64 bytes from 8.8.8.8: seq=3 ttl=42 time=0.669 ms

--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 packets received, 0% packet loss
round-trip min/avg/max = 0.578/0.633/0.671 ms
user$
```

Stateless terminal - every Run starts in a fresh /home. Press Shift+Enter to add a new line, Enter to run.

Try common Git commands

Git runs in this terminal too. I had a ready-made workflow into the prompt. hit Run to watch every command

Type here to search

NIFTY -0.19% 15:35 10-09-2026

Caddy Tech Catalog Spaces Resources Company START LEARNING English

Python JavaScript Java C++ TypeScript C C# Go Ruby Rust PHP Dart Lua Luau

Online Linux Terminal

Write, run, and share code snippets - no setup required.

Learn Terminal

Terminal

```
user$ ip route show
default via 169.254.1.254 dev ipvlan-eth0
169.254.0.0/16 via 169.254.1.254 dev ipvlan-eth0 src 169.254.8.1
169.254.1.0/24 dev ipvlan-eth0 scope link
169.254.9.0/24 dev ipvlan-eth1 scope link src 169.254.9.1
169.254.169.0/25 via 169.254.169.126 dev ipvlan-eth1 src 169.254.169.1
user$
```

Type here to search

NIFTY -0.19% 15:36 10-09-2026

Caddy Tech Catalog Spaces Resources Company START LEARNING English

Online Linux Terminal

Write, run, and share code snippets - no setup required.

Terminal

```
user$ netstat -tuln
Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
tcp        0      0 0.0.0.0:8080             0.0.0.0:*               LISTEN
user$
```

Python JavaScript Java C++ TypeScript C C# Go Ruby Rust PHP Dart Lua Luau

Type here to search

Caddy Tech Catalog Spaces Resources Company START LEARNING English

Online Linux Terminal

Write, run, and share code snippets - no setup required.

Terminal

```
user$ hostname
localhost
user$ ip neigh show
169.254.169.126 dev ipvlan-eth1 lladdr 42:01:a9:fe:a9:7e ref 1 used 0/0/0 probes 1 REACHABLE
169.254.1.254 dev ipvlan-eth0 lladdr 42:00:a9:fe:01:fe used 0/0/0 probes 1 STALE
fddf:3978:feb1:d745::c002 dev ipvlan-eth0 lladdr 42:01:a9:fe:01:01 router ref 1 used 0/0/0 probes 1 REACHABLE
user$ curl https://example.com
<!doctype html><html lang="en"><head><title>Example Domain</title><link rel="icon" href="data:,"><meta name="viewport" content="width=device-width, initial-scale=1"><style>body{background:#eee;width:60vw;margin:15vh auto;font-family:sans-serif}</style></head><body><div><h1>Example Domain</h1><p>This domain is for use in documentation examples without needing permission. Avoid use in operations.</p><p><a href="https://iana.org/domains/example">Learn more</a></p></div></body></html>
user$ wget https://example.com
user$
```

Python JavaScript Java C++ TypeScript C C# Go Ruby Rust PHP Dart Lua Luau

Type here to search

Nifty bank -0.04%

Caddy Tech Catalog Spaces Resources Company START LEARNING English

JavaScript Java C++ TypeScript C C# Go Ruby Rust PHP Dart Lua Luau Swift Web

Terminal

```
user$ ifconfig
ipvlan-eth0 Link encap:Ethernet Hwaddr 42:00:A9:FE:01:02
inet addr:169.254.8.1 Bcast:169.254.255.255 Mask:255.255.0.0
inet6 addr: fddf:3978:feb1:d745::c001/64 Scope:Global
inet6 addr: fe80::4200:a900:1fe:102/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:65000 Metric:1
RX packets:12374 errors:0 dropped:0 overruns:0 frame:0
TX packets:6796 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:170200161 (162.3 MiB) TX bytes:585029 (571.3 KiB)

ipvlan-eth1 Link encap:Ethernet Hwaddr 42:00:4E:49:43:00
inet addr:169.254.9.1 Bcast:169.254.9.255 Mask:255.255.255.0
inet6 addr: fe80::4200:4e00:149:4300/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:65535 Metric:1
RX packets:12806 errors:0 dropped:0 overruns:0 frame:0
TX packets:9200 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:4317372 (4.1 MiB) TX bytes:5674909 (5.4 MiB)

lo Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
inet6 addr: ::1/128 Scope:Host
UP LOOPBACK RUNNING MTU:65536 Metric:1
RX packets:10 errors:0 dropped:0 overruns:0 frame:0
TX packets:10 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:807 (807.0 B) TX bytes:807 (807.0 B)
```

Stateless terminal - every Run starts in a fresh /home. Press Shift+Enter to add a new line, Enter to run.

Try common Git commands

Git runs in this terminal too. I had a ready-made workflow into the prompt. hit Run to watch every command

10 September 2026 Thursday 15:38 10-09-2026

Type here to search

Caddy Tech Catalog Spaces Resources Company START LEARNING English

JavaScript Java C++ TypeScript C C# Go Ruby Rust PHP Dart Lua Luau Swift Web

Terminal

```
ipvlan-eth1 Link encap:Ethernet Hwaddr 42:00:4E:49:43:00
inet addr:169.254.9.1 Bcast:169.254.9.255 Mask:255.255.255.0
inet6 addr: fe80::4200:4e00:149:4300/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:65535 Metric:1
RX packets:12806 errors:0 dropped:0 overruns:0 frame:0
TX packets:9200 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:4317372 (4.1 MiB) TX bytes:5674909 (5.4 MiB)

lo Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
inet6 addr: ::1/128 Scope:Host
UP LOOPBACK RUNNING MTU:65536 Metric:1
RX packets:10 errors:0 dropped:0 overruns:0 frame:0
TX packets:10 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:807 (807.0 B) TX bytes:807 (807.0 B)
```

user\$

Stateless terminal - every Run starts in a fresh /home. Press Shift+Enter to add a new line, Enter to run.

Try common Git commands

Git runs in this terminal too. I had a ready-made workflow into the prompt. hit Run to watch every command

10 September 2026 Thursday 15:39 10-09-2026

Type here to search

JavaScript

Java

C++

TypeScript

C

C#

Go

Ruby

Rust

PHP

Dart

Lua

Luau

Swift

Web

Terminal

Reset

Clear

Run

```
user$ netstat -an

Active Internet connections (servers and established)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
tcp        0      0 0.0.0.0:8080            0.0.0.0:*               LISTEN
tcp        0      0 169.254.169.1:8080      169.254.169.126:5856    ESTABLISHED
tcp        0      0 169.254.169.1:8080      169.254.169.126:5872    ESTABLISHED
tcp        0      0 fddf:3978:feb1:d745::c001:53576 2001:4860:4840:400::443 ESTABLISHED

Active UNIX domain sockets (servers and established)
Proto RefCnt Flags       Type       State         I-Node Path
unix    3      [ ]       STREAM     CONNECTED    149121
unix    3      [ ]       STREAM     CONNECTED    149120
unix    3      [ ]       STREAM     CONNECTED    142779
unix    3      [ ]       STREAM     CONNECTED    142778
unix    3      [ ]       STREAM     CONNECTED    263103
unix    3      [ ]       STREAM     CONNECTED    263102
unix    3      [ ]       STREAM     CONNECTED    144529
unix    3      [ ]       STREAM     CONNECTED    144528

user$
```

Stateless terminal - every Run starts in a fresh /home. Press Shift+Enter to add a new line, Enter to run.

Try common Git commands

Git runs in this terminal too. I had a ready-made workflow into the prompt. hit Run to watch every command

10 September 2026

Thursday

15:39

10-09-2026

JavaScript

Java

C++

TypeScript

C

C#

Go

Ruby

Rust

PHP

Dart

Lua

Luau

Swift

Web

Terminal

Reset

Clear

Run

```
user$ nslookup www.google.com

Server:         169.254.169.254
Address:        169.254.169.254:53

Non-authoritative answer:
Name:   www.google.com
Address: 2001:4860:4827:7700::
Name:   www.google.com
Address: 2001:4860:482c:7700::
Name:   www.google.com
Address: 2001:4860:4829:7700::
Name:   www.google.com
Address: 2001:4860:4828:7700::
Name:   www.google.com
Address: 2001:4860:482a:7700::
Name:   www.google.com
Address: 2001:4860:482b:7700::
Name:   www.google.com
Address: 2001:4860:4826:7700::
Name:   www.google.com
Address: 2001:4860:482d:7700::
```

Stateless terminal - every Run starts in a fresh /home. Press Shift+Enter to add a new line, Enter to run.

Try common Git commands

Git runs in this terminal too. I had a ready-made workflow into the prompt. hit Run to watch every command

10 September 2026

Thursday

15:39

10-09-2026

