Name: Sownthari R P

Date: 24.07.2024

Task 1:

- Create Book as table with columns BookID, BookName, AuthorName, ISBN
- BookID should be the primary key.

Query:

```
CREATE TABLE Book (
BookId INT PRIMARY KEY IDENTITY(1,1),
BookName NVARCHAR(100) NOT NULL,
AuthorName NVARCHAR(100) NOT NULL,
ISBN NVARCHAR(100) NOT NULL
);
```

Result:

Results | Messages

	BookId	BookName	AuthorName	ISBN
1	1	Moby Dick	Herman Melville	9781503280786
2	2	War and Peace	Leo Tolstoy	9780199232765
3	3	The Catcher in the Rye	J.D. Salinger	9780316769488
4	4	The Hobbit	J.R.R. Tolkien	9780547928227
5	5	Jane Eyre	Charlotte Brontë	9780142437209
6	6	The Alchemist	Paulo Coelho	9780061122415

- Alter Type from NVARCHAR(100) to NVARCHAR(50)
- Alter Type from NVARCHAR(100) to NVARCHAR(150)

Query:

```
ALTER TABLE Book ALTER COLUMN BookName NVARCHAR(50);

ALTER TABLE Book ALTER COLUMN AuthorName NVARCHAR(150);
```

Task 2:

- Create Books Table with Bookid, book name, Authors table with author id, author name.

Query:

```
CREATE TABLE Books (
BookID INT PRIMARY KEY IDENTITY(1,1),
BookName NVARCHAR(max) NOT NULL
);

CREATE TABLE Author (
AuthorID INT PRIMARY KEY IDENTITY(1,1),
AuthorName NVARCHAR(max) NOT NULL
);
```

Result:

Results Messages

	BookID	BookName
1	1	To Kill a Mockingbird
2	2	1984
3	3	The Great Gatsby
4	4	The Catcher in the Rye
5	5	Pride and Prejudice

Results Messages

	AuthorID	AuthorName
1	1	Harper Lee
2	2	George Orwell
3	3	F. Scott Fitzgerald
4	4	J.D. Salinger
5	5	Jane Austen

- Create a Junction table for Books and Authors.

Query:

```
-- junction table using books and authors table

CREATE TABLE BooksAuthors (
BookID INT NOT NULL,
AuthorID INT NOT NULL,
PRIMARY KEY (BookID, AuthorID),
FOREIGN KEY (BookID) REFERENCES Books(BookID),
FOREIGN KEY (AuthorID) REFERENCES Author(AuthorID)
);
```

Result:

	BookID	AuthorID
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5