Assignment01

Soyeon Hwang

March 25, 2021

1 Basic Commands

1.0.1 vector

ls()

character(0)

```
x = c(1, 3, 2, 5); x
## [1] 1 3 2 5
x = c(1, 6, 2); x
## [1] 1 6 2
y = c(1, 4, 3)


1.0.2 length
length(x); length(y)
## [1] 3
## [1] 3
x + y
## [1] 2 10 5
ls()
## [1] "x" "y"

1.0.3 remove
rm(x, y)
```

```
rm(list = ls())
1.0.4 matrix
?matrix
## starting httpd help server ... done
x = matrix(data = c(1, 2, 3, 4), nrow = 2, ncol = 2)
## [,1] [,2]
## [1,] 1 3
## [2,] 2 4
x = matrix(c(1, 2, 3, 4), 2, 2)
## [,1] [,2]
## [1,] 1 3
## [2,] 2 4
1.0.5 square root
sqrt(x)
## [,1] [,2]
## [1,] 1.000000 1.732051
## [2,] 1.414214 2.000000
x^2
## [,1] [,2]
## [1,]
        1 9
## [2,] 4 16
1.0.6 rnorm, cor
x = rnorm(50)
y = x + rnorm(50, mean = 50, sd = 0.1)
cor(x, y)
## [1] 0.9950583
```


1.0.7 set.seed

```
set.seed(1303)
rnorm(50)
   [1] -1.1439763145 1.3421293656 2.1853904757 0.5363925179 0.0631929665
##
## [6] 0.5022344825 -0.0004167247 0.5658198405 -0.5725226890 -1.1102250073
## [11] -0.0486871234 -0.6956562176 0.8289174803 0.2066528551 -0.2356745091
## [16] -0.5563104914 -0.3647543571 0.8623550343 -0.6307715354 0.3136021252
## [26] -0.2690521547 -1.5103172999 -0.6902124766 -0.1434719524 -1.0135274099
## [31] 1.5732737361 0.0127465055 0.8726470499 0.4220661905 -0.0188157917
## [36] 2.6157489689 -0.6931401748 -0.2663217810 -0.7206364412 1.3677342065
## [41] 0.2640073322 0.6321868074 -1.3306509858 0.0268888182 1.0406363208
## [46] 1.3120237985 -0.0300020767 -0.2500257125 0.0234144857 1.6598706557
1.0.8 mean, var, sd
set.seed(3)
y = rnorm(100)
mean(y); var(y); sqrt(var(y)); sd(y)
## [1] 0.01103557
## [1] 0.7328675
## [1] 0.8560768
## [1] 0.8560768
    Graphics
2
2.0.1 plot
x = rnorm(100)
y = rnorm(100)
plot(x, y)
```



```
plot(x, y,
     xlab = "this is the x-axis",
     ylab = "this is the y-axis",
     main = "Plot of X vs Y")
```

Plot of X vs Y




2.0.2 pdf(), jpeg()

```
pdf("Figure.pdf")
plot(x, y, col = "green")
dev.off()
## pdf
     2
##
2.0.3 \text{ seq()}
x = seq(1, 10) ; x
    [1]
         1 2
##
                3 4
                       5 6
                            7
                                 8 9 10
x = 1:10 ; x
    [1] 1 2 3 4 5 6 7
##
x = seq(-pi, pi, length = 50); x
##
     \begin{bmatrix} 1 \end{bmatrix} \ -3.14159265 \ -3.01336438 \ -2.88513611 \ -2.75690784 \ -2.62867957 \ -2.50045130 
    [7] -2.37222302 -2.24399475 -2.11576648 -1.98753821 -1.85930994 -1.73108167
##
```


2.0.4 contour()

```
y = x
f = outer(x, y, function(x, y) cos(y) / (1 + x^2))
contour(x, y, f)
contour(x, y, f, nlevels = 45, add = T)
```




```
fa = (f - t(f)) / 2

contour(x, y, fa, nlevels = 15)
```




2.0.5 persp()


image(x, y, fa)




persp(x, y, fa)




persp(x, y, fa, theta = 30)




persp(x, y, fa, theta = 30, phi = 20)



persp(x, y, fa, theta = 30, phi = 70)



persp(x, y, fa, theta = 30, phi = 40)



3 Indexing Data

3.0.1 indices in matrix

```
A = matrix(1:16, 4, 4)
       [,1] [,2] [,3] [,4]
## [1,]
               5
                   9
          1
                       13
## [2,]
       2 6
                  10
                       14
       3 7
4 8
## [3,]
                  11
                       15
## [4,]
                  12
                       16
A[2, 3]
## [1] 10
A[c(1, 3), c(2, 4)]
## [,1] [,2]
## [1,]
          5
              13
## [2,]
       7
              15
```


```
A[1:3, 2:4]
## [,1] [,2] [,3]
## [1,] 5 9 13
## [2,] 6 10
                14
## [3,] 7 11
                15
A[1:2,]
## [,1] [,2] [,3] [,4]
## [1,]
      1 5 9 13
## [2,] 2 6 10 14
A[, 1:2]
## [,1] [,2]
## [1,] 1
## [2,]
        2
             6
## [3,] 3 7
## [4,] 4 8
A[1, ]
## [1] 1 5 9 13
A[-c(1, 3), ]
## [,1] [,2] [,3] [,4]
## [1,] 2 6 10
                    14
## [2,] 4 8
                12
                     16
3.0.2 \quad \dim()
dim(A)
## [1] 4 4
4 Loading data
4.0.1 read.table()
Auto = read.table("Auto.data")
fix(Auto)
Auto = read.table("Auto.data", header = T, na.strings = "?")
fix(Auto)
```

```
4.0.2 read.csv()
Auto = read.csv("Auto.csv", header = T, na.strings = "?")
fix(Auto)
dim(Auto)
## [1] 397
Auto[1:4, ]
    mpg cylinders displacement horsepower weight acceleration year origin
## 1 18
                           307
                                       130
                                             3504
                                                         12.0
                                                                70
## 2 15
                8
                           350
                                       165
                                                         11.5
                                                                70
                                                                         1
                                             3693
## 3 18
                8
                                       150
                                             3436
                                                         11.0
                                                                70
                           318
                                                                        1
## 4 16
                8
                           304
                                       150
                                             3433
                                                         12.0
                                                                70
                                                                         1
##
                         name
## 1 chevrolet chevelle malibu
            buick skylark 320
## 3
           plymouth satellite
## 4
                amc rebel sst
4.0.3 na.omit()
Auto = na.omit(Auto)
dim(Auto)
## [1] 392
4.0.4 names()
names (Auto)
## [1] "mpg"
                     "cylinders"
                                     "displacement" "horsepower"
                                                                  "weight"
## [6] "acceleration" "year"
                                     "origin"
                                                   "name"
    Additional Graphical and Numerical Summaries
5
library(ISLR)
## Warning: package 'ISLR' was built under R version 4.0.3
##
## Attaching package: 'ISLR'
## The following object is masked _by_ '.GlobalEnv':
```

##


Auto

```
data(Auto)
plot(Auto$cylinders, Auto$mpg)
```



5.0.1 attach()

attach(Auto)
plot(cylinders, mpg)




5.0.2 as.factor()


cylinders = as.factor(cylinders)

5.0.3 boxplot


plot(cylinders, mpg)




plot(cylinders, mpg, col = "red")



plot(cylinders, mpg, col = "red", varwidth = T)






5.0.4 hist()


hist(mpg)

Histogram of mpg




hist(mpg, col = 2)

Histogram of mpg




hist(mpg, col = 2, breaks = 15)


Histogram of mpg



5.0.5 pairs()


pairs(Auto)





5.0.6 identify()

plot(horsepower, mpg)
identify(horsepower, mpg, name)



integer(0)

5.0.7 summary()

summary(Auto)					
##	mpg	cylinders	displacement	horsepower	weight
##	Min. : 9.00	Min. :3.000	Min. : 68.0	Min. : 46.0	Min. :1613
##	1st Qu.:17.00	1st Qu.:4.000	1st Qu.:105.0	1st Qu.: 75.0	1st Qu.:2225
##	Median :22.75	Median :4.000	Median :151.0	Median: 93.5	Median :2804
##	Mean :23.45	Mean :5.472	Mean :194.4	Mean :104.5	Mean :2978
##	3rd Qu.:29.00	3rd Qu.:8.000	3rd Qu.:275.8	3rd Qu.:126.0	3rd Qu.:3615
##	Max. :46.60	Max. :8.000	Max. :455.0	Max. :230.0	Max. :5140
##					
##	acceleration	year	origin		name
##	Min. : 8.00	Min. :70.00	Min. :1.000	amc matador	: 5
##	1st Qu.:13.78	1st Qu.:73.00	1st Qu.:1.000	ford pinto	: 5
##	Median :15.50	Median :76.00	Median :1.000	toyota corolla	: 5
##	Mean :15.54	Mean :75.98	Mean :1.577	amc gremlin	: 4
##	3rd Qu.:17.02	3rd Qu.:79.00	3rd Qu.:2.000	amc hornet	: 4
##	Max. :24.80	Max. :82.00	Max. :3.000	chevrolet cheve	tte: 4
##				(Other)	:365

summary(mpg)

```
## Min. 1st Qu. Median Mean 3rd Qu. Max.
## 9.00 17.00 22.75 23.45 29.00 46.60
```