Greenup Analyses

Kara Dobson


February 14, 2021

COLLABORATORS: Phoebe Zarnetske, Moriah Young, Mark Hammond, Pat Bills DATA INPUT: Data imported as csv files from shared Google drive L1 plant comp folder PROJECT: warmXtrophic

First, checking for normality


hist(final_kbs\$half_cover_date)

Histogram of final_kbs\$half_cover_date



qqnorm(final_kbs\$half_cover_date)


Normal Q-Q Plot




```
shapiro.test(final_kbs$half_cover_date)

##
## Shapiro-Wilk normality test
##
## data: final_kbs$half_cover_date
## W = 0.94273, p-value < 2.2e-16
hist(final_kbs$half_cover_date[final_kbs$state == "ambient"])</pre>
```

Histogram of final_kbs\$half_cover_date[final_kbs\$state == "ambient




Histogram of final_kbs\$half_cover_date[final_kbs\$state == "warmed



Not normal, and previously attempted transformations don't help Seeing what other distribution could fit

Cullen and Frey graph



```
## summary statistics
## -----
## min: 59 max: 289
## median: 141
## mean: 152.8644
## estimated sd: 57.73216
## estimated skewness: 0.3763172
## estimated kurtosis: 2.058193
```

Uniform looks the closest but isn't included in glmer(?) - will try Poisson

Below I try a few different generalized linear models with poisson distribution:

An interaction between state and year, plus insecticide as a fixed effect and species and plot as random effects

```
moda <- glmer(half_cover_date ~ state*year + insecticide + (1|species) + (1|plot),</pre>
              data=final_kbs, family = poisson)
## Warning in checkConv(attr(opt, "derivs"), opt$par, ctrl = control$checkConv, : Model is nearly unide:
## - Rescale variables?
summary(moda)
## Generalized linear mixed model fit by maximum likelihood (Laplace
     Approximation) [glmerMod]
  Family: poisson (log)
## Formula: half_cover_date ~ state * year + insecticide + (1 | species) +
       (1 | plot)
##
##
      Data: final kbs
##
##
                BIC logLik deviance df.resid
   42924.6 42963.9 -21455.3 42910.6
##
##
## Scaled residuals:
               10 Median
                                3Q
## -9.0161 -2.8352 -0.6425 2.3763 14.4656
## Random effects:
## Groups Name
                        Variance Std.Dev.
## species (Intercept) 0.069954 0.26449
## plot
            (Intercept) 0.001848 0.04299
## Number of obs: 2028, groups: species, 55; plot, 24
##
## Fixed effects:
##
                         Estimate Std. Error z value Pr(>|z|)
                                     0.039631 126.684 < 2e-16 ***
## (Intercept)
                         5.020670
## statewarmed
                         0.009389
                                    0.019347
                                               0.485
                                                       0.6275
                         0.003600
                                    0.001520
                                                2.368
                                                        0.0179 *
## insecticideno_insects 0.028934
                                     0.017937
                                                1.613
                                                        0.1067
## statewarmed:year
                        -0.009698
                                    0.002116 -4.584 4.57e-06 ***
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Correlation of Fixed Effects:
##
               (Intr) sttwrm year
## statewarmed -0.243
              -0.130 0.249
## year
## insctcdn_ns -0.227 -0.002 0.008
## statwrmd:yr 0.089 -0.375 -0.648 0.006
## convergence code: 0
## Model is nearly unidentifiable: very large eigenvalue
## - Rescale variables?
```

No interaction between state and year, but with state and insecticide as fixed effects and species and plot as random effects

```
modb <- glmer(half_cover_date ~ state + year + insecticide + (1|species) + (1|plot),</pre>
              data=final_kbs, family = poisson)
## Warning in checkConv(attr(opt, "derivs"), opt$par, ctrl = control$checkConv, : Model is nearly unide:
## - Rescale variables?
summary(modb)
## Generalized linear mixed model fit by maximum likelihood (Laplace
     Approximation) [glmerMod]
  Family: poisson (log)
## Formula: half_cover_date ~ state + year + insecticide + (1 | species) +
##
       (1 | plot)
##
     Data: final kbs
##
##
       AIC
                BIC logLik deviance df.resid
   42943.6 42977.3 -21465.8 42931.6
##
##
## Scaled residuals:
##
      Min
               1Q Median
                               3Q
## -9.0053 -2.8448 -0.6575 2.3929 14.2130
##
## Random effects:
## Groups Name
                       Variance Std.Dev.
## species (Intercept) 0.069954 0.26449
## plot
            (Intercept) 0.001847 0.04297
## Number of obs: 2028, groups: species, 55; plot, 24
##
## Fixed effects:
##
                          Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                         5.0367372 0.0394723 127.602
                                                        <2e-16 ***
                        -0.0238775 0.0179292 -1.332
## statewarmed
                                                         0.183
                        -0.0009128 0.0011579 -0.788
                                                         0.430
## insecticideno_insects 0.0294351 0.0179303
                                                1.642
                                                         0.101
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Correlation of Fixed Effects:
               (Intr) sttwrm year
## statewarmed -0.227
## year
              -0.096 0.007
## insctcdn_ns -0.228 0.001 0.015
## convergence code: 0
## Model is nearly unidentifiable: very large eigenvalue
## - Rescale variables?
```

State and insecticide as fixed effects & year, species and plot as random effects

```
modc <- glmer(half_cover_date ~ state + insecticide + (1|year) + (1|species) + (1|plot),</pre>
              data=final kbs, family = poisson)
summary(modc)
## Generalized linear mixed model fit by maximum likelihood (Laplace
     Approximation) [glmerMod]
   Family: poisson (log)
## Formula: half_cover_date ~ state + insecticide + (1 | year) + (1 | species) +
       (1 | plot)
##
##
      Data: final_kbs
##
##
       AIC
                BIC
                      logLik deviance df.resid
   41436.8 41470.5 -20712.4 41424.8
##
##
## Scaled residuals:
##
      Min
               1Q Median
                                3Q
## -9.3418 -2.8134 -0.5215 2.1783 13.1976
## Random effects:
## Groups Name
                       Variance Std.Dev.
## species (Intercept) 0.068407 0.26155
            (Intercept) 0.001820 0.04266
## year
            (Intercept) 0.005866 0.07659
## Number of obs: 2028, groups: species, 55; plot, 24; year, 6
##
## Fixed effects:
                         Estimate Std. Error z value Pr(>|z|)
##
                         5.01945
## (Intercept)
                                    0.04991 100.579
                                                       <2e-16 ***
## statewarmed
                         -0.02683
                                     0.01781 -1.507
                                                       0.1319
## insecticideno_insects 0.03093
                                    0.01781
                                               1.737
                                                       0.0824 .
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Correlation of Fixed Effects:
               (Intr) sttwrm
## statewarmed -0.178
## insctcdn ns -0.178 0.001
```