

Submit

File Name	Errors			
C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\class-mo-discord-login-widget.php	18			
Message	Severity	Line Number	Source	
Class file names should be based on the class name with "class-" prepended. Expected class-mo-discord-login-wid.php, but found class-mo-discord-login-widget.php.	5	1	WordPress.Files.FileName.InvalidClassName	
Class name must begin with a capital letter	5	10	PEAR.NamingConventions.ValidClassName.StartWithCapital	
Class name is not valid; consider Mo_Discord_Login_Wid instead	5	10	PEAR.NamingConventions.ValidClassName.Invalid	
extract() usage is highly discouraged, due to the complexity and unintended issues it might cause.	5	23	WordPress.PHP.DontExtract.extract_extract	

Rows per page: 5 ▾ 1–32 of 32 | &lt; &lt; &gt; &gt;|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$args['before_widget']'.	5	25	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$args['after_widget']'.	5	28	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	96	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	96	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	96	WordPress.Security.EscapeOutput.UnsafePrintingFunction
Expected 1 space before closing PHP tag; 0 found	5	96	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	96	WordPress.Security.EscapeOutput.UnsafePrintingFunction
Expected 1 space before closing PHP tag; 0 found	5	103	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
Expected 1 space before closing PHP tag; 0 found	5	103	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	103	WordPress.Security.EscapeOutput.UnsafePrintingFunction
Expected 1 space before closing PHP tag; 0 found	5	103	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	96	WordPress.Security.EscapeOutput.UnsafePrintingFunction
Expected 1 space before closing PHP tag; 0 found	5	402	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	96	WordPress.Security.EscapeOutput.UnsafePrintingFunction
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	103	WordPress.Security.EscapeOutput.UnsafePrintingFunction
All output should be run through an escaping function (like esc_html_e() or esc_attr_e()), found '_e'.	5	103	WordPress.Security.EscapeOutput.UnsafePrintingFunction

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'mo_discord_get_redirect_url'.	5	402	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	419	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	420	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	421	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	423	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	423	WordPress.Security.EscapeOutput.OutputNotEscaped
Usage of ELSE IF is discouraged; use ELSEIF instead	5	463	PSR2.ControlStructures.ElselfDeclaration.NotAllowed
Usage of ELSE IF is discouraged; use ELSEIF instead	5	476	PSR2.ControlStructures.ElselfDeclaration.NotAllowed

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	502	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	510	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	523	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	424	WordPress.Security.EscapeOutput.OutputNotEscaped	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	463	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	549	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	476	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	502	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	510	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	523	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	532	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	549	WordPress.Security.NonceVerification.Missing	I
Processing form data without nonce verification.	5	557	WordPress.Security.NonceVerification.Missing	I
Variable assignment found within a condition. Did you mean to do a comparison?	5	567	WordPress.CodeAnalysis.AssignmentInCondition.Found	WA
wp_redirect() found. Using wp_safe_redirect(), along with the allowed_redirect_hosts filter if needed, can help avoid any chances of malicious redirects within code. It is also important to remember to call exit() after a redirect so that no other unwanted code is executed.	5	571	WordPress.Security.SafeRedirect.wp_redirect_wp_redirect	WA
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	597	WordPress.DB.PreparedSQL.NotPrepared	I
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%s\'.	5	597	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%s\'.	5	597	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%s\'.	5	597	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\bootstrap-discord.css</b>			0
Message	Severity	Line Number	Source
File appears to be minified and cannot be processed	5	1	Internal.Tokenizer.Exception
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\bootstrap.min-preview.css</b>			0
Message	Severity	Line Number	Source
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\font-awesome.css</b>			0
Message	Severity	Line Number	Source

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Severity	Line Number	Source
C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\font-awesome.min.css	0		
Message	Severity	Line Number	Source
File appears to be minified and cannot be processed	5	1	Internal.Tokenizer.Exception
WA			
C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\mo-font-awesome.css	0		
Message	Severity	Line Number	Source
C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\mo-font-awesome.min.css	0		
Message	Severity	Line Number	Source
C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\css\mo_discord_feedback.css	0		
Message	Severity	Line Number	Source

File Name

Errors

^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\includes\css\mo\_discord\_licensing\_plan.css 0

Message

Severity

Line Number

Source

^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\includes\css\mo\_discord\_login\_icons.css 0

Message

Severity

Line Number

Source

^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\includes\css\mo\_discord\_style.css 0

Message

Severity

Line Number

Source

^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\includes\css\phone.css 0

Message

Severity

Line Number

Source

^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\includes\js\mo-discord-social\_login.js 0

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Severity	Line Number	Source	Errors
Message	Severity	Line Number	Source	
^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\js\mo_discord_jquery.cookie.min.js				0
Message	Severity	Line Number	Source	
File appears to be minified and cannot be processed	5	1	Internal.Tokenizer.Exception	WA
^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\includes\js\mo_discord_phone.js				0
Message	Severity	Line Number	Source	
File appears to be minified and cannot be processed	5	1	Internal.Tokenizer.Exception	WA
^ C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\miniorange_discord_sso_settings.php				5
Message	Severity	Line Number	Source	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Filenames should be all lowercase with hyphens as word separators. Expected miniorange-discord-sso-settings.php, but found miniorange_discord_sso_settings.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	
Class file names should be based on the class name with "class-" prepended. Expected class-miniorange-discord-sso-settings.php, but found miniorange_discord_sso_settings.php.	5	1	WordPress.Files.FileName.InvalidClassName	
Constants must be uppercase; expected 'MO_DISCORD_PLUGIN_URL' but found 'mo_discord_plugin_url'	5	14	Generic.NamingConventions.UpperCaseConstantName.ConstantNotUpperCase	
Class name must begin with a capital letter	5	22	PEAR.NamingConventions.ValidClassName.StartWithCapital	
Class name is not valid; consider Miniorange_Discord_Sso_Settings instead	5	22	PEAR.NamingConventions.ValidClassName.Invalid	
Variable assignment found within a condition. Did you mean to do a comparison?	5	374	WordPress.CodeAnalysis.AssignmentInCondition.Found	WA

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Variable assignment found within a condition. Did you mean to do a comparison?	5	400	WordPress.CodeAnalysis.AssignmentInCondition.Found	WA
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\miniorange_discord_sso_settings_page.php</b>				15
Message	Severity	Line Number	Source	
Filenames should be all lowercase with hyphens as word separators. Expected miniorange-discord-sso-settings-page.php, but found miniorange_discord_sso_settings_page.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	I
Processing form data without nonce verification.	5	14	WordPress.SecurityNonceVerification.Recommended	WA
Processing form data without nonce verification.	5	14	WordPress.SecurityNonceVerification.Recommended	WA
Expected 1 space before closing PHP tag; 0 found	5	30	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'site_url'.	5	30	WordPress.Security.EscapeOutput.OutputNotEscaped	I
Expected 1 space before closing PHP tag; 0 found	5	55	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	I

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'plugin_dir_url'.	5	55	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	57	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	67	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	67	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	68	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	68	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	69	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	69	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	70	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	70	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	71	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	71	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	72	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	72	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	73	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	73	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	74	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	57	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	67	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	68	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	69	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	70	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	71	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	72	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	73	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	74	WordPress.Security.EscapeOutput.OutputNotEscaped	
Terminating statement must be indented to the same level as the CASE body	5	106	PSR2.ControlStructures.SwitchDeclaration.BreakIndent	
CASE keyword must be followed by a single space	5	113	PSR2.ControlStructures.SwitchDeclaration.SpacingAfterCase	
Expected 1 space before closing PHP tag; 0 found	5	130	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	174	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	178	WordPress.Security.EscapeOutput.OutputNotEscaped	
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\mo-discord-login-functions.php</b>				48
Message	Severity	Line Number	Source	
Processing form data without nonce verification.	5	12	WordPress.SecurityNonceVerification.Recommended	WA
Processing form data without nonce verification.	5	12	WordPress.SecurityNonceVerification.Recommended	WA

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	37	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	82	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	88	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	98	WordPress.DB.PreparedSQL.NotPrepared	I
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%"s\'.	5	98	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	102	WordPress.DB.PreparedSQL.NotPrepared	I
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%"s\'.	5	102	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%"s\'.	5	107	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	130	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	154	WordPress.DB.PreparedSQL.NotPrepared	I

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%"s\'.	5	154	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	162	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	167	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	191	WordPress.DB.PreparedSQL.NotPrepared	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	199	WordPress.Security.EscapeOutput.OutputNotEscaped	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	219	WordPress.Security.EscapeOutput.OutputNotEscaped	I
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	240	WordPress.DB.PreparedSQL.NotPrepared	I
Simple placeholders should not be quoted in the query string in \$wpdb->prepare(). Found: \'%"s\'.	5	240	WordPress.DB.PreparedSQLPlaceholders.QuotedSimplePlaceholder	I

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Use placeholders and \$wpdb->prepare(); found interpolated variable \$table_name at AND TABLE_NAME = '\$table_name'\n	5	259	WordPress.DB.PreparedSQL.InterpolatedNotPrepared	
Use placeholders and \$wpdb->prepare(); found interpolated variable \$table_name at "ALTER TABLE \$table_name CHANGE `user_id` `user_id` BIGINT(20) NOT NULL"	5	264	WordPress.DB.PreparedSQL.InterpolatedNotPrepared	
Use placeholders and \$wpdb->prepare(); found interpolated variable \$table_name at "show tables like '\$table_name'"	5	267	WordPress.DB.PreparedSQL.InterpolatedNotPrepared	
Use placeholders and \$wpdb->prepare(); found interpolated variable \$table_name at DELETE FROM {\$table_name}\n	5	337	WordPress.DB.PreparedSQL.InterpolatedNotPrepared	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	360	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	369	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	389	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	394	WordPress.Security.EscapeOutput.OutputNotEscaped	
Closing PHP tag must be on a line by itself	5	440	Squiz.PHP.EmbeddedPhp.ContentBeforeEnd	
Expected 1 space before closing PHP tag; 0 found	5	441	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Opening PHP tag must be on a line by itself	5	490	Squiz.PHP.EmbeddedPhp.ContentAfterOpen	
Closing PHP tag must be on a line by itself	5	493	Squiz.PHP.EmbeddedPhp.ContentBeforeEnd	
Expected 1 space before closing PHP tag; 0 found	5	494	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	561	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	389	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Processing form data without nonce verification.	5	618	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	618	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	624	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	637	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	650	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	677	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	677	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	677	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	685	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	685	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	685	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	693	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	693	WordPress.SecurityNonceVerification.Missing	I

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	701	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	701	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	701	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	710	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	711	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	718	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	730	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	731	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	757	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	757	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	761	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	766	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	767	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	783	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	783	WordPress.SecurityNonceVerification.Missing	I

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors		
Message	Severity	Line Number	Source
Processing form data without nonce verification.	5	788	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	788	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	800	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	805	WordPress.SecurityNonceVerification.Missing
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	394	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	561	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	571	WordPress.Security.EscapeOutput.OutputNotEscaped
Processing form data without nonce verification.	5	618	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	618	WordPress.SecurityNonceVerification.Missing
Usage of ELSE IF is discouraged; use ELSEIF instead	5	624	PSR2.ControlStructures.ElselfDeclaration.NotAllowed

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name				Errors
Message	Severity	Line Number	Source	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	637	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	650	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	677	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	677	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	677	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	685	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	685	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	685	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	693	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	693	WordPress.SecurityNonceVerification.Missing	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	701	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	701	WordPress.SecurityNonceVerification.Missing	I
Processing form data without nonce verification.	5	701	WordPress.SecurityNonceVerification.Missing	I

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Processing form data without nonce verification.	5	710	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	711	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	718	WordPress.SecurityNonceVerification.Missing	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	730	PSR2.ControlStructuresElseifDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	731	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	757	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	757	WordPress.SecurityNonceVerification.Missing	
Usage of ELSE IF is discouraged; use ELSEIF instead	5	761	PSR2.ControlStructuresElseifDeclaration.NotAllowed	WA
Processing form data without nonce verification.	5	761	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	766	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	767	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	783	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	783	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	788	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	788	WordPress.SecurityNonceVerification.Missing	

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Processing form data without nonce verification.	5	800	WordPress.SecurityNonceVerification.Missing	
Processing form data without nonce verification.	5	805	WordPress.SecurityNonceVerification.Missing	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$class'.	5	816	WordPress.Security.EscapeOutput.OutputNotEscaped	
Processing form data without nonce verification.	5	820	WordPress.SecurityNonceVerification.Missing	

^ C:\Users\praja\Desktop\miniOrange\node\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\MoCustomerDiscordverification.php

5

File Name	Errors		
Message	Severity	Line Number	Source
Filenames should be all lowercase with hyphens as word separators. Expected mocustomerdiscordverification.php, but found MoCustomerDiscordverification.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase
Class file names should be based on the class name with "class-" prepended. Expected class-mocustomerdiscordverification.php, but found MoCustomerDiscordverification.php.	5	1	WordPress.Files.FileName.InvalidClassName
Processing form data without nonce verification.	5	58	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	333	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	333	WordPress.SecurityNonceVerification.Missing
<b>C:\Users\praja\Desktop\miniOrange\node\project\server_modular\unzipfolder\miniorange-discord-integration\mo_discord_feedback_form.php</b>			5
Message	Severity	Line Number	Source
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-feedback-form.php, but found mo_discord_feedback_form.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	26	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	45	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	46	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must contain a single statement; 2 found	5	49	Squiz.PHP.EmbeddedPhp.MultipleStatements
Expected 1 space before closing PHP tag; 0 found	5	49	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$p'.	5	49	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	50	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$!'.	5	50	WordPress.Security.EscapeOutput.OutputNotEscaped
Opening PHP tag must be on a line by itself	5	51	Squiz.PHP.EmbeddedPhp.ContentAfterOpen
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	72	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name				
Message	Severity	Line Number	Source	
<a href="#">C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\social_apps\discord.php</a>				3
Class file names should be based on the class name with "class-" prepended. Expected class-mo-discord.php, but found discord.php.	5	1	WordPress.Files.FileName.InvalidClassName	I
Class name must begin with a capital letter	5	4	PEAR.NamingConventions.ValidClassName.StartWithCapital	I
Class name is not valid; consider Mo_Discord instead	5	4	PEAR.NamingConventions.ValidClassName.Invalid	I
<a href="#">C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\social_apps\mo_discord_configured_apps_funct.php</a>				6
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-configured-apps-funct.php, but found mo_discord_configured_apps_funct.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	I
Processing form data without nonce verification.	5	4	WordPress.SecurityNonceVerification.Recommended	WA
Processing form data without nonce verification.	5	5	WordPress.SecurityNonceVerification.Recommended	WA
Usage of ELSE IF is discouraged; use ELSEIF instead	5	8	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
Processing form data without nonce verification.	5	8	WordPress.SecurityNonceVerification.Recommended	WA
Processing form data without nonce verification.	5	13	WordPress.SecurityNonceVerification.Recommended	WA
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'plugin_dir_url'.	5	15	WordPress.Security.EscapeOutput.OutputNotEscaped	I
Processing form data without nonce verification.	5	18	WordPress.SecurityNonceVerification.Recommended	WA
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_site_url'.	5	19	WordPress.Security.EscapeOutput.OutputNotEscaped	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'plugin_dir_url'.	5	110	WordPress.Security.EscapeOutput.OutputNotEscaped	I
Use placeholders and \$wpdb->prepare(); found \$db_prefix	5	227	WordPress.DB.PreparedSQL.NotPrepared	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	229	WordPress.Security.EscapeOutput.OutputNotEscaped	I

^ C:\Users\praja\Desktop\miniOrange\node\project\SERVER\_modular\unzipfolder\miniorange-discord-integration\uninstall.php 0

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors		
Message	Severity		
Message	Severity	Line Number	Source
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\config_apps\mo_discord_config_apps.php</b>			15
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-config-apps.php, but found mo_discord_config_apps.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase
Expected 1 space before closing PHP tag; 0 found	5	21	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$client_id'.	5	21	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	27	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$client_secret'.	5	27	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	32	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$scope'.	5	32	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	47	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	64	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'mo_discord_get_permalink'.	5	64	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	102	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	105	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	116	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	116	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	152	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	152	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	176	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	182	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	102	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	105	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	116	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	152	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	176	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	182	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	203	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'mo_discord_attribute_url'.	5	212	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	212	WordPress.Security.EscapeOutput.OutputNotEscaped	
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\config_apps\mo_discord_config_apps_funct.php</b>				8

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-config-apps-funct.php, but found mo_discord_config_apps_funct.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase
Usage of ELSE IF is discouraged; use ELSEIF instead	5	32	PSR2.ControlStructures.ElselfDeclaration.NotAllowed
Processing form data without nonce verification.	5	118	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	135	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	151	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	152	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	154	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	179	WordPress.SecurityNonceVerification.Missing
Processing form data without nonce verification.	5	191	WordPress.SecurityNonceVerification.Missing
<a href="#">C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\customise_social_icons\mo_discord_cust_icons.php</a>		24	
Message	Severity	Line Number	Source

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name				Errors
Message	Severity	Line Number	Source	
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-cust-icons.php, but found mo_discord_cust_icons.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	7	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	15	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	18	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	22	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	25	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	33	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	36	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	38	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Inline PHP statement must end with a semicolon	5	41	Squiz.PHP.EmbeddedPhp.NoSemicolon	
Expected 1 space before closing PHP tag; 0 found	5	41	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	43	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	46	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	57	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	57	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	60	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	60	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	63	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	63	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	68	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	68	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	75	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	75	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	87	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	92	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	101	Squiz.PHP.EmbeddedPhp.NoSemicolon

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors		
Message	Severity	Line Number	Source
Expected 1 space before closing PHP tag; 0 found	5	101	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	140	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	146	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Expected 1 space before closing PHP tag; 0 found	5	178	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	178	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	178	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$default_color[\$active_app]'.	5	178	WordPress.Security.EscapeOutput.OutputNotEscaped
Inline PHP statement must end with a semicolon	5	179	Squiz.PHP.EmbeddedPhp.NoSemicolon
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	179	WordPress.Security.EscapeOutput.OutputNotEscaped
Inline PHP statement must end with a semicolon	5	179	Squiz.PHP.EmbeddedPhp.NoSemicolon
Inline PHP statement must end with a semicolon	5	179	Squiz.PHP.EmbeddedPhp.NoSemicolon

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	179	WordPress.Security.EscapeOutput.OutputNotEscaped
Opening PHP tag must be on a line by itself	5	179	Squiz.PHP.EmbeddedPhp.ContentBeforeOpen
Closing PHP tag must be on a line by itself	5	180	Squiz.PHP.EmbeddedPhp.ContentBeforeEnd
Inline PHP statement must end with a semicolon	5	180	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	180	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	180	WordPress.Security.EscapeOutput.OutputNotEscaped
Inline PHP statement must end with a semicolon	5	181	Squiz.PHP.EmbeddedPhp.NoSemicolon
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	181	WordPress.Security.EscapeOutput.OutputNotEscaped
Inline PHP statement must end with a semicolon	5	181	Squiz.PHP.EmbeddedPhp.NoSemicolon
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	181	WordPress.Security.EscapeOutput.OutputNotEscaped
Inline PHP statement must end with a semicolon	5	182	Squiz.PHP.EmbeddedPhp.NoSemicolon

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	182	WordPress.Security.EscapeOutput.OutputNotEscaped	
Inline PHP statement must end with a semicolon	5	182	Squiz.PHP.EmbeddedPhp.NoSemicolon	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	182	WordPress.Security.EscapeOutput.OutputNotEscaped	
Opening PHP tag must be on a line by itself	5	182	Squiz.PHP.EmbeddedPhp.ContentBeforeOpen	
Closing PHP tag must be on a line by itself	5	183	Squiz.PHP.EmbeddedPhp.ContentBeforeEnd	
Inline PHP statement must end with a semicolon	5	183	Squiz.PHP.EmbeddedPhp.NoSemicolon	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	183	WordPress.Security.EscapeOutput.OutputNotEscaped	
Inline PHP statement must end with a semicolon	5	185	Squiz.PHP.EmbeddedPhp.NoSemicolon	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	185	WordPress.Security.EscapeOutput.OutputNotEscaped	
Inline PHP statement must end with a semicolon	5	185	Squiz.PHP.EmbeddedPhp.NoSemicolon	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
Message	Severity	Line Number	Source
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	185	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	185	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$default_color[\$active_app]'.	5	185	WordPress.Security.EscapeOutput.OutputNotEscaped
Inline PHP statement must end with a semicolon	5	186	Squiz.PHP.EmbeddedPhp.NoSemicolon
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	186	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	186	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	186	Squiz.PHP.EmbeddedPhp.NoSemicolon
Opening PHP tag must be on a line by itself	5	186	Squiz.PHP.EmbeddedPhp.ContentBeforeOpen
Closing PHP tag must be on a line by itself	5	187	Squiz.PHP.EmbeddedPhp.ContentBeforeEnd
Inline PHP statement must end with a semicolon	5	187	Squiz.PHP.EmbeddedPhp.NoSemicolon
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	36	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors		
Message	Severity	Line Number	Source
Inline PHP statement must end with a semicolon	5	242	Squiz.PHP.EmbeddedPhp.NoSemicolon
Inline PHP statement must end with a semicolon	5	243	Squiz.PHP.EmbeddedPhp.NoSemicolon
Inline PHP statement must end with a semicolon	5	244	Squiz.PHP.EmbeddedPhp.NoSemicolon
Inline PHP statement must end with a semicolon	5	245	Squiz.PHP.EmbeddedPhp.NoSemicolon
Inline PHP statement must end with a semicolon	5	246	Squiz.PHP.EmbeddedPhp.NoSemicolon
Expected 1 space before closing PHP tag; 0 found	5	246	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
Inline PHP statement must end with a semicolon	5	247	Squiz.PHP.EmbeddedPhp.NoSemicolon
Inline PHP statement must end with a semicolon	5	248	Squiz.PHP.EmbeddedPhp.NoSemicolon
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	43	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	130	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	178	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 |< < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$default_color[\$active_app]'.	5	178	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	179	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$class_app'.	5	179	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	179	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	180	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	181	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	181	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	182	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	182	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	183	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	185	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	185	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$default_color[\$active_app]'.	5	185	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	186	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$default_color[\$active_app]'.	5	186	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$icon'.	5	186	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$active_app'.	5	187	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	200	WordPress.Security.EscapeOutput.OutputNotEscaped	
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\discord_integration\mo_dis_discord_res.php</b> 7				
Message	Severity	Line Number	Source	
Filenames should be all lowercase with hyphens as word separators. Expected mo-dis-discord-res.php, but found mo_dis_discord_res.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	9	WordPress.Security.EscapeOutput.OutputNotEscaped	
Inline PHP statement must end with a semicolon	5	19	Squiz.PHP.EmbeddedPhp.NoSemicolon	
Inline PHP statement must end with a semicolon	5	21	Squiz.PHP.EmbeddedPhp.NoSemicolon	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'ucfirst'.	5	21	WordPress.Security.EscapeOutput.OutputNotEscaped	
Inline PHP statement must end with a semicolon	5	29	Squiz.PHP.EmbeddedPhp.NoSemicolon	
Inline PHP statement must end with a semicolon	5	31	Squiz.PHP.EmbeddedPhp.NoSemicolon	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'ucfirst'.	5	31	WordPress.Security.EscapeOutput.OutputNotEscaped	
Inline PHP statement must end with a semicolon	5	39	Squiz.PHP.EmbeddedPhp.NoSemicolon	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'ucfirst'.	5	21	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	68	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'ucfirst'.	5	31	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'ucfirst'.	5	41	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	68	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	73	WordPress.Security.EscapeOutput.OutputNotEscaped	
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\discord_integration\mo_dis_discord_role_map.php</b>				14
Message	Severity	Line Number	Source	
Filenames should be all lowercase with hyphens as word separators. Expected mo-dis-discord-role-map.php, but found mo_dis_discord_role_map.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name				Errors
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	11	WordPress.Security.EscapeOutput.OutputNotEscaped	
Expected 1 space before closing PHP tag; 0 found	5	28	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
Expected 1 space before closing PHP tag; 0 found	5	28	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$role'.	5	28	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$role'.	5	28	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	40	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	49	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	65	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	93	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	99	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	144	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	28	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found '\$role'.	5	28	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	40	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	49	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	65	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'ucfirst'.	5	81	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	93	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	99	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	113	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	144	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	150	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors		
C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\licensing_plans\mo_discord_lic_plans.php	5		
Message	Severity	Line Number	Source
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-lic-plans.php, but found mo_discord_lic_plans.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	251	WordPress.Security.EscapeOutput.OutputNotEscaped
Expected 1 space before closing PHP tag; 0 found	5	333	Squiz.PHP.EmbeddedPhp.SpacingBeforeClose
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'admin_url'.	5	333	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'site_url'.	5	347	WordPress.Security.EscapeOutput.OutputNotEscaped
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	357	WordPress.Security.EscapeOutput.OutputNotEscaped

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name				
Message	Severity	Line Number	Source	
<b>C:\Users\praja\Desktop\miniOrange\NODE\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\profile\mo_discord_profile.php</b>				7
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-profile.php, but found mo_discord_profile.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	I
Usage of ELSE IF is discouraged; use ELSEIF instead	5	7	PSR2.ControlStructures.ElselfDeclaration.NotAllowed	WA
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	17	WordPress.Security.EscapeOutput.OutputNotEscaped	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	56	WordPress.Security.EscapeOutput.OutputNotEscaped	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	75	WordPress.Security.EscapeOutput.OutputNotEscaped	I
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	75	WordPress.Security.EscapeOutput.OutputNotEscaped	I

Rows per page: 5 ▾ 1–32 of 32 | < > >>

File Name	Errors			
Message	Severity	Line Number	Source	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	83	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	79	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	83	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'add_query_arg'.	5	83	WordPress.Security.EscapeOutput.OutputNotEscaped	
<b>C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\shrtco\mo_discord_shrtco.php</b>				1
Message	Severity	Line Number	Source	
Filenames should be all lowercase with hyphens as word separators. Expected mo-discord-shrtco.php, but found mo_discord_shrtco.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	

Rows per page: 5 ▾ 1–32 of 32 | < < > >|

File Name	Errors			
Message	Severity	Line Number	Source	
C:\Users\praja\Desktop\miniOrange\node\project\SERVER_modular\unzipfolder\miniorange-discord-integration\view\support_form\miniorange_discord_support_form.php	4			
Filenames should be all lowercase with hyphens as word separators. Expected miniorange-discord-support-form.php, but found miniorange_discord_support_form.php.	5	1	WordPress.Files.FileName.NotHyphenatedLowercase	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'wp_create_nonce'.	5	56	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	60	WordPress.Security.EscapeOutput.OutputNotEscaped	
All output should be run through an escaping function (see the Security sections in the WordPress Developer Handbooks), found 'get_option'.	5	63	WordPress.Security.EscapeOutput.OutputNotEscaped	

Rows per page: 5 ▾ 1–32 of 32 |< < > >|