

LCD - B-type Natriuretic Peptide (BNP) Testing (L34057)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Archive Website.

Retired

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
Noridian Healthcare Solutions, LLC	A and B MAC	02101 - MAC A	J - F	Alaska
Noridian Healthcare Solutions, LLC	A and B MAC	02201 - MAC A	J - F	Idaho
Noridian Healthcare Solutions, LLC	A and B MAC	02301 - MAC A	J - F	Oregon
Noridian Healthcare Solutions, LLC	A and B MAC	02401 - MAC A	J - F	Washington
Noridian Healthcare Solutions, LLC	A and B MAC	03101 - MAC A	J - F	Arizona
Noridian Healthcare Solutions, LLC	A and B MAC	03201 - MAC A	J - F	Montana
Noridian Healthcare Solutions, LLC	A and B MAC	03301 - MAC A	J - F	North Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03401 - MAC A	J - F	South Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03501 - MAC A	J - F	Utah
Noridian Healthcare Solutions, LLC	A and B MAC	03601 - MAC A	J - F	Wyoming

LCD Information

Document Information

LCD ID

L34057

Original ICD-9 LCD ID

[L31203](#)

LCD Title

B-type Natriuretic Peptide (BNP) Testing

Source Proposed LCD

N/A

Original Effective Date

For services performed on or after 10/01/2015

Revision Effective Date

For services performed on or after 10/01/2016

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Current Dental Terminology © 2022 American Dental Association. All rights reserved.

Copyright © 2022, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the American Hospital Association (AHA) copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312□

Revision Ending Date

11/09/2016

Retirement Date

11/09/2016

Notice Period Start Date

N/A

Notice Period End Date

N/A

Making copies or utilizing the content of the UB□04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB□04 Manual and/or codes and descriptions; and/or making any commercial use of UB□04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. The American Hospital Association (the "AHA") has not reviewed, and is not responsible for, the completeness or accuracy of any information contained in this material, nor was the AHA or any of its affiliates, involved in the preparation of this material, or the analysis of information provided in the material. The views and/or positions presented in the material do not necessarily represent the views of the AHA. CMS and its products and services are not endorsed by the AHA or any of its affiliates.

CMS National Coverage Policy

Language quoted from the Centers for Medicare and Medicaid Services (CMS) National Coverage Determinations (NCDs) and coverage provisions in interpretive manuals is italicized throughout the policy. NCDs and coverage provisions in interpretive manuals are not subject to the Local Coverage Determination (LCD) Review Process (42 CFR 405.860[b] and 42 CFR 426 [Subpart D]). In addition, an administrative law judge may not review a NCD. See §1869(f)(1)(A)(i) of the Social Security Act.

Unless otherwise specified, italicized text represents quotation from one or more of the following CMS sources:

Title XVIII of the Social Security Act (SSA):

Title XVIII of the Social Security Act, §1862(a)(1)(A) excludes expenses incurred for items or services which are not reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member.

Title XVIII of the Social Security Act, §1833(e) prohibits Medicare payment for any claim which lacks the necessary information to process the claim.

Section 1862(a)(7) excludes routine physical examinations (screening).

Code of Federal Regulations:

42 CFR Sections 410.32(a) & 410.32(a)(3) require that clinical laboratory services be ordered and used promptly by the physician (or other treating practitioner acting within the scope of his or her license and Medicare requirements) who is treating the beneficiary.

42CFR411.15 excludes from coverage examinations performed for a purpose other than treatment or diagnosis of a specific illness, symptoms, complaint, or injury with specific legislative enactments as the only exceptions.

CMS Manual System, Pub. 100-02, Medicare Benefit Policy Manual, Chapter 6, §§20.4.4 and 20.4.5.

CMS Manual System, Pub 100-04, Medicare Claims Processing Manual, Chapter 9, §100 General Billing Requirements.

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

Abstract:

B-type natriuretic peptide (BNP) is a cardiac neurohormone produced mainly in the left ventricle. It is secreted in response to ventricular volume expansion and pressure overload, conditions often present in congestive heart failure (CHF). Used in conjunction with other clinical information, measurement of BNP levels (either total or N-terminal) is useful in rapidly establishing or excluding the diagnosis or worsening of CHF in patients with acute exacerbation of dyspnea. Also, BNP levels determined in the first few days after an acute coronary syndrome or event (ACS) may be useful in the prediction of longer-term cardiovascular risk but this risk assessment does not change the management of ACS and is non-covered by regulation.

Indications:

BNP measurements may be considered reasonable and necessary when used in combination with other medical data such as medical history, physical examination, laboratory studies, and chest x-ray.

- to diagnose or to differentiate heart failure from other potential clinical conditions if the patient's signs and/or symptoms are consistent with both heart failure and one or more other conditions, e.g., acute dyspnea in a patient with known or suspected pulmonary disease.
- to diagnose or differentiate worsening heart failure if use of the test replaces other diagnostic tests, such as chest film; and/or to confirm the diagnosis when other diagnostic tests are equivocal.

Limitations:

- BNP measurements must be assessed in conjunction with standard diagnostic tests, medical history and clinical findings. The efficacy of BNP measurement as a stand-alone test has not been established yet.
- BNP measurements for monitoring and management of CHF are non-covered. Treatment guided by BNP has not been shown to be superior to symptom-guided treatment in either clinical or quality-of-life outcomes.
- The efficacy but not the utility of BNP as a risk stratification tool (to assess risk of death, myocardial infarction or congestive heart failure) among patients with acute coronary syndrome (myocardial infarction with or without T-wave elevation and unstable angina) has been established. However, the assessment of BNP level has not been shown to alter patient management. The BNP is not sufficiently sensitive to either preclude or necessitate any other evaluation or treatment in this group of patients.
- Screening examinations are statutorily non-covered.

Coding Information

Bill Type Codes

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

CODE	DESCRIPTION
012x	Hospital Inpatient (Medicare Part B only)
013x	Hospital Outpatient
014x	Hospital - Laboratory Services Provided to Non-patients
022x	Skilled Nursing - Inpatient (Medicare Part B only)
023x	Skilled Nursing - Outpatient
072x	Clinic - Hospital Based or Independent Renal Dialysis Center
085x	Critical Access Hospital

Revenue Codes

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

Revenue codes only apply to providers who bill these services to the fiscal intermediary or Part A MAC.

CODE	DESCRIPTION
0300	Laboratory - General Classification
0301	Laboratory - Chemistry
0520	Freestanding Clinic - General Classification
0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC
0523	Freestanding Clinic - Family Practice Clinic
0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not in a Covered Part A Stay) or NF or ICF MR or Other Residential Facility

CPT/HCPCS Codes

Group 1 Paragraph:

N/A

Group 1 Codes: (1 Code)

CODE	DESCRIPTION
83880	NATRIURETIC PEPTIDE

ICD-10-CM Codes that Support Medical Necessity

Group 1 Paragraph:

It is the responsibility of the provider to code to the highest level specified in the ICD-10-CM (e.g., to the third to seventh character). The correct use of an ICD-10-CM code listed below does not assure coverage of a service. The service must be reasonable and necessary in the specific case and must meet the criteria specified in this determination.

Group 1 Codes: (30 Codes)

CODE	DESCRIPTION
I11.0	Hypertensive heart disease with heart failure
I13.0	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease
I13.2	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease
I16.0	Hypertensive urgency
I16.1	Hypertensive emergency
I31.1	Chronic constrictive pericarditis
I42.0	Dilated cardiomyopathy
I42.5	Other restrictive cardiomyopathy
I42.8	Other cardiomyopathies
I50.1	Left ventricular failure
I50.21	Acute systolic (congestive) heart failure
I50.22	Chronic systolic (congestive) heart failure
I50.23	Acute on chronic systolic (congestive) heart failure
I50.31	Acute diastolic (congestive) heart failure
I50.32	Chronic diastolic (congestive) heart failure
I50.33	Acute on chronic diastolic (congestive) heart failure
I50.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure
I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.9	Heart failure, unspecified
J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection

CODE	DESCRIPTION
J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
J45.901	Unspecified asthma with (acute) exacerbation
J98.01	Acute bronchospasm
R06.00	Dyspnea, unspecified
R06.01	Orthopnea
R06.02	Shortness of breath
R06.09	Other forms of dyspnea
R06.2	Wheezing
R06.82	Tachypnea, not elsewhere classified

ICD-10-CM Codes that DO NOT Support Medical Necessity

Group 1 Paragraph:

Not Applicable

Group 1 Codes:

N/A

Additional ICD-10 Information

N/A

General Information

Associated Information

Documentation supporting medical necessity must be legible, maintained in the patient's record, and made available to the A/B MAC upon request.

The patient's medical record must contain documentation that fully supports the medical necessity for services included within this LCD. (See "Indications and Limitations of Coverage.") This documentation includes, but is not limited to, relevant medical history, physical examination, and results of pertinent diagnostic tests or procedures.

Sources of Information and Basis for Decision

1. Alehagen U, Dahlström U, Rehfeld JF, Goetze JP. Association of copeptin and N-terminal proBNP concentrations with risk of cardiovascular death in older patients with symptoms of heart failure. *JAMA*. May 25 2011;305(20):2088-95. [Medline].
2. Balion C, Don-Wauchope A, Hill S, Santaguida PL, et al. Use of natriuretic peptide measurement in the management of heart failure. Comparative Effectiveness Review No. 126 (Prepared by the McMaster University Evidence-based Practice Center under Contract No. 290-2007-1060-1.) AHRQ Publication no. 12(14)-EHC118-EF.

3. Bayes-Genis A, de Antonio M, Galan A, et al. Combined use of high-sensitivity ST2 and NTproBNP to improve the prediction of death in heart failure. *Eur J Heart Fail*. Jan 2012;14(1):32-8. [Medline].
4. Carpenter CR, Keim SM, Worster A, et al. Brain natriuretic peptide in the evaluation of emergency department dyspnea: is there a role? *J Emerg Med*. Nov 26 2011;[Medline].
5. Daniels LB, Maisel AS. Natriuretic peptides. *J Am Coll Cardiol*. Dec 18 2007;50(25):2357-68. [Medline].
6. DeVecchis R, Esposito C, DiBiase G, Ariano C, . et al. B-type natriuretic peptide-guided versus symptom-guided therapy in outpatients with chronic heart failure: a systematic review with meta-analysis. *J Cardiovasc Med* 2014; 15: 122-134.
7. Doust J, Lehman R, Glasziou P. The Role of BNP Testing in Heart Failure. *Am Fam Physician*. 2006;74(11):1893-1900.
8. Felker GM, Hasselbad V, Hernandez AF, O'Connor CM. Biomarker-guided therapy in chronic heart failure: A meta-analysis of randomized controlled trials. *Am Heart J*. 2009;158:422-430.
9. Januzzi JL, van Kimmenade R, Lainchbury J, et al. NT-proBNP testing for diagnosis and short-term prognosis in acute destabilized heart failure: an international pooled analysis of 1256 patients: the International Collaborative of NT-proBNP Study. *Eur Heart J*. . 2006;27(3):330-7. [Medline].
10. Latini R, Masson S, Wong M, et al. Incremental prognostic value of changes in B-type natriuretic peptide in heart failure. *American Journal of Medicine*. . 2006;119(1):70.e23-30.
11. Le Jemtel TH, Padeletti M, Jelic S. Diagnostic and therapeutic challenges in patients with coexistent chronic obstructive pulmonary disease and chronic heart failure. *J Am Coll Cardiol*. 2007; 49 (2): 171-180.
12. Li P, Luo Y, Chen Y-M. B-type Natriuretic peptide-guided chronic heart failure therapy: A meta-analysis of 11 randomized controlled trials. *Heart Lung Circ*. 2013;22:852-860.
13. Lindenfeld J, Albert NM, Boehmer JP, et al. HFSA 2010 Comprehensive Heart Failure Practice Guideline. *J Card Fail*. . Jun 2010;16(6):e1-194. [Medline].
14. McClavel, MaloufJ, MichelenaHI, et al. B-type Natriuretic Peptide Clinical Activation in Aortic Stenosis. *J Am Coll Cardiol* 2014;63:2016-25
15. Maisel AS, Mueller C, Adams K Jr, et al. State of the art: using natriuretic peptide levels in clinical practice. *Eur J Heart Fail*. . 2008;10(9):824-39.
16. McMurray JJV. Systolic heart failure. *N Engl J Med*. 2010;362(3):228-238.
17. Pfisterer M, Buser P, Rickli H, et al. BNP-guided vs. symptom-guided heart failure therapy: the Trial of Intensified vs Standard Medical Therapy in elderly patients with congestive heart failure (TIME-CHF) randomized trial. *JAMA*.

18. Porapapkkham P, Zimmet H, Billah B, et al. B-type Natriuretic peptide-guided heart failure therapy: A meta-analysis. *Arch Intern Med.* . 2010;170:507-514.

19. Ray P, Le Manach Y, Riou B. Houle T. Statistical evaluation of a biomarker. *Anesthesiology.* 2010; 112:1023-1040. Issue 4

20. Saenger AK, Jaffe AS. The Use of Biomarkers for the Evaluation and Treatment of Patients with Acute Coronary Syndromes. *Medical Clinics of North America.* . 2007;91(4):657-681.

21. Savarese G, Trimarco B, Dellegrottaglie S, Prastero M, et al. . Natriuretic peptide-guided therapy in chronic heart failure: A meta-analysis of 2,686 patients in 12 randomized controlled trials. *PLoS One.* 2013;8:e58287.

22. Silvers SM, Howell JM, Kosowsky JM, et al. Clinical Policy: Critical Issues in the Evaluation and Management of Adult Patients Presenting to the Emergency Department with Acute Heart Failure Syndromes. *Ann Emerg Med.* 2007;49(5):627-669.

23. Troughton RW, Frampton AM. Biomarker-Guided Treatment of Heart Failure. *Journal of the American College of Cardiology* 2010; 56 (25):2101-2103.

24. Steinhart B, Thorpe KE, Bayoumi AM, Moe G, Januzzi JL Jr, Mazer CD. Improving the diagnosis of acute heart failure using a validated prediction model. *J Am Coll Cardiol.* Oct 13 2009;54(16):1515-21. [Medline].

25. Wu AH. Serial Testing of B-Type Natriuretic Peptide and NTpro-BNP for Monitoring Therapy of Heart Failure: The Role of Biologic Variation in the Interpretation of Results. *American Heart Journal.* 2006;152(5):828-834.

26. Yancey CW, Jessup M, Bozkurt B, Butler J, et al. 2013 ACCF/AHA guideline for the management of heart failure: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol.* 2013;62(16):e147-e239.

27. Yordan T, Altintop L, Baydin A, et al. B-type natriuretic peptide as an indicator of right ventricular dysfunction in acute pulmonary embolism. *Int J Clin Pract.* Aug 2008;62(8):1177-82. [Medline].

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASONS FOR CHANGE
11/09/2016	R4	This final LCD, effective 10/01/2016, combines JFA L34038 into the JFB LCD so that both JFA and JFB contract numbers will have the same final MCD LCD number.	<ul style="list-style-type: none">LCD Being Retired
10/01/2016	R3	2016-2017 ICD 10 Update to add: I16.0 and I16.1 To Group I codes.	<ul style="list-style-type: none">Revisions Due To ICD-10-CM Code Changes

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASONS FOR CHANGE
10/01/2015	R2	The LCD revised to add I50.9 to the ICD-10 Codes that Support Medical Necessity section effective 10/1/2015.	<ul style="list-style-type: none"> Reconsideration Request
10/01/2015	R1	The B-type Natriuretic Peptide (BNP) Testing LCD is revised to incorporate the changes made to the same LCD policy from the JE contract after the comment period ending 03/14/2014. Updates are made only in the "CMS National Coverage Policy", "Coverage Indications, Limitations and/or Medical Necessity", "Associated Information," and " Sources of Information and Basis for Decision" sections. The effective date of the updates is 07/22/2014.	<ul style="list-style-type: none"> Provider Education/Guidance Creation of Uniform LCDs Within a MAC Jurisdiction

Associated Documents

Attachments

There are no attachments for this LCD.

Related Local Coverage Documents

This LCD version has no Related Local Coverage Documents.

Related National Coverage Documents

This LCD version has no Related National Coverage Documents.

Public Versions

UPDATED ON	EFFECTIVE DATES	STATUS
11/09/2016	10/01/2016 - 11/09/2016	Retired (This Version)
09/20/2016	10/01/2016 - N/A	Superseded
09/29/2015	10/01/2015 - 09/30/2016	Superseded
08/06/2014	10/01/2015 - N/A	Superseded
03/31/2014	10/01/2015 - N/A	Superseded

Keywords

- BNP
- 83880
- B-type natriuretic peptide