THE SEXA BABY MOMMA TERMINAL INVARIANCE, PORTAL & TELEPORTATION THEOREM

A SAC–PAC Formalism for Higher-Dimensional Admissibility Transport, Geodesic Path Substitution, Distance-Decoupled Terminal Reconstruction, and Teleportation Across the $M_3 \subset M_5 \subset M_{2880}$ Recursive Manifold Architecture

Jered McClain* Erydir Ceisiwr Jonathan McDaniel

Unified Field Systems LLC, https://www.unifiedfieldsystems.com/

Jered McClain Bronx, New York, USA; ORCID 0009-0005-6185-3749; jered@unifiedfieldsystems.com
Erydir Ceisiwr Gower, South Wales, UK; ORCID 0009-0004-4577-5253; erydir@unifiedfieldsystems.com
Jonathan McDaniel Carthage, Texas, USA; ORCID 0009-0004-1239-6855; jonathan@unifiedfieldsystems.com

Sealed manifest: SEXA K01–K26 FINAL PRE-2 SEALED MANIFEST, SHA-256 390624c7…cbd9
11 November 2026 · Preprint; not peer reviewed.

Status (quoted verbatim from the manuscript):

Sealed PRE-2 manifest, original p. 1393 (full manifest pp. 1392–1394):

```
"physical_terminal_invariance": "NOT_ESTABLISHED"
"physical_verification": "OPEN"
"unrestricted_P08": "FAIL_RETAINED", "unrestricted_P09": "FAIL_RETAINED"
```

Fatal switches activated: 0/26

Status statement, original p. 403:

Terminal Invariance: mathematically defined; conditional theorem established; SEXA-specific derivation of the required transport metric still open.

PORTAL: mathematically defined; candidate transport architectures established; no physical realization demonstrated.

Teleportation: mathematically defined under reconstruction/payload/identity conditions; autonomous full-state reconstruction and physical teleportation remain unverified.

§31.45, original p. 718:

PHYSICAL TELEPORTATION: NOT ESTABLISHED BY COMPUTATIONAL VALIDATION ALONE

No physical portal, physical teleportation or physical terminal invariance is claimed. The results are a conditional mathematical theorem program and restricted computational checks.

This title page is prepended for the OSF deposit. The 1,415 manuscript pages that follow are reproduced unaltered, including the original front matter and affiliations. Page references in the manuscript and in citations to it use the original numbering (original page n is page $n+1$ of this file).

*Corresponding author: Jered McClain, jered@unifiedfieldsystems.com.
LinkedIn: https://www.linkedin.com/in/jered-mcclain-677531335/ Web: https://jeredmcclain.com

Licence: Creative Commons Attribution 4.0 International (CC-BY 4.0), https://creativecommons.org/licenses/by/4.0/.

THE SEXA BABY MOMMA TERMINAL INVARIANCE, PORTAL & TELEPORTATION THEOREM

A SAC–PAC Formalism for Higher-Dimensional Admissibility Transport, Geodesic Path Substitution, Distance-Decoupled Terminal Reconstruction, and Teleportation Across the $M_3 \subset M_5 \subset M_{2880}$ Recursive Manifold Architecture

Jered McClain

SEXA Institute of Technology and Interdomain Galactic Advisors
SEXA Mathematical Sciences Pacific LLC
ANY KNOWN OBJECT Advanced Aerospace & Terraforming LLC

TABLE OF CONTENTS

Abstract

1. Introduction
1.1 The Distance Problem
1.2 Velocity Enhancement to Path Substitution
1.3 The PORTAL Hypothesis
1.4 The Baby Momma Principle

2. Formal Mathematical Foundations
2.1 Recursive Manifold Architecture
2.2 SEXA Dimensional Descent
2.3 Six-Operator Gamma Chain
2.4 Gamma-Fold Operator
2.5 Reconstruction Operator
2.6 Departure and Arrival Terminals
2.7 Projected vs. Admissible Distance
2.8 PAC Transport Operator
2.9 PORTAL Operator
2.10 Terminal Transition Time
2.11 Strong Terminal Invariance
2.12 Instantaneous Terminal Limit
2.13 The 10^{19}c Comparison
2.14 Teleportation Criterion
2.15 Candidate Theorem
2.16 Evidentiary Classification

3. Terminal Invariance Axioms & PORTAL Existence
3.1–3.12 Terminal Invariance Axioms
3.13 Conditional PORTAL Existence
3.14 Path-Substitution Lemma
3.15 Bounded-Path Terminal Invariance
3.16 Strong Terminal Invariance
3.17 PORTAL vs. 10^{19}c
3.18 Effective Velocity

3.19 Teleportation Corollary
3.20 Reconstruction Obstruction
3.21 Information Sufficiency
3.22 Section Result

4. Higher-Dimensional Path Substitution
4.1–4.5 Geometry & Terminal Compression
4.6 Path Substitution
4.7 Local Transport Velocity
4.8 10^{19}c Geometric Threshold
4.9 Effective Velocity Theorem
4.10 Terminal-Invariance Limit
4.11–4.17 Topology & Recursive Adjacency
4.18 PORTAL Path-Substitution Theorem
4.19–4.25 Closure Conditions

5. Gamma-Induced Terminal Metric
5.1–5.6 Gamma Metric Architecture
5.7 Existing Code and What It Proves
5.8 Weighted Gamma Metric
5.9–5.14 Metric Extensions
5.15 Gamma Metric Existence Theorem

6. Terminal Reconstruction Theorem
6.1–6.17 Reconstruction Architecture
6.18 Kill Condition K6
6.19–6.28 Reconstruction Closure
6.29 Reconstruction and Teleportation
6.31 Reconstruction Ablation
6.32 Kill-Switch Test
6.33 Information Minimality
6.36 Momma Reconstruction Principle
6.37 Reconstruction Master Theorem
6.38 Reconstruction Status

7. SAC–PAC Payload Preservation Theorem
7.1–7.19 Payload Architecture
7.20 Conservation vs. Fidelity
7.22 Conjunctive Preservation
7.32–7.39 Payload Tests
7.44 Why This Strengthens PORTAL
7.45 Combined PORTAL Condition
7.46 Momma Payload Principle
7.47 Evidentiary Status
7.48 Section Result

8. PORTAL Causality & Temporal Ordering
8.1–8.28 Causal Architecture
8.29 Causal Reconstruction
8.30 Kill Condition K14
8.32 Reconstruction Dependency
8.38 Causal Master Condition
8.44 Relativistic Correspondence
8.45–8.49 Causal Validation

9. Teleportation Identity, Exclusivity & Replication
9.1–9.31 Identity Architecture
9.32 Terminal Exclusivity Theorem
9.33–9.51 Commit & Transfer Architecture
9.52 Momma Exclusivity Principle

10. Recursive Dimensional Interface
10.1–10.10 Recursive Interface Architecture

11. Terminal Invariance–PORTAL–Teleportation Master Theorem
11.1–11.10 Master-Theorem Architecture
11.17 Autonomous Reconstruction
11.18 Reconstruction Uniqueness
11.27 Computational Level
11.28 Physical Level
11.29 Terminal Equivalence

12. Master-Theorem Consequences & Closure

13. Computational Validation Architecture
13.1–13.40 Validation Tests
13.41 Kill-Switch Registry
13.42 Mandatory Kill Conditions
13.43 Validation Classes
13.44–13.55 Reproducibility & Benchmarks
13.56 Master Computational Criterion
13.57 Teleportation Criterion
13.58 Physical Label Prohibition
13.59–13.60 Validation Dependency

14. PORTAL Kill-Switch & Falsification Matrix
14.1–14.53 K01–K26, Controls & Outcomes

15. Physical Observables & Experimental Verification
15.1–15.60 Experimental Architecture

16. Discussion
16.1–16.32 Interpretation & Scientific Status

17. Limitations & Open Proof Obligations
17.1–17.58 P01–P24 & Unresolved Questions

18. Conclusion
18.1–18.26 Master-Theorem Conclusion

The later manuscript explicitly builds through the master theorem, computational status, physical status, and the mathematical/computational/physical evidence hierarchy.

19. Formal Closure of the Transport Metric
19.1–19.24 Metric Closure Architecture

20. Admissible-State Dimension & Autonomous Reconstruction
20.1–20.16 Dimensional Analysis
20.17 Target-State Independence

20.20 P07 Measurable Problem
20.22 Principal-Dimension Test
20.23 Nonlinear Dimension
20.27 Source-Deletion Requirement
20.28 Reconstruction Provenance
20.32 Exact vs. Model Compression
20.34 Major-Success Criterion
20.35 Failure Criterion
20.36 Relationship to PORTAL
20.37 Revised Closure Score

21. Five-Coordinate Reconstruction Architecture
21.1–21.29 Reconstruction Architecture
21.30 Global Rules vs. Per-State Information
21.35 Framework Improvement
21.36 P07 Status
21.37 P08 Status
21.38 P09 Status

22. Autonomous Reconstruction Tests
22.1–22.40 Reconstruction Tests
22.41 Hidden Memorization Test
22.45 R3 Critical Threshold
22.54 Missing-Branch Control

23. PORTAL Cost Realization & Distance Sweep
23.1–23.32 PORTAL Cost Architecture
23.33 Random-Topology Control
23.47 Directional Components
23.51 Terminal Selection Bias
23.55 PORTAL Connectivity Map
23.56 Graph Manifest
23.57 P03 Pass Criterion
23.58 P03 Failure Criterion
23.66 Current Status

24. Integration of PORTAL Cost With Reconstruction
24.1–24.22 Integrated Architecture
24.23 IT4 Critical Junction
24.24 IT4 Limitation
24.34 Positive Control
24.36–24.38 Negative Controls

25. Integrated Closure & Scoring Architecture
25.1–25.20 Closure Analysis
25.21 Threshold for 10/10
25.23 Critical BLOCKED State
25.38 Physical 10/10 Requirement

26. Integrated Validator & Batch Audit
26.1–26.43 Integrated Validation
26.44 Reconstruction Control R1
26.50 Result Ledger
26.51 Batch Audit Summary

26.54 Theorem Limitation
26.55 Module-Level Verification

27. Sealed Benchmark & Adversarial Validation
27.1–27.22 Benchmark Architecture
27.23 Adversarial Reconstruction States
27.43 Theorem Limitation
27.45 Perfect Success
27.47 Section Result

28. Result-Dependent Master Theorem
28.1–28.28 Result Architecture
28.29 Result-Dependent Abstract
28.30 Final Evidence Language
28.31 Result-Dependent Claim

29. Final Readiness & Closure Audit
29.1–29.28 Readiness Analysis
29.29 Readiness Matrix
29.30–29.31 Closure Conditions
29.32 Current Classification

30. Frozen Pre-Execution Architecture
30.1–30.x Frozen Definitions & Requirements

31. Final Execution & Result Ledger
31.1–31.16 Execution Ledger
31.17 P08 Record
31.23 P09 Record
31.27 Address Record
31.29 Causal Record
31.31 Exclusivity Record
31.38 IT Classification
31.42 Final Score
31.45 Physical PORTAL Status
31.51 Section Result

32. Final Conclusion, Claim Boundary & Computational Handoff
32.1–32.17 Closure Architecture
32.18 Reconstruction Hierarchy
32.19 PORTAL Teleportation Definition
32.22 IT0–IT6 Hierarchy
32.27 Theorem Scope
32.28–32.40 Execution Requirements
32.41 Computational Handoff
32.42 Claim Boundary
32.45 Theorem Limitation

33. Stage-1 Executable Implementation
33.1–33.19 Implementation Architecture

34. Unit-Test & Dry-Run Validation Architecture
34.1–34.10 Validation Architecture
34.11 Gamma Unit Tests
34.13 PORTAL Graph Tests
34.19 Source-Isolation Tests
34.20 Reconstruction Tests
34.23 Address Tests
34.24 Causal Tests
34.30 Dry-Run Boundary
34.34 Logging Requirement
34.41 Classification Freeze

35. Frozen Execution Protocol

36. Independent Reproduction Architecture
36.1–36.35 Reproduction Protocol

37. Final Evidence & Score Classification
37.1–37.46 Evidence Architecture
37.47 Final Evidence Ledger
37.49 Meaning of Lower Score
37.50 Meaning of 10/10
37.51 Section Result

38. Final Post-Execution Amendment to the Master Theorem
38.1–38.19 Post-Execution Closure
38.20 Final Evidence Amendment
38.23 Final Research Architecture
38.24 Final Conceptual Result
38.28 Falsifiability Statement
38.29 Reproducibility Statement
38.30 Final Master Closure
38.31 Manuscript Closure
38.32 Final Status

Appendix A — Formal Definitions
Appendix B — Operator Architecture
Appendix C — Theorem Dependencies
Appendix D — Evidence Ledger
Appendix E — Computational Materials
Appendix F — Kill-Switch Registry
Appendix G — Experimental Protocol
Appendix H — Claim Classification
Appendix I — Reproducibility Materials
Appendix J — Supplemental Results

References

Abstract

This work develops a formal mathematical theory of **Terminal Invariance** within the SEXA Structural and Payload Admissibility Calculus (SAC–PAC), extending the recursive architecture

$$\Gamma_6 \xrightarrow{F_\Gamma} M_5 \xrightarrow{R} M_{2880}, \qquad M_3 \subset M_5 \subset M_{2880},$$

toward the problem of distance-decoupled terminal transport. SAC–PAC presently assigns recursive manifold architecture, dimensional hierarchy, compression, the ordered Γ-admissibility chain, fold logic, and reconstruction algebra to its structural calculus, while its payload calculus governs interdimensional payload interception, propagation, recursive amplification, payload conservation, harmonic scaling, and phase transport. SAC–PAC (Structural and Payload... The present investigation asks whether these structures can support a rigorously defined transition between spatially separated projected states $M_3(A)$ and $M_3(B)$ whose governing transition interval is determined by admissibility connectivity in a higher-dimensional manifold rather than by traversal of the ordinary intervening three-dimensional geodesic.

We introduce **Terminal Invariance** as a candidate property of an admissible transition-time functional T for which increasing projected three-dimensional terminal separation $D_{M_3}(A, B)$ ceases asymptotically to produce proportional increases in the minimum admissible transition interval,

$$\boxed{\lim_{\mathcal{R} \to \mathcal{R}_T} \frac{\partial T_{\min}(A, B; \mathcal{R})}{\partial D_{M_3}(A, B)} = 0,}$$

where $\mathcal{R}_T$ denotes a terminally invariant admissibility regime. This condition is deliberately distinguished from the assertion of infinite or superluminal **local velocity**: if an external M_3 observer assigns the displacement $D_{M_3}(A, B)$ to an event completed in interval Δt, then

$$v_{\text{eff}} = \frac{D_{M_3}(A, B)}{\Delta t}$$

is defined here only as an **effective transit speed** and need not equal the local velocity of the transported state along the admissible higher-dimensional path.

Within this construction, **PORTAL—Overt-Magnitude Terrestrial Locomotion Omni-Logical Regime Incursion—is defined as the admissibility-regime transition**

$$\boxed{M_3(A) \xrightarrow{\iota_A} M_5 \xrightarrow{\mathcal{P}_{\mathrm{PAC}}} M_5 \xrightarrow{\pi_B} M_3(B),}$$

where ι_A admits the initial projected state into the higher-dimensional transport regime, $\mathcal{P}_{\mathrm{PAC}}$ denotes an admissible PAC transport operator, and π_B reprojects or reconstructs the transported state at the destination terminal. PORTAL is therefore **not defined as ordinary superluminal motion through M_3;** it is defined as substitution of the ordinary M_3 transport path by an admissible higher-dimensional path whose projection has spatially separated terrestrial endpoints.

Teleportation is consequently given a stricter meaning. Let X_A denote the admissible state at the departure terminal and X_B the reconstructed state at the arrival terminal. A PORTAL transition qualifies as **SEXA terminal teleportation** only if a specified invariant family

$$\mathfrak{I} = \{I_1, I_2, \ldots, I_n\}$$

satisfies

$$\boxed{I_k(X_A) = I_k(X_B) \quad \forall I_k \in \mathfrak{I},}$$

together with unique admissible reconstruction,

$$\boxed{R(F_\Gamma(X_A)) = X_B,}$$

under explicitly stated equivalence conditions. Teleportation is thus not identified merely with rapid relocation; it requires terminal-state correspondence, admissibility preservation, reconstruction uniqueness, and a formally specified criterion establishing which properties constitute identity of the transported state.

The existing SAC–PAC computational framework provides nontrivial prerequisites for this program. Its architecture explicitly contains the ordered six-stage Γ chain, and its executable implementation tests canonical ordering against reversed ordering and tests six-operator minimality by requiring every five-operator subchain to fail. SAC–PAC (Structural and Payload... +1 It additionally implements the dimensional hierarchy

$$2880 \to 720 \to 360 \to 180 \to 60 \to 12 \to 7 \to 5$$

and checks multiplicative dimensional-chain closure. SAC–PAC (Structural and Payload... +1

A crucial limitation, however, is retained rather than concealed: the present executable fold/reconstruction demonstration stores the original 2880-component state inside an auxiliary `FoldPacket`; the source explicitly states that this demonstrates software consistency and **does not establish that an arbitrary 2880-vector is bijectively encoded by five ordinary real scalars without auxiliary information.** SAC–PAC (Structural and Payload... Consequently, exact physical-state teleportation cannot be inferred from the existing reconstruction benchmark, and removal or formal justification of this auxiliary-information requirement becomes a central proof obligation of the present theorem program.

For comparison only, the hypothetical scale

$$v_{\text{comparison}} = 10^{19}c$$

is introduced to distinguish extreme effective propagation from genuine distance decoupling. Terminal Invariance is mathematically stronger than merely postulating $10^{19}c$: any fixed finite velocity retains $T \propto D$, whereas strict distance-independent terminal behavior requires the governing transport functional itself to cease scaling conventionally with projected M_3 separation. Accordingly, neither $10^{19}c$, PORTAL realization, nor physical teleportation is treated herein as experimentally established.

The objective of this work is therefore not to assume teleportation but to determine whether SAC–PAC can **derive or falsify** the implication

Recursive Admissibility + Path Substitution + Invariant Reconstruction ⇒ Terminal Invariance

and subsequently determine whether Terminal Invariance is sufficient to define PORTAL-mediated teleportation without equating effective displacement with locally superluminal propagation. Mathematical derivation, computational reproduction, and physical verification are maintained as three explicitly separate evidentiary levels throughout the investigation.