

MOVERSPADI

Technical Product Build Pack

Complete 8-Week Delivery Timeline, Registration & Verification Flows, Database Blueprint, and Business Logic Notes

Product	MoversPadi
Scope	Fleetless logistics marketplace for dispatch, haulage, tow, and transport (car/bus)
Prepared For	Product, design, frontend, backend, mobile, and admin operations teams
Document Purpose	A single handoff pack that can guide design, engineering, onboarding, compliance, and payment implementation

Version 1.0

This document is a property of



A

Document Overview

This document contains the complete MoversPadi app build handoff pack. It includes the public landing experience, role-based dashboards, registration and verification requirements, the full 8-week development timeline, the complete database schema blueprint, foreign keys, migration order, and the important business logic notes needed for implementation.

Role-Based Dashboards and Public Landing Experience

The product should not drop users straight into onboarding. A public-facing home experience is needed first to explain what MoversPadi is, why it matters, and why users should trust it. After that, users proceed into role-based onboarding and then into a dashboard tailored to their role.

Public Home Screen

- Hero section with welcome message and clear call-to-action buttons for Sign Up and Login.
- Short explanation of what MoversPadi does: a fleetless marketplace that connects users to dispatch, haulage, tow, and transport (private car/bus) providers.
- Why choose MoversPadi section covering speed, transparent pricing, supply variety, safety, and convenience.
- Reviews/testimonials section to build trust.
- Service cards for Dispatch, Haulage, Tow, and Transport (Car/Bus).
- A transition to onboarding after the user selects role and creates an account.

Dashboard Summary by Role

Role	Primary Dashboard Sections	Key Outcomes
Customer	Request service, track request, service history, saved locations, notifications, wallet/refunds if needed	Book a service, pay, track progress, confirm completion, and rate the provider
Independent mover / transport provider	Available jobs, request alerts, job history, earnings wallet, verification status, profile and vehicle setup	Accept jobs, complete jobs, receive payouts, and maintain active compliance
Logistics company	Fleet management, driver assignment, job tracking, earnings wallet, verification status, reports	Manage vehicles and drivers while monitoring ongoing jobs and earnings
Admin	Verification queue, user management, job monitoring, analytics, commission settings, payout oversight	Control platform quality, safety, disputes, and revenue

Registration and Verification Framework

MoversPadi needs a role-based registration model because the trust and compliance burden is different for customers, independent movers, transport providers, and logistics companies. Customers should have a fast path into the product, while supply-side actors must complete verification before they can accept jobs.

User Type	Core Details	Extra Verification Requirements	Activation Rule	Dashboard Access
Customer	Full name, phone, email, password, OTP	Optional profile picture, saved addresses, preferred service type	Activated after OTP verification	Immediate access to customer dashboard
Independent mover	Personal details, phone, email, password, OTP	Driver license, NIN/passport, selfie, home address, picture of home, guarantor, next of kin, social links, bank details, vehicle papers	Pending until admin approval	Limited onboarding dashboard while under review
Transport provider	Same as independent mover	Same as mover, plus transport vehicle capacity and compliance details for private car or bus service	Pending until admin approval	Limited onboarding dashboard while under review
Logistics company	Company account, official phone/email, password, OTP	CAC certificate, company address, company photo, signature, rep details, fleet count, vehicle records	Pending until admin approval	Limited company dashboard until approved
Admin	Internal account created by system owner	N/A	Immediate access	Admin dashboard

Mover / Transport Provider Onboarding Checklist

- Basic information: full name, phone, email, password, OTP verification, gender, and date of birth.
- Identity: driver's license, NIN or passport, profile picture, and selfie verification.
- Address and trust data: home address, picture of home, next of kin, guarantor details, and emergency contact.
- Vehicle data: vehicle type, plate number, brand/model, color, registration papers, road worthiness certificate, insurance, and vehicle photos.
- Extra trust information: social media account links, bank account details, years of driving experience, and coverage area or routes.
- Account status labels: Incomplete Registration, Documents Submitted, Under Review, Approved, Rejected, Resubmit Documents, Suspended.

Logistics Company Onboarding Checklist

- Company details: company name, official email, official phone, company address, state/city of operation.
- Corporate documents: CAC certificate, business registration number, TIN where applicable, company picture, logo, and signature.
- Representative data: representative full name, phone, ID type, ID number, and alternate contact.

- Fleet setup: number of vehicles to add, vehicle categories, and future driver assignment records.
- Financial details: bank account or payout details and acceptance of commission terms.

Admin Verification Workflow

- Review newly submitted mover, transport provider, and company applications from a verification queue.
- Open and inspect all uploaded documents.
- Approve, reject, suspend, or request resubmission with an explanation.
- Record the admin user, action reason, and review timestamp in an audit log.
- Prevent any supply-side user from accepting jobs until approval is complete.

Complete 8-Week Development Timeline

The timetable below assumes an 8-week MVP build with a UI/UX designer, backend developer, frontend developer, and mobile developer working in parallel. The timeline includes the added requirements for public landing screens, role-based dashboards, full registration and verification, transport (private car/bus), payment integration, and automatic commission splitting.

Week	UI/UX Designer	Backend Developer	Frontend Developer	Mobile Developer
Week 1	Design landing/home screen, service cards, role selection, login, signup, OTP, and onboarding entry points.	Set up project architecture, users/roles/profiles tables, service types, OTP flow, and authentication APIs.	Build public landing page, role selection, login, signup, and OTP screens for web/admin entry.	Build welcome screens, app intro, login, signup, and OTP verification screens.
Week 2	Design detailed forms for customer, mover, transport provider, and company onboarding. Create pending/approved/rejected verification status screens.	Build registration, document upload, verification status, and admin approval/rejection endpoints. Add verification tables.	Build role-based registration forms and admin verification dashboard pages.	Implement document upload flow, mobile onboarding forms, and verification progress tracker.
Week 3	Design role-specific dashboards for customer, mover, transport provider, logistics company, and admin.	Build dashboard APIs for profile data, service history, job history, verification status, and fleet overview.	Develop customer, mover, company, and admin dashboards.	Implement customer, mover, and company dashboards in the mobile app.
Week 4	Design booking flow: service selection, pickup, drop-off, vehicle selection, and price estimate. Include transport (car/bus).	Build service request engine, pricing logic by service type and distance, and request history APIs.	Develop booking interface and request history views.	Build booking flow, pickup/drop inputs, service notes, and booking confirmation.
Week 5	Design map interfaces, driver arrival states, and tracking states.	Implement geo-location matching, provider availability, assignment logic, request tracking, and status logs.	Add job monitoring and live request tracking to web/admin interfaces.	Implement live map, nearby provider detection, arrival updates, and in-progress tracking.

Week	UI/UX Designer	Backend Developer	Frontend Developer	Mobile Developer
Week 6	Design payment pages, receipts, wallet summaries, and job completion confirmation.	Integrate payment gateway, transactions, wallets, commission rules, payout split logic, and automatic release rules after completed jobs.	Build payment screens, admin revenue dashboard, and commission reporting views.	Integrate payment flow, transaction history, and earnings visibility for supply-side users.
Week 7	Design notification center, rating popup, and review flow.	Implement notification service, ratings APIs, review storage, and admin analytics hooks.	Build review dashboard, analytics views, and support/dispute entry points.	Add push notifications, in-app notification center, and post-service ratings.
Week 8	Run usability checks, polish inconsistent screens, and finalize handoff assets.	Carry out security testing, bug fixes, performance tuning, and deployment preparation.	Fix bugs, improve UI polish, and prepare production web/admin builds.	Complete QA, fix crashes, and prepare Android/iOS release builds.

Final MVP Output at the End of Week 8

- Public home page with product introduction, reviews, service overview, and clear onboarding entry points.
- Role-based registration for customer, mover, transport provider, logistics company, and admin.
- Verification and approval workflows for movers, transport providers, and companies.
- Service booking for Dispatch, Haulage, Tow, and Transport (Car/Bus).
- Geo-matching, live status tracking, and job management.
- Payment processing, automatic commission split, wallets, and payout records.
- Ratings, feedback, notifications, and admin oversight tools.

Database Blueprint for Laravel Migrations

The schema below is the complete blueprint for the backend which is where the real work lie. It is organized so the backend team can translate it directly into migrations and corresponding models, policies, services, and admin workflows.

roles

Purpose: Stores all user roles.

Column	Type	Constraints
id	bigint unsigned	PK, auto increment
name	varchar(50)	unique
description	text	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

users

Purpose: Stores all platform users.

Column	Type	Constraints
id	bigint unsigned	PK, auto increment
role_id	bigint unsigned	FK → roles.id
full_name	varchar(150)	required
email	varchar(150)	unique, nullable
phone	varchar(20)	unique
password	varchar(255)	required
status	enum('pending','active','suspended','rejected')	default 'pending'
is_active	boolean	default true
last_login_at	timestamp	nullable
remember_token	varchar(100)	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable
deleted_at	timestamp	nullable, soft delete

profiles

Purpose: Stores extended user profile information.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, unique
gender	enum('male','female','other')	nullable
date_of_birth	date	nullable
home_address	text	nullable
city	varchar(100)	nullable
state	varchar(100)	nullable
country	varchar(100)	default 'Nigeria'
profile_picture	varchar(255)	nullable
means_of_id_type	enum('nin','passport','drivers_license','voters_card','other')	nullable
means_of_id_number	varchar(100)	nullable
selfie_image	varchar(255)	nullable
social_media_link_1	varchar(255)	nullable
social_media_link_2	varchar(255)	nullable

Column	Type	Constraints
social_media_link_3	varchar(255)	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

otp_verifications

Purpose: Stores OTP history.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, nullable
phone_or_email	varchar(150)	required
otp_code	varchar(10)	required
channel	enum('sms','email')	required
expires_at	timestamp	required
verified_at	timestamp	nullable
status	enum('pending','verified','expired','failed')	default 'pending'
created_at	timestamp	nullable
updated_at	timestamp	nullable

next_of_kin

Purpose: Stores next-of-kin details for movers and transport providers.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id
full_name	varchar(150)	required
relationship	varchar(100)	required
phone	varchar(20)	required
address	text	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

guarantors

Purpose: Stores guarantor records.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id
full_name	varchar(150)	required
phone	varchar(20)	required
address	text	required
occupation	varchar(150)	nullable
means_of_identification	varchar(150)	nullable
id_document_path	varchar(255)	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

companies

Purpose: Stores company profile details.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, unique
company_name	varchar(150)	required
official_email	varchar(150)	nullable
official_phone	varchar(20)	required
cac_number	varchar(100)	unique, nullable
tin_number	varchar(100)	nullable
address	text	required
city	varchar(100)	nullable
state	varchar(100)	nullable
logo	varchar(255)	nullable
company_picture	varchar(255)	nullable
signature_path	varchar(255)	nullable
fleet_size	integer	default 0
status	enum('pending','approved','rejected','suspended')	default 'pending'
created_at	timestamp	nullable
updated_at	timestamp	nullable

mover_verifications

Purpose: Verification records for movers and transport providers.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, unique
driver_license_number	varchar(100)	nullable
nin_number	varchar(100)	nullable
passport_number	varchar(100)	nullable
house_picture	varchar(255)	nullable
years_of_experience	integer	default 0
bank_verified	boolean	default false
verification_status	enum('pending','approved','rejected','re submission_required','suspended')	default 'pending'
submitted_at	timestamp	nullable
reviewed_at	timestamp	nullable
reviewed_by	bigint unsigned	FK → users.id, nullable
rejection_reason	text	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

company_verifications

Purpose: Verification records for companies.

Column	Type	Constraints
id	bigint unsigned	PK
company_id	bigint unsigned	FK → companies.id, unique
cac_certificate_path	varchar(255)	nullable
company_picture_path	varchar(255)	nullable
signature_path	varchar(255)	nullable
representative_name	varchar(150)	nullable
representative_phone	varchar(20)	nullable
representative_id_type	varchar(50)	nullable
representative_id_number	varchar(100)	nullable
verification_status	enum('pending','approved','rejected','re submission_required','suspended')	default 'pending'
submitted_at	timestamp	nullable
reviewed_at	timestamp	nullable
reviewed_by	bigint unsigned	FK → users.id, nullable
rejection_reason	text	nullable
created_at	timestamp	nullable

Column	Type	Constraints
updated_at	timestamp	nullable

documents

Purpose: Flexible document storage for uploads.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, nullable
company_id	bigint unsigned	FK → companies.id, nullable
vehicle_id	bigint unsigned	FK → vehicles.id, nullable
document_type	enum('drivers_license','nin','passport','profile_photo','house_picture','vehicle_registration','road_worthiness','insurance','proof_of_ownership','cac_certificate','company_picture','company_signature','guarantor_id','other')	required
file_path	varchar(255)	required
original_name	varchar(255)	nullable
mime_type	varchar(100)	nullable
file_size	bigint	nullable
file_status	enum('pending','verified','rejected')	default 'pending'
verified_at	timestamp	nullable
reviewed_by	bigint unsigned	FK → users.id, nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

service_types

Purpose: Stores platform service categories.

Column	Type	Constraints
id	bigint unsigned	PK
slug	varchar(50)	unique
name	varchar(100)	unique
description	text	nullable
is_active	boolean	default true

vehicles

Purpose: Stores all vehicles used by movers and companies.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, nullable
company_id	bigint unsigned	FK → companies.id, nullable
service_type_id	bigint unsigned	FK → service_types.id
vehicle_type	enum('motorcycle','van','truck','tow_truck','private_car','bus')	required
brand	varchar(100)	nullable
model	varchar(100)	nullable
color	varchar(50)	nullable
plate_number	varchar(50)	unique
capacity	varchar(100)	nullable
year_of_manufacture	year	nullable
vehicle_photo	varchar(255)	nullable
status	enum('pending','active','inactive','suspended')	default 'pending'
created_at	timestamp	nullable
updated_at	timestamp	nullable

vehicle_documents

Purpose: Structured vehicle papers.

Column	Type	Constraints
id	bigint unsigned	PK
vehicle_id	bigint unsigned	FK → vehicles.id, unique
registration_document	varchar(255)	nullable
road_worthiness_certificate	varchar(255)	nullable
insurance_document	varchar(255)	nullable
inspection_certificate	varchar(255)	nullable
proof_of_ownership	varchar(255)	nullable
uploaded_at	timestamp	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

company_drivers

Purpose: Links company drivers to company vehicles.

Column	Type	Constraints
id	bigint unsigned	PK
company_id	bigint unsigned	FK → companies.id
driver_user_id	bigint unsigned	FK → users.id
assigned_vehicle_id	bigint unsigned	FK → vehicles.id, nullable
employment_status	enum('active','inactive','suspended')	default 'active'
created_at	timestamp	nullable
updated_at	timestamp	nullable

availability_statuses

Purpose: Tracks live mover availability.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, unique
is_online	boolean	default false
is_available	boolean	default false
current_lat	decimal(10,7)	nullable
current_lng	decimal(10,7)	nullable
last_seen_at	timestamp	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

saved_locations

Purpose: Stores customer saved addresses.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id
label	varchar(100)	required
address	text	required
lat	decimal(10,7)	nullable
lng	decimal(10,7)	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

service_requests

Purpose: Main booking table.

Column	Type	Constraints
id	bigint unsigned	PK
customer_id	bigint unsigned	FK → users.id
service_type_id	bigint unsigned	FK → service_types.id
assigned_mover_id	bigint unsigned	FK → users.id, nullable
assigned_company_id	bigint unsigned	FK → companies.id, nullable
vehicle_id	bigint unsigned	FK → vehicles.id, nullable
pickup_address	text	required
pickup_lat	decimal(10,7)	nullable
pickup_lng	decimal(10,7)	nullable
dropoff_address	text	required
dropoff_lat	decimal(10,7)	nullable
dropoff_lng	decimal(10,7)	nullable
scheduled_time	timestamp	nullable
distance_km	decimal(10,2)	nullable
estimated_duration_minutes	integer	nullable
service_notes	text	nullable
price_estimate	decimal(12,2)	default 0
final_price	decimal(12,2)	nullable
status	enum('pending','matched','accepted','in_progress','completed','cancelled','failed')	default 'pending'
customer_confirmed_completion	boolean	default false
completed_at	timestamp	nullable
cancelled_at	timestamp	nullable
cancel_reason	text	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

service_request_items

Purpose: Useful for haulage and bulky jobs.

Column	Type	Constraints
id	bigint unsigned	PK
service_request_id	bigint unsigned	FK → service_requests.id

Column	Type	Constraints
item_name	varchar(150)	required
quantity	integer	default 1
weight	decimal(10,2)	nullable
dimensions	varchar(100)	nullable
special_instruction	text	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

request_tracking

Purpose: Location updates during delivery/job progress.

Column	Type	Constraints
id	bigint unsigned	PK
service_request_id	bigint unsigned	FK → service_requests.id
mover_id	bigint unsigned	FK → users.id
current_lat	decimal(10,7)	nullable
current_lng	decimal(10,7)	nullable
current_address	text	nullable
eta_minutes	integer	nullable
tracking_status	enum('en_route_pickup','arrived_pickup','in_transit','arrived_destination','completed')	required
recorded_at	timestamp	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

job_status_logs

Purpose: Audit trail of all job state changes.

Column	Type	Constraints
id	bigint unsigned	PK
service_request_id	bigint unsigned	FK → service_requests.id
status	varchar(50)	required
changed_by	bigint unsigned	FK → users.id, nullable
note	text	nullable
created_at	timestamp	nullable

wallets

Purpose: Stores balances.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, nullable
company_id	bigint unsigned	FK → companies.id, nullable
wallet_type	enum('admin_commission','mover_earnings','company_earnings','customer_refund')	required
balance	decimal(14,2)	default 0
currency	varchar(10)	default 'NGN'
status	enum('active','inactive','suspended')	default 'active'
created_at	timestamp	nullable
updated_at	timestamp	nullable

bank_accounts

Purpose: Payout destination accounts.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, nullable
company_id	bigint unsigned	FK → companies.id, nullable
bank_name	varchar(150)	required
account_name	varchar(150)	required
account_number	varchar(20)	required
bank_code	varchar(20)	nullable
is_primary	boolean	default false
created_at	timestamp	nullable
updated_at	timestamp	nullable

transactions

Purpose: Payment records.

Column	Type	Constraints
id	bigint unsigned	PK
service_request_id	bigint unsigned	FK → service_requests.id
customer_id	bigint unsigned	FK → users.id
payer_user_id	bigint unsigned	FK → users.id

Column	Type	Constraints
amount	decimal(12,2)	required
currency	varchar(10)	default 'NGN'
payment_gateway	enum('paystack','flutterwave','cash','manual')	required
gateway_reference	varchar(150)	unique, nullable
payment_status	enum('pending','successful','failed','refunded','reversed')	default 'pending'
payment_method	varchar(50)	nullable
paid_at	timestamp	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

commission_rules

Purpose: Stores how platform commission is calculated.

Column	Type	Constraints
id	bigint unsigned	PK
service_type_id	bigint unsigned	FK → service_types.id
commission_type	enum('percentage','flat_fee')	required
commission_value	decimal(10,2)	required
is_active	boolean	default true
created_at	timestamp	nullable
updated_at	timestamp	nullable

payout_splits

Purpose: Stores split breakdown after completed service.

Column	Type	Constraints
id	bigint unsigned	PK
transaction_id	bigint unsigned	FK → transactions.id, unique
service_request_id	bigint unsigned	FK → service_requests.id
gross_amount	decimal(12,2)	required
admin_commission	decimal(12,2)	default 0
mover_amount	decimal(12,2)	default 0
company_amount	decimal(12,2)	default 0
payout_status	enum('pending','processing','completed','failed')	default 'pending'

Column	Type	Constraints
created_at	timestamp	nullable
updated_at	timestamp	nullable

payouts

Purpose: Actual payout processing records.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id, nullable
company_id	bigint unsigned	FK → companies.id, nullable
transaction_id	bigint unsigned	FK → transactions.id
payout_split_id	bigint unsigned	FK → payout_splits.id
amount	decimal(12,2)	required
payout_reference	varchar(150)	unique, nullable
payout_method	enum('bank_transfer', 'wallet_balance', 'manual')	default 'wallet_balance'
payout_status	enum('pending', 'processing', 'successful', 'failed')	default 'pending'
processed_at	timestamp	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

ratings

Purpose: Post-service feedback.

Column	Type	Constraints
id	bigint unsigned	PK
service_request_id	bigint unsigned	FK → service_requests.id
customer_id	bigint unsigned	FK → users.id
rated_user_id	bigint unsigned	FK → users.id, nullable
rated_company_id	bigint unsigned	FK → companies.id, nullable
rating	tinyInteger unsigned	1–5
review	text	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

notifications

Purpose: System and transactional notifications.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id
title	varchar(150)	required
message	text	required
type	varchar(50)	required
delivery_channel	enum('push','sms','email','in_app')	required
is_read	boolean	default false
sent_at	timestamp	nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

admin_actions

Purpose: Logs admin actions.

Column	Type	Constraints
id	bigint unsigned	PK
admin_user_id	bigint unsigned	FK → users.id
action_type	varchar(100)	required
target_type	varchar(100)	required
target_id	bigint unsigned	required
reason	text	nullable
created_at	timestamp	nullable

support_tickets

Purpose: Complaints, incident reports, and disputes.

Column	Type	Constraints
id	bigint unsigned	PK
user_id	bigint unsigned	FK → users.id
service_request_id	bigint unsigned	FK → service_requests.id, nullable
subject	varchar(150)	required
message	text	required
status	enum('open','in_progress','resolved','closed')	default 'open'

Column	Type	Constraints
priority	enum('low','medium','high','urgent')	default 'medium'
assigned_admin_id	bigint unsigned	FK → users.id, nullable
created_at	timestamp	nullable
updated_at	timestamp	nullable

Foreign Key Summary

- users.role_id → roles.id
- profiles.user_id → users.id
- next_of_kin.user_id → users.id
- guarantors.user_id → users.id
- companies.user_id → users.id
- mover_verifications.user_id → users.id
- company_verifications.company_id → companies.id
- documents.user_id → users.id, documents.company_id → companies.id, documents.vehicle_id → vehicles.id
- vehicles.user_id → users.id, vehicles.company_id → companies.id, vehicles.service_type_id → service_types.id
- vehicle_documents.vehicle_id → vehicles.id
- company_drivers.company_id → companies.id, company_drivers.driver_user_id → users.id, company_drivers.assigned_vehicle_id → vehicles.id
- availability_statuses.user_id → users.id, saved_locations.user_id → users.id
- service_requests.customer_id → users.id, assigned_mover_id → users.id, assigned_company_id → companies.id, vehicle_id → vehicles.id, service_type_id → service_types.id
- service_request_items.service_request_id → service_requests.id
- request_tracking.service_request_id → service_requests.id, mover_id → users.id
- job_status_logs.service_request_id → service_requests.id, changed_by → users.id
- wallets.user_id → users.id, wallets.company_id → companies.id
- bank_accounts.user_id → users.id, bank_accounts.company_id → companies.id
- transactions.service_request_id → service_requests.id, customer_id → users.id, payer_user_id → users.id
- commission_rules.service_type_id → service_types.id
- payout_splits.transaction_id → transactions.id, payout_splits.service_request_id → service_requests.id
- payouts.user_id → users.id, payouts.company_id → companies.id, payouts.transaction_id → transactions.id, payouts.payout_split_id → payout_splits.id
- ratings.service_request_id → service_requests.id, customer_id → users.id, rated_user_id → users.id, rated_company_id → companies.id

- notifications.user_id → users.id
- admin_actions.admin_user_id → users.id
- support_tickets.user_id → users.id, service_request_id → service_requests.id, assigned_admin_id → users.id

Recommended Build Order for Laravel Migrations

Phase 1

- roles
- users
- profiles
- otp_verifications
- service_types

Phase 2

- companies
- next_of_kin
- guarantors
- mover_verifications
- company_verifications

Phase 3

- vehicles
- vehicle_documents
- documents
- company_drivers
- availability_statuses
- saved_locations

Phase 4

- service_requests
- service_request_items
- request_tracking
- job_status_logs

Phase 5

- wallets
- bank_accounts
- transactions
- commission_rules

- payout_splits
- payouts

Phase 6

- ratings
- notifications
- admin_actions
- support_tickets

Recommended Enum or Constant Sets

- User status: pending, active, suspended, rejected.
- Verification status: pending, approved, rejected, resubmission_required, suspended.
- Service request status: pending, matched, accepted, in_progress, completed, cancelled, failed.
- Payment status: pending, successful, failed, refunded, reversed.
- Payout status: pending, processing, successful, failed.
- Vehicle type: motorcycle, van, truck, tow_truck, private_car, bus.
- Service types: dispatch, haulage, tow, transport.

Important Business Logic Notes

Registration Logic

- Customers should become active immediately after OTP verification.
- Movers and transport providers should not be able to accept jobs until document verification is approved by an admin.
- Companies should not be able to onboard fleet operations until company verification is approved.
- Users should see clear statuses such as Pending Verification, Approved, Rejected, or Resubmission Required inside their dashboards.

Payment Logic

- The customer pays the full price before the job starts.
- The transaction should be marked successful only after gateway confirmation.
- Funds should remain tied to the transaction while the job is in progress.
- After job completion and confirmation, the system creates the payout split using the active commission rule.
- Admin commission is credited automatically to the admin wallet.
- Mover or company earnings are credited automatically to the correct wallet.
- A payout record is then created so withdrawal or wallet-based settlement can happen cleanly.

Commission Example

Example: If a client pays ₦10,000 and the active commission rule is 20%, the system stores a gross amount of ₦10,000, credits ₦2,000 to the admin wallet, credits ₦8,000 to the mover or company wallet, and records the split in payout_splits and payouts.

Transport Service Requirement

- The service_types table must include transport = Transport (Car/Bus).
- The vehicles table must support private_car and bus as vehicle_type values.
- The service request and pricing engine must treat transport as a first-class service alongside dispatch, haulage, and tow.

Recommended Backend Module Breakdown

- Auth Module
- User & Profile Module
- Verification Module
- Vehicle Module
- Company Module
- Service Request Module
- Matching Module
- Job Management Module
- Payment & Wallet Module
- Ratings Module
- Notification Module
- Admin Module

Brand Colors for the Application

Light green

Light blue

White and Black (to be applied subtly)