

ID: SOMA-C-P12

Duration: 10m 00s (**707** words)

Script Content:

[Practice]

When you are ready, let's begin this practice.

Today we will perform a Sound Tracking Exercise.

Sound is constantly present in our environment, yet we rarely process it systematically. In this procedure, we will not simply listen. We will actively track the acoustic environment to maintain our spatial orientation.

Note that this is an active protocol of focused auditory tracking. You do not require silence for this evaluation. You can perform this scan either indoors or outdoors.

Before beginning, confirm that your environment is safe. Ensure that focusing your attention will not cause any issues, such as standing near a busy road. If you are in a safe place, proceed.

Establish a stable physical position. Stand or sit upright with purpose. Verify that your spine is straight. You are the central point of this map. Set your intention to scan for concrete information rather than just hearing passively.

First, make a logical prediction. Based on your current location, what specific sounds do you expect to detect? A running appliance? Traffic? People talking? Create a mental list of three expected sounds. Then, verify your prediction by scanning the environment. Check if your assumptions were correct.

Begin the acoustic scan. Actively detect the loudest sound in your immediate vicinity. Isolate this sound. Determine if its origin is a machine, a person, or something in nature. Label the signal in your mind. Name it "Source A." Then, move to the next loudest sound and designate it as "Source B."

Identifying and categorizing the source is the goal.

[Short Pause] (10s - Initial scan)

Perform a distance check. Select a specific sound source and estimate its physical distance in meters or feet. Is it within arm's reach, across the room, or outside the building? If the source is moving, track its path.

Determine if it is approaching or moving away. Maintain a continuous mental map of where these objects exist relative to your position.

Now, calculate the precise direction. Visualize a standard clock face surrounding your position, with twelve o'clock directly ahead. Locate the sound's origin on this grid. Is it at exactly two o'clock? Is it at nine o'clock? Note the angle accurately. Do not accept a vague location.

[Long Pause] (20s - Distance calculation)

Now, monitor the background noise. Scan beneath the loud, obvious sounds. Analyze the steady, low-level hum of your environment, such as the buzz of lighting or distant traffic. Isolate this foundational base layer. If a sudden, new sound pierces this layer, flag it immediately as a new signal.

[Short Pause] (10s - Background monitoring)

Analyze the environment for uneven patterns. Most audio is rhythmic, but you should actively scan for irregular events. Listen for a sudden impact or a rapid change in pitch.

Your task is to log these changes the exact moment they occur. Register the fluctuation mentally as raw data. Do not evaluate the sound subjectively.

Conduct an inventory count. Tally the distinct individual sources currently operating around you. Determine if the acoustic environment is simple, with under three sources. Or classify it as complex, with over five active sources. Log your final count.

[Long Pause] (20s - Pattern recognition)

Engage selective focus. If the environment is noisy, test your auditory filtering. Select one specific sound stream. Lock onto this frequency as your primary target. Actively ignore all other sounds, treating them strictly as background static.

Hold this isolation for as long as possible. If the primary signal stops, immediately switch to a new target to continue the tracking process. This is a rigorous test of auditory filtering.

[Long Pause] (30s - Selective attention)

Now select one sound source that varies over time — perhaps traffic, a machine cycling, or intermittent voices. Track its pattern. Does it follow a regular rhythm, or is it irregular? Predict when the next occurrence will happen.

Count the seconds between events. Test your prediction accuracy. If the sound is constant rather than intermittent, estimate how long it will continue before stopping or changing. This tests your ability to model temporal acoustic patterns.

[Short Pause] (10s - Tracking nearby sounds)

Execute a final check. Expand your tracking range one last time. Verify the data in both your immediate vicinity and the distance.

Confirm you have successfully built a complete mental map of the current acoustic environment. Ensure your focus remains oriented, calculating, and stable.

[Pause] (20s - Final integration)

We will now conclude this tracking exercise. Do a final check of your physical posture to reset.

Thank you for your practice.

Footer: License: Licensed under CC BY-NC-SA 4.0 (Attribution-NonCommercial-ShareAlike). This material is part of the SOMA Architecture and is free for non-commercial research use; any adaptations must be shared under identical terms. **How to Cite:** For the most current citation, DOI, and project updates, please visit the SOMA OSF Repository (<https://osf.io/2kfyz>). **Version 1.0 (March 2026)** – Practice P12: Sound Tracking Exercise.