


Capacity support before observing quality








Target-pool support differs sharply. Capacity is not successful fusion or score availability. All records are Manual.

Screening: fixed 17-image capacity panel, k up to 29













Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
All 17 images / 9 buildings have capacity; each metric additionally reports fixed observed support.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.

Screening: metric and geometry sensitivity











Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
Same 17-image capacity panel and frozen whole-image reference before/after.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.


Screening: uncertainty across the observed buildings






Shading: 95% building-resampling simultaneous bands, fixed path estimates.
Building-resampling uncertainty is separate from path Monte Carlo uncertainty.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.


Screening: fixed 15-image panel to k=30








Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
jh14 and q9-04 have screened N=29 and are excluded by capacity, not by outcome.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.

Target compatibility: fixed 17-image panel to k=13











Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
Both populations are evaluated against the same frozen whole-image reference; candidate scopes differ.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.


Target compatibility: fixed 10-image / 7-building panel to k=20






Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
Capacity-defined larger teams; separate from the broader 17-image panel.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.


Target compatibility at k=30: one-building case series








Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
Only uNb21, uNb25 and uNb47 support this condition. This is not cross-building evidence.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.


Single-side compatible pools: fixed capacity to k=5


















Columns have different image supports; their gap is not a same-image side effect.
Floor quality is conditional on complete floor output; incomplete triangle candidates remain diagnostic only.
Shading: whole-path Monte Carlo bands. k=1 is the sampled original-answer baseline; k=2 is separate.


Single-side full quality: fixed capacity through k=5
























The two columns have different image supports; they are not a same-image side contrast.
Q is conditional on score availability; read with complete-output rates. Each target has its separately documented top/closure reference.
Shading: 95% whole-path Monte Carlo simultaneous bands. k=1 is sampled raw annotation quality; k=2 is separate.


Single-side full quality: fixed capacity through k=10
























The two columns have different image supports; they are not a same-image side contrast. Each side has only two images; no image has capacity 10 on both sides.
Q is conditional on score availability; read with complete-output rates. Each target has its separately documented top/closure reference.
Shading: 95% whole-path Monte Carlo simultaneous bands. k=1 is sampled raw annotation quality; k=2 is separate.

Two sides on the same three images: fixed capacity to k=5













Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
7y18, B6-43 and jh09 only. Each side uses its own final floor reference; full Q is not imputed.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.

Two sides: full quality on the same capacity-fixed three images













Shading: 95% whole-path Monte Carlo simultaneous bands, fixed images.
7y18, B6-43 and jh09 only. Each side uses its own target reference and its own compatible population; this is not a causal worker contrast.
k=1 is the Natural256 original-answer marginal; exact all-person means are tabulated separately. k=2 is separate; missing Q is not zero.

q9-04 Space 2: conditional derived full reference, N=5











Exact finite populations: k=3 has 10 teams; k=4 has 5; k=5 has 1. Q is conditional on score availability; completeness is separate.
The dashed-line discrepancy is Monte Carlo estimation error, not extra population variability. k=2 remains separate.
This is a preselected small-pool illustration; the full side panels and each target reference source are reported separately.


Signed effects across images, including negative and small changes








Each point is one image; orange segments are image-equal means. n = jointly scoreable / capacity-supported images.
Pairs share the original base order and k; means use only paths with both Q values finite. Output-status transitions are reported separately.


2t7WUuJeko7-07 | image 1/17






























Base N=35; screened N=34; whole compatible N=27; space 1 N=0; space 2 N=4.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


7y3sRwLe3Va-06 | image 2/17






























Base N=34; screened N=32; whole compatible N=13; space 1 N=16; space 2 N=2.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


7y3sRwLe3Va-10 | image 3/17






























Base N=34; screened N=32; whole compatible N=21; space 1 N=6; space 2 N=2.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


7y3sRwLe3Va-18 | image 4/17






























Base N=35; screened N=32; whole compatible N=16; space 1 N=8; space 2 N=5.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


B6ByNegPMKs-42 | image 5/17






























Base N=35; screened N=33; whole compatible N=27; space 1 N=6; space 2 N=0.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


B6ByNegPMKs-43 | image 6/17






























Base N=35; screened N=31; whole compatible N=13; space 1 N=5; space 2 N=9.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


S9hNv5qa7GM-08 | image 7/17






























Base N=35; screened N=34; whole compatible N=14; space 1 N=4; space 2 N=12.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


b8cTxDM8gDG-08 | image 8/17






























Base N=35; screened N=32; whole compatible N=14; space 1 N=18; space 2 N=0.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


jh4fc5c5qoQ-09 | image 9/17






























Base N=35; screened N=34; whole compatible N=17; space 1 N=6; space 2 N=8.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


jh4fc5c5qoQ-14 | image 10/17






























Base N=35; screened N=29; whole compatible N=20; space 1 N=3; space 2 N=3.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


jtcxE69GiFV-12 | image 11/17






























Base N=35; screened N=35; whole compatible N=24; space 1 N=4; space 2 N=3.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


q9vSo1VnCiC-04 | image 12/17






























Base N=33; screened N=29; whole compatible N=22; space 1 N=1; space 2 N=5.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


q9vSo1VnCiC-13 | image 13/17






























Base N=33; screened N=31; whole compatible N=23; space 1 N=2; space 2 N=2.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


uNb9QFRL6hY-21 | image 14/17






























Base N=34; screened N=34; whole compatible N=34; space 1 N=0; space 2 N=0.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


uNb9QFRL6hY-25 | image 15/17






























Base N=34; screened N=34; whole compatible N=33; space 1 N=0; space 2 N=0.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


uNb9QFRL6hY-47 | image 16/17






























Base N=32; screened N=32; whole compatible N=32; space 1 N=0; space 2 N=0.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.


uNb9QFRL6hY-83 | image 17/17


























Base N=35; screened N=35; whole compatible N=17; space 1 N=3; space 2 N=15.
Natural256 path-weighted curves, including the sampled k=1 original-answer marginal; exact personal means are separate. Squares at k=2 are supplementary.
Floor scores require complete floor output. Full-N SD=0 reflects one member set, not reference correctness. Missing Q stays missing.