






2t7WUuJeko7-07 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=30)
Whole-compatible (N=23)
Space 2 (N=4)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



7y3sRwLe3Va-06 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=34)
After screening (N=22)
Whole-compatible (N=9)
Space 1 (N=12)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



7y3sRwLe3Va-10 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=34)
After screening (N=25)
Whole-compatible (N=19)
Space 1 (N=6)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



7y3sRwLe3Va-18 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=29)
Whole-compatible (N=15)
Space 1 (N=9)
Space 2 (N=4)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



B6ByNegPMKs-42 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=25)
Whole-compatible (N=20)
Space 1 (N=5)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



B6ByNegPMKs-43 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=14)
Whole-compatible (N=8)
Space 1 (N=4)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



S9hNv5qa7GM-08 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=24)
Whole-compatible (N=10)
Space 1 (N=3)
Space 2 (N=11)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



b8cTxDM8gDG-08 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=19)
Whole-compatible (N=9)
Space 1 (N=10)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



jh4fc5c5qoQ-09 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=24)
Whole-compatible (N=13)
Space 1 (N=6)
Space 2 (N=3)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



jh4fc5c5qoQ-14 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=18)
Whole-compatible (N=15)
Space 1 (N=3)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



jtcxE69GiFV-12 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=34)
Whole-compatible (N=30)
Space 1 (N=4)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.



q9vSo1VnCiC-04 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=33)
After screening (N=19)
Whole-compatible (N=15)
Space 2 (N=4)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.


q9vSo1VnCiC-13 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=33)
After screening (N=29)
Whole-compatible (N=27)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.


uNb9QFRL6hY-21 | Doorway: frozen 584 / 439 release
Conditional mean quality
Before screening (N=34)
After screening (N=34)
Whole-compatible (N=34)
Mean B8L2
Annotators (k)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.


uNb9QFRL6hY-25 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=34)
After screening (N=34)
Whole-compatible (N=33)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.


uNb9QFRL6hY-47 | Doorway: frozen 584 / 439 release
Conditional mean quality
Before screening (N=32)
After screening (N=32)
Whole-compatible (N=32)
Mean B8L2
Annotators (k)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.


uNb9QFRL6hY-83 | Doorway: frozen 584 / 439 release
Conditional mean quality
Mean B8L2
Annotators (k)
Before screening (N=35)
After screening (N=27)
Whole-compatible (N=11)
Space 1 (N=3)
Space 2 (N=13)
Member-combination variability
B8L2 SD
Annotators (k)
Layout diversity across teams
Mean pairwise 1-IoU
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Each target has its own compatible members and reference. Lines end at actual capacity.
Vertical dotted line: k=14 is the before/after common limit across all 17 images; side pools have much lower support.