




2t7WUuJeko7-06 | Easy | N=35 | Full B8L2=88.58
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 5. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 16. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


7y3sRwLe3Va-04 | Easy | N=33 | Full B8L2=95.50
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 3. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



7y3sRwLe3Va-13 | Easy | N=35 | Full B8L2=89.27
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 25. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



7y3sRwLe3Va-23 | Easy | N=30 | Full B8L2=98.88
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



7y3sRwLe3Va-26 | Easy | N=35 | Full B8L2=96.12
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


B6ByNegPMKs-11 | Easy | N=32 | Full B8L2=74.88
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 19. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



B6ByNegPMKs-18 | Easy | N=33 | Full B8L2=56.32
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 23. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


B6ByNegPMKs-21 | Easy | N=35 | Full B8L2=96.44
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



B6ByNegPMKs-22 | Easy | N=35 | Full B8L2=81.96
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 24. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 3. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



B6ByNegPMKs-40 | Easy | N=30 | Full B8L2=55.76
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



B6ByNegPMKs-48 | Easy | N=35 | Full B8L2=59.40
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


S9hNv5qa7GM-04 | Easy | N=35 | Full B8L2=98.21
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



S9hNv5qa7GM-06 | Easy | N=35 | Full B8L2=94.40
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



S9hNv5qa7GM-19 | Easy | N=35 | Full B8L2=96.43
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



UwV83HsGsw3-17 | Easy | N=35 | Full B8L2=95.50
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



VFuaQ6m2Qom-03 | Easy | N=35 | Full B8L2=99.76
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



VLzqgDo317F-02 | Easy | N=35 | Full B8L2=97.24
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



X7HyMhZNoso-05 | Easy | N=35 | Full B8L2=98.36
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



X7HyMhZNoso-13 | Easy | N=33 | Full B8L2=97.49
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 5. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



Z6MFQCViBuw-02 | Easy | N=35 | Full B8L2=95.91
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 21. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


Z6MFQCViBuw-03 | Easy | N=35 | Full B8L2=97.77
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 16. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



Z6MFQCViBuw-06 | Easy | N=35 | Full B8L2=89.32
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 21. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



Z6MFQCViBuw-08 | Easy | N=35 | Full B8L2=83.41
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



Z6MFQCViBuw-10 | Easy | N=35 | Full B8L2=99.12
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


e9zR4mvMWw7-02 | Easy | N=35 | Full B8L2=90.93
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



e9zR4mvMWw7-03 | Easy | N=35 | Full B8L2=99.16
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


e9zR4mvMWw7-17 | Easy | N=31 | Full B8L2=66.25
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



e9zR4mvMWw7-28 | Easy | N=34 | Full B8L2=96.69
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



jh4fc5c5qoQ-02 | Easy | N=35 | Full B8L2=88.22
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 13. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



jtcxE69GiFV-04 | Easy | N=35 | Full B8L2=89.96
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 19. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 5. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


jtcxE69GiFV-22 | Easy | N=35 | Full B8L2=98.63
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



jtcxE69GiFV-23 | Easy | N=35 | Full B8L2=99.53
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


jtcxE69GiFV-30 | Easy | N=35 | Full B8L2=99.05
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 5. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



pRbA3pwrgk9-02 | Easy | N=31 | Full B8L2=94.68
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 5. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



pa4otMbVnkk-06 | Easy | N=35 | Full B8L2=98.18
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



pa4otMbVnkk-44 | Easy | N=35 | Full B8L2=98.50
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



pa4otMbVnkk-48 | Easy | N=35 | Full B8L2=98.16
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 5. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


q9vSo1VnCiC-02 | Easy | N=33 | Full B8L2=93.33
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



q9vSo1VnCiC-11 | Easy | N=31 | Full B8L2=89.15
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 27. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


q9vSo1VnCiC-23 | Easy | N=9 | Full B8L2=97.64
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



q9vSo1VnCiC-29 | Easy | N=26 | Full B8L2=83.48
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 26. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



rPc6DW4iMge-17 | Easy | N=35 | Full B8L2=98.96
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


rPc6DW4iMge-20 | Easy | N=31 | Full B8L2=94.51
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-04 | Easy | N=35 | Full B8L2=86.75
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-08 | Easy | N=12 | Full B8L2=97.75
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


uNb9QFRL6hY-09 | Easy | N=35 | Full B8L2=94.99
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 16. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-19 | Easy | N=20 | Full B8L2=97.37
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 13. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-29 | Easy | N=35 | Full B8L2=86.39
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


uNb9QFRL6hY-43 | Easy | N=35 | Full B8L2=93.10
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-44 | Easy | N=30 | Full B8L2=86.14
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 13. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-53 | Easy | N=35 | Full B8L2=84.60
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 25. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-54 | Easy | N=35 | Full B8L2=93.36
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-56 | Easy | N=35 | Full B8L2=98.40
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-58 | Easy | N=20 | Full B8L2=96.93
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-68 | Easy | N=31 | Full B8L2=92.09
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


uNb9QFRL6hY-70 | Easy | N=9 | Full B8L2=97.43
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-72 | Easy | N=35 | Full B8L2=96.75
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 20. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 20. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-81 | Easy | N=29 | Full B8L2=93.04
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


uNb9QFRL6hY-82 | Easy | N=35 | Full B8L2=97.25
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-87 | Easy | N=35 | Full B8L2=83.19
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


wc2JMjhGNzB-18 | Easy | N=35 | Full B8L2=99.10
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



wc2JMjhGNzB-20 | Easy | N=35 | Full B8L2=99.12
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



wc2JMjhGNzB-40 | Easy | N=35 | Full B8L2=98.94
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 13. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


wc2JMjhGNzB-56 | Easy | N=35 | Full B8L2=97.79
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



wc2JMjhGNzB-59 | Easy | N=32 | Full B8L2=88.99
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 10. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 23. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


yqstnuAEVhm-02 | Easy | N=33 | Full B8L2=95.14
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 23. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



yqstnuAEVhm-04 | Easy | N=34 | Full B8L2=90.38
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 13. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


yqstnuAEVhm-10 | Easy | N=33 | Full B8L2=94.96
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 22. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



yqstnuAEVhm-24 | Easy | N=30 | Full B8L2=99.11
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 6. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 7. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



7y3sRwLe3Va-21 | Hard | N=35 | Full B8L2=83.91
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



B6ByNegPMKs-47 | Hard | N=35 | Full B8L2=51.51
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



S9hNv5qa7GM-12 | Hard | N=33 | Full B8L2=67.38
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



UwV83HsGsw3-22 | Hard | N=30 | Full B8L2=67.27
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 16. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



VFuaQ6m2Qom-04 | Hard | N=35 | Full Q unavailable
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



VFuaQ6m2Qom-07 | Hard | N=33 | Full B8L2=62.98
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



VFuaQ6m2Qom-10 | Hard | N=34 | Full B8L2=85.77
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



X7HyMhZNoso-07 | Hard | N=34 | Full B8L2=62.82
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



e9zR4mvMWw7-19 | Hard | N=33 | Full B8L2=56.48
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


jh4fc5c5qoQ-04 | Hard | N=33 | Full B8L2=95.02
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



jh4fc5c5qoQ-10 | Hard | N=33 | Full B8L2=71.79
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



jh4fc5c5qoQ-12 | Hard | N=33 | Full B8L2=84.76
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 25. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


jtcxE69GiFV-26 | Hard | N=31 | Full B8L2=56.93
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



pa4otMbVnkk-10 | Hard | N=32 | Full B8L2=28.25
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 11. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



rPc6DW4iMge-06 | Hard | N=26 | Full B8L2=45.44
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



rPc6DW4iMge-22 | Hard | N=18 | Full B8L2=52.04
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-18 | Hard | N=22 | Full B8L2=84.01
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 17. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-41 | Hard | N=22 | Full B8L2=87.95
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


uNb9QFRL6hY-50 | Hard | N=35 | Full B8L2=42.27
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-59 | Hard | N=21 | Full B8L2=55.19
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 4. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-88 | Hard | N=8 | Full B8L2=37.11
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



wc2JMjhGNzB-26 | Hard | N=22 | Full B8L2=82.91
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



wc2JMjhGNzB-53 | Hard | N=35 | Full B8L2=36.45
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 23. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 21. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



yqstnuAEVhm-09 | Hard | N=35 | Full B8L2=79.12
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



yqstnuAEVhm-25 | Hard | N=35 | Full B8L2=39.05
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 28. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



yqstnuAEVhm-29 | Hard | N=30 | Full B8L2=46.50
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


yqstnuAEVhm-31 | Hard | N=30 | Full B8L2=31.96
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 22. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



yqstnuAEVhm-32 | Hard | N=33 | Full B8L2=76.16
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 28. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



zsNo4HB9uLZ-16 | Hard | N=33 | Full B8L2=83.58
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 24. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


2t7WUuJeko7-02 | Medium | N=7 | Full B8L2=87.82
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



7y3sRwLe3Va-03 | Medium | N=34 | Full B8L2=95.59
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 9. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



7y3sRwLe3Va-19 | Medium | N=29 | Full B8L2=96.42
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



S9hNv5qa7GM-05 | Medium | N=34 | Full B8L2=94.79
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 20. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


S9hNv5qa7GM-09 | Medium | N=35 | Full B8L2=80.25
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



S9hNv5qa7GM-18 | Medium | N=35 | Full B8L2=98.47
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


S9hNv5qa7GM-21 | Medium | N=35 | Full B8L2=95.76
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



UwV83HsGsw3-10 | Medium | N=24 | Full B8L2=78.57
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 13. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 20. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



X7HyMhZNoso-19 | Medium | N=35 | Full B8L2=71.36
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 16. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


b8cTxDM8gDG-17 | Medium | N=30 | Full B8L2=97.53
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 18. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



b8cTxDM8gDG-18 | Medium | N=24 | Full B8L2=61.43
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 20. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 22. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 21. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 15. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



jtcxE69GiFV-13 | Medium | N=35 | Full B8L2=75.04
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 3. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: 3. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 3. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



pa4otMbVnkk-14 | Medium | N=34 | Full B8L2=97.89
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 18. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



q9vSo1VnCiC-03 | Medium | N=30 | Full B8L2=96.99
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 12. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



q9vSo1VnCiC-32 | Medium | N=33 | Full B8L2=82.71
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 18. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-01 | Medium | N=35 | Full B8L2=90.14
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-06 | Medium | N=9 | Full B8L2=96.72
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: 21. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



uNb9QFRL6hY-40 | Medium | N=35 | Full B8L2=96.65
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


uNb9QFRL6hY-67 | Medium | N=23 | Full B8L2=84.96
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 8. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



wc2JMjhGNzB-60 | Medium | N=35 | Full B8L2=79.40
Conditional quality
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Score (0-100)
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Floor 1-IoU
Centroid distance / camera height
Pairwise geometric difference
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 14. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.




Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.





Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.



Mean-Q small-change onset: 20. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


yqstnuAEVhm-27 | Medium | N=34 | Full B8L2=93.41
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 24. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


zsNo4HB9uLZ-09 | Medium | N=34 | Full B8L2=97.68
Conditional quality
Score (0-100)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Annotators (k)
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Floor 1-IoU
Centroid distance / camera height
Annotators (k)
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: 16. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.


zsNo4HB9uLZ-13 | Medium | N=31 | Full B8L2=26.89
Conditional quality
Score (0-100)
Annotators (k)
P10-P90
B8L2 mean
B8L2 P10
D10 mean
Different members, same k
B8L2 SD (points)
Annotators (k)
Layout diversity across teams
Pairwise geometric difference
Annotators (k)
Floor 1-IoU
Centroid distance / camera height
Complete and evaluable output
Fraction of all paths
Annotators (k)
Mean-Q small-change onset: not identified. Dashed lines mark metric-specific retrospective onsets.
256 nested paths; repeated teams retain frequency. Shaded k/N >= 0.8; full-pool dispersion is mechanically zero when evaluable.