

LEVEL 1

```
1 • CREATE DATABASE RetailStoreDB;
2 • USE RetailStoreDB;
3
4 • CREATE TABLE Customers (
5     CustomerID INT PRIMARY KEY,
6     Name VARCHAR(100),
7     Email VARCHAR(100) UNIQUE,
8     Phone VARCHAR(15) NOT NULL
9 );
10
11 • CREATE TABLE Products (
12     ProductID INT PRIMARY KEY,
13     ProductName VARCHAR(100),
14     Price DECIMAL(10,2) CHECK (Price > 0),
15     StockQuantity INT
16 );
17
18 • CREATE TABLE Orders (
19     OrderID INT PRIMARY KEY,
20     CustomerID INT,
21     OrderDate DATE,
22     TotalAmount DECIMAL(10,2)
23 );
24
25 • CREATE TABLE OrderDetails (
26     OrderDetailID INT PRIMARY KEY,
27     OrderID INT,
28     ProductID INT,
29     Quantity INT CHECK (Quantity > 0)
```

✓	12	10:05:18	CREATE DATABASE RetailStoreDB	1 row(s) affected	0.031 sec
✓	13	10:05:18	USE RetailStoreDB	0 row(s) affected	0.000 sec
✓	14	10:05:18	CREATE TABLE Customers (CustomerID INT PRIMARY KEY, Name VARCHAR(100), Email VARCHAR(100) UNI...	0 row(s) affected	0.078 sec
✓	15	10:05:18	CREATE TABLE Products (ProductID INT PRIMARY KEY, ProductName VARCHAR(100), Price DECIMAL(10,2) ...	0 row(s) affected	0.047 sec
✓	16	10:05:18	CREATE TABLE Orders (OrderID INT PRIMARY KEY, CustomerID INT, OrderDate DATE, TotalAmount DECIM...	0 row(s) affected	0.047 sec
✓	17	10:05:18	CREATE TABLE OrderDetails (OrderDetailID INT PRIMARY KEY, OrderID INT, ProductID INT, Quantity INT C...	0 row(s) affected	0.047 sec

LEVEL 3

```
32 • ALTER TABLE Customers
33 ADD Address VARCHAR(255);
34 • ALTER TABLE Products
35 ADD Category VARCHAR(50);
36 • ALTER TABLE Products
37 DROP COLUMN StockQuantity;
```

Output				
Action Output				
#	Time	Action	Message	
✓ 16	10:05:18	CREATE TABLE Orders (OrderID INT PRIMARY KEY, CustomerID INT, OrderDate DATE, TotalAmount DECIM...	0 row(s) affected	
✓ 17	10:05:18	CREATE TABLE OrderDetails (OrderDetailID INT PRIMARY KEY, OrderID INT, ProductID INT, Quantity INT C...	0 row(s) affected	
✓ 18	10:06:21	ALTER TABLE Customers ADD Address VARCHAR(255)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	
✗ 19	10:06:50	ALTER TABLE Customers ADD Address VARCHAR(255)	Error Code: 1060. Duplicate column name 'Address'	
✓ 20	10:07:10	ALTER TABLE Products ADD Category VARCHAR(50)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	
✓ 21	10:07:10	ALTER TABLE Products DROP COLUMN StockQuantity	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	

LEVEL 4

39 • DROP TABLE Accessories;

Context Help

Output

Action Output

#	Time	Action	Message
✓ 17	10:05:18	CREATE TABLE OrderDetails (OrderDetailID INT PRIMARY KEY, OrderID INT, ProductID INT, Quantity INT C...	0 row(s) affected
✓ 18	10:06:21	ALTER TABLE Customers ADD Address VARCHAR(255)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✗ 19	10:06:50	ALTER TABLE Customers ADD Address VARCHAR(255)	Error Code: 1060. Duplicate column name 'Address'
✓ 20	10:07:10	ALTER TABLE Products ADD Category VARCHAR(50)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✓ 21	10:07:10	ALTER TABLE Products DROP COLUMN StockQuantity	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
✗ 22	10:08:39	DROP TABLE Accessories	Error Code: 1051. Unknown table 'retailstoredb.accessories'

Table Accessories to be created in level 2.