# Coastguard

## The first two weeks on OpenRepos

What the packages uploaded to OpenRepos from 8 October to 21 October 2026 get to do on a Sailfish OS device. Grades and flags are those of each package's latest build.

Coastguard looked at **518** builds of **133** packages, without installing them. **None** matched known malware. **7** packages grade high and **38** medium, mostly for a turned-off sandbox, root services and setuid files. No upload has been scanned since 21 October, while OpenRepos is read-only after a PHP problem.

| | | |
|---|---|---|
| **518**<br>Builds scanned | **133**<br>Packages | **0**<br>Known malware found |
| **7**<br>Packages graded high | **25**<br>Apps with sandbox off | **98.4%**<br>Files unknown to VirusTotal |

### What this means if you install from OpenRepos


- **No known malware was found.** None of the 518 builds matched ClamAV, YARA, VirusTotal or MalwareBazaar. That only rules out malware someone has already catalogued; it does not make a package safe.
- **The malware databases barely know Sailfish.** VirusTotal had seen only 28 of the 1,758 files it was asked about. What a package installs and sets up tells you far more than its reputation.
- **Most packages are unremarkable.** 88 of 133 grade low. A medium or high grade means the package does more on your phone, such as running code as root or outside the sandbox. System tools often need this; read the flags and decide whether the app you are installing should.
- **Many apps turn the sandbox off.** 25 of the 102 packages with an app launcher run without Sailjail, so they can read everything your user account can: contacts, messages, photos and files.
- **Updates change what a package does.** 5 updates in this period raised a package's grade and 2 lowered it. Before updating, look at "Changes since the previous version" in the package's report.
- **Look up any package** at github.com/SpecSierra/Coastguard/tree/results/packages/<package-name>. Developers can answer a flag by shipping a short explanation in their package; it shows under the flag in the report.

# What packages get to do

## Risk grade


High: review before installing. Medium: worth a look. A grade is a prompt to read the report, not a verdict.

low medium high




## Sandbox (Sailjail)


Worst launcher per package, latest build. Packages with no launcher are libraries, patches and services.




# Flags and permissions


## Most common flags

Medium and high flags across every build, counted once per package. Red where the flag can grade a package high.




## Sandbox permissions asked for

Packages whose latest build asks for each permission.



## Packages graded high

Latest build of each. These packages install system-level parts, such as setuid helpers, root services or install scripts that grant privileges. Read the report before installing.

| Package | Latest version | Builds | Flags |
|---|---|---|---|
| **futo-keyboard-sailfish** | 0.9.6-2 | 26 | 7 privileged files (setgid privileged, setuid root); Sandbox turned off; System hook: polkit; Code that reads raw input devices |
| **harbour-whatsup** | 1.6.0-1 | 18 | Root service and no sandbox; Sandbox turned off; 1 root service; 3 privileged files (setgid privileged); System hook: D-Bus system policy; System hook: privileged launcher grant; Unsandboxed code that takes screenshots |
| **harbour-speakergain** | 0.2.1-1 | 4 | Root service and no sandbox; Sandbox turned off; 1 root service; System hook: polkit; System hook: udev rules |
| **harbour-muoto** | 3.6.0-13 | 3 | Install script grants elevated privileges; Sandbox turned off; System hook: D-Bus system policy; Code that installs packages at runtime; Unsandboxed code that installs persistence |
| **harbour-imira** | 0.10.12-1 | 2 | Root service and no sandbox; Sandbox turned off; 1 root service; 2 privileged files (setgid privileged); System hook: polkit; Unsandboxed code that installs persistence |
| **silisili-native-devel** | 1.1.0-1.59 | 2 | Root service and no sandbox; Sandbox turned off; 1 root service, started at install; System hook: privileged launcher grant |
| **sail-recorder** | 1.2.2-18 | 1 | Install script grants elevated privileges; 1 privileged file (setgid privileged) |

## Grade changes between versions

Each update whose risk grade differs from the previous scanned build of the same package and architecture. Added lists the flags the new build brought in; Dropped lists the flags of the previous build that are gone. A grade that returns to low only because an update's change flags expired is left out, since nothing in the package changed.

| Update | From | To | Added | Dropped |
|---|---|---|---|---|
| harbour-helmsman 0.4.8-1 → 0.4.9-1 | low | medium | Own profile loosens the sandbox (7 rules) | |
| foghorn 0.4.1-1 → 0.6.0-1 | low | medium | 3 root services, started at install; New background service | |
| harbour-inari-blue-notifier 1.2.0-1 → 1.2.1-1 | low | medium | New shipped sandbox profile | |
| harbour-speakergain 0.2.0-2 → 0.2.1-1 | medium | high | Root service and no sandbox; 1 root service; New background service; New system hook: polkit; New system hook: udev rules | |
| sfos-quickshare 0.1.4-1 → 0.1.5-1 | medium | low | | Script uses a paste, tunnel, webhook or raw-download service |
| harbour-carhotspot 0.3.2-1 → 0.4.0-1 | high | medium | New code that installs persistence | 1 privileged file (setuid root); System hook: sudoers; Install script grants elevated privileges; Code that edits sudoers; Sandbox turned off |
| harbour-gtgram 0.18+gtgram.20261019184756.5c3c513-60 → 0.18+gtgram.20261019192339.5d98c0a-60 | low | medium | New code that sends sms or places calls | |

## Every package

Latest build of each package, high grades first.

| Package | Grade | Sandbox | Versions | Builds | Flags |
|---|---|---|---|---|---|
| **futo-keyboard-sailfish** | high | Turned off | 9 | 26 | 7 privileged files (setgid privileged, setuid root); Sandbox turned off; System hook: polkit; Code that reads raw input devices |
| **harbour-imira** | high | Turned off | 2 | 2 | Root service and no sandbox; Sandbox turned off; 1 root service; 2 privileged files (setgid privileged); System hook: polkit; Unsandboxed code that installs persistence |
| **harbour-muoto** | high | Turned off | 1 | 3 | Install script grants elevated privileges; Sandbox turned off; System hook: D-Bus system policy; Code that installs packages at runtime; Unsandboxed code that installs persistence |
| **harbour-speakergain** | high | Turned off | 2 | 4 | Root service and no sandbox; Sandbox turned off; 1 root service; System hook: polkit; System hook: udev rules |
| **harbour-whatsup** | high | Turned off | 6 | 18 | Root service and no sandbox; Sandbox turned off; 1 root service; 3 privileged files (setgid privileged); System hook: D-Bus system policy; System hook: privileged launcher grant; Unsandboxed code that takes screenshots |
| **sail-recorder** | high | Declared | 1 | 1 | Install script grants elevated privileges; 1 privileged file (setgid privileged) |
| **silisili-native-devel** | high | Turned off | 2 | 2 | Root service and no sandbox; Sandbox turned off; 1 root service, started at install; System hook: privileged launcher grant |
| **Vapaamin** | medium | Turned off | 1 | 3 | Sandbox turned off; 1 privileged file (setgid privileged); System hook: privileged launcher grant; Code that gains root with devel su |
| **ambience-sync** | medium | No app launcher | 1 | 1 | 2 root services, started at install |
| **atlantic-browser** | medium | Declared | 3 | 3 | Own profile loosens the sandbox (7 rules); 3 root services, started at install |
| **foghorn** | medium | Declared | 5 | 10 | 3 root services, started at install |
| **harbour-fintube** | medium | Turned off | 2 | 3 | Sandbox turned off; Unsandboxed code that reads browser profile data |
| **harbour-fintune** | medium | Turned off | 2 | 3 | Sandbox turned off; Unsandboxed code that reads browser profile data |
| **harbour-foilpics** | medium | Turned off | 1 | 3 | Sandbox turned off |
| **harbour-helmsman** | medium | Declared | 4 | 12 | Own profile loosens the sandbox (7 rules) |
| **harbour-kibble** | medium | Turned off | 2 | 2 | Sandbox turned off; Unsandboxed code that reads browser profile data |

| Package | Grade | Sandbox | Versions | Builds | Flags |
|---|---|---|---|---|---|
| harbour-mconnect | medium | Turned off | 2 | 2 | Sandbox turned off |
| harbour-mullvad | medium | Turned off | 1 | 3 | Sandbox turned off; 1 privileged file (setgid privileged) |
| harbour-musicfox | medium | Turned off | 1 | 1 | Sandbox turned off |
| harbour-pacific | medium | Declared | 1 | 1 | Code that reads raw input devices |
| harbour-qutenav | medium | Turned off | 2 | 2 | Sandbox turned off |
| harbour-rootelegram | medium | Not declared | 4 | 12 | Unsandboxed code that sends sms or places calls |
| harbour-rootitanium | medium | Turned off | 6 | 11 | Sandbox turned off; System hook: files in a home directory; Code that gains root with devel su; Code that reads raw input devices |
| harbour-schachlehrer | medium | Turned off | 1 | 2 | Sandbox turned off |
| harbour-smpc | medium | Turned off | 1 | 3 | Sandbox turned off |
| harbour-talefish | medium | Turned off | 1 | 3 | Sandbox turned off |
| harbour-thakir | medium | Declared | 4 | 12 | 1 root service, started at install |
| harbour-valuelogger2 | medium | Turned off | 1 | 3 | Sandbox turned off |
| harbour-whisperfish | medium | Declared | 2 | 6 | 1 root service; System hook: privileged launcher grant |
| harbour-xmatic | medium | Declared | 11 | 22 | Code that gains root with devel su; Code that installs packages at runtime |
| opensoar | medium | Turned off | 1 | 1 | Sandbox turned off |
| openssl-libs | medium | No app launcher | 2 | 2 | Script uses a hard-coded IP address |
| owlfish-qualcomm | medium | No app launcher | 1 | 2 | System hook: D-Bus system policy |
| password-store | medium | Declared | 1 | 2 | Own profile loosens the sandbox (2 rules); Code that gains root with devel su; Code that installs packages at runtime |
| personalringtones | medium | Turned off | 1 | 5 | Sandbox turned off; System hook: privileged launcher grant; Unsandboxed code that sends sms or places calls |
| rockpool | medium | Declared | 1 | 1 | 1 privileged file (setgid privileged) |
| sanefish | medium | No app launcher | 1 | 3 | 1 root service, started at install; System hook: D-Bus system policy |
| screenrecorder | medium | Turned off | 4 | 10 | Sandbox turned off; 1 privileged file (setgid privileged); System hook: D-Bus system policy |
| sfos-quickshare-runtime | medium | No app launcher | 1 | 1 | Script uses a paste, tunnel, webhook or raw-download service |
| sfos_airpods | medium | Turned off | 2 | 6 | Sandbox turned off; System hook: D-Bus system policy; Install script changes users or loads kernel modules |
| sfos_airpods-daemon | medium | No app launcher | 1 | 3 | System hook: D-Bus system policy; Install script changes users or loads kernel modules |
| suuntosync-notifyd | medium | No app launcher | 2 | 2 | 1 privileged file (setgid privileged) |
| toh-notify | medium | No app launcher | 1 | 1 | 1 root service, started at install |

| Package | Grade | Sandbox | Versions | Builds | Flags |
|---|---|---|---|---|---|
| tor | medium | No app launcher | 4 | 6 | System hook: files in a home directory |
| wechat-sailfish-patch | medium | Turned off | 1 | 1 | Sandbox turned off |
| coverload | low | No app launcher | 1 | 1 | none |
| empty-package | low | No app launcher | 1 | 1 | none |
| felis-phone-start-page | low | No app launcher | 1 | 1 | none |
| felis-sharp-caller-photo | low | No app launcher | 1 | 1 | none |
| foghorn-test-connector | low | Declared | 5 | 10 | none |
| frogfish | low | No app launcher | 1 | 2 | none |
| harbour-asteroid-blaster | low | Declared | 1 | 1 | none |
| harbour-asteroid-dodger | low | Declared | 1 | 1 | none |
| harbour-asteroid-meteormatch | low | Declared | 1 | 1 | none |
| harbour-asteroid-touchdown | low | Declared | 1 | 1 | none |
| harbour-ausweis-satama | low | Declared | 1 | 3 | none |
| harbour-binaural | low | Declared | 2 | 6 | none |
| harbour-captains-bible | low | Declared | 10 | 20 | none |
| harbour-carhotspot | low | Declared | 6 | 14 | none |
| harbour-clipper | low | Declared | 2 | 6 | none |
| harbour-cribbage | low | Declared | 1 | 2 | none |
| harbour-dconf-explorer | low | Declared | 1 | 1 | none |
| harbour-dimeora | low | Declared | 1 | 3 | none |
| harbour-dollfin | low | Declared | 4 | 4 | none |
| harbour-doomsday | low | Declared | 2 | 4 | none |
| harbour-driver | low | Declared | 1 | 2 | none |
| harbour-emojinal-support | low | Declared | 1 | 1 | none |
| harbour-emoump | low | Declared | 1 | 3 | none |
| harbour-eureadia | low | Declared | 1 | 3 | none |
| harbour-fahrplan2 | low | Declared | 1 | 3 | none |
| harbour-felisbtbattery | low | Declared | 2 | 2 | none |
| harbour-felisnetatmo | low | Declared | 1 | 1 | none |
| harbour-felisttrss | low | Declared | 1 | 1 | none |
| harbour-fiatagenda | low | Declared | 1 | 2 | none |
| harbour-fiatvox | low | Declared | 1 | 2 | none |
| harbour-gtgram | low | Declared | 7 | 7 | none |
| harbour-guardifish | low | Declared | 1 | 1 | none |
| harbour-hearts | low | Declared | 1 | 2 | none |
| harbour-inari-blue-notifier | low | Declared | 25 | 25 | none |
| harbour-indra | low | Declared | 1 | 2 | none |
| harbour-livewire | low | Declared | 4 | 8 | none |
| harbour-meliona | low | Declared | 1 | 3 | none |
| harbour-meridon | low | Not declared | 1 | 2 | none |

| Package | Grade | Sandbox | Versions | Builds | Flags |
|---|---|---|---|---|---|
| harbour-meteopl | low | Declared | 1 | 1 | none |
| harbour-mullvad-debuginfo | low | No app launcher | 1 | 3 | none |
| harbour-mullvad-debugsource | low | No app launcher | 1 | 3 | none |
| harbour-nami | low | Declared | 1 | 2 | none |
| harbour-nekofish | low | Declared | 1 | 1 | none |
| harbour-neoncasino | low | Declared | 2 | 2 | none |
| harbour-nextmarks | low | Declared | 2 | 4 | none |
| harbour-oe1radio | low | Declared | 1 | 2 | none |
| harbour-openhab | low | Declared | 1 | 3 | none |
| harbour-ourasync | low | Declared | 1 | 1 | none |
| harbour-paperiton | low | Declared | 2 | 6 | none |
| harbour-quizduel | low | Declared | 1 | 2 | none |
| harbour-r8-one | low | Declared | 1 | 2 | none |
| harbour-radelt | low | Declared | 1 | 2 | none |
| harbour-readeck | low | Declared | 2 | 4 | none |
| harbour-rootheater | low | Declared | 2 | 6 | none |
| harbour-sagswien | low | Declared | 1 | 2 | none |
| harbour-sailfeed | low | Declared | 3 | 8 | none |
| harbour-sailmines | low | Declared | 1 | 2 | none |
| harbour-sailwave | low | No app launcher | 3 | 6 | none |
| harbour-sailwave-radio | low | Declared | 1 | 3 | none |
| harbour-sfos-forum-viewer | low | Declared | 1 | 1 | none |
| harbour-skiff | low | Declared | 3 | 3 | none |
| harbour-soundsail | low | Declared | 2 | 2 | none |
| harbour-speedfastpro | low | Declared | 1 | 2 | none |
| harbour-submusic | low | Declared | 4 | 12 | none |
| harbour-suuntosync | low | Declared | 2 | 2 | none |
| harbour-tooterb | low | Declared | 1 | 3 | none |
| harbour-watchlist | low | Declared | 1 | 3 | none |
| harbour-wave | low | Declared | 1 | 2 | none |
| harbour-webuntis | low | Declared | 2 | 2 | none |
| harbour-webuntis-secret | low | Declared | 1 | 1 | none |
| harbour-welkweer | low | Declared | 1 | 2 | none |
| ice-data-on-lockscreen | low | No app launcher | 1 | 1 | none |
| inari-blue-notifier-daemon | low | No app launcher | 2 | 2 | none |
| inari-blue-notifier-settings | low | No app launcher | 1 | 1 | none |
| longterm | low | Declared | 1 | 2 | none |
| micro | low | No app launcher | 1 | 3 | none |
| mpd | low | No app launcher | 1 | 2 | none |

| Package | Grade | Sandbox | Versions | Builds | Flags |
|---|---|---|---|---|---|
| **openssl** | **low** | No app launcher | 2 | 2 | none |
| **openssl-devel** | **low** | No app launcher | 2 | 2 | none |
| **openssl1.1** | **low** | No app launcher | 2 | 2 | none |
| **owlfish** | **low** | No app launcher | 1 | 2 | none |
| **personal-ringtones-qml** | **low** | No app launcher | 2 | 2 | none |
| **pharos** | **low** | No app launcher | 1 | 1 | none |
| **sfos-quickshare** | **low** | No app launcher | 4 | 4 | none |
| **sfos_airpods-debuginfo** | **low** | No app launcher | 2 | 6 | none |
| **sfos_airpods-debugsource** | **low** | No app launcher | 2 | 6 | none |
| **spinny** | **low** | Declared | 1 | 1 | none |
| **zzmusic** | **low** | Declared | 1 | 1 | none |

## About this report

Coastguard downloads every RPM uploaded to OpenRepos and unpacks it, without installing or running it, to record what it would set up on a device. The full report for each build is on the results branch of github.com/SpecSierra/Coastguard. This PDF is made from that branch by scripts/report_pdf.py.

Known-malware checks: ClamAV and YARA scanned all 518 builds. The VirusTotal lookup failed for 1 build and MalwareBazaar for 15; those builds were still scanned by the other checks.

### Builds scanned per day

All architectures, by the day each build was first scanned.

