Coastguard: the first two weeks on OpenRepos


Every build stored on the results branch, 2026-10-08 to 2026-10-23. Grades count each package's latest build. Generated 2026-10-23.

Coastguard scanned **518** builds of **133** packages. The known-malware checks matched **0** of them. The risk grade is where the signal is: **7** packages grade high and **38** medium, mostly for a turned-off sandbox, root services and setuid files. No build has been scanned since 2026-10-21: OpenRepos is read-only after a PHP problem and has published nothing new.

518 Builds scanned	**133** Packages	**0** Known malware found
7 Packages graded high	**25** Apps with sandbox off	**98.4%** Hashes VirusTotal never saw

Intake

Builds scanned per day, all architectures. Red dots mark the days a scan run failed. The watcher still polls three times an hour; OpenRepos has published nothing since Oct 21, 17:02 UTC.




What packages get to do

Risk grade


High: review before installing. Medium: worth a look. A grade is a prompt to read the report, not a verdict.

low medium high



Sandbox (Sailjail)


Worst launcher per package, latest build. Packages with no launcher are libraries, patches and services.



Flags and permissions


Most common flags

Medium and high flags across every build, counted once per package. Red where the flag can grade a package high.



Sandbox permissions asked for

Packages whose latest build asks for each permission.



Packages graded high

Latest build of each. All of them ship system-level parts on purpose: setuid helpers, root daemons, install scripts that grant privileges. These are the reports to read before installing.

Package	Latest version	Builds	Flags
futo-keyboard-sailfish	0.9.6-2	26	7 privileged files (setgid privileged, setuid root); Sandbox turned off; System hook: polkit; Code that reads raw input devices
harbour-whatsup	1.6.0-1	18	Root service and no sandbox; Sandbox turned off; 1 root service; 3 privileged files (setgid privileged); System hook: D-Bus system policy; System hook: privileged launcher grant; Unsandboxed code that takes screenshots
harbour-speakergain	0.2.1-1	4	Root service and no sandbox; Sandbox turned off; 1 root service; System hook: polkit; System hook: udev rules
harbour-muoto	3.6.0-13	3	Install script grants elevated privileges; Sandbox turned off; System hook: D-Bus system policy; Code that installs packages at runtime; Unsandboxed code that installs persistence
harbour-imira	0.10.12-1	2	Root service and no sandbox; Sandbox turned off; 1 root service; 2 privileged files (setgid privileged); System hook: polkit; Unsandboxed code that installs persistence
silisili-native-devel	1.1.0-1.59	2	Root service and no sandbox; Sandbox turned off; 1 root service, started at install; System hook: privileged launcher grant
sail-recorder	1.2.2-18	1	Install script grants elevated privileges; 1 privileged file (setgid privileged)

Grade changes between versions

Each update whose risk grade differs from the previous scanned build of the same package and architecture. Added lists the flags the new build brought in; Dropped lists the flags of the previous build that are gone. Architectures with the same change are shown once.

Update	From	To	Added	Dropped
harbour-helmsman 0.4.8-1 → 0.4.9-1	low	medium	Own profile loosens the sandbox (7 rules)	
foghorn 0.4.1-1 → 0.6.0-1	low	medium	3 root services, started at install; New background service	
harbour-inari-blue-notifier 1.2.0-1 → 1.2.1-1	low	medium	New shipped sandbox profile	
harbour-inari-blue-notifier 1.2.1-1 → 1.3.0-1	medium	low		Nothing new since the previous build, so its change flag cleared
harbour-speakergain 0.2.0-2 → 0.2.1-1	medium	high	Root service and no sandbox; 1 root service; New background service; New system hook: polkit; New system hook: udev rules	
sfos-quickshare 0.1.4-1 → 0.1.5-1	medium	low		Script uses a paste, tunnel, webhook or raw-download service
harbour-carhotspot 0.3.2-1 → 0.4.0-1	high	medium	New code that installs persistence	1 privileged file (setuid root); System hook: sudoers; Install script grants elevated privileges; Code that edits sudoers; Sandbox turned off
harbour-carhotspot 0.4.0-1 → 0.4.1-1	medium	low		Nothing new since the previous build, so its change flag cleared
harbour-gtgram 0.18+gtgram.20261019184756.5c3c513-60 → 0.18+gtgram.20261019192339.5d98c0a-60	low	medium	New code that sends sms or places calls	
harbour-gtgram 0.18+gtgram.20261019192339.5d98c0a-60 → 0.18+gtgram.20261020065058.d5dee1a-60	medium	low		Nothing new since the previous build, so its change flag cleared

Known-malware checks

Builds per outcome. An error means the lookup did not answer; the other checks still ran.

Check	Passed	Detected	Errors
ClamAV	518	0	0
YARA Forge + own rules	518	0	0
VirusTotal	517	0	1
MalwareBazaar	503	0	15

What this means if you install from OpenRepos

- **No known malware was found.** None of the 518 builds matched ClamAV, YARA, VirusTotal or MalwareBazaar. That only rules out malware someone has already catalogued; it does not make a package safe.
- **The malware databases barely know Sailfish.** VirusTotal had seen only 28 of the 1,758 files it was asked about. What a package installs and sets up tells you far more than its reputation.
- **Most packages are unremarkable.** 88 of 133 grade low. A medium or high grade means the package does more on your phone, such as running code as root or outside the sandbox. System tools often need this; read the flags and decide whether the app you are installing should.
- **Many apps turn the sandbox off.** 25 of the 102 packages with an app launcher run without Sailjail, so they can read everything your user account can: contacts, messages, photos and files.
- **Updates change what a package does.** 5 updates in this period raised a package's grade and 5 lowered it. Before updating, look at "Changes since the previous version" in the package's report.
- **Look up any package** at github.com/SpecSierra/Coastguard/tree/results/packages/<package-name>. Developers can answer a flag by shipping a short explanation in their package; it shows under the flag in the report.

Every package

Latest build of each package, high grades first. The full report per build is on the results branch.

Package	Grade	Sandbox	Versions	Builds	Flags
futo-keyboard-sailfish	high	Turned off	9	26	7 privileged files (setgid privileged, setuid root); Sandbox turned off; System hook: polkit; Code that reads raw input devices
harbour-imira	high	Turned off	2	2	Root service and no sandbox; Sandbox turned off; 1 root service; 2 privileged files (setgid privileged); System hook: polkit; Unsandboxed code that installs persistence
harbour-muoto	high	Turned off	1	3	Install script grants elevated privileges; Sandbox turned off; System hook: D-Bus system policy; Code that installs packages at runtime; Unsandboxed code that installs persistence
harbour-speakergain	high	Turned off	2	4	Root service and no sandbox; Sandbox turned off; 1 root service; System hook: polkit; System hook: udev rules
harbour-whatsup	high	Turned off	6	18	Root service and no sandbox; Sandbox turned off; 1 root service; 3 privileged files (setgid privileged); System hook: D-Bus system policy; System hook: privileged launcher grant; Unsandboxed code that takes screenshots
sail-recorder	high	Declared	1	1	Install script grants elevated privileges; 1 privileged file (setgid privileged)
silisili-native-devel	high	Turned off	2	2	Root service and no sandbox; Sandbox turned off; 1 root service, started at install; System hook: privileged launcher grant
Vapaamin	medium	Turned off	1	3	Sandbox turned off; 1 privileged file (setgid privileged); System hook: privileged launcher grant; Code that gains root with devel su
ambience-sync	medium	No app launcher	1	1	2 root services, started at install
atlantic-browser	medium	Declared	3	3	Own profile loosens the sandbox (7 rules); 3 root services, started at install
foghorn	medium	Declared	5	10	3 root services, started at install
harbour-fintube	medium	Turned off	2	3	Sandbox turned off; Unsandboxed code that reads browser profile data
harbour-fintune	medium	Turned off	2	3	Sandbox turned off; Unsandboxed code that reads browser profile data
harbour-foilpics	medium	Turned off	1	3	Sandbox turned off
harbour-helmsman	medium	Declared	4	12	Own profile loosens the sandbox (7 rules)
harbour-kibble	medium	Turned off	2	2	Sandbox turned off; Unsandboxed code that reads browser profile data
harbour-mconnect	medium	Turned off	2	2	Sandbox turned off
harbour-mullvad	medium	Turned off	1	3	Sandbox turned off; 1 privileged file (setgid privileged)
harbour-musicfox	medium	Turned off	1	1	Sandbox turned off
harbour-pacific	medium	Declared	1	1	Code that reads raw input devices
harbour-qutenav	medium	Turned off	2	2	Sandbox turned off

Package	Grade	Sandbox	Versions	Builds	Flags
harbour-rootelegram	medium	Not declared	4	12	Unsandboxed code that sends sms or places calls
harbour-rootitanium	medium	Turned off	6	11	Sandbox turned off; System hook: files in a home directory; Code that gains root with devel su; Code that reads raw input devices
harbour-schachlehrer	medium	Turned off	1	2	Sandbox turned off
harbour-smpc	medium	Turned off	1	3	Sandbox turned off
harbour-talefish	medium	Turned off	1	3	Sandbox turned off
harbour-thakir	medium	Declared	4	12	1 root service, started at install
harbour-valuelogger2	medium	Turned off	1	3	Sandbox turned off
harbour-whisperfish	medium	Declared	2	6	1 root service; System hook: privileged launcher grant
harbour-xmatic	medium	Declared	11	22	Code that gains root with devel su; Code that installs packages at runtime
opensoar	medium	Turned off	1	1	Sandbox turned off
openssl-libs	medium	No app launcher	2	2	Script uses a hard-coded IP address
owlfish-qualcomm	medium	No app launcher	1	2	System hook: D-Bus system policy
password-store	medium	Declared	1	2	Own profile loosens the sandbox (2 rules); Code that gains root with devel su; Code that installs packages at runtime
personalringtones	medium	Turned off	1	5	Sandbox turned off; System hook: privileged launcher grant; Unsandboxed code that sends sms or places calls
rockpool	medium	Declared	1	1	1 privileged file (setgid privileged)
sanefish	medium	No app launcher	1	3	1 root service, started at install; System hook: D-Bus system policy
screenrecorder	medium	Turned off	4	10	Sandbox turned off; 1 privileged file (setgid privileged); System hook: D-Bus system policy
sfos-quickshare-runtime	medium	No app launcher	1	1	Script uses a paste, tunnel, webhook or raw-download service
sfos_airpods	medium	Turned off	2	6	Sandbox turned off; System hook: D-Bus system policy; Install script changes users or loads kernel modules
sfos_airpods-daemon	medium	No app launcher	1	3	System hook: D-Bus system policy; Install script changes users or loads kernel modules
suuntosync-notifyd	medium	No app launcher	2	2	1 privileged file (setgid privileged)
toh-notify	medium	No app launcher	1	1	1 root service, started at install
tor	medium	No app launcher	4	6	System hook: files in a home directory
wechat-sailfish-patch	medium	Turned off	1	1	Sandbox turned off
coverload	low	No app launcher	1	1	
empty-package	low	No app launcher	1	1	
felis-phone-start-page	low	No app launcher	1	1	
felis-sharp-caller-photo	low	No app launcher	1	1	
foghorn-test-connector	low	Declared	5	10	

Package	Grade	Sandbox	Versions	Builds	Flags
frogfish	low	No app launcher	1	2	
harbour-asteroid-blaster	low	Declared	1	1	
harbour-asteroid-dodger	low	Declared	1	1	
harbour-asteroid-meteormatch	low	Declared	1	1	
harbour-asteroid-touchdown	low	Declared	1	1	
harbour-ausweis-satama	low	Declared	1	3	
harbour-binaural	low	Declared	2	6	
harbour-captains-bible	low	Declared	10	20	
harbour-carhotspot	low	Declared	6	14	
harbour-clipper	low	Declared	2	6	
harbour-cribbage	low	Declared	1	2	
harbour-dconf-explorer	low	Declared	1	1	
harbour-dimeora	low	Declared	1	3	
harbour-dollfin	low	Declared	4	4	
harbour-doomsday	low	Declared	2	4	
harbour-driver	low	Declared	1	2	
harbour-emojinal-support	low	Declared	1	1	
harbour-emoump	low	Declared	1	3	
harbour-eureadia	low	Declared	1	3	
harbour-fahrplan2	low	Declared	1	3	
harbour-felisbtbattery	low	Declared	2	2	
harbour-felisnetatmo	low	Declared	1	1	
harbour-felisttrss	low	Declared	1	1	
harbour-fiatagenda	low	Declared	1	2	
harbour-fiatvox	low	Declared	1	2	
harbour-gtgram	low	Declared	7	7	
harbour-guardifish	low	Declared	1	1	
harbour-hearts	low	Declared	1	2	
harbour-inari-blue-notifier	low	Declared	25	25	
harbour-indra	low	Declared	1	2	
harbour-livewire	low	Declared	4	8	
harbour-meliona	low	Declared	1	3	
harbour-meridon	low	Not declared	1	2	
harbour-meteopl	low	Declared	1	1	
harbour-mullvad-debuginfo	low	No app launcher	1	3	
harbour-mullvad-debugsource	low	No app launcher	1	3	
harbour-nami	low	Declared	1	2	
harbour-nekofish	low	Declared	1	1	
harbour-neoncasino	low	Declared	2	2	
harbour-nextmarks	low	Declared	2	4	
harbour-oe1radio	low	Declared	1	2	

Package	Grade	Sandbox	Versions	Builds	Flags
harbour-openhab	low	Declared	1	3	
harbour-ourasync	low	Declared	1	1	
harbour-paperiton	low	Declared	2	6	
harbour-quizduel	low	Declared	1	2	
harbour-r8-one	low	Declared	1	2	
harbour-radelt	low	Declared	1	2	
harbour-readeck	low	Declared	2	4	
harbour-rootheater	low	Declared	2	6	
harbour-sagswien	low	Declared	1	2	
harbour-sailfeed	low	Declared	3	8	
harbour-sailmines	low	Declared	1	2	
harbour-sailwave	low	No app launcher	3	6	
harbour-sailwave-radio	low	Declared	1	3	
harbour-sfos-forum-viewer	low	Declared	1	1	
harbour-skiff	low	Declared	3	3	
harbour-soundsail	low	Declared	2	2	
harbour-speedfastpro	low	Declared	1	2	
harbour-submusic	low	Declared	4	12	
harbour-suuntosync	low	Declared	2	2	
harbour-tooterb	low	Declared	1	3	
harbour-watchlist	low	Declared	1	3	
harbour-wave	low	Declared	1	2	
harbour-webuntis	low	Declared	2	2	
harbour-webuntis-secret	low	Declared	1	1	
harbour-welkweer	low	Declared	1	2	
ice-data-on-lockscreen	low	No app launcher	1	1	
inari-blue-notifier-daemon	low	No app launcher	2	2	
inari-blue-notifier-settings	low	No app launcher	1	1	
longterm	low	Declared	1	2	
micro	low	No app launcher	1	3	
mpd	low	No app launcher	1	2	
openssl	low	No app launcher	2	2	
openssl-devel	low	No app launcher	2	2	
openssl1.1	low	No app launcher	2	2	
owlfish	low	No app launcher	1	2	
personal-ringtones-qml	low	No app launcher	2	2	
pharos	low	No app launcher	1	1	

Package	Grade	Sandbox	Versions	Builds	Flags
sfos-quickshare	low	No app launcher	4	4	
sfos_airpods-debuginfo	low	No app launcher	2	6	
sfos_airpods-debugsource	low	No app launcher	2	6	
spinny	low	Declared	1	1	
zzmusic	low	Declared	1	1	