Name: Aum Kulakrni

Div: D6AD

Roll No. 36

Experiment Title: Program on Multithreading

WAJP to print the table of 5,7,13 using Multithreading (Use thread class)

Code:

```
1 class PrintTables extends Thread
 2 | {
 3
     int num;
     public PrintTables(int num)
 4
 5
 6
       super("Table" + num);
 7
       this.num = num;
 8
 9
     public void run()
10
       for(int i = 1; i <= 10; i++)
11
12
         System.out.println(num + "*"+ i + ": " + num * i);
13
14
     }
15
16
17
   class Tables
18
19
     public static void main(String args[])
20
       PrintTables t5 = new PrintTables(5);
21
       PrintTables t7 = new PrintTables(7);
22
       PrintTables t13 = new PrintTables(13);
23
24
25
       t5.start();
       t7.start();
26
       t13.start();
27
28
29
       try
30
       {
         t5.join();
31
         t7.join();
32
33
         t13.join();
34
       catch(InterruptedException e)
35
36
37
         System.out.println(e);
38
39
     }
40 | }
```

Ouput:

5*1: 5 5*2: 10 13*1: 13 7*1: 7 13*2: 26 5*3: 15 5*4: 20 13*3: 39 13*4: 52 7*2: 14 13*5: 65 13*6: 78 13*7: 91 13*8: 104 13*9: 117 5*5: 25 13*10: 130 7*3: 21 5*6: 30 5*7: 35 7*4: 28 5*8: 40 5*9: 45 7*5: 35 7*6: 42 5*10: 50 7*7: 49 7*8: 56 7*9: 63 7*10: 70

WAJP to print first 20 prime nos. and 15 Fibonacci terms. (Using Runnable Interface)

Code:

```
1 class PrintPrimes implements Runnable
 2 | {
 3
     Thread t;
     int noOfElements;
 4
     public PrintPrimes(int noOfElements)
 5
 6
     {
       t = new Thread(this, "print primes");
 7
       this.noOfElements = noOfElements;
 8
 9
       t.start();
     }
10
11
     public void run()
12
13
       int i = 1;
       int num = 2;
14
       boolean isPrime = true;
15
       while( i <= noOfElements)</pre>
16
17
         for(int j = 2; j \le num / 2; j++)
18
19
            if(num \% j == 0)
20
21
              isPrime = false;
22
              break;
23
24
            }
         }
25
         if(isPrime)
26
27
            System.out.println( "Prime No. " + num + " ( "+ i +" )");
28
            i++;
29
30
          isPrime = true;
31
32
         num++;
33
       }
     }
34
35
36
   class PrintFibo implements Runnable
37
38
     Thread t;
     int noOfElements;
39
     public PrintFibo(int noOfElements)
40
41
     {
       t = new Thread(this, "print fibos");
42
```

```
43
       this.noOfElements = noOfElements;
       t.start();
44
     }
45
46
     public void run()
47
       int a = 0;
48
       int b = 1;
49
       for(int i = 1; i <= noOfElements; i++)</pre>
50
51
         System.out.println("Fibo term "+ i + ": " + a);
52
53
         b = a + b;
54
         a = b - a;
       }
55
56
     }
   }
57
58
   {\tt class\ PrimeAndFibo}
59
60
     public static void main(String args[])
61
62
       PrintPrimes prPrimes = new PrintPrimes(20);
63
       PrintFibo prFibos = new PrintFibo(15);
64
65
       try
       {
66
         prPrimes.t.join();
67
         prFibos.t.join();
68
69
       catch(InterruptedException e)
70
71
72
         System.out.println(e);
73
74
75
     }
76 | }
```

Ouput:

```
(1)
Prime No. 2
Prime No. 3
Prime No. 5 (3)
Prime No. 7 (4)
Prime No. 11
            (5)
Prime No. 13
            (6)
Prime No. 17
            (7)
Prime No. 19
            (8)
Prime No. 23
            (9)
Fibo term 1: 0
Prime No. 29 (10)
Prime No. 31
            (11)
Prime No. 37
            (12)
Prime No. 41
            (13)
Fibo term 2: 1
Prime No. 43
             (14)
Prime No. 47 (15)
Fibo term 3: 1
Fibo term 4: 2
Fibo term 5: 3
Prime No. 53 (16)
Prime No. 59 (17)
Fibo term 6: 5
Prime No. 61 (18)
Prime No. 67 (19)
Fibo term 7: 8
Fibo term 8: 13
Prime No. 71 (20)
Fibo term 9: 21
Fibo term 10: 34
Fibo term 11: 55
Fibo term 12: 89
Fibo term 13: 144
Fibo term 14: 233
Fibo term 15: 377
```

Program on concept of synchronization Code:

```
1 class Account
 2
 3
       int balance;
       public Account(int balance)
 4
 5
 6
            this.balance = balance;
 7
       public void deposit(int value)
8
           balance = balance + value;
10
11
       public void withdraw(int value)
12
13
14
            if(balance - value < 0)</pre>
15
                System.out.println("Cannot Withdraw");
16
            }
17
            else
18
            {
19
                balance = balance - value;
20
21
            }
       }
22
       public void depositTimes(int value, int times)
23
24
            for(int i = 0; i < times; i++)
25
            {
26
27
                deposit(value);
                System.out.println("Balance: " + balance);
28
            }
29
       }
30
31
       public void withdrawTimes(int value, int times)
32
33
            for(int i = 0; i < times; i++)</pre>
34
35
                withdraw(value);
36
                System.out.println("Balance: " + balance);
37
            }
38
       }
39
40
   class ATM implements Runnable
41
42
43
       Account ac;
       Thread t;
44
```

```
45
       public ATM(Account ac)
46
47
            t = new Thread(this, "ATM");
48
           this.ac = ac;
49
50
       public void run()
51
            ac.withdrawTimes(500, 10);
52
53
54
   class Bank implements Runnable
55
56
       Account ac;
57
58
       Thread t;
       public Bank(Account ac)
59
       {
60
            t = new Thread(this, "Bank");
61
62
            this.ac = ac;
       }
63
64
       public void run()
65
            ac.depositTimes(500, 10);
66
       }
67
68
69
   class SynchronizationIssue
70
       public static void main(String args[])
71
72
           Account ac = new Account(500);
73
74
           Bank bank = new Bank(ac);
75
            ATM atm = new ATM(ac);
           bank.t.start();
76
            atm.t.start();
77
78
           try
           {
79
                bank.t.join();
80
                atm.t.join();
81
            }
82
            catch(InterruptedException e)
83
84
                System.out.println(e);
85
86
87
       }
88 | }
```

Ouput:

Balance: 500 Balance: 0

Cannot Withdraw

Balance: 0

Cannot Withdraw

Balance: 0

Cannot Withdraw
Balance: 500
Balance: 0
Balance: 0
Balance: 0
Balance: 0

Cannot Withdraw
Balance: 500
Balance: 500
Balance: 1000
Balance: 0
Balance: 1500
Balance: 1500
Balance: 1500
Balance: 1500
Balance: 2000

Balance: 2500

If we make the functions operating on the shared data synchronized then only one thread will be able to access it at once Thus all the withdraws will occur after all the deposits

Code:

```
1 class Account
 2
 3
       int balance;
 4
       public Account(int balance)
 5
 6
            this.balance = balance;
7
       }
       synchronized public void deposit(int value)
8
9
           balance = balance + value;
10
11
       }
       synchronized public void withdraw(int value)
12
13
            if(balance - value < 0)</pre>
14
15
                System.out.println("Cannot Withdraw");
16
17
18
           balance = balance - value;
19
       }
20 | }
```

Ouput:

Balance: 1000 Balance: 1500 Balance: 2000 Balance: 2500 Balance: 3000 Balance: 3500 Balance: 4000 Balance: 4500 Balance: 5000 Balance: 5500 Balance: 5000 Balance: 4500 Balance: 4000 Balance: 3500 Balance: 3000 Balance: 2500 Balance: 2000 Balance: 1500 Balance: 1000 Balance: 500