


Exercise 6A ASDT GIT 20.12.2024

By Kateryna Kononikhina 77610

1. Use the repository from Exercise 5 and Play with **git rm**.




```
✓ GIT_RESET_TEST
  ⓘ README.md
  ≡ reset_lifecycle_file

≡ reset_lifecycle_file
  1 new content
  2

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

The default interactive shell is now zsh.
To update your account to use zsh, please run `chsh -s /bin/zsh`.
For more details, please visit https://support.apple.com/kb/HT208050.
● users-MacBook-Air:git_reset_test mt$ git rm new_file
  rm 'new_file'
○ users-MacBook-Air:git_reset_test mt$
```

2. Undo **git rm**.



```
● mt@users-MacBook-Air git_reset_test % git log --name-only --oneline

d4120bc (HEAD -> main) Remove new_file
new_file
f5ed523 (origin/main, origin/HEAD) commit
new_file
7bc3c47 Initial commit
reset_lifecycle_file
5fba44b Updated reset_lifecycle_file
reset_lifecycle_file
9bead82 Initial commit
reset_lifecycle_file
46e759e Initial commit
README.md

● mt@users-MacBook-Air git_reset_test % git checkout f5ed523 -- new_file
● mt@users-MacBook-Air git_reset_test % git add new_file
● mt@users-MacBook-Air git_reset_test % git commit -m "Restore new_file after undoing git rm"
[main 45eced4] Restore new_file after undoing git rm
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 new_file
○ mt@users-MacBook-Air git_reset_test %
```