Exercise 6B ASDT GIT 20.12.2024

By Kateryna Kononikhina 77610

 Change the message of the last commit to "I can change the last commit message"

git commit --amend -m "I can change the last commit message"

2. Play with git rebase

```
PROBLEMS
            OUTPUT
                       DEBUG CONSOLE
                                        TERMINAL
                                                    PORTS
pick d4120bc Remove new_file
reword e8cae61 I can change the last commit message
# Rebase f5ed523..e8cae61 onto f5ed523 (2 commands)
# Commands:
 p, pick <commit> = use commit
 r, reword <commit> = use commit, but edit the commit message
# e, edit <commit> = use commit, but stop for amending
 s, squash <commit> = use commit, but meld into previous commit
 f, fixup [-C \mid -c] <commit> = like "squash" but keep only the previous
                      commit's log message, unless -C is used, in which case keep only this commit's message; -c is same as -C but
                      opens the editor
 x, exec <command> = run command (the rest of the line) using shell
# b, break = stop here (continue rebase later with 'git rebase --continue')
# d, drop <commit> = remove commit
 l, label <label> = label current HEAD with a name
 t, reset <label> = reset HEAD to a label
# m, merge [-C <commit> | -c <commit>] <label> [# <oneline>]
          create a merge commit using the original merge commit's
          message (or the oneline, if no original merge commit was
          specified); use -c <commit> to reword the commit message
 u, update-ref <ref> = track a placeholder for the <ref> to be updated
                         to this position in the new commits. The <ref> is
                         updated at the end of the rebase
 These lines can be re-ordered; they are executed from top to bottom.
 If you remove a line here THAT COMMIT WILL BE LOST.
# However, if you remove everything, the rebase will be aborted.
```