Washington State University Vancouver

Systems Programming - CS 360

Assignment 4 - Due: 11:59AM Feburary 26

 $\begin{array}{c} Instructor: \\ \text{Ben McCamish} \end{array}$

Overall Assignment - 100 points

Write a program (in C) called assignment4.c targeted at the Linux platform that performs like a shell pipeline. Example:

```
# ./assignment4 ls : sort = # ls | sort
```

Where the colon breaks argy into a left (ls) and right (sort) portion. Implementation will fork/exec and setup a pipe such that:

- parent: left portion, runs with stdout = pipe write end
- child: right portion, runs with stdin = pipe read end
- Consider swapping parent and child functions, why?

Program Interface (Required)

```
./assignment4 <arg1> : <arg2>
```

Where: <arg1> and <arg2> are optional parameters that specify the programs to be run. If <arg1> is specified but <arg2> is not, then <arg1> should be run as though there was not a colon. Same for if <arg2> is specified but <arg1> is not.

Specifications and Restrictions

- (60 points Autolab) Must pass tests on various inputs.
- (20 points Autolab/TA) Must be robust, including error catching. You must catch errors and print out (to stdout) only message produced by that error using strerr(). This means you will need to errno.h and string.h, libraries at least.
- (Required) Design one source file assignment4.c
- Helpful functions: fork, exec, dup (or dup2), open/close, exit, wait, etc. (consult man pages as needed)
- Do not use popen or system.
- Note: The specification for this program is intentionally incomplete. Consider various situations and exception conditions that may occur. Determine a reasonable interpretation of the arguments, then design and implement a robust program
- You will need a main. Unlike previous assignments, you are writing and independent program that I will be executing and comparing output. As such, you might remove all print statements before submitting to autolab.

What to turn in (to Autolab):

• assignment4.c (no header files)