


WebPage:



Model:

Price:

iphone 1000

samsung 1200

motorola 700

google 800

Index:

The screenshot shows the Eclipse IDE with the 'index.html' file open in the editor. The file contains an HTML form with a title 'Insert title here:', a hidden input field for 'id', a text input field for 'pModel', and a text input field for 'price'. The form has a submit button labeled 'Go!'. The console output shows the application starting successfully, with messages from the Spring Boot App, Apache Tomcat, and the application's main method.

```
1 <!DOCTYPE html>
2 <html xmlns="https://www.thymeleaf.org">
3 <head>
4 <meta charset="UTF-8">
5 <title>Insert title here:</title>
6 </head>
7 <body>
8
9 <form method="post" th:action="@{/insertPhone}" th:object="${phone}">
10 <input type="hidden" name="id" th:field="${id}" />
11 <input type="text" name="pModel" th:field="${pModel}" /><br>
12 <input type="text" name="price" th:field="${price}" /><br>
13 <input type="submit" value="Go!" />
14 </form>
15
16 <table th:if="${session.phoneList != null AND session.phoneList != ''}">
17 <tr th:each="s : ${session.phoneList}">
18 <td th:text="${s.id}">1</td>
19 <td th:text="${s.pModel}">iPhone</td>
20 <td th:text="${s.price}">1000</td>
21 </tr>
22 </table>
23
24 </body>
25 </html>
```

Console Output:

```
8.1_ex_barnesp-1 - Application [Spring Boot App] C:\Program Files\Eclipse Adoptium\jdk-21.0.4-hotspot\bin\java.exe (Oct 28, 2024, 10:32:01AM) [pid: 23412]
2024-10-28T10:32:02.886-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2024-10-28T10:32:02.886-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.]
2024-10-28T10:32:02.920-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2024-10-28T10:32:02.920-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed
2024-10-28T10:32:02.962-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.s.b.a.w.s.WelcomePageHandlerMapping : Adding welcome page template: index
2024-10-28T10:32:03.178-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path = /
2024-10-28T10:32:03.184-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] c.sheridandcollege.barnesp.Application : Started Application in 1.115 seconds (process running for 1.115)
2024-10-28T10:32:08.154-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2024-10-28T10:32:08.154-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2024-10-28T10:32:08.155-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
```

## Phone class

The screenshot shows the Eclipse IDE with the 'Phone.java' file open in the editor. The file defines a 'Phone' class with private fields for 'id', 'pModel', and 'price', and a constructor. The console output is identical to the previous screenshot, showing the application starting successfully.

```
1 package ca.sheridandcollege.barnesp.beans;
2
3 import lombok.AllArgsConstructor;
4 import lombok.Data;
5 import lombok.NoArgsConstructor;
6
7 @Data
8 @NoArgsConstructor
9 @AllArgsConstructor
10 public class Phone {
11
12     private Long id;
13     private String pModel;
14     private Long price;
15
16 }
17
```

Console Output:

```
8.1_ex_barnesp-1 - Application [Spring Boot App] C:\Program Files\Eclipse Adoptium\jdk-21.0.4-hotspot\bin\java.exe (Oct 28, 2024, 10:32:01AM) [pid: 23412]
2024-10-28T10:32:02.886-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2024-10-28T10:32:02.886-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.]
2024-10-28T10:32:02.920-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2024-10-28T10:32:02.920-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed
2024-10-28T10:32:02.962-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.s.b.a.w.s.WelcomePageHandlerMapping : Adding welcome page template: index
2024-10-28T10:32:03.178-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path = /
2024-10-28T10:32:03.184-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [main] c.sheridandcollege.barnesp.Application : Started Application in 1.115 seconds (process running for 1.115)
2024-10-28T10:32:08.154-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2024-10-28T10:32:08.154-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2024-10-28T10:32:08.155-04:00 INFO 23412 --- [8.1_ex_barnesp-1] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
```

## CarController:

