

Pulse Metrics Enablement

Dustin Grau

Principal Software Engineer

June 2021



Work History

- Idea originated from Server-Side Profiling in OpenEdge 12.2
 - https://docs.progress.com/bundle/pas-for-openedge-management-122/page/What-is-Server-Side-Profiling.html
 - Uses a separate "diagnostic store" PAS instance + DB for holding collected data
 - Enabled via OEJMX query on PAS instance with customer's business logic
- Original OE 12.2 Work: OCTA-23323 (OPENEDGE-1555)
- OE 12.4 Enhancements: OCTA-31992 [Agent Start Time]
- Internal Publication: OCTA-36241 [Iceberg Repository]
- Supports OE 11.7.x and 12.2+ (latter is preferred, primary focus)





Collector

Centralized collection point for metrics reported by applications



\$ sudo /usr/dlc122/bin/proenv

DLC: /usr/dlc122 WRKDIR: /usr/wrk122 OEM: /usr/oemgmt122

OEMWRKDIR: /usr/wrk_oemgmt122

Inserting /usr/dlc122/bin to beginning of path and setting the current directory to /usr/wrk122.

OpenEdge Release 12.2 as of Tue Mar 17 18:15:25 EDT 2020

proenv>cd /home/ec2-user/Collector/



```
proenv>proant
Buildfile: /home/ec2-user/Collector/build.xml
usage:
   [echo] DLC Home: /usr/dlc122
   [echo] OpenEdge Version: 12.2.4
   [echo]
   [echo] Usage Instructions:
   [echo]
   [echo] proant create - Create the monitor PAS instance and pasmon database
           -Dhttp=8850 = Port for HTTP connections
   [echo]
   [echo]
           -Dhttps=8851 = Port for HTTPS connections
   [echo]
           -Dajp=8852 = Port for AJP13 connections
   [echo]
           -Dshut=8853 = Tomcat shutdown port
   [echo]
           -Dwrk=/usr/wrk = Parent directory for PAS instance
           -Dinstance=monitor = Name of PAS instance
   [echo]
   [echo]
           -Dalias=monitor = Alias for PAS instance
           -Dablapp=monitor = Dedicated ABL App name
   [echo]
           -Dwebapp=ROOT = WebApp name for UI deployment
   [echo]
           -Dcodepage=UTF-8 = Codepage for DB/instance
   [echo]
            -Dcollation=Basic = Collation for Codepage
   [echo]
      . . .
   [echo] Instance Management:
           proant startup - Uses TCMAN to start the monitor PAS instance
   [echo]
   [echo]
           proant guery - Uses TCMAN to guery the monitor PAS instance
            proant shutdown - Uses TCMAN to stop the monitor PAS instance
   [echo]
   [echo]
   [echo] Location Assumptions:
```

[echo] DLC Environment: /usr/dlc122

[echo] CATALINA_BASE: /usr/wrk/monitor [echo] Database Path: /usr/wrk/monitor/db



proenv>proant

Buildfile: /home/ec2-user/Collector/build.xml

usage:

. . .

[echo] proant update - [Optional] Re-deploy static content and ABL code

[echo] -Dwrk=/usr/wrk = Parent directory for PAS instance

[echo] -Dinstance=monitor = Name of PAS instance

[echo]

[echo] proant rebuild_db - [Optional] Re-create the pasmon database from scratch

[echo] -Dwrk=/usr/wrk = Parent directory for PAS instance

[echo] -Dinstance=monitor = Name of PAS instance

. . .



proenv>proant -Dwrk=/usr/wrk122 create Buildfile: /home/ec2-user/Collector/build.xml

create:

[echo] DLC Home: /usr/dlc122 [echo] OpenEdge Version: 12.2.4

[echo]

[echo] Creating PAS instance 'monitor' at /usr/wrk122/monitor with ports 8850/8851/8852/8853...

[echo] See file create_monitor.txt for details of PAS server creation.

[echo] Deploying UI files to ROOT WebApp...

[unzip] Expanding: /home/ec2-user/Collector/ui.zip into /usr/wrk122/monitor/webapps/ROOT

[echo] Deploying ABL code to monitor ABLApp...

[copy] Copying 8 files to /usr/wrk122/monitor/ablapps/monitor/openedge

[echo]

[echo] Creating DB instance at /usr/wrk122/monitor/db...

[mkdir] Created dir: /usr/wrk122/monitor/db

[PCTCreateBase] Generating pasmon structure

[PCTCreateBase] Copying DB /usr/dlc122/empty8 to pasmon

[PCTCreateBase] Loading /home/ec2-user/Collector/schema/pasmon.df in database

[echo] Truncating BI: -C truncate bi -G 1 -bi 262128 -biblocksize 16 -cpinternal UTF-8 -cpcoll Basic

[echo] BI Grow: -C bigrow 4 -r -cpinternal UTF-8 -cpcoll Basic

[copy] Copying 1 file to /usr/wrk122/monitor/openedge

[copy] Copying /home/ec2-user/Collector/openedge/logging.config to /usr/wrk122/monitor/openedge/logging.config

[copy] Copying 4 files to /usr/wrk122/monitor/bin

[copy] Copying 1 file to /usr/wrk122/monitor/openedge


[copy] Copying 1 file to /home/ec2-user/Collector/openedge

[echo] Merging initial properties from 'merge monitor.openedge.properties'.



```
proenv>proant startup
Buildfile: /home/ec2-user/Collector/build.xml
startup:
   [echo] DLC Home: /usr/dlc122
   [echo] OpenEdge Version: 12.2.4
   [exec] Starting stopped PASOE instance monitor
   [exec] info: Archiving previous log files
   [exec] info: Waiting for PASOE instance startup to complete...
   [exec] .....
   [exec]
   [exec] info: Getting PASOE instance process ids for 27443 ...
   [exec] info: Scanning for startup errors...
   [exec] info: Scanning ABL applications for errors: monitor
   [exec] info: No errors found in the PASOE instance /logs folder
   [exec] info: PASOE startup in 15 seconds
   [exec] {
   [exec] "start-action": "start",
   [exec] "initial-state": "stopped",
   [exec] "initial-processes": [ 0 ],
   [exec] "exit-state": "started",
   [exec] "exit-description": "Starting stopped PASOE instance monitor",
   [exec] "exit-processes": [ 27443, 27695 ],
   [exec] "exit-status": "0",
   [exec] "exit-errors": [
   [exec]]
   [exec] }
```








Application

Sends metrics from active MSAgents of an ABL Application



\$ sudo /usr/dlc122/bin/proenv

DLC: /usr/dlc122 WRKDIR: /usr/wrk122 OEM: /usr/oemgmt122

OEMWRKDIR: /usr/wrk_oemgmt122

Inserting /usr/dlc122/bin to beginning of path and setting the current directory to /usr/wrk122.

OpenEdge Release 12.2 as of Tue Mar 17 18:15:25 EDT 2020

proenv>cd /home/ec2-user/Application/



```
proenv>proant
Buildfile: /home/ec2-user/Application/build.xml
usage:
   [echo] DLC Home: /usr/dlc122
   [echo] OpenEdge Version: 12.2.0
   [echo]
   [echo] Usage Instructions:
   [echo]
   [echo] proant deploy metrics - Configure the PAS instance for metrics collection
            -Dwrk=/usr/wrk = Parent directory for PAS instance
   [echo]
           -Dinstance=oepas1 = Name of PAS instance
   [echo]
           -Dablapp=oepas1 = Dedicated ABL App name
   [echo]
           -Dwebapp=ROOT = Demo webapp name
   [echo]
           -Dmonitor=127.0.0.1 = IP of the monitor endpoint
   [echo]
   [echo]
            -Dport=8850 = Port of the monitor endpoint
   [echo]
   [echo] proant health - Enable the HealthScanner function for the instance
            -Dwrk=/usr/wrk = Parent directory for PAS instance
   [echo]
           -Dinstance=oepas1 = Name of PAS instance
   [echo]
   [echo]
           -DhealthPort=8899 = Port for HealthCheck
   [echo] Instance Management:
           proant startup - Uses TCMAN to start the oepas1 PAS instance
   [echo]
            proant guery - Uses TCMAN to guery the oepas1 PAS instance
   [echo]
            proant shutdown - Uses TCMAN to stop the oepas1 PAS instance
   [echo]
   [echo]
   [echo] Location Assumptions:
   [echo]
            DLC Environment: /usr/dlc122
   [echo]
            CATALINA BASE: /usr/wrk/oepas1
```



```
proenv>proant
Buildfile: /home/ec2-user/Application/build.xml
usage:
   [echo] DLC Home: /usr/dlc122
   [echo] OpenEdge Version: 12.2.0
   [echo]
   [echo] Usage Instructions:
   [echo]
   [echo] proant create - [Optional] Create a standard oepas1 PAS instance
            -Dhttp=8810 = Port for HTTP connections
   [echo]
   [echo]
           -Dhttps=8811 = Port for HTTPS connections
           -Dajp=8009 = Port for AJP13 connections
   [echo]
   [echo]
           -Dshut=8812 = Tomcat shutdown port
           -Dwrk=/usr/wrk = Parent directory for PAS instance
   [echo]
            -Dinstance=oepas1 = Name of PAS instance
   [echo]
   [echo]
            -Dalias=oepas1 = Alias for PAS instance
   [echo] proant deploy demos - [Optional] Recompile and update demo ABL code
   [echo]
           -Dwrk=/usr/wrk = Parent directory for PAS instance
   [echo]
           -Dinstance=oepas1 = Name of PAS instance
   [echo]
           -Dablapp=oepas1 = Dedicated ABL App name
            -Dwebapp=ROOT = Demo webapp name
   [echo]
   [echo] proant metrics - Enable/Disable collection for the instance
            -Dwrk=/usr/wrk = Parent directory for PAS instance
   [echo]
   [echo]
           -Dinstance=oepas1 = Name of PAS instance
   [echo]
            -Dablapp=oepas1 = ABL App for collection
            -DlocalIP=127.0.0.1 = IP of this server
   [echo]
   [echo]
            -Dtype=pulse [pulse|profiler]
            -Dstate=on [on|off]
   [echo]
   [echo]
            -Dopts=sessions,requests,calltrees,ablobjs [logmsgs,sessions[,requests[,calltrees[,callstacks]],ablobjs]]
            -Dmonitor=127.0.0.1 = IP of the monitor endpoint
   [echo]
            -Dport=8850 = Port of the monitor endpoint
   [echo]
```



proenv>proant create

Buildfile: /home/ec2-user/Application/build.xml

create:

[echo] DLC Home: /usr/dlc122 [echo] OpenEdge Version: 12.2.0

[echo] Creating PAS instance 'oepas1' at /usr/wrk/oepas1 with ports 8810/8811/8009/8812...

[echo] See file create_oepas1.txt for details of PAS server creation.

proenv>proant deploy_demos

Buildfile: /home/ec2-user/Application/build.xml

deploy_demos:

[echo] DLC Home: /usr/dlc122 [echo] OpenEdge Version: 12.2.0

[copy] Copying 1 file to /usr/wrk/oepas1/webapps/ROOT/WEB-INF/openedge

[copy] Copying /home/ec2-user/Application/deploy/tests.map to /usr/wrk/oepas1/webapps/ROOT/WEB-INF/openedge/tests.map

[copy] Copying 1 file to /usr/wrk/oepas1/webapps/ROOT/static

[copy] Copying /home/ec2-user/Application/deploy/tests.json to /usr/wrk/oepas1/webapps/ROOT/static/tests.json

[PCTCompile] PCTCompile - Progress Code Compiler

[PCTCompile] 5 file(s) compiled

[delete] Deleting directory /usr/wrk/oepas1/webapps/ROOT/WEB-INF/openedge/.pct

[copy] Copying 1 file to /home/ec2-user/Application

[echo] Merging initial properties from 'merge_demo_oepas1.openedge.properties'...



proenv>proant deploy_metrics -Dmonitor=172.31.90.73

Buildfile: /home/ec2-user/Application/build.xml

deploy_metrics:

[echo] DLC Home: /usr/dlc122 [echo] OpenEdge Version: 12.2.0

[echo] Creating backup of original openedge.properties file...

[copy] Copying 1 file to /usr/wrk/oepas1/conf

[copy] Copying /usr/wrk/oepas1/conf/openedge.properties to /usr/wrk/oepas1/conf/openedge.properties.bak

[echo] Installing application metrics logic into /usr/wrk/oepas1...

[copy] Copying 10 files to /usr/wrk/oepas1/bin

[copy] Copying 1 file to /usr/wrk/oepas1/openedge

[copy] Copying /home/ec2-user/Application/deploy/oe122/logging.config to /usr/wrk/oepas1/openedge/logging.config

[copy] Copying 9 files to /usr/wrk/oepas1/openedge

[echo] Adjusting logging-tomcat.properties to add %D token (elapsed time in ms)...

[copy] Copying 1 file to /usr/wrk/oepas1/conf

[copy] Copying /usr/wrk/oepas1/conf/logging-tomcat.properties to /usr/wrk/oepas1/conf/logging-tomcat.properties.bak



proenv>proant health

Buildfile: /home/ec2-user/Application/build.xml

health:

[echo] DLC Home: /usr/dlc122

[echo] OpenEdge Version: 12.2.0

[copy] Copying 1 file to /usr/wrk/oepas1/conf

[copy] Copying /usr/wrk/oepas1/conf/health.config to /usr/wrk/oepas1/conf/health.config.bak

[echo] Please restart the PASOE instance to complete enablement.



```
proenv>proant startup
Buildfile: /home/ec2-user/Application/build.xml
startup:
   [echo] DLC Home: /usr/dlc122
   [echo] OpenEdge Version: 12.2.0
   [exec] Starting stopped PASOE instance oepas1
   [exec] info: Archiving previous log files
   [exec] info: Waiting for PASOE instance startup to complete...
   [exec] .....
   [exec]
   [exec] info: Getting PASOE instance process ids for 25455 ...
   [exec] info: Scanning for startup errors...
   [exec] info: Scanning ABL applications for errors: oepas1
   [exec] info: No errors found in the PASOE instance /logs folder
   [exec] info: PASOE startup in 13 seconds
   [exec] {
   [exec] "start-action": "start",
   [exec] "initial-state": "stopped",
   [exec] "initial-processes": [0],
   [exec] "exit-state": "started",
   [exec] "exit-description": "Starting stopped PASOE instance oepas1",
   [exec] "exit-processes": [ 25455, 25654, 25665 ],
   [exec] "exit-status": "0",
   [exec] "exit-errors": [
   [exec]]
   [exec] }
```



proenv>proant metrics -Dmonitor=172.31.90.73 Buildfile: /home/ec2-user/Application/build.xml

metrics:

[echo] DLC Home: /usr/dlc122 [echo] OpenEdge Version: 12.2.0

[PCTRun] PASOE Instance: /usr/wrk/oepas1

[PCTRun] Metrics Type: pulse (on)

[PCTRun] Agent PID 25654: AVAILABLE

[PCTRun] Query: {"O":"PASOE:type=OEManager,name=AgentManager", "M":["debugTest", "25654", "LiveDiag", "http://172.31.90.73:8850/web/pdo/monitor/intake/liveMetrics", 20, "sessions,requests,calltrees,ablobjs|app=oepas1|host=172.31.88.221|name=Metrics_2021-05-27T14:12:36.985+00:00|health=http://172.31.90.73:8850/web/pdo/monitor/health/collect"]}


[PCTRun] Result: {"debugTest":{"ABLOutput":{"description":"sessions,requests,calltrees,ablobjs|app=oepas1|host=172.31.88.221|name=Metrics_2021-05-27T14:12:36.985+00:00|health=http:\/\172.31.90.73:8850\/web\/pdo\/monitor\/health\/collect","interval":20,"operation":"LiveDiag","target":"http:\/\172.31.90.73:8850\/web\/pdo\/monitor\/intake\/liveMetrics"},"ABLReturnVal":true,"agentId":"MWBfzgqpS62DatXXSCxUYw","pid":"25654"}}

[PCTRun] Agent PID 25665: AVAILABLE


[PCTRun] Query: {"O":"PASOE:type=OEManager,name=AgentManager", "M":["debugTest", "25665", "LiveDiag", "http://172.31.90.73:8850/web/pdo/monitor/intake/liveMetrics", 20, "sessions,requests,calltrees,ablobjs|app=oepas1|host=172.31.88.221|name=Metrics_2021-05-27T14:12:36.985+00:00|health=http://172.31.90.73:8850/web/pdo/monitor/health/collect"]}

[PCTRun] Result: {"debugTest":{"ABLOutput":{"description":"sessions,requests,calltrees,ablobjs|app=oepas1|host=172.31.88.221|name=Metrics_2021-05-27T14:12:36.985+00:00|health=http:\/\/172.31.90.73:8850\/web\/pdo\/monitor\/health\/collect","interval":20,"operation":"LiveDiag","target":"http:\/\/172.31.90.73:8850\/web\/pdo\/monitor\/intake\/liveMetrics"},"ABLReturnVal":true,"agentId":"5MyQ5uW8Sn-ppS4JTf9waQ","pid":"25665"}}











proenv>proant metrics -Dstate=off

Buildfile: /home/ec2-user/Application/build.xml

metrics:

[echo] DLC Home: /usr/dlc122 [echo] OpenEdge Version: 12.2.0

[PCTRun] PASOE Instance: /usr/wrk/oepas1

[PCTRun] Metrics Type: pulse (off)

[PCTRun] Agent PID 25654: AVAILABLE

[PCTRun] Query: {"O":"PASOE:type=OEManager,name=AgentManager", "M":["debugTest", "25654", "LiveDiag", "", 0, ""]}

[PCTRun] Result: {"debugTest":{"ABLOutput":{"description":"sessions,requests,calltrees,ablobjs|app=oepas1|host=172.31.88.221|name=Metrics_2021-05-27T14:12:36.985+00:00|health=http:\/\172.31.90.73:8850\/web\/pdo\/monitor\/health\/collect","interval":0,"operation":"LiveDiag","target":"http:\/\172.31.90.73:8850\/web\/pdo\/monitor\/intake\/liveMetrics"},"ABLReturnVal":true,"agentId":"MWBfzgqpS62DatXXSCxUYw","pid":"25654"}}

[PCTRun] Agent PID 25665: AVAILABLE

[PCTRun] Query: {"O":"PASOE:type=OEManager,name=AgentManager", "M":["debugTest", "25665", "LiveDiag", "", 0, ""]}

[PCTRun] Result: {"debugTest":{"ABLOutput":{"description":"sessions,requests,calltrees,ablobjs|app=oepas1|host=172.31.88.221|name=Metrics_2021-05-27T14:12:36.985+00:00|health=http:\/\/172.31.90.73:8850\/web\/pdo\/monitor\/health\/collect","interval":0,"operation":"LiveDiag","target":"http:\/\/172.31.90.73:8850\/web\/pdo\/monitor\/intake\/liveMetrics"},"ABLReturnVal":true,"agentId":"5MyQ5uW8Sn-ppS4JTf9waQ","pid":"25665"}}

