

# Lecture 4: Supervised learning

## Introduction to Machine Learning

Sophie Robert

L3 MIASHS — Semestre 2

2022-2023

- 1 Context
- 2 Methodology
- 3 Evaluation
- 4 Overfitting
- 5 Bias-variance trade-off
- 6 Training and testing dataset
- 7 Cross validation
- 8 Hyperparameter selection
- 9 Algorithms

# Reminders on previous session

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Question

Can anyone remind me of the definition of supervised learning ?  
Can anyone give me some kind of problems that can be solved with supervised learning ?

This session is **hard but fundamental**: read it slowly and carefully, it is very important in order to understand the rest of the course.

# Context

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

To solve a prediction issue, there are two approaches:

- A field expertise approach

# Context

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

To solve a prediction issue, there are two approaches:

- A field expertise approach
- An automatic approach by finding patterns within the dataset and using these patterns to make decisions regarding incoming data

# Context

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

To solve a prediction issue, there are two approaches:

- A field expertise approach
- An automatic approach by finding patterns within the dataset and using these patterns to make decisions regarding incoming data

In this course, we will study **supervised learning**: we are **looking for a function that maps input vectors to labels based on example input-output pairs**.

# Context

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

To solve a prediction issue, there are two approaches:

- A field expertise approach
- An automatic approach by finding patterns within the dataset and using these patterns to make decisions regarding incoming data

In this course, we will study **supervised learning**: we are **looking for a function that maps input vectors to labels based on example input-output pairs**.

We will only be focusing on discrete problems, predicting **categorical variables**. Usually, this is referred to as **classification\*** problems.

# Methodology

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Unformally, supervised\* learning consists of:

- Building a set of "examples", consisting of the data describing the individuals (**features\***) and the corresponding label (**target\***) acting as the **ground truth\***



# Methodology

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Unformally, supervised\* learning consists of:

- Building a set of "examples", consisting of the data describing the individuals (**features\***) and the corresponding label (**target\***) acting as the **ground truth\***
- Building a function mapping this data to this ground truth

# Methodology

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Unformally, supervised\* learning consists of:

- Building a set of "examples", consisting of the data describing the individuals (**features\***) and the corresponding label (**target\***) acting as the **ground truth\***
- Building a function mapping this data to this ground truth
- Evaluating the performance of this method either on the example dataset or on some other data (test dataset)

# Methodology

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Supervised learning methodology

- Represent each individual  $i$  by a tuple  $(X_i, y_i)$ ,  $X_i \in \mathbb{R}^d$ ,  $y_i \in \mathcal{Y} = \{1, \dots, K\}$
- Define a function  $f$  associating each  $X_i$  to a label:  $f(X_i) \in \mathcal{Y}$

# Example

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

For example, we will use the Titanic dataset to train an algorithm to be able to predict who would and who would have not survived the Titanic tragedy.



# Example

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

For example, we will use the Titanic dataset to train an algorithm to be able to predict who would and who would have not survived the Titanic tragedy.



## Features and target

What do you imagine will be some possible features ? will be the target to predict ?

# Evaluation

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

**Evaluation**

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

How can I measure how well the algorithm performs ?

# Evaluation

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

How can I measure how well the algorithm performs ?

### Question

Can you give possible evaluation metrics ? What metric did you use when your learned about regression ?

# Evaluation

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

How can I measure how well the algorithm performs ?

## Question

Can you give possible evaluation metrics ? What metric did you use when you learned about regression ?

**We need objective metric(s) to assess the quality of the model we designed.**



# Confusion matrix

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Confusion\* matrix

A **confusion matrix** is a specific table layout that allows visualization of **the performance of a classification algorithm**. Each row of the matrix represents the instances the predicted class while each column represents the instances of the actual class.

# Confusion matrix

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Confusion\* matrix

A **confusion matrix** is a specific table layout that allows visualization of **the performance of a classification algorithm**. Each row of the matrix represents the instances the predicted class while each column represents the instances of the actual class.

The **confusion matrix** makes it easy to see when the algorithm is "confused".

		Actual	
		Positive	Negative
Predicted	Positive	True Positive	False Positive
	Negative	False Negative	True Negative

# Example: compute confusion metric

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

**Evaluation**

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Build the confusion matrix for the following dataset:

Actual class	Predicted class
0	1
0	0
0	0
0	1
1	1
1	1
1	0

# Example: compute confusion metric

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

**Evaluation**

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Build the confusion matrix for the following dataset:

Actual class	Predicted class
0	1
0	0
0	0
0	1
1	1
1	1
1	0

## Question

Can you identify some examples of when you might want to treat false positives / false negatives differently ?

# Possible evaluation metrics

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Many evaluation metrics rely on the confusion matrix.  
Among the most famous:

- **Accuracy\***: the proportion of true results among the total number of cases examined.

$$\text{Accuracy} = \frac{TP + TN}{TP + FP + FN + TN}$$

# Possible evaluation metrics

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Many evaluation metrics rely on the confusion matrix.  
Among the most famous:

- **Accuracy\***: the proportion of true results among the total number of cases examined.

$$\text{Accuracy} = \frac{TP + TN}{TP + FP + FN + TN}$$

- **Precision\***: the proportion of predicted positives that is truly positive.

$$\text{Precision} = \frac{TP}{TP + FP}$$

# Possible evaluation metrics

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

**Recall\***: the proportion of actual positives correctly classified.

$$\text{Recall} = \frac{TP}{TP+FN}$$

# Possible evaluation metrics

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

**Recall\***: the proportion of actual positives correctly classified.

$$\text{Recall} = \frac{TP}{TP+FN}$$

**F1-Score\***: Harmonic mean of precision and recall.

$$F_1 = 2 \times \frac{\text{precision} \times \text{recall}}{\text{precision} + \text{recall}}$$

## Question

Can you identify at least one use-case where you want to favor recall *versus* precision rather than the other ?



# Schematic view of confusion matrix

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting


Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms



# ROC curve

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset


Cross  
validation

Hyperparameter  
selection

Algorithms

## ROC\* curve

**ROC curves** plots the evolution of the true positive rate and the false negative rate and allows the comparison of models to the random classifier.



# ROC curve

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Question

For what use-case does the random classifier as a comparison does not work well ?

# Example: compute metric value

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Using the previous dataset, compute the following metrics:

- Accuracy:
- Precision:
- Recall:
- F1-score:

# Overfitting

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation


Hyperparameter  
selection

Algorithms

## Overfitting\*

It is always possible to build a function that will match EXACTLY the training dataset, but it doesn't mean it will generalize well !

It is not always a good idea to have a **perfect fit** for  $f$  (i.e.,  $f(X_i) = y_i$  for all  $i$  in the training set).



# Bias-variance trade-off

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation


Hyperparameter  
selection

Algorithms


## Bias-variance trade-off

Selecting the right algorithm is a trade-off between **bias\*** and **variance\***.


- **Bias\* error:** error from erroneous assumptions in the learning algorithm (high bias: the algorithm does not learn from the dataset)
- **Variance\* error:** error from sensitivity to small fluctuations in the training set (high variance: the algorithm learns the noise from the dataset)



overfitting



underfitting



Good balance

# Training / testing dataset

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

**Training and  
testing dataset**

Cross  
validation

Hyperparameter  
selection

Algorithms

If a 100% fit on the training set is not always the sign of a good model, how can we select the best model ?

# Training / testing dataset

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

If a 100% fit on the training set is not always the sign of a good model, how can we select the best model ?

## Train and test dataset

We split the dataset into two datasets:

- **Training\* dataset:** dataset to build the model
- **Testing\* dataset:** dataset to test the model (i.e. compute the scoring metric)



# Training / testing dataset

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

If a 100% fit on the training set is not always the sign of a good model, how can we select the best model ?

## Train and test dataset

We split the dataset into two datasets:

- **Training\* dataset:** dataset to build the model
- **Testing\* dataset:** dataset to test the model (i.e. compute the scoring metric)

## Question

What issue do you see with this approach ? What should we make sure of when splitting the dataset ?

# Cross validation

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Cross validation

Cross-validation is a resampling method that uses **different portions of the data to test and train** a model on different iterations, in order to estimate how accurately a predictive model will perform in practice.

# Cross validation

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Cross validation

Cross-validation is a resampling method that uses **different portions of the data** to **test and train** a model on different iterations, in order to estimate how accurately a predictive model will perform in practice.

Popular approach is **k-fold cross validation**: divide the dataset into  $k$  subsets, train on  $k - 1$  subsets, evaluate on the  $k - th$  subset, repeat and aggregate performance score.

# Cross validation

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Cross validation

Cross-validation is a resampling method that uses **different portions of the data to test and train** a model on different iterations, in order to estimate how accurately a predictive model will perform in practice.

Popular approach is **k-fold cross validation**: divide the dataset into  $k$  subsets, train on  $k - 1$  subsets, evaluate on the  $k - th$  subset, repeat and aggregate performance score.



# Hyperparameter selection

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Hyperparameters

Most algorithms have hyperparameters: parameters that condition how the algorithms behave. These parameters must be **optimized** for each different use-case.

How can we select the best hyperparameters ?

# Hyperparameter selection

Lecture 4:  
Supervised  
learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

## Hyperparameters

Most algorithms have hyperparameters: parameters that condition how the algorithms behave. These parameters must be **optimized** for each different use-case.

## How can we select the best hyperparameters ?

A simplistic approach is simply factorial design using k-th cross validation. Other solutions:

- Genetic algorithms
- Simulated annealing
- ...

Beware of overfitting !

# Algorithms

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Many algorithms are available in the literature ! In this course, we'll study:

- K-nearest neighbors
- Naive Bayes
- Classification trees

# Questions

## Lecture 4: Supervised learning

Sophie Robert

Context

Methodology

Evaluation

Overfitting

Bias-variance  
trade-off

Training and  
testing dataset

Cross  
validation

Hyperparameter  
selection

Algorithms

Questions ?