
Runner
System
Bank
search for running event
return search result
view running event detail
ถ้าไม่มีสีน้ำเงิน ไม่นัก
ต้องมี step ครบ
มี object flow อย่างน้อย
2 อัน
register running event
with package type
and shirt size
registration info
[else]
[change in profile]
update profile
payment info
make payment
request payment
processing
payment reference id
process payment
[successful]
[else]
e-receipt
Confirm registration
via email


<<Boundary>>
OrganizerHandler
+ createRunningEvent(eventName, date, ...)
+ addRunningPackage(eventID, packageType, price)
+ viewRunners(eventID, runnerType, runningPackage)
+ viewShirtOrders(eventID, shirtSize)
1..1
request event mgt to
1..1
<<Control>>
OrganizerControl
+ createRunningEvent(eventName, date, ...)
+ addRunningPackage(eventID, packageType, price)
+ viewRunners(eventID, runnerType, runningPackage)
+ viewShirtOrders(eventID, shirtSize)
1..1
create and manage
1..*
A
B
all attr, at least 1 method (getter/setter ok), relationship with other class(es)
<<Entity>>
RunningEvent
all attr, at least 2 methods (getRunners, getShirtOrders)
- eventID
- eventName
- date
- time
- runningLocation
- maxCapacity
- paymentMethod
- applicationDateRange
- shirtSizes
+ getRunners(runnerType, runningPackage): list of Registration
+ getShirtOrders(shirtSize): list of Registration
+ getCurrentCapacity(): int
1..1
1..*
contain package
<<Entity>>
RunningPackage
- packageType
- price
- currentPackageCapacity
+ addRegistration(registration)
+ getRegistrations(): list of Registration
1..1
1..*
register for package
<<Entity>>
Registration
- shirtSize
- eReceipt
1..*
has registered
1..1
<<Entity>>
Account
- accountType
- credential
- name
- gender
- birthdate
- ...
- phoneNumber
<<Entity>>
Runner
- runnerType
- emergencyContactName
- emergencyContactPhoneNumber
- paymentMethod
+ addRegistration(registration): void
+ getRegistrations(): list of Registration
1..*
C
organized by
<<Entity>>
Organizer
- authorizedNote
- facultyBankAccount
+ addRunningEvent(runningEvent): void
+ getRunningEvents(): list of RunningEvent
1..1
all attr, at least 1 method, (getter/setter ok), relationship with other class(es)


sd Create Running Event and Add Running Packages
anOrganizer
<<Boundary>>
:OrganizerBoundary
<<Control>>
:OrganizerControl
<<Entity>>
anOrganizerWithOrganizerID:
Organizer
createRunningEvent(
organizerID, ...)
createRunningEvent(
organizerID, ...)
<<Entity>>
aRunningEventWithEventID:
RunningEvent
getOrganizer(organizerID)
addRunningEventToList(aRunningEventWithEventID)
eventID
eventID
loop
[more running package]
addRunningPackage(eventID, packageType,...)
addRunningPackage(eventID, packageType,...)
getRunningEvent(eventID)
CreateRunningPackage(packageType,...)
<<Entity>>
aRunningPackage:
RunningPackage
addRunningPackageToList(aRunningPackage)