VTBK/KDT


Apt Elev **32′**
N14 06.0 E099 55.4

JEPPESEN **NAKHON PATHOM, THAILAND**

28 JUN 19 (10-9)

KAMPHAENG SAEN

*KAMPHAENG SAEN Ground	*Tower
121.75	123.3



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS LANDING BEYOND Threshold	Glide Slope	TAKE-OFF	WIDTH
03 21	HIRL PAPI (angle 3.0°)		 7743′ 2360m		148′ 45m

	TAKE-OFF AIR CARRIER **All Rwys** With HIRL
A	RVR 250m
B	RVR 300m
C	
D	RVR 400m

Kamphaeng Saen AFB not allowed as an alternate aerodrome for civilian aircraft.

CHANGES: Chart reindexed, comms, PAPI, rwy length.

© JEPPESEN, 1999, 2019. ALL RIGHTS RESERVED.

VTBK/KDT
KAMPHAENG SAEN

JEPPESEN 28 JUN 19 (11-1)

NAKHON PATHOM, THAILAND
ILS Rwy 21


*KAMPHAENG SAEN Approach (R)	*KAMPHAENG SAEN Tower	*Ground
127.75	123.3	121.75

LOC IKPS	Final Apch Crs	GS LOM	ILS DA(H) Refer to Minimums	Apt Elev 32′ Rwy 32′
*109.9	211°	1300′ (1268′)		


MISSED APCH: Climb straight ahead on heading 211° to 1000′ turn RIGHT to KPS LOM at 2000′ or as directed.


Alt Set: hPa Rwy Elev: 1 hPa Trans level: FL130 Trans alt: 11000′

1. Aircraft arriving from northeast and southeast descend in holding pattern.



MSA KPS VOR





Gnd speed-Kts		70	90	100	120	140	160
GS	3.00°	372	478	531	637	743	849
MAP at MM or LOM to MAP	3.3	2:50	2:12	1:59	1:39	1:25	1:14

PAPI	1000′ on 211°	2000′ RT	KPS 251

PANS OPS

STRAIGHT-IN LANDING RWY 21

	ILS	LOC (GS out)
DA(H)	A: 232′ (200′) C: 252′ (220′) B: 242′ (210′) D: 262′ (230′)	
MDA(H)		340′ (308′)

A	1200m	1600m
B		
C		
D		

CIRCLE-TO-LAND

Max Kts	MDA(H)
100	480′ (448′) -1600m
135	610′ (578′) -1600m
180	710′ (678′) -3200m
205	730′ (698′) -3600m

CHANGES: Communications.

© JEPPESEN, 1999, 2019. ALL RIGHTS RESERVED.

VTBK/KDT
KAMPHAENG SAEN

JEPPESEN 12 JUL 19 (16-1)

NAKHON PATHOM, THAILAND
NDB Rwy 21


*KAMPHAENG SAEN Approach (R)	*KAMPHAENG SAEN Tower	*Ground
127.75	123.3	121.75

NDB KPS	Final Apch Crs	Minimum Alt NDB	MDA(H)	Apt Elev 32′ Rwy 32′
*251	211°	1200′ (1168′)	380′ (348′)	


MISSED APCH: Climb on 211° heading to 1500′ RIGHT turn back to KPS NDB at 2000′ or as directed.


Alt Set: hPa Rwy Elev: 1 hPa Trans level: FL130 Trans alt: 11000′

1. Aircraft arriving from northeast and southeast descend in holding pattern.



MSA KPS NDB





Gnd speed-Kts		70	90	100	120	140	160
Descent Angle	3.00°	372	478	531	637	743	849
NDB to MAP	2.9	2:29	1:56	1:44	1:27	1:15	1:05

PAPI | 1500′ on 211° hdg | 2000′ RT | KPS *251

PANS OPS

STRAIGHT-IN LANDING RWY 21		CIRCLE-TO-LAND	
MDA(H) 380′ (348′)		Max Kts	MDA(H)
A	2400m	100	480′ (448′)-2400m
B		135	610′ (578′)-2400m
C		180	710′ (678′)-3200m
D		205	730′ (698′)-3600m

CHANGES: Communications, airport elevation, threshold elevation.

© JEPPESEN, 1999, 2019. ALL RIGHTS RESERVED.


VTBK/KDT
KAMPHAENG SAEN

JEPPESEN 12 JUL 19 (13-1)

NAKHON PATHOM, THAILAND
VOR DME Rwy 21

*KAMPHAENG SAEN Approach (R)	*KAMPHAENG SAEN Tower	*Ground
127.75	123.3	121.75


VOR KPS	Final Apch Crs	Minimum Alt VOR	MDA(H)	Apt Elev 32′ Rwy 32′
*114.5	211°	1200′ (1168′)	360′ (328′)	




MSA KPS VOR

MISSED APCH: Climb on 211° heading to 1500′ RIGHT turn back to KPS VOR at 2000′ or as directed.

Alt Set: hPa | Rwy Elev: 1 hPa | Trans level: FL130 | Trans alt: 11000′



KPS DME	2.0	1.0
ALTITUDE(HAT)	575′	885′



Gnd speed-Kts	70	90	100	120	140	160
Descent Gradient 5.1%	362	465	517	620	723	826
MAP at D2.6						

PAPI | 1500′ ↑ on 211° hdg | 2000′ RT | KPS *114.5

STRAIGHT-IN LANDING RWY 21		CIRCLE-TO-LAND	
MDA(H) 360′ (328′)		Max Kts	MDA(H)
A	2400m	100	480′ (448′)-2400m
B		135	610′ (578′)-2400m
C		180	710′ (678′)-3200m
D		205	730′ (698′)-3600m

PANS OPS

CHANGES: Communications, CNF's, airport and threshold elevations.

© JEPPESEN, 1999, 2019. ALL RIGHTS RESERVED.

VTBK/KDT
KAMPHAENG SAEN

JEPPESEN 12 JUL 19 (13-2)

NAKHON PATHOM, THAILAND
VOR Rwy 21


*KAMPHAENG SAEN Approach (R)	*KAMPHAENG SAEN Tower	*Ground
127.75	123.3	121.75

VOR KPS	Final Apch Crs	Minimum Alt VOR	MDA(H)	Apt Elev 32′ Rwy 32′
*114.5	211°	1200′ (1168′)	360′ (328′)	


MISSED APCH: Climb on 211° heading to 1500′ RIGHT turn back to KPS VOR at 2000′ or as directed.


Alt Set: hPa Rwy Elev: 1 hPa Trans level: FL130 Trans alt: 11000′

1. Aircraft arriving from northeast and southeast descend in holding pattern.



MSA KPS VOR





Gnd speed-Kts		70	90	100	120	140	160
Descent Gradient	5.1%	362	465	516	620	723	826
FAF to MAP	2.6	2:14	1:44	1:34	1:18	1:07	0:59

PAPI	1500′ ↑ on 211° hdg	2000′ RT	KPS *114.5

STRAIGHT-IN LANDING RWY 21

MDA(H) 360′ (328′)

A	2400m
B	
C	
D	

CIRCLE-TO-LAND

	Max Kts	MDA(H)
A	100	480′ (448′)-2400m
B	135	610′ (578′)-2400m
C	180	710′ (678′)-3200m
D	205	730′ (698′)-3600m

PANS OPS

CHANGES: Communications, airport elevation, threshold elevation.

© JEPPESEN, 1999, 2019. ALL RIGHTS RESERVED.