Pomoć oko funkcija

Python funkcija help dohvaća službenu dokumentaciju predane funkcije (koja često sadrži i primjere korištenja). Primjer:

help(networkx.Graph)

Potrebni importovi

```
import networkx as nx

import matplotlib.pyplot as plt

import numpy as np

import itertools

import random

from simulation import Simulation
```

Inicijalizacija mreže

```
graph = nx.Graph()

graph = nx.DiGraph()
```

Dodavanje čvorova i veza

```
graph.add_node()

graph.add_nodes_from()


graph.add_edge()

graph.add_edges_from()
```

Iteriranje po čvorovima ili vezama

```
graph.nodes()

graph.edges()
```

Dodavanje i pristupanje atributima čvorova i veza

nx.set_node_attributes(graph, value, attribute)

nx.get_node_attributes(graph, attribute)

nx.set_edge_attributes(graph, value, attribute)

nx.get_edge_attributes(graph, attribute)

Prikaz mreže

nx.draw(graph)

nx.draw_networkx(graph, node_color, labels, pos)

Podmreže

nx.subgraph(graph, subgraph_nodes)

nx.find_cliques(graph)

nx.connected_components(graph)

Stupnjevi čvorova

graph.degree()

graph.in_degree()

graph.out_degree()

Čitanje i pisanje

nx.read_edgelist(path)

nx.write_edgelist(graph, path)

Svojstvene vrijednosti mreže

graph.number_of_nodes()

graph.number_of_edges()

nx.degree_assortativity_coefficient(graph)

nx.average_shortest_path_length(graph)

nx.diameter(graph)

nx.average_clustering(graph)

nx.degree_centrality(graph)

nx.betweenness_centrality(graph)

nx.is_connected(graph)

nx.density(graph)

K-jezgrena dekompozicija

nx.k_core(graph, k)

nx.k_shell(graph, k)

Slučajni modeli

nx.gnp_random_graph(n_nodes, probability)

nx.gnm_random_graph(n_nodes, n_edges)

nx.watts_strogatz_graph(n_nodes, n_neighbours_to_join, rewiring_probability)

nx.barabasi_albert_graph(n_nodes, n_connections)

Kombinacije elemenata

itertools.combinations(iterator, combination_length)

Simulacija

sim = Simulation(G, initial_state, state_transition, name)

sim.state()

sim.run()

sim.plot()