

COD. 83541
MAT. S3555R
TRATT. 2INCATURA ELETTROLITICA



Mark	Profile	Lenght Material	Material	Description	Note		
639706RTPN01	030	222	S355.IR	NIA	El CALVANITATION		
					EL GALVANIZED		
						.09	
						12	
							í
)	9
11000 N	111						
1	1					2	9
							2
\supset	7						
)	1						
VIEW A-A	A-A						7
							•

MAT. S3SSJR
TRATTAMENTO ZINCATURA GETIRO.
DESCRIZIONE: PIN
N. PERZ: 8



Note Note EL. GALVANIZED		n l		
Description Description PIN		DET.8	r v v v v v v v v v v v v v v v v v v v	
Material Materiale S3553R		8	2 10.5 2 8 14.5 8	ı
Lenght Lunghozza 242		Ø8 H12	SE CASE SE CAS	
Profile Profilo 01 D30	VIEW A-A	242	15*	
Mark Marca 839709RTPN01		1882 [A]		
		Ø8 H12	<u>4</u> 2 <u>6</u> <u>7</u> 2 <u>6</u> <u>8</u>	
	··· a	122	_	
		DET. A		ar fist

COD. 839409 THAT. S355JR TRATE. ZINCATURA ELETIROLITICA P2, NR. 8 | NIEWAA|
| Compared |

TRATTAMENTO ZINCATURA ELETIBOLITICA P.D. NR. 16

COD. 839708 TAT. 5355JR

Mark	Profile Profile	Lenght	Material Materiale	Description	Note
839542RTPN01	D50	280	2CrMoS4+OT	Nid	GEOMET

(OD. 889542 HAT. 42 CrHOSA

TRATTAMENTO ZINCATURA GEOMET DESCRIPTIONE : PIN

Ø50h11

N, PE22, 32

