Heart health is vital for everyone. This is just a quick overview of your genetic variants related to heart disease. Read the full article for details, lifehacks, and references.

Article: Prothrombin

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
F2	i3002432	--	A	0.01	Increased risk of blood clots (important)
F2	rs3136516	GG	G	0.55	Slightly increased risk of venous thromboembolism (Caucasian pops)
F2	rs1799963	GG	A	0.01	Increased risk of blood clots (important)

Article: Aldosterone Synthase

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CYP11B2	rs1799998	GA	G	0.42	Increased risk of high blood pressure, stroke
CYP11B2	rs61757294	--	G	0.07	Carrier of aldosterone synthase deficiency mutation (rare)
CYP11B2	rs104894072	--	G	0.0001	Carrier of aldosterone synthase deficiency mutation (rare)
CYP11B2	rs28931609	--	A	0.0001	Carrier of aldosterone synthase deficiency mutation (rare)

Article: Blood Pressure

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
AGTR1	rs5186	AA	C	0.27	Increased risk of high blood pressure; Incr. risk of fatty liver, insulin resistance.
AGTR1	rs3772622	TT	C	0.38	Increased risk of fatty liver, especially in CVD
AGTR1	rs1492078	--	T	0.41	T/T only: Decreased risk of kidney cancer (good)

Article: Fibrinogen

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
FGA	rs6050	TC	C	0.26	Increased risk of stroke, DVT, heart disease
FGA	rs2070022	--	A	0.18	Decreased fibrinogen, lower clot risk
FGB	rs1800787	--	T	0.2	Increased fibrinogen, incr. stroke risk
FGB	rs1800789	GG	A	0.2	Increased fibrinogen, incr. stroke risk
FGB	rs1800790	--	A	0.18	Increased fibrinogen, incr. stroke risk
FGG	rs2066865	GA	A	0.23	Increased fibrinogen; increased risk for DVT
FGG	rs2066860	CC	T	0.03	Slightly increased risk of DVT

Article: ITGB3 PlA1 PlA2

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ITGB3	rs5918	CT	C	0.14	Increased relative risk of heart disease (CAD) and stroke. Increased relative risk of recurrent miscarriage

Article: Factor V

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
F5	rs6025	CC	T	0.02	Factor V Leiden; Increase risk of blood clots (important)

[Article: Coronary Artery Disease](https://www.geneticlifehacks.com/)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CDKN2B-AS1	rs2383206	GG	G	0.51	Increased risk for CAD; 9p21 region
CDKN2B-AS1	rs10757274	GG	G	0.48	Increased risk for CAD; 9p21 region
TCF7L2	rs7903146	CC	T	0.28	Increased risk of CAD, type 2 diabetes.
ALOX5AP	rs17222842	--	A	0.07	AA: significantly decreased risk of heart attack
ALOX5AP	rs4769874	--	A	0.05	Increased risk of CAD
ACE	rs4343	AG	G	0.49	ACE deletion; increased risk of CAD
LRP8	rs5174	CT	T	0.36	Increased risk of CAD
LOX1	rs11053646	--	G	0.09	Increased risk of CAD
NOS3	rs891512	GA	A	0.2	Increased risk of CAD, blood pressure
NOS3	rs1800779	AA	G	0.34	Increased risk of CAD
PCSK9	rs11591147	GG	T	0.01	Significantly lower risk of heart disease. (good)
PCSK9	rs28362286	--	A	0.0003	Significantly lower risk of heart disease. (good)
PCSK9	rs67608943	--	G	0.00004	Significantly lower risk of heart disease. (good)
PCSK9	rs72646508	CC	T	0.0001	Significantly lower risk of heart disease. (good)
PCSK9	rs505151	--	G	0.04	Increased LDL, increased heart disease
PCSK9	i5000370	--	C	0	Increased LDL, increased heart disease
PCSK9	rs28942111	--	A	0	Increased LDL, increased heart disease
LPA	rs3798220	TT	C	0.02	Risk of elevated Lp(a), increased risk for heart disease
LPA	rs10455872	AA	G	0.06	Risk of elevated Lp(a), increased risk for heart disease
LDLR	rs6511720	GG	T	0.11	Lower LDL, decreased CAD risk
LDLRAP1	rs121908324	--	A	0	Mutation linked to familial hypercholesterolemia
LDLRAP1	rs121908325	--	T	0.00003	Mutation linked to familial hypercholesterolemia
ABCA1	rs2230806	TC	T	0.29	Decreased risk of CAD
MEF2A	rs121918529	CC	T	0.001	Rare, significantly increased risk of CAD.
APOB	rs144467873	--	A	0.00008	Pathogenic mutation for hypercholesterolemia
APOB	i4000339	--	A	0.00008	Pathogenic mutation for hypercholesterolemia
APOB	rs5742904	CC	T	0.0004	Pathogenic mutation for hypercholesterolemia
PCSK9	rs28942112	--	C	0	Increased LDL, increased heart disease
APOB	rs12713559	GG	A	0.0005	Familial hypercholesterolemia (very rare)
MEF2A	i5003637	--	T	0.001	Rare, significantly increased risk of CAD.

Article: Ferritin

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
FTL	rs104894685	--	A	0.00004	carrier of a rare mutation related to ferritin
FTL	rs397514540	--	T	0	carrier of a rare mutation related to ferritin
SLC40A1	rs11568350	--	A	0.003	higher ferritin levels (African American men)
TF	rs1799852	CC	T	0.1	lower serum transferrin levels, slightly higher ferritin level
TF	rs3811647	AA	A	0.33	higher ferritin
TMPRSS6	rs855791	GA	A	0.43	lower ferritin levels (Caucasian men)
SLC17A1	rs17342717	CC	T	0.08	higher ferritin
BTBD9	rs9296249	TT	C	0.25	higher serum ferritin levels
BTBD9	rs3923809	AA	A	0.67	lower serum ferritin levels
VWF	rs1800386	--	C	0.002	lower ferritin in premenopausal women, check for VWF deficiency
F5	rs6025	CC	T	0.02	increased ferritin levels in women (due to decreased menstrual bleeding)

Article: Aspirin Therapy

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
GUCY1A3	rs7692387	AG	G	0.81	GG: Decreased risk of heart disease with aspirin
COMT	rs4680	AG	A	0.48	AA: decreased risk of heart disease with aspirin in women
IGTB3	rs5918	CT	C	0.14	May not benefit from aspirin for heart attack prevention
LPA	rs3798220	TT	C	0.02	risk of elevated Lp(a), increased risk for heart disease - 3.7x risk of aortic stenosis; taking aspirin reduces the risk of major cardiovascular events

Article: HDL Cholesterol

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CETP	rs1800777	GG	A	0.03	Lower HDL, Increased sepsis risk
CETP	rs5882	AA	G	0.34	Higher HDL, lower risk of heart attack
CETP	rs708272	AG	A	0.42	Higher HDL, lower risk of heart attack
CETP	rs3764261	AC	A	0.31	High HDL (good)
LIPC	rs4775065	--	A	0.25	AA only: lower HDL

Article: Plant Sterols

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CYP7A1	rs3808607	GG	T	0.58	TT: no cholesterol lower benefit from plant sterols
CETP	rs5882	AA	G	0.34	G/G: plant sterols shown to lower triglycerides
ABCG8	rs41360247	TT	C	0.06	Reduce phytosterol absorption, lower CAD
ABCG8	rs4148217	CC	A	0.17	Reduced risk of heart disease
ABCG8	rs4245791	TT	C	0.3	Increased cholesterol and sterol absorption, Increased CAD
ABCG8	rs4299376	TT	G	0.3	increased risk of heart disease
ABCG8	rs11887534	--	C	0.06	Increased susceptibility to CAD, greatly increased risk of gallstones
ABCG8	rs137854891	--	G	0	Sitosterolemia (pathogenic)
ABCG8	rs199689137	--	A	0.00002	Sitosterolemia (pathogenic)
ABCG8	rs119479065	--	A	0.00007	Sitosterolemia (pathogenic)
ABCG8	rs137852987	--	A	0.0008	Sitosterolemia (pathogenic)
ABCG5	rs6720173	--	C	0.16	4-fold greater decrease in LDL with plant sterol consumption

Article: Triglyceride Levels

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
APOA5	rs662799	AA	G	0.08	Higher triglycerides
APOA5	rs2075291	CC	A	0.002	Higher triglycerides, especially in Asian ancestry
APOA5	rs3135506	GG	C	0.05	Slightly higher triglycerides
APOA5	rs651821	TT	C	0.07	higher triglyceride levels
LPL	rs328	CC	G	0.09	Slightly lower triglycerides
LPL	rs320	GT	G	0.2	Slightly lower triglycerides
LPL	rs268	AA	G	0.016	High triglycerides
GCKR	rs780094	CC	T	0.4	Slightly higher triglycerides
APOC2	rs5126	AA	C	0.001	Really high triglycerides (important)
APOC2	rs120074114	--	C	0.006	Really high triglycerides (important)
GPD1	rs199673455	--	A	0.00006	Really high triglycerides (important)
MLXIPL	rs3812316	CC	G	0.11	triglyceride level less likely to be high due to diet

Article: LDL and Total Cholesterol Levels

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
PCSK9	rs11591147	GG	T	0.01	Lower LDL; Decreased risk of heart disease (good)
PCSK9	rs28362286	--	A	0.0003	Lower LDL; Decreased risk of heart disease (good)
PCSK9	rs67608943	--	G	0.00004	Lower LDL; Decreased risk of heart disease (good)
PCSK9	rs72646508	CC	T	0.0001	Lower LDL; Decreased risk of heart disease (good)
PCSK9	rs505151	--	G	0.04	Increased LDL
PCSK9	rs28942111	--	A	0	Familial hypercholesterolemia possible (important)
PCSK9	i5000370	--	C	0	Familial hypercholesterolemia possible (important)
PCSK9	rs28942112	--	C	0	Familial hypercholesterolemia possible (important)
APOB	rs693	GG	A	0.45	Higher LDL, total cholesterol
APOB	rs6752026	GG	A	0.007	Lower LDL
LDLR	rs6511720	GG	T	0.11	Decreased LDL
GPER1	rs11544331	CC	T	0.23	Increased LDL-C, especially in women
HMGCR	rs3846662	GG	G	0.45	Statins may not work well
APOB	rs144467873	--	A	0.00008	Pathogenic for hypercholesterolemia (important)
APOB	rs5742904	CC	T	0.0004	Pathogenic for hypercholesterolemia (important)
APOB	rs12713559	GG	A	0.0005	Pathogenic for hypercholesterolemia (important)
LDLRAP1	rs121908324	--	A	0	Pathogenic for hypercholesterolemia (important)
LDLRAP1	rs121908325	--	T	0.00003	Pathogenic for hypercholesterolemia (important)
APOB	i4000339	--	A	0.00008	Pathogenic for hypercholesterolemia (important)
PSRC1	rs599839	AA	G	0.24	Lower LDL; Lower risk of cardiovascular disease
PCSK7	rs236918	CG	C	0.11	increased relative risk of acute coronary syndrome, lower HDL cholesterol; more likely to have liver fibrosis from iron overload (C282Y HFE mutation)
PCSK7	rs508487	CC	T	0.06	higher small dense LDL cholesterol levels, increased risk of coronary heart disease

Article: CRP

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CRP	rs1205	TC	T	0.32	Lower CRP levels (good)
CRP	rs3091244	--	G	0.61	Lower CRP levels (good)
CRP	rs1800947	CC	G	0.05	Lower CRP levels (good)
CRP	rs3093058	--	A	0.001	Higher CRP levels
CRP	rs3093059	AA	G	0.07	Higher CRP levels

Article: Nitric Oxide Synthase

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
NOS3	rs891512	GA	A	0.2	Increased risk of heart disease, increased blood pressure
NOS3	rs1800779	AA	G	0.34	Increased risk of heart disease.
NOS3	rs4496877	--	T	0.34	Increased risk of high blood pressure (males)
NOS3	rs2070744	TT	C	0.34	Increased risk of high blood pressure, coronary artery disease

Article: PCSK9 Cholesterol

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
PCSK9	rs11591147	GG	T	0.01	Decreased LDL-cholesterol; lower risk of heart disease. (good)
PCSK9	rs28362286	--	A	0.0003	Decreased LDL-cholesterol; lower risk of heart disease. (good)
PCSK9	rs67608943	--	G	0.00004	Decreased LDL-cholesterol; lower risk of heart disease. (good)
PCSK9	rs72646508	CC	T	0.0001	Decreased LDL-cholesterol; lower risk of heart disease. (good)
PCSK9	rs505151	--	G	0.04	Increased LDL, increased risk of heart disease
PCSK9	rs28942112	--	C	0	High LDL (important)
PCSK9	rs28942111	--	A	0	High LDL (important)
PCSK9	i5000370	--	C	0	High LDL (important)
PCSK9	rs562556	AA	G	0.16	GG: increased LDL, increased risk of adverse coronary events | AG: typical risk

Article: Statins

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
SLCO1B1	rs4149056	TT	C	0.14	Reduced breakdown of some drugs. Increased risk of muscle pain from statins
SLCO1B1	rs2231142	GG	T	0.1	significantly increased risk of gout, higher uric acid levels; doesn’t respond as well to allopurinol;2-fold increased risk of side effects from statins

[Article: Von Willebrand Factor Deficiency]

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
VWF	i3002455	--	C	0	Von Willebrand factor deficiency possible
VWF	i3002797	--	T	0	Von Willebrand factor deficiency possible
VWF	i5004518	--	G	0	Von Willebrand factor deficiency possible
VWF	i5049115	--	A	0	Von Willebrand factor deficiency possible
VWF	i5049338	--	A	0	Von Willebrand factor deficiency possible
VWF	rs1800386	--	C	0.002	Von Willebrand factor deficiency possible
VWF	rs61750591	--	D	0.00005	Von Willebrand factor deficiency possible
VWF	rs61748477	--	A	0.00006	Von Willebrand factor deficiency possible
VWF	rs61750584	--	G	0	Von Willebrand factor deficiency possible
VWF	rs61750579	--	T	0	Von Willebrand factor deficiency possible
VWF	rs121964894	--	A	0.00009	Von Willebrand factor deficiency possible
VWF	rs62643630	--	A	0	Von Willebrand factor deficiency possible
VWF	rs267607353	AA	G		Von Willebrand factor deficiency possible
VWF	rs41276738	CC	T	0.005	Von Willebrand factor deficiency possible
VWF	rs61748478	--	G	0	Von Willebrand factor deficiency possible
VWF	rs61748497	--	C		Von Willebrand factor deficiency possible
VWF	rs61750612	--	T	0	Von Willebrand factor deficiency possible
VWF	rs61750630	--	T	0	Von Willebrand factor deficiency possible
VWF	rs61754002	--	T	0	Von Willebrand factor deficiency possible
VWF	rs61748495	--	T	0	Von Willebrand factor deficiency possible
VWF	rs61749372	--	G		Von Willebrand factor deficiency possible
VWF	rs61749380	--	A	0	Von Willebrand factor deficiency possible
VWF	rs61749384	--	A	0	Von Willebrand factor deficiency possible
VWF	rs61749392	--	G	0	Von Willebrand factor deficiency possible
VWF	rs121964895	--	T	0	Von Willebrand factor deficiency possible
VWF	rs61748511	--	G	0.000002	Von Willebrand factor deficiency possible
VWF	i5039483	--	I	0	Von Willebrand factor deficiency possible
VWF	i5039448	--	D	0	Von Willebrand factor deficiency possible
VWF	rs62643632	--	I	0.99	Von Willebrand factor deficiency possible
VWF	i5049057	--	A	0	Von Willebrand factor deficiency possible
VWF	i5049076	--	G	0	Von Willebrand factor deficiency possible
VWF	i5049266	--	T	0	Von Willebrand factor deficiency possible

[Article: Top 10 Genes]

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
HFE	rs1800562	--	A	0.05	C282Y mutation, most common cause of hereditary hemochromatosis
HFE	rs1799945	CC	G	0.13	H63D mutation, milder buildup of iron, problem when combined with HFE
F5	rs6025	CC	T	0.2	factor V Leiden, significantly increased risk of blood clots
LPA	rs3798220	TT	C	0.02	risk of elevated Lp(a), significantly increased risk for heart disease
LPA	rs10455872	AA	G	0.06	likely elevated Lp(A), increased risk for heart disease
BCHE	rs1799807	TT	C	0.01	A-variant, may have delayed recovery from succinylcholine
F2	rs1799963	GG	A	0.01	Prothrombin variant, increased risk of DVT
PCSK9	rs505151	--	G	0.04	increased LDL, increased risk of coronary artery disease
PCSK9	rs28942112	--	C	0	increased LDL, increased risk of coronary artery disease
PCSK9	i5000370	--	C	0	increased LDL, increased risk of coronary artery disease
AGXT	rs34116584	--	T	0.13	Increased risk of hyperoxaluria, especially if combined with another AGXt mutation
AGXT	rs180177309	--	D	0	Hyperoxaluria mutation
AGXT	rs80356708	--	D	0.0003	Hyperoxaluria mutation
SERPINA1	rs28929474	--	T	0.01	Pi*Z mutation, two copies causes alpha-1 antitrypsin deficiency
SERPINA1	rs17580	--	A	0.03	Pi*S mutation, two copies causes alpha-1 antitrypsin deficiency
MEFV	rs61732874	--	A	0.002	familial Mediterranean fever mutation
MEFV	rs3743930	GG	G	0.03	familial Mediterranean fever mutation
MEFV	rs104895083	--	C	0.00009	familial Mediterranean fever mutation
MEFV	i4000403	--	C	0.00009	familial Mediterranean fever mutation
MEFV	rs104895094	--	C	0.006	familial Mediterranean fever mutation
MEFV	i4000407	--	C	0.006	familial Mediterranean fever mutation
MEFV	rs28940580	--	G	0.0001	familial Mediterranean fever mutation
MEFV	rs28940578	--	T	0.00004	familial Mediterranean fever mutation
MEFV	i4000406	--	C	0.0003	familial Mediterranean fever mutation
MEFV	rs11466023	GG	A	0.01	familial Mediterranean fever mutation
MEFV	i4000410	--	T	0.00009	familial Mediterranean fever mutation
MEFV	rs28940579	--	G	0.002	familial Mediterranean fever mutation
MTHFR	rs1801133	GG	A	0.33	MTHFR C677T variant, decreased enzyme function
MTHFR	rs1801131	GT	G	0.3	MTHFR A1298C variant, slightly decreased enzyme function
TNF	rs1800629	GG	A	0.15	Higher TNF levels, increased risk of chronic disease and autoimmune diseases

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
TNF	rs361525	GG	A	0.05	Higher TNF levels, increased risk of chronic disease and autoimmune diseases

Article: Thrombocytopenia

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ADAMTS13	rs28647808	CC	G	0.08	lower ADAMTS13, increased risk of kidney and cardiovascular complications in diabetes
ADAMTS13	rs685523	--	T	0.1	lower ADAMTS13; increased risk of cardiac-related death
ADAMTS13	rs142572218	CC	T	0.0008	carrier of a pathogenic mutation in ADAMTS13, Upshaw-Schulman syndrome
ADAMTS13	rs148312697	GG	C	0.0003	reduced ADAMTS13 (rare)
VWF	rs1063856	TC	C	0.35	likely to have increased Von Willebrand factor, slightly increased risk of blood clots
VWF	rs1063857	--	G	0.36	likely to have increased Von Willebrand factor, slightly increased risk of blood clots

Article: Lipoprotein(a)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
LPA	rs3798220	TT	C	0.02	risk of elevated Lp(a), increased risk for heart disease (important)
LPA	rs10455872	AA	G	0.06	risk of elevated Lp(a), increased risk for heart disease (important)
LPA	rs6919346	CC	T	0.16	decreased Lp(a)
LPA	rs41272114	CC	T	0.03	decreased Lp(a)
LPA	rs143431368	TT	C	0.002	decreased Lp(a)
LPA	rs6415084	--	T	0.47	higher Lp(a) levels, increased risk of heart disease (Chinese population group); no increased risk in Iranian or European Caucasian populations

Article: Blood Clots

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
F2	rs1799963	GG	A	0.01	Increased risk of blood clots, increased risk of stroke with PFO
F2	i3002432	--	A	0.001	Increased risk of blood clots, increased risk of stroke with PFO
F5	rs6025	CC	T	0.2	factor V Leiden; increased risk of clots, DVT
ITGB3	rs5918	CT	C	0.14	PIA1/A2 mutation, increased risk of heart disease,
VWF	rs1063856	TC	C	0.35	Likely to have increased Von Willebrand factor, slightly increased risk of blood clots
VWF	rs1063857	--	G	0.36	Likely to have increased Von Willebrand factor, slightly increased risk of blood clots
GP6	rs1613662	AA	G	0.15	increased platelet stickiness
F11	rs2036914	CC	C	0.53	C/C: increased risk of venous thrombosis, thromboembolism

Article: Alpha 1 Adrenergic Receptors

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ADRA1A	rs1048101	AG	G	0.48	G/G: more likely to faint with vagal syncope; lower peripheral vascular response to cold in men, higher increase in heart rate with stress in women
ADRA1A	rs486179	--	T	0.06	increased risk of heroin addiction
ADRA1A	rs3730287	--	C	0.99	increased risk of memory impairment after heroin use disorder
ADRA1A	rs17426222	--	T	0.25	T/T: increased risk of generalized anxiety disorder

Article: Neuropilins

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
NRP1	rs2228638	CC	T	0.09	increased risk of cyanotic congenital heart disease, increased relative risk of tetralogy of Fallot (TOF)
NRP1	rs10080	AA	G	0.55	GG: linked to altered neurological response to COVID-19
NRP1	rs2506142	--	G	0.19	increased risk for menstrual migraines
NRP2	rs849563	--	G	0.13	increased relative risk of autism spectrum disorder, increased risk of secondary lymphedema
NRP2	rs849530	--	C	0.46	increased risk of secondary lymphedema
NRP1	rs722988	CC	C	0.39	increased relative risk of type 1 diabetes
NRP2	rs114144673	CC	T	0.001	rare mutation, possibly linked to lymphedema and affecting NRP2 function

Article: Hypertrophic Cardiomyopathy

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
MYBPC3	rs397516074	--	T	0.0001	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYBPC3	i5046177	--	T	0.0001	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYBPC3	rs375882485	--	A	0.00005	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYBPC3	i5046172	--	A	0.00005	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYBPC3	rs397515963	--	G	0.002	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYBPC3	i5046245	--	G	0.002	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYH7	rs3218713	--	T	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYH7	rs3218714	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
MYH7	rs121913626	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
TNNT2	rs74315380	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
TNNT2	i5006646	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
TNNT2	rs727503512	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
TNNT2	i5048752	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy
TNNT2	rs397516456	--	A	0	carrier of a rare mutation linked to hypertrophic cardiomyopathy

Article: Blood Pressure, MTHFR

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
MTHFR	rs1801133	GG	A	0.33	MTHFR C677T allele, increased relative risk of high blood pressure, especially combined with riboflavin deficiency

Article: ACE

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ACE	rs4343	AG	G	0.49	G/G: ACE deletion/deletion – increased blood pressure on a high-fat diet.

Article: PAI-1

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
SERPINE1	rs1799768	--	D	0	higher circulating PAI-1 levels; increased relative risk of blood clots
SERPINE1	rs2227631	AA	A	0.54	increased PAI-1; increased relative risk of ACS and stroke
SERPINE1	rs7242	GG	G	0.42	increased relative risk of myocardial infarction
SERPINE1	rs6092	GG	A	0.09	higher levels of plasminogen activator in COVID patients
SERPINE1	rs2227692	CC	T	0.1	slightly higher risk of gastric cancer

Article: Atrial Fibrillation

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
PITX2	rs2200733	CC	T	0.14	increased relative risk of atrial fibrillation
PITX2	rs10033464	GG	T	0.1	increased relative risk of atrial fibrillation
PITX2	rs13143308	GG	T	0.24	increased relative risk of atrial fibrillation
PITX2	rs3853445	CT	C	0.26	decreased relative risk of atrial fibrillation
ZFHX3	rs2106261	CC	T	0.17	increased relative risk of atrial fibrillation
CAV1	rs11773845	CA	C	0.42	increased relative risk of atrial fibrillation
CAV1	rs3807989	AG	A	0.4	decreased relative risk of atrial fibrillation
SCN5A	rs6599230	TC	T	0.2	decreased relative risk of atrial fibrillation due to non-pulmonary vein triggers
SCN5A	rs6843082	AA	G	0.25	decreased relative risk of atrial fibrillation due to non-pulmonary vein triggers
SCN10A	rs6801957	TT	T	0.39	lower SCN5 expression, slowed conduction, slightly decreased risk of AF
KCNN3	rs13376333	TC	T	0.28	increased risk of lone AFib
HCN4	rs7164883	AA	G	0.16	increased relative risk of atrial fibrillation
PRRX1	rs3903239	AA	G	0.42	increased relative risk of atrial fibrillation

Article: Niacin Heart Health

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ACMSD	rs10496731	--	T	0.51	increased 4PY levels, increased risk of major cardiovascular events with higher niacin intake
ACMSD	rs6430553	TC	C	0.54	increased 4PY levels, increased risk of major cardiovascular events with higher niacin intake
ACMSD	rs6729702	--	G	0.52	likely increased 4PY levels, increased risk of major cardiovascular events with higher niacin intake

Article: Salt Sensitive Blood Pressure

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
AGTR1	rs4524238	GG	A	0.2	lower blood pressure with a low-salt diet
SLC4A5	rs7571842	--	A	0.53	blood pressure more likely to be sensitive to higher salt diet
SLC4A5	rs10177833	AA	C	0.43	blood pressure less likely to be sensitive to salt
ACE	rs4343	AG	G	0.49	A/G: ACE deletion/insertion, blood pressure somewhat sensitive to high salt; G/G: ACE deletion/deletion —blood pressure not as sensitive to salt
LSS	rs2254524	--	A	0.33	a low salt diet more likely to work for high blood pressure
NPPA	rs5063	CC	T	0.04	blood pressure more susceptible to salt consumption
ADD1	rs4961	TG	T	0.19	blood pressure likely to be salt-sensitive
SGK1	rs2758151	CT	C	0.31	C/C: blood pressure sensitive to salt intake; C/T: blood pressure not as salt-sensitive
LSD1	rs587168	--	A	0.19	blood pressure increases significantly with high dietary salt
UMOD	rs4293393	AA	G	0.18	protective against salt-sensitive blood pressure, increased kidney stone risk
UMOD	rs13333226	AA	G	0.18	protective against salt-sensitive blood pressure

Article: APOB

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
APOB	rs693	GG	A	0.45	increased APOB, higher LDL, higher triglycerides, increased risk of heart disease
APOB	rs6752026	GG	A	0.007	lower LDL cholesterol
APOB	rs1367117	GA	A	0.28	higher average total cholesterol levels, increased 24-S-hydroxycholesterol in the brain, increased relative risk of bleeding with Warfarin
APOB	rs673548	AG	A	0.23	increased relative risk of Acute Coronary Syndrome
APOB	rs1801701	CC	T	0.08	increased risk of early-onset coronary artery disease, increased relative risk of stroke
APOB	rs6413458	--	A	0.02	lower levels of ApoB
APOB	rs144467873	--	A	0.0	rare, high LDL and ApoB, risk of familial hypercholesterolemia
APOB	rs5742904	CC	T	0	familial hypercholesterolemia, increased risk of heart attack
APOB	rs12713559	GG	A	0.001	familial hypercholesterolemia (very rare)
APOB	rs606231236	--	I	0	(rare) pathogenic mutations for Familial hypobetalipoproteinemia
APOB	rs797045253	--	D	0	(rare) pathogenic mutations for Familial hypobetalipoproteinemia

Disclaimer: The information provided in the report and by Genetic Lifehacks is for informational purposes only. It is not intended to diagnose or treat any disease. Please visit www.GeneticLifehacks.com for more detailed information and full references.