



CID

367625

Sample ID

TC00112322

Name

Anees Mohammed

DOB

28-Jun-1996

Date of Report

26-Apr-2026

Programme

RH Male Hormone

Sample Collection Date

22-Apr-2026 11:00

CONTENTS

	Understanding your results	03
	Hormonal Health	04
	Other	05
	Test Glossary	06

Understanding Your Results



Hormonal Health

Your results show your oestradiol level is low. Oestradiol is the main form of oestrogen found in the body. It is primarily produced by the ovaries and promotes growth of the uterus, vagina, fallopian tubes and breasts in women. In men, the testes, adrenal glands and peripheral fat tissue also produce oestradiol but in much smaller amounts. Elevated levels of oestradiol in men may be associated with signs of feminisation, such as gynaecomastia (enlargement of the male breast), oestrogen-producing tumours, liver disease and obesity.



Hormonal Health

Testosterone is a key male sex hormone. It is essential for the development of male reproductive organs and helps to maintain sexual function, reproductive function and muscle mass. Testosterone circulates in the bloodstream bound to sex hormone binding globulin (SHBG) and albumin; however, only free testosterone is used by the body. A low free testosterone can lead to loss of libido, erectile dysfunction and problems with fertility. Your results show your testosterone and SHBG are high; however, your free testosterone is optimal. SHBG levels show a gradual increase with age. Furthermore, higher than normal SHBG levels can occur with hyperthyroidism (an overactive thyroid), liver disease and weight loss. Higher than normal testosterone can occur with hyperthyroidism, testosterone-secreting tumours (e.g. testicular and adrenal tumours) and with steroid use. It is important to note that day-to-day variation in testosterone levels can occur; therefore, repeat testing would be beneficial. In addition, we recommend that you discuss these results with a doctor.




Hormonal Health - FSH & LH

Your results show low follicle stimulating hormone (FSH) and luteinising hormone (LH) levels, two hormones produced by the pituitary gland. In men, FSH promotes testicular growth and production of mature sperm, and LH stimulates testosterone production. Low levels of these hormones can occur with damage to the pituitary gland and can be associated with erectile dysfunction, loss of libido and low energy levels. We recommend that you discuss these results with a doctor.



Hormonal Health

A hormone is a chemical substance that is produced in response to certain changes in the physiological processes that occur in the body. Hormones carry information between cells and help regulate metabolism, growth, reproduction and mood alteration.






Other

Additional tests.

Albumin



Test Glossary

Albumin

Albumin, produced by the liver, is the most abundant protein found in the blood. Albumin plays an important role in maintaining plasma pressure (preventing fluid leaking from blood vessels) and transporting a wide variety of small molecules, such as hormones, vitamins and drugs, throughout the body. Various conditions are associated with decreased albumin levels, including kidney and liver diseases, inflammation, malabsorption disorders (conditions that affect the ability of the intestine to absorb nutrients, e.g. Crohn's disease and coeliac disease), prolonged diarrhoea and malnutrition. Low albumin levels are also associated with pregnancy. In individuals suffering from dehydration, albumin levels may be elevated.

Follicle Stimulating Hormone

Follicle stimulating hormone (FSH) is produced by the pituitary gland in the brain. FSH promotes testicular growth and production of mature sperm, and it is normal for FSH levels to rise with age, as testicular function declines. However, high FSH may reflect testicular dysfunction and can be associated with erectile dysfunction, loss of libido and low energy levels. In addition, benign tumours of the pituitary gland can secrete FSH; however, such tumours are rare. A low FSH level can occur with stress, malnutrition, dysfunction of the pituitary gland and the use of certain medications.

Free Testosterone

Free Testosterone measurement indicates the amount of testosterone circulating freely in the body (i.e. not bound to albumin or sex hormone binding globulin). Understanding free testosterone levels can be useful when evaluating sexual function and reproductive function.

Luteinising Hormone

Luteinising hormone (LH) is a key reproductive hormone produced by the pituitary gland in the brain. In males, LH helps to stimulate testosterone production. LH and FSH levels typically rise and fall together; therefore, high LH levels are associated with the same conditions featuring high FSH, such as reduced testicular function. In addition, LH levels increase with age. Meanwhile, stress, malnutrition and dysfunction of the pituitary gland can lead to a lower-than-normal LH level.

Oestradiol

Oestradiol is the main form of oestrogen found in the body. Primarily produced by the ovaries, oestradiol promotes growth of the uterus, vagina, fallopian tubes and breasts in women. In men, the testes, adrenal glands and peripheral fat tissue can also produce oestradiol but in much smaller amounts. Elevated levels of oestradiol in men may be associated with signs of feminisation, such as gynaecomastia (enlargement of the male breast), oestrogen-producing tumours, liver disease and obesity.

Prolactin

Prolactin is a hormone produced by the pituitary gland that promotes breast milk production during and post-pregnancy. Levels of prolactin are typically low in males and in females who are not pregnant or breastfeeding. High levels outside of pregnancy or breast-feeding can occur with a prolactinoma, an often benign, prolactin-secreting growth of the pituitary gland. Additionally, prolactin levels may be high with hypothyroidism (an underactive thyroid) and can be associated with erectile dysfunction. However, recent exercise, stress and anxiety can also cause moderate increases in prolactin.

Sex Hormone Binding Globulin

Sex Hormone Binding Globulin is a protein that binds testosterone and alters how much testosterone is available for use by the body. Elevated SHBG levels reduce testosterone availability and may be associated with infertility or erectile dysfunction. Elderly men typically have higher SHBG levels. Elevated SHBG may be observed in individuals with liver disease, hyperthyroidism (an overactive thyroid gland), and anorexia. Decreased SHBG levels may be associated with hypothyroidism (an underactive thyroid gland), obesity or Cushing's syndrome (a rare condition in which the adrenal glands are overactive).

Testosterone

Testosterone is a sex hormone. It is essential for the development of male reproductive organs and sperm production. Testosterone is present at much higher levels in males than females but plays important roles in both sexes, helping to maintain sexual function, bone mass and muscle strength. A lack of testosterone can result in loss of libido, low energy, changes in mood and erectile dysfunction. Reduced testosterone production can occur with dysfunction of the pituitary gland, chronic conditions, such as diabetes, and with use of certain drugs and medications. Additionally, testosterone levels naturally fall with age. Higher than normal testosterone can occur with hyperthyroidism and testosterone-secreting tumours (e.g. testicular and adrenal tumours). Testosterone-replacement treatments and use of anabolic steroids can also affect testosterone levels.

Got Your Results. What's Next?

Get expert advice on your results in the health areas that matter most to you. Schedule remote or in-clinic appointments or find bespoke treatments suited to you.

Take Your Next Steps



Your Next Steps.



**GP
Consultation**



Fertility



**Testosterone
Replacement
Therapy (TRT)**



**Weight Loss
Management**



Supplements



Menopause

Take Your Next Steps

UK & NI Customers - radoxhealth.com/en-GB/the-next-step

ROI Customers - radoxhealth.com/en-IE/the-next-step

- End of Report -

This report has been generated on behalf of Radox Health. All laboratory testing is referred to RCLS, UKAS Accredited Lab 9329. This report shall not be reproduced except in full without approval of the issuing testing site. All results apply to the samples as received. The test dates of all results will be between the collection date and report date stated within this report.