

This Brain and Mood Topic Report is a quick visual overview of how your genetic data lines up with articles in this category. Please see the linked articles for details and complete references.

[Article: Seasonal Affective Disorder](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
PER3	rs139315125	AA	G	0.004	Decreased PER3; increased risk of SAD
PER3	rs150812083	--	G	0.004	Decreased PER3, higher risk of SAD
PER3	rs228697	CC	G	0.1	Evening preference; Increased risk of SAD
OPN4	rs2675703	CC	T	0.12	Greatly increased risk of SAD; responsive to day length
OPN4	rs1079610	--	C	0.34	Attenuated response to light; earlier sleep/wake timing
CLOCK	rs1801260	GA	G	0.26	Decreased risk of SAD; higher activity in evening
HTR2A	rs731779	--	C	0.17	CC only: significantly increased risk of SAD

[Article: Oxytocin](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
OXTR	rs53576	--	A	0.32	Less oxytocin; likely to be less empathetic; optimistic
OXTR	rs1042778	GG	T	0.38	Less empathetic, more socially inhibited; possibly more creative
OXTR	rs2268491	CC	T	0.12	more oxytocin, more empathy, higher personal distress scores

[Article: Resilience Childhood Trauma](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CRHR1	rs242924	--	G	0.54	Increased risk of depression and anxiety due to childhood trauma
CRHR1	rs110402	AA	G	0.55	Increased risk of depression and anxiety due to childhood trauma

[Article: BDNF](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
BDNF	rs6265	CC	T	0.18	Decreased BDNF; higher levels of introversion
BDNF	rs56164415	--	A	0.5	Altered BDNF in areas of brain; Increased risk schizophrenia; PTSD
BDNF	rs11030101	--	T	0.41	Minor decrease in BDNF
BDNF	rs7103411	CT	C	0.21	Minor decrease in BDNF; Increased impulsivity children

[Article: BDNF plus Serotonin](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
BDNF	rs6265	CC	T	0.18	Decreased BDNF levels
HTR1A	rs6295	GG	C	0.52	Increased risk of depression when combined with BDNF

[Article: Lithium Orotate](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
MTR	rs1805087	AA	G	0.19	Affects B12 which could interact with lithium
MTRR	rs1801394	GA	G	0.5	decreased MTRR, which affects B12 and could interact with lithium
COMT	rs4680	AG	A	0.48	Lower COMT activity; lower pain tolerance
ACCN1	rs11869731	CC	C	0.81	Increased response to lithium for bipolar disorder
CACNG2	rs2284018	CC	C	0.75	Increased response to lithium for bipolar disorder
BDNF	rs6265	CC	T	0.18	Decreased BDNF; introversion
GADL1	rs17026688	CC	T	0.01	More likely to respond to lithium carbonate for bipolar disorder

[Article: COMT](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
COMT	rs4680	AG	A	0.48	GG = higher activity; AG=Intermediate activity AA = lower activity
COMT	rs4633	TC	T	0.48	CC = higher activity ; TT = lower COMT activity
COMT	rs6267	GG	T	0.003	Minor decrease in COMT
COMT	rs165599	AG	A	0.64	Minor decrease in COMT
COMT	rs165774	--	A	0.29	lower COMT activity; more likely to have irrational beliefs if subjected to maltreatment in childhood

[Article: GABA](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
GAD1	rs3749034	GG	A	0.21	Increased risk panic disorders
GAD1	rs1978340	--	A	0.26	AA only: higher GABA
GAD1	rs769390	--	C	0.22	CC only: higher GABA
GAD1	rs3791878	TG	T	0.3	Less susceptibility to PTSD
GABRA1	rs2279020	GA	G	0.35	Increased risk epilepsy; susceptibility to propofol
GABRA1	rs121434579	--	A	0	Increased risk epilepsy (rare)
GABRG2	rs211037	CC	T	0.25	Increased risk of seizures
ALDH5A1	rs3765310	CT	T	0.02	Reduced ALDH1; increased GHB in blood
ALDH5A1	rs2760118	TT	T	0.32	Reduced ALDH1; increased risk of impaired cognitive function
ALDH5A1	rs62621664	GG	T	0.016	Reduced ALDH1
GABRA2	rs279858	--	C	0.39	increased risk of alcohol use disorder; increased stimulant response from alcohol; linked to aggression and alcohol use in people who had stressful life events as teens
GABRG2	rs796052504	--	T	0.000005	Rare mutation linked to epilepsy
GABRA2	rs279871	--	T	0.57	T/T: increased risk of alcohol use disorder

[Article: HPA Axis](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
NR3C1	rs6189	CC	T	0.02	Glucocorticoid receptor mutation linked to cortisol resistance
NR3C1	rs6190	CC	T	0.022	Glucocorticoid receptor mutation linked to cortisol resistance
NR3C1	rs6198	--	C	0.16	Glucocorticoid receptor mutation linked to cortisol resistance
NR3C1	rs56149945	--	C	0.02	Increased sensitivity to glucocorticoids; increased risk of obesity; hypertension
NR3C1	rs41423247	--	C	0.33	Hypersensitivity to glucocorticoids
NR3C1	rs6191	--	A	0.37	GR variant linked to some resistance to cortisol (minor)
NR3C1	rs10052957	--	A	0.3	Linked to hypersensitivity to cortisol (minor)
NR3C2	rs5522	TT	C	0.11	Associated with resistance to cortisol; depression.
CRHR1	rs110402	AA	G	0.55	Elevated adult cortisol if exposed to childhood trauma; increased risk of depression or anxiety
CRHR1	rs242924	--	G	0.54	Elevated adult cortisol if exposed to childhood trauma; increased risk of depression or anxiety
CRHR1	rs242941	CC	A	0.34	Increased risk of depression
CRHR1	rs242939	TT	C	0.07	Increased risk of depression
FKBP5	rs1360780	TC	T	0.31	Incomplete cortisol recovery; risk of depression; anxiety
FKBP5	rs3800373	CA	C	0.28	Incomplete cortisol recovery; risk of depression; anxiety
MC2R	rs1941088	--	A	0.36	low cortisol response
MC2R	rs28940892	--	C	0.00003	Mutation linked to ACTH resistance (important)
SERPINA6	rs11621961	CT	T	0.34	Less cortisol binding globulin; lower plasma cortisol
SERPINA6	rs941601	TC	T	0.14	Less cortisol binding globulin; lower plasma cortisol
NR3C1	i4990006	--	C	0.02	Increased sensitivity to glucocorticoids; increased risk of obesity; hypertension

Article: Anxiety

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ADORA2A	rs5751876	TT	T	0.42	TT: Increased risk panic disorder; Increased anxiety with high caffeine
OXTR	rs53576	--	A	0.32	less empathetic, less sensitive to social rejection (more resilient); G/G: increased separation anxiety risk
GNB3	rs5443	CC	T	0.33	When combined with OXTR rs5443 GG - Increased separation anxiety
SLC6A4	rs140701	CT	T	0.43	Increased risk panic disorder; social anxiety disorder
BDNF	rs6265	CC	T	0.18	Decreased BDNF; Increased risk anxiety disorders
FKBP5	rs1360780	TC	T	0.31	TT only: incomplete cortisol recovery; Increased anxiety after psychosocial stress
CHCR1	rs110402	AA	G	0.55	Increased cortisol in childhood trauma
ACCN2	rs10875995	--	C	0.31	Heightened reactivity to high CO2 levels; Increased risk panic disorders
ACCN2	rs685012	--	C	0.36	Heightened reactivity to high CO2 levels; Increased risk panic disorders

Article: Inflammation and Mood

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
TNF	rs1800629	GG	A	0.15	Increased TNF-alpha
IL6	rs1800796	CC	G	0.92	GG only: Increased depression with inflammation
IL6	rs1800795	GG	C	0.34	CC only: Increased risk depression with stress
IL6	rs1800797	GG	A	0.36	Increased depression risk (Chinese pop.)
IL6R	rs4129267	CC	C	0.62	CC only: Increased risk anxiety; depression
IL1B	rs16944	AG	G	0.63	GG only: Increased risk depression
IDO1	rs9657182	TT	C	0.41	CC only: more likely to have depr. with inflammation
KMO	rs1053230	--	T	0.2	increased 3-OH-kynurenine, decreased risk of bipolar with psychosis (good)
INFG	rs2430561	--	A	0.39	less interferon-gamma, less risk of depression
PSMB4	rs2296840	CC	T	0.02	increased relative risk of depression
TBX21	rs17244587	GA	A	0.08	increased relative risk of depression
IL-13	rs1295686	TT	T	0.23	increased risk of depression with inflammation; increased risk of asthma

Article: Alcohol Use Disorder

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
OPRM1	rs1799971	GG	G	0.13	Stronger alcohol cravings
SNCA	rs17015982	--	G	0.09	Increased risk of alcoholism
SLC6A4	rs1042173	AC	A	0.54	Stronger alcohol cravings
DRD2	rs1076560	CA	A	0.14	Increased risk of alcoholism
DRD3	rs2134655	--	T	0.24	TT: Increased risk of alcoholism
GCKR	rs1260326	CC	T	0.4	Slight Increased risk of alcoholism
KLB	rs11940694	GG	A	0.42	Greater consumption
ADH1B	rs1229984	CC	T	0.04	Reduced risk alcoholism
ADH1B	rs2066702	GG	A	0.01	Reduced risk alcoholism
ALDH2	rs671	GG	A	0.006	Reduced risk alcoholism
ADH1C	rs698	TT	C	0.36	Incr. risk pancreatitis

Article: Cannabis Receptors

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CNR1	rs806368	TT	C	0.21	Higher risk of cannabis dependence, substance abuse, obesity
CNR1	rs1049353	CC	T	0.24	Decreased risk of cannabis dependence, increased effect when smoking cannabis
CNR1	rs1406977	--	C	0.21	Reduced CB1 levels; reduced working memory
CNR2	rs2501432	--	T	0.42	Increased CB2 response; Decreased risk of schizophrenia
FAAH	rs324420	CC	A	0.2	Increased anandamide; Increased risk of substance abuse
ABCB1	rs1045642	GG	A	0.49	lower serum THC levels, may stay in cells longer
FAAH	rs4141964	TT	T	0.42	Increased risk of cannabis use disorder; increased anandamide
CNR1	rs806380	--	A	0.68	Decreased risk of cannabis dependence
AKT1	rs2494732	CT	C	0.44	more likely to have an acute psychotic response to cannabis (common genotype), CC - increased risk of psychotic disorder with cannabis
COMT	rs4680	AG	A	0.48	slower COMT activity; less sensitive to THC-induced memory and attention impairment
CYP2C9	rs1799853	CC	T	0.1	slower metabolism of THC allowing it to be active in the body longer
CYP2C9	rs1057910	--	C	0.06	slower metabolism of THC allowing it to be active in the body longer

[Article: VMAT2](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
SLC18A2	rs363276	--	T	0.17	decreased VMAT2 levels, increased risk of PTSD
SLC18A2	rs363387	--	T	0.94	increased risk of alcohol dependence (likely decreased VMAT2)
SLC18A2	rs363324	AA	A	0.65	lower risk of Parkinson's (likely higher VMAT2)
SLC18A2	rs363227	--	T	0.14	increased risk of psychotic disorders, poorer cognitive function

[Article: Dyslexia](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
KIAA0319	rs4504469	--	T	0.36	Higher risk of dyslexia (Caucasian populations only)
KIAA0319	rs9461045	--	T	0.19	Higher risk of dyslexia
KIAA0319	rs2038137	--	T	0.34	TT: Higher risk of dyslexia
KIAA0319	rs761100	--	C	0.58	CC: Higher risk of dyslexia
KIAA0319	rs6935076	--	T	0.34	Higher risk of dyslexia
DCDC2	rs793862	--	A	0.32	3 to 5x greater risk of dyslexia
DCDC2	rs807701	--	G	0.36	2 to 5x greater risk of dyslexia, amplified if in combination with rs793862

[Article: Nootropics](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
BDNF	rs6265	CC	T	0.18	Decreased BDNF; noopept increases BDNF
GRIA1	rs548294	CC	T	0.38	increased risk of migraines, possibly due to decreased AMPA receptor function; Noopept acts on this receptor
BDNF	rs56164415	--	A	0.5	Decreased BDNF; noopept increases BDNF
HIF1A	rs11549465	CC	T	0.1	increased HIF-1a; Noopept increases HIF1 also
NPTN	rs7171755	--	A	0.42	lower expression of NPTN in the brain; Bacopa monnieri increases NPTN
TNF	rs1800629	GG	A	0.15	Higher TNF-alpha levels; Bacopa reduces TNF-alpha
TNF	rs361525	GG	A	0.05	Higher TNF-alpha levels; Bacopa reduces TNF-alpha
NLRP3	rs35829419	CC	A	0.03	Increased NLRP3 activation; methylene blue decreases NLRP3 inflammasome
ABCB1	rs1045642	GG	A	0.49	may take longer for St. Johns wort to work (attenuated intestinal transport)
GSTM1	rs366631	--	A	0.78	A/A: deletion (null) GSTM1 gene; possible increased photosensitivity with St. John's Wort
HIF1A	rs11549467	GG	A	0.008	increased HIF-1a; Noopept increases HIF1 also

[Article: ANK3 Bipolar](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ANK3	rs10994336	CC	T	0.06	Increased risk of bipolar disorder, decreased executive function
ANK3	rs1938526	--	G	0.09	Increased relative risk of bipolar disorder; possibly decreased working memory
ANK3	rs9804190	--	T	0.23	Greater ANK3 expression; lower risk of bipolar disorder
ANK3	rs10761482	CC	T	0.24	Increased relative risk of schizophrenia; slightly increased risk of bipolar disorder
ANK3	rs41283526	--	C	0.01	Decreased risk of bipolar disorder and schizophrenia

[Article: Dopamine](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
DRD1	rs4532	TT	C	0.34	Increased risk of nicotine dependence & treatment-resistant schizophrenia
DRD1	rs5326	TC	T	0.14	Decreased DRD1 in certain brain regions; poor strategic planning
DRD1	rs686	AA	G	0.38	GG: Decreased dopamine recpt1
DRD2	rs6277	AG	A	0.47	Increased dopamine receptor 2; better rule-based learning
DRD2	rs1801028	GG	C	0.02	Increased risk of schizophrenia
ANKK1	rs1800497	GA	A	0.2	Reduced dopamine recpt; Increased risk of PTSD; ADHD
DRD3	rs6280	CT	C	0.34	Poorer executive function; Increased risk of alcohol dependence
DRD4	rs1800955	--	C	0.43	More likely to be novelty seeker; more impulsive
COMT	rs4680	AG	A	0.48	AA: slower breakdown of dopamine (usually higher dopamine)
SLC6A3	rs27072	TC	T	0.17	Increased risk of bipolar disorder, increased risk of early smoking onset

[Article: Psychopathy](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
MAO	rs6323	--	T	0.71	Reduced MAOA activity
LINC00951	rs4714329	--	A	0.58	Increased risk of antisocial personality disorder with childhood maltreatment
HTR2B	rs79874540	--	A	0.0001	Increased risk of aggressiveness and impulsiveness, exacerbated with alcohol
OXTR	rs237887	--	G	0.42	G/G: linked in many studies to be more likely to have antisocial behavior
OXTR	rs237885	GT	T	0.45	T/T: more likely to have callous-unemotional traits[ref]
OXTR	rs53576	--	A	0.32	Not as empathetic, more antisocial
OXTR	rs1042778	GG	T	0.38	T/T: Less emotional and social; more likely to have callous-unemotional traits (risk for psychopathy)
SNAP25	rs3746544	GT	T	0.65	T/T: more common genotype in males with antisocial personality disorder

[Article: Depression and Mitochondrial Function](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
SOD2	rs4880	AA	A	0.51	AA only: higher chronic inflammation, increased relative risk of depression and psychological stress
GSTA1	rs3957357	--	A	0.38	Low/ non-functioning enzyme; increased relative risk of psychiatric illness
BDNF	rs6265	CC	T	0.18	TT: decreased BDNF; decreased hippocampus volume if exposed to early life stress
MTHFD1L	rs11754661	GG	A	0.06	Increased risk of depressive rumination and increased lifetime risk of depression
ATP6V1B2	rs1106634	--	A	0.14	Increased relative risk of major depressive disorder
FKBP5	rs1360780	TC	T	0.31	Increased relative risk for depression, incomplete cortisol recovery, and increased anxiety after psychosocial stress
FKBP5	rs3800373	CA	C	0.28	Increased relative risk of major depressive disorder
CRHR1	rs110402	AA	G	0.55	GG: elevated cortisol in people exposed to childhood trauma
CRHR1	rs242924	--	G	0.54	GG: elevated cortisol in people exposed to childhood trauma
CRHR1	rs242941	CC	A	0.34	slightly increased relative risk of depression
CRHR1	rs242939	TT	C	0.07	increased relative risk of depression
TOMM40	rs2075650	AA	G	0.12	increased susceptibility to depression (mitochondrial membrane protein)

Article: Tryptophan

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
IDO1	rs3808606	GG	A	0.46	AA only: more conversion to kynurenine
IDO1	rs9657182	TT	C	0.41	probably more conversion to kynurenine
KMO	rs1053230	--	T	0.2	Increased conversion to kynurenine
TPH2	rs4570625	GG	T	0.21	generally decreased risk of depression; less aggressiveness and lower anxiety
TPH2	rs11178997	TT	A	0.08	Increased risk of depression
TPH2	rs1843809	TT	G	0.16	Decreased risk of depression
TPH2	rs4290270	AT	T	0.61	TT only: circadian disruption in people with depression
IDO2	rs10109853	--	T	0.49	Decreased IDO2 function
IDO2	rs4503083	--	A	0.19	Decreased IDO2 function
IDO1	rs7820268	CT	C	0.67	C/C: 1.5-fold increased relative risk of MS
KYAT	rs10988134	--	T	0.67	increased relative risk of depression
KNYU	rs12477181	TG	T	0.67	increased relative risk of depression with high interferon-alpha levels

Article: Brain Fog

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
FGA	rs121909612	--	A	0	possibly carrier of a rare mutation related to fibrinogen amyloidosis
SERPINF	rs8074026	--	T	0.26	increase venous clotting risk, reduced breakdown of microclots
GPX1	rs1050450	GG	A	0.32	increased risk of brain fog in Long Covid patients
GSTM1	rs366631	--	A	0.78	A/A: deletion (null) GSTM1 gene. more common genotype in people with Long Covid brain fog
TLR4	rs10759931	--	G	0.81	G/G: common genotype, more likely to have poor cognitive outcomes from mild-Covid
HFE	rs1800562	--	A	0.05	C282Y variant, most common cause of hereditary hemochromatosis, iron buildup could cause brain fog
HFE	rs1799945	CC	G	0.13	higher iron levels, more of a problem if two copies (GG) or if combined with C282Y

[Article: Migraine Susceptibility](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
TRPM8	rs10166942	TC	C	0.23	decreased risk of migraines (temperature and menthol receptor gene)
BDNF	rs6265	CC	T	0.18	Increased risk of migraines due to lower BDNF
MMP16	rs10504861	CC	T	0.21	Reduced risk of migraines
NNMT	rs694539	CC	T	0.18	TT only: 4-fold increase in migraine risk (methylation cycle)
MTHFR	rs1801133	GG	A	0.33	Increased risk of migraines (methylation cycle)
C7orf10	rs4379368	CT	T	0.11	Decreased risk of migraines (serotonin)
SLC6A4	rs2066713	AG	A	0.37	Decreased risk of migraines (serotonin)
AOC1	rs1049793	CC	G	0.31	Increased risk of migraines (histamines from foods)
AOC1	rs10156191	CT	T	0.26	Increased risk of migraines (histamines from foods)
TNF	rs3093664	AA	G	0.07	Increased risk of migraines (inflammatory pathway)
TNF	rs1800750	GG	A	0.01	Increased risk of migraines (inflammatory pathway)
TNF	rs1800629	GG	A	0.15	Increased risk of migraines (inflammatory pathway)
IL1A	rs17561	AC	A	0.28	Increased risk of migraines (inflammatory pathway)
KCNK18	rs869025175	--	D	0.0003	rare mutation (talk with your doctor)
MTDH	rs1835740	CT	T	0.24	This variant is linked to glutamate regulation. Glutamate is an excitatory neurotransmitter.
LRP1	rs11172113	CC	C	0.39	Less likely to have migraines caused by cholesterol
NRP1	rs2506142	--	G	0.19	2-fold increased risk of menstrual migraine
PHACTR1	rs9349379	GG	A	0.61	Increased risk of migraines
TRPV1	rs8065080	--	C	0.37	C/T: more likely to have chronic migraines; C/C: protective against chronic migraines
CACNA1A	rs121908225	--	A	0.0	A/A: Familial hemiplegic migraine type 1 mutation
ATP1A2	rs121918612	--	A	0.0	A/A: Familial hemiplegic migraine type 1 mutation

[Article: Serotonin](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
TPH2	rs4570625	GG	T	0.21	decreased risk of depression, less anxiety, and aggression, more likely to be honest
HTR1A	rs6295	GG	C	0.52	C/C: higher impulsiveness, increased risk for depression
HTR1B	rs6296	GC	G	0.26	increased risk of depression, anxiety after stressful life events, increased risk of childhood aggressive behavior, ADHD
HTR2A	rs6314	GG	A	0.09	reduced serotonin 2A receptors in the prefrontal cortex, increased risk of social withdrawal

Article: Intelligence

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
PDE1C	rs10236197	--	T	0.62	Associated with increased intelligence (common allele)
LINC01104	rs13010010	--	T	0.33	Associated with increased intelligence
LINC01104	rs12206087	--	A	0.42	Associated with increased intelligence
ADAMS12	rs4962322	--	A	0.09	Linked to high intelligence in a GWAS
ADAMS12	rs10794073	--	A	0.09	Less likely to have high intelligence (GWAS)
CHRM2	rs324640	GG	G	0.49	Linked to higher verbal intelligence
CHRM2	rs2061174	GA	G	0.35	Linked to higher intelligence in adults
LRRN2	rs11584700	AA	G	0.17	Decreased years of education
DTNBP1	rs2619522	CC	C	0.19	Linked to lower cognitive ability scores
DTNBP1	rs1018381	--	A	0.08	Linked to lower cognitive ability scores
REC114	rs7171755	--	A	0.42	Slightly lower IQ and thinner left hemisphere cortex
HMGA2	rs10784502	TT	C	0.46	Larger cranial capacity and higher IQ (2.6 pts)
BDNF	rs6265	CC	T	0.18	Decreased BDNF, better performance in executive function.
VRK2	rs848293	--	G	0.54	Increased beat synchronization ability
MAPT	rs4792891	--	T	0.67	Increased beat synchronization ability
ANKK1	rs1800497	GA	A	0.2	A/A: Lead exposure in childhood decreases IQ by 9 points

Article: MTHFR and Depression

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
MTHFR	rs1801133	GG	A	0.33	Decreased MTHFR enzyme; Increased risk of depression.
MTHFR	rs1801131	GT	G	0.3	Decreased MTHFR enzyme; Increased risk of depression.

Article: Monoamine oxidase

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
MAOA	rs6323	--	T	0.71	T/T or T: reduced MAOA activity; linked with aggression in men who had traumatic childhoods
MAOA	rs1137070	CC	T	0.31	T/T or T: linked to hostility behavior in internet gaming disorder
MAOB	rs3027452	GG	A	0.16	AA or A: lower MAOB activity; negative mood response to tryptophan treatment
MAOB	rs1799836	TT	T	0.52	T/T or T: faster response to antidepressants in women, less severity in depression
MAOA	rs979605	GG	A	0.3	for males only, SSRI and SNRI worked better for depression after 6 months; slightly higher thrombocyte MAOA levels in women

[Article: ADHD](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
HNMT	rs1050891	GA	A	0.79	reduced breakdown of histamine compared to G/G; increased hyperactivity due to food additives
MAOA	rs6323	--	T	0.71	reduced MAOA activity (less dopamine breakdown); T/T: protective against ADHD in girls
SNAP25	rs3746544	GT	T	0.65	T/T: increased inattention, omission errors in ADHD children (common genotype)
HTR1B1	rs6296	GC	G	0.26	increased ADHD scores
SLC6A2	rs36021	TA	T	0.42	T/T: common genotype, increase risk of ADHD if mother smoked during pregnancy
SLC6A3	rs27072	TC	T	0.17	less common genotype, lower risk of ADHD
DRD4	rs1800955	--	C	0.43	more likely to be a novelty seeker, more impulsive
DRD4	rs916455	--	C	0.96	more likely to have ADHD persist into adulthood
ANKK1	rs1800497	GA	A	0.2	increased risk of ADHD
CLOCK	rs1801260	GA	G	0.26	delayed sleep; increased risk of ADHD
ARNTL2	rs2306074	--	T	0.67	higher risk of ADHD (common genotype)
PER1	rs2518023	GG	G	0.88	higher risk of ADHD (common genotype)
TPH2	rs1843809	TT	G	0.16	decreased risk of ADHD
COMT	rs4680	AG	A	0.48	lower function connectivity in the brain of children with ADHD; decreased grey matter volume

[Article: Statins Brain Fog](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
HMGCR	rs17244841	AA	A	0.96	A/A: statins are more likely to work well in reducing LDL through inhibiting HMGCR
HMGCR	rs12916	CC	C	0.4	C/C: less cholesterol-lowering response on moderate doses of statins
HMGCR	rs17238540	TT	T	0.97	T/T: statins are more likely to work well in reducing LDL through inhibiting HMGCR
HMGCR	rs3846662	GG	G	0.45	typical response to statins

[Article: Plasmalogens](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
FADS1/2	rs174535	TT	C	0.33	lower plasmalogen levels
PEDS1	rs6020298	--	G	0.49	increased long covid susceptibility
GNPAT	rs11558492	AA	G	0.2	increased risk of familial porphyria cutanea tarda, altered GNPAT levels
GCKR	rs780094	CC	T	0.4	lower choline plasmalogen levels
ITGA9	rs197770	AA	G	0.14	altered ethanolamine plasmalogen levels

Article: Dopamine Synthesis

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
TH	rs10770141	GG	A	0.37	higher TH activity, more prone to procrastination (women), higher risk of opioid dependence, increased risk of stress-induced hypertension
TH	rs10770140	--	C	0.39	higher TH activity, higher risk of opioid dependence, increased risk of stress-induced hypertension
DDC	rs3735273	CC	T	0.25	increased relative risk of ADHD and conduct disorder
DDC	rs921451	TT	T	0.66	T/T: slightly higher DDC expression; increased relative risk of ADHD

Article: Glutamate

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
GLS2	rs2657879	AA	G	0.17	G/G lower GLS2, lower glutamate levels
GLS2	rs2638315	GG	G	0.81	increased serum glutamine levels
GLUL	rs10911021	CT	T	0.31	T/T: decreased relative risk of mortality in people with cardiovascular disease, decreased risk of cardiovascular disease in type 2 diabetes
GLUL	rs80358215	--	A	0	A/G: rare, glutamine deficiency
GLUD1	rs121909730	--	A	0	A/G: rare mutation linked to hyperinsulinemia hyperammonemia
GLUD1	rs121909731	--	A	0	A/G: rare mutation linked to hyperinsulinemia hyperammonemia
GLUD1	rs797045597	--	T	0	C/T: rare mutation linked to hyperinsulinemia hyperammonemia
SLC1A1	rs2228622	GA	A	0.41	increased relative risk of OCD
SLC1A1	rs301430	TT	C	0.3	higher expression, more anxiety in autism spectrum disorder; increased OCD risk
SLC1A2	rs3794087	GG	T	0.23	increased relative risk of essential tremor (Caucasian, Taiwanese population groups)
SLC1A2	rs12294045	TC	T	0.18	increased relative risk of schizophrenia (Chinese population group)
SLC1A2	rs12294045	TC	T	0.18	increased relative risk of schizophrenia (Chinese population group)

[Article: Highly Sensitive People](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CRHBP	rs10062367	--	A	0.19	Greater sensory processing sensitivity in children exposed to negative parenting conditions
NTSR2	rs12612207	TC	T	0.49	T/T: lower scores on the HSP scale (less sensitive); C/T: typical score on the HSP scale
SLC6A3	rs27072	TC	T	0.17	Increased sensory sensitivity
DRD2	rs7131056	AA	A	0.43	A/A: statistically higher scores on the HSP scale; A/C: lower HSP score than A/A
TH	rs4929966	--	G	0.22	Scores higher on the HSP scale
TH	rs3842748	--	C	0.29	Scores higher on the HSP scale
TRPV1	rs8065080	--	C	0.37	C/C: less TRPV1 receptor activation, less heat and pain discomfort (not as sensitive, physical); C/T: typical receptor function
COMT	rs4680	AG	A	0.48	A/A: slow COMT, lower pain threshold, more pain in chronic pain situations; A/G: intermediate COMT activity (most common)
COMT	rs6267	GG	T	0.003	Higher pain sensitivity

[Article: Schizophrenia](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
DISC1	rs821616	--	T	0.27	decreased neural progenitor proliferation, increased relative risk of schizophrenia
DISC1	rs3738401	--	A	0.3	decreased neural progenitor proliferation, increased relative risk of schizophrenia
DISC1	rs6675281	--	T	0.13	changes DISC1 upon T. gondii infection; increased relative risk of schizophrenia
RELN	rs7341475	GG	A	0.16	decreased relative risk of schizophrenia (females)
NRG1	rs35753505	--	C	0.35	increased relative risk of schizophrenia (Asian population)
BDNF	rs6265	CC	T	0.18	increased relative risk of schizophrenia, earlier age of onset; lower hippocampal brain volume in schizophrenia
ANK3	rs10761482	CC	T	0.24	increased relative risk of schizophrenia; slightly increased risk of bipolar disorder
CACNA1C	rs1006737	AA	A	0.31	increased relative risk of schizophrenia, bipolar disorder, schizoaffective disorder
CACNA1C	rs4765905	--	C	0.32	increased relative risk of schizophrenia
DRD1	rs4532	TT	C	0.34	increased relative risk of treatment-resistant schizophrenia
DRD1	rs5326	TC	T	0.14	decreased DRD1 in certain brain areas; increased relative risk of schizophrenia
DRD2	rs6277	AG	A	0.47	decreased risk of schizophrenia, especially in Caucasians
DRD2	rs1801028	GG	C	0.02	may not respond as well to risperidone; increased risk of schizophrenia
COMT	rs4680	AG	A	0.48	A/A: more likely to respond well to antipsychotic treatment in schizophrenia
GRIN2A	rs9922678	GA	A	0.17	increased relative risk of schizophrenia, younger age of onset
SLC1A2	rs12294045	TC	T	0.18	increased relative risk of schizophrenia (Chinese population group)
SLC39A8	rs13107325	CC	T	0.07	increased relative risk of schizophrenia
C4A	rs13194505	--	A	0.16	increased relative risk of schizophrenia
GCH1	rs10137071	--	T	0.22	somewhat lower plasma bipterin levels; linked to schizophrenia patients
IL-18	rs2272127	--	C	0.79	increased relative risk of schizophrenia with herpes simplex virus 1 seropositivity (more common genotype)
MTHFR	rs2274976	CC	T	0.04	increased risk of schizophrenia
CNR2	rs2501432	--	T	0.42	increased CB2 receptor response, a decreased risk for schizophrenia
RELN	rs736707	GG	G	0.23	increased relative risk of schizophrenia and other psychiatric disorders (Asian population)

[Article: OCD](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
SLC1A1	rs2228622	GA	A	0.41	increased relative risk of OCD, increased risk of OCD when inherited with rs301430
SLC1A1	rs301430	TT	C	0.3	higher expression, more anxiety in autism spectrum disorder; increased OCD risk, increased risk of repetitive behaviors in autism
PTPRD	rs7856850	CA	A	0.23	increased relative risk of OCD
NSG2	rs4868342	--	C	0.26	increased relative risk of OCD
GRIN2B	rs1805476	--	T	0.37	increased risk of cleaning subtype of OCD
GRID2	rs1030757	CA	C	0.49	increased relative risk of OCD
GRID2	rs5019028	--	G	0.26	increased relative risk of OCD
TNF	rs361525	GG	A	0.05	higher TNF-alpha levels, increased risk of OCD
HTR3B	rs1176744	CC	C	0.32	decreased relative risk of OCD
COMT	rs4680	AG	A	0.48	40-55% lower COMT activity, linked to OCD only in males
BTBD3	rs6131295	GG	G	0.24	identified in a genome-wide association study as a likely OCD gene candidate
TNF	rs1800629	GG	A	0.15	higher TNF-alpha levels, increased risk of OCD
HTR3E	rs7627615	GA	G	0.38	G/G: increased risk of washing-type OCD, A/G: typical risk

Article: Glutamate Receptors and Transporters

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
SLC1A1	rs2228622	GA	A	0.41	increased relative risk of OCD
SLC1A1	rs301430	TT	C	0.3	higher expression, more anxiety in autism spectrum disorder; increased OCD risk
SLC1A2	rs3794087	GG	T	0.23	increased relative risk of essential tremor
SLC1A2	rs12294045	TC	T	0.18	increased relative risk of schizophrenia
SLC1A2	rs4354668	--	G	0.46	G/G: lower EAAT2 expression, impaired prefrontal cognitive performance in schizophrenia patients
SLC1A2	rs10768122	AA	G	0.39	increased relative risk of vitiligo
SLC1A2	rs1570216	TT	C	0.12	lower EAAT2 and higher glutamate levels in the anterior cingulate cortex, more rapid cycling in depressed patients.
GRIA1	rs548294	CC	T	0.38	increased relative risk of migraines without aura
GRIA3	rs3761555	CC	C	0.3	increased relative risk of migraines with aura
GRIA3	rs687577	CC	A	0.13	longer sleep duration, on average
GRIN2B	rs1806201	AG	A	0.25	more likely to use or abuse ketamine; less flexible in decision-making; increased risk of Alzheimer's disease
GRIN2B	rs7301328	--	C	0.39	associated with disruptive behavior; increased risk of impulse control disorder (ICD)
GRIN2B	rs1805502	AA	G	0.18	increased relative risk of treatment-resistant depression
GRIN2B	rs1805476	--	T	0.37	increased risk of cleaning subtype of OCD
GRIK1	rs2832407	AA	A	0.36	altered kainate receptor function, little response to topiramate for reducing drinking
GRIK2	rs4840200	--	C	0.05	decreased risk of epilepsy
GRIK2	rs2227283	--	A	0.38	increased relative risk of aggressive behavior in bipolar disorder; increased relative risk of migraines
GRIK2	rs3213607	--	A	0.06	increased relative risk of epilepsy; lower risk of autism
GRID2	rs1030757	CA	C	0.49	increased relative risk of OCD
GRID2	rs5019028	--	G	0.26	increased relative risk of OCD
GRM5	rs10831496	AG	A	0.63	increased relative risk of severe Covid
GRM6	rs2067011	GG	A	0.46	increased relative risk of autism spectrum disorder
SLC3A2	rs4726	--	T	0.21	less physical decline in the elderly (faster walking)
GRIN2B	rs10193895	AA	G	0.03	lower GRIN2B activity, increased relative risk of schizophrenia
TNF	rs1800629	GG	A	0.15	Higher TNF-alpha levels. Increased risk of neuroinflammation and decreased hippocampal gray matter; Increased risk of inflammatory conditions
TNF	rs361525	GG	A	0.05	Higher TNF-alpha levels. Increased risk of neuroinflammation and decreased hippocampal gray matter; Increased risk of inflammatory conditions

[Article: Reelin](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
RELN	rs7341475	GG	A	0.16	decreased relative risk of schizophrenia; likely higher reelin levels
RELN	rs736707	GG	G	0.23	increased relative risk of schizophrenia and other psychiatric disorders; increased relative risk of ADHD; increased relative risk of autism; likely lower reelin levels
RELN	rs362691	--	C	0.08	decreased relative risk of autism
RELN	rs3914132	TT	C	0.21	higher reelin, reduced risk of otosclerotic hearing loss
RELN	rs362719	AC	A	0.2	increased risk of schizophrenia (women)
DAB1	rs197111	TC	T	0.06	decreases the relative risk of Alzheimer's disease, but only in APOE E4/E4 carriers
DAB1	rs1341320	GA	G	0.1	decreased amyloid beta peptide concentrations in the elderly
RELN	rs607755	--	A	0.47	reduced relative risk of Alzheimer's in women; likely higher reelin levels

[🔗 Article: Trace Minerals](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
CNNM2	rs7914558	AA	G	0.58	Magnesium: G/G: decreased gray matter (on average), possibly altered neural systems relevant to social cognition, increased risk of schizophrenia; A/G: typical risk
TRPM6	rs3750425	CT	T	0.1	Magnesium: lower serum magnesium levels; increased risk of hypomagnesia with proton pump inhibitors; increased risk of type 2 diabetes if magnesium intake is low
TRPM6	rs2274924	TC	C	0.18	Magnesium: lower magnesium levels on average; increased susceptibility to epilepsy post-stroke, increased risk of hypomagnesia with proton pump inhibitors; increased risk of type 2 diabetes if magnesium intake is low
TRPM6	rs121912625	--	A	0.0	Magnesium: rare mutation linked to hypomagnesia
ATP7B	rs1061472	TT	C	0.55	Copper: C/C: (common) higher levels of unbound copper, exposure to higher copper levels increases inattentiveness in children; C/T: typical
ATP7B	rs1801243	AA	C	0.47	Coper: CC: exposure to higher copper levels increases inattentiveness in children; AC: typical
SLC31A1	rs10981694	TT	G	0.09	Copper: likely increased copper transport; more likely to have toxicity from cisplatin (chemotherapy for lung cancer), increased relative risk of lung cancer
DBH	rs1611115	CC	T	0.22	Copper: lower DBH expression (higher dopamine); increased relative risk of schizophrenia and bipolar disorder; higher neuroticism and novelty seeking; increased risk of paranoia and psychosis with copper-binding drug (disulfiram)
SLC30A1	rs2275707	--	C	0.19	Manganese: increased blood manganese concentration, reduced transport into cells, increased relative risk of lower cognitive performance and increased behavioral problems in children
SLC39A8	rs13107325	CC	T	0.07	Manganese: ~50% lower average blood Mn concentration, lower risk of behavioral problems and hyperactivity in children and adolescents, increased relative risk of schizophrenia, increased risk of Crohn's due to alterations in intestinal barrier
ACCN1	rs11869731	CC	C	0.81	Lithium: may be more likely to respond to lithium for bipolar disorder
CACNG2	rs2284018	CC	C	0.75	Lithium: more likely to respond to lithium for bipolar disorder
GADL1	rs17026688	CC	T	0.01	Lithium: more likely to respond to lithium carbonate for bipolar disorder
SLC39A2	rs2234632	--	T	0.3	Zinc: higher inflammatory cytokines without zinc supplements; zinc supplementation works here to reduce inflammation; likely impaired zinc transport into the cell
HFE	rs1800562	--	A	0.05	Iron: C282Y variant, highest ferritin levels; lower serum manganese levels

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
HFE	rs1799945	CC	G	0.13	Iron: H63D variant increase the risk of (mild) hemochromatosis, and increased ferritin levels; linked to lower serum manganese level
BDNF	rs6265	CC	T	0.18	Lithium: decreased BDNF, referred to in studies as Met/Met; introversion, resilient to adverse events, a quicker decline in Alzheimer's, may have a better response to lithium carbonate for bipolar disorder

[Article: BPD](#)

Gene	RS ID	Your Genotype	Effect Allele	Effect Allele Frequency	Notes About Effect Allele
ANKK1	rs1800497	GA	A	.2	(DRD2*A1/A1) increased relative risk of BPD; reduced number of dopamine binding sites
HTR2C	rs6318	GG	C	.18	lower relative risk of BPD (protective)
HTR1A1	rs6295	GG	C	.52	increased relative risk of BPD
TPH2	rs2171363	AG	A	.44	increased relative risk of BPD
SERINC5	rs73772260	--	A	.19	reduced relative risk of BPD
NRXN3	rs10151731	TT	G	.18	increased moodiness and affective instability in BDP
FKBP5	rs9470080	--	T	.33	increased relative risk of BPD, especially with physical or emotional abuse
FKBP5	rs1360780	TC	T	.31	increased relative risk of BPD, especially with physical or emotional abuse; decreased FKBP5 methylation and increased resistance of cortisol receptor
OXTR	rs53576	--	A	.32	Not as empathetic, not generally as social with groups; stronger symptoms in BPD in conjunction with childhood maltreatment,
MGLL	rs782440	TT	T	.47	slightly increases the relative risk of BPD