

The Topic Summary Reports are a handy way to see which articles may be most relevant to you. These summaries are attempting to distill the complex information down into just a few words. Please see the linked articles for details and complete references.

### [Article: Hemochromatosis](#)

| Gene      | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                             |
|-----------|-------------|---------------|---------------|-------------------------|-----------------------------------------------------------------------|
| HFE C282Y | rs1800562   | --            | A             | 0.05                    | Hemochromatosis; iron build up (important)                            |
| HFE H63D  | rs1799945   | CC            | G             | 0.13                    | Iron build up; (milder) hemochromatosis risk if 2x                    |
| HFE S65C  | rs1800730   | AA            | T             | 0.01                    | Iron build up; (milder) hemochromatosis risk                          |
| BMP2      | rs235756    | AA            | A             | 0.63                    | Increased ferritin levels with HFE (above)                            |
| BTBD9     | rs3923809   | AA            | A             | 0.67                    | A/A: lower ferritin levels (common allele)                            |
| SLC40A1   | rs1439816   | --            | C             | 0.21                    | More liver damage with HFE                                            |
| TMPRSS6   | rs855791    | GA            | A             | 0.43                    | A/A lower iron stores; A/G: typical; G/G: Increased iron stores (men) |
| SLC40A1   | rs11568350  | --            | A             | 0.003                   | Higher ferritin levels                                                |
| HFE2      | rs121434375 | --            | T             | 0.99                    | hemochromatosis type 2A mutation                                      |
| SLC40A1   | rs28939076  | --            | T             | 0                       | Hemochromatosis type 4 mutation                                       |
| HIF1A     | rs11549465  | CC            | T             | 0.1                     | Increased high iron in hemochromatosis patients                       |
| HFE2      | i5001498    | --            | T             | 0.99                    | hemochromatosis type 2A mutation                                      |
| HFE2      | i5001502    | --            | A             | 0                       | Hemochromatosis type 2A mutation                                      |
| HFE2      | i5001501    | --            | C             | 0                       | Hemochromatosis type 2A mutation                                      |

### [Article: Skin Cancer](#)

| Gene    | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                           |
|---------|------------|---------------|---------------|-------------------------|-----------------------------------------------------|
| MC1R    | rs1805008  | CC            | T             | 0.06                    | Increased risk of melanoma and basal cell carcinoma |
| MC1R    | rs1805007  | --            | T             | 0.06                    | Increased risk of melanoma and basal cell carcinoma |
| MC1R    | rs1805006  | CC            | A             | 0.008                   | Increased risk of melanoma and basal cell carcinoma |
| MC1R    | rs1805009  | GG            | C             | 0.01                    | Increased risk of melanoma and basal cell carcinoma |
| ASIP    | rs1015362  | CC            | C             | 0.68                    | increased risk of skin cancer; sunburns; freckles   |
| ASIP    | rs4911414  | GG            | T             | 0.31                    | increased risk of skin cancer; sunburns; freckles   |
| EXOC2   | rs12210050 | CC            | T             | 0.14                    | Slightly increased risk skin cancer                 |
| SLC45A2 | rs16891982 | CC            | G             | 0.86                    | C/G: reduced risk of skin cancer (Caucasians)       |
| PADI6   | rs7538876  | GA            | A             | 0.36                    | AA: increased risk of skin cancer                   |
| IRF4    | rs12203592 | CC            | T             | 0.13                    | Increased risk of skin cancer and moles             |
| MC1R    | i3002507   | --            | C             | 0.01                    | Increased risk of melanoma and basal cell carcinoma |

[Article: Osteoporosis](#)

| Gene     | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                               |
|----------|------------|---------------|---------------|-------------------------|---------------------------------------------------------|
| TNFSF11  | rs2277438  | AA            | G             | 0.22                    | GG only: lower bone mineral density                     |
| TNFSF11  | rs2277439  | AA            | G             | 0.17                    | Lower bone mineral density                              |
| TNFSF11  | rs12585014 | GG            | G             | 0.81                    | Lower femoral strength; BMD                             |
| OPG      | rs3102735  | --            | C             | 0.14                    | CC only: lower BMD                                      |
| LRP5     | rs3736228  | CC            | T             | 0.13                    | Increased risk of osteoporosis                          |
| SQRDL    | rs1044032  | TT            | C             | 0.2                     | Decreased risk of osteoporosis                          |
| VDR      | rs1544410  | CC            | T             | 0.38                    | Increased risk of low BMD; osteoporosis                 |
| VDR FokI | rs2228570  | --            | A             | 0.38                    | Adequate vitamin D is important here                    |
| ESR2     | rs4986938  | TC            | T             | 0.36                    | TT only: lower BMD                                      |
| TGFB1    | rs1800470  | GA            | G             | 0.49                    | Increased risk of osteoporosis (Asian population group) |
| COL1A1   | rs1800012  | CC            | A             | 0.16                    | Lower bone mineral density                              |
| LGR6     | rs10920362 | --            | T             | 0.44                    | increased risk of osteoporosis                          |

[Article: Gallstones](#)

| Gene  | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                                        |
|-------|------------|---------------|---------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ABCG8 | rs11887534 | --            | C             | 0.06                    | Increased risk of gallstones; Increased cholesterol secretion                                                                                                    |
| ABCG8 | rs6756629  | --            | A             | 0.06                    | Increased risk of gallstones                                                                                                                                     |
| ABCG8 | rs4299376  | TT            | G             | 0.3                     | Increased risk of gallstones (Caucasian populations)                                                                                                             |
| ABCG8 | rs4245791  | TT            | C             | 0.3                     | Increased risk of gallstones                                                                                                                                     |
| ABCB4 | rs2230028  | CT            | C             | 0.08                    | Increased risk of gallstones                                                                                                                                     |
| MUC2  | rs2856111  | CC            | C             | 0.14                    | slightly increased relative risk of IBD; statistically worse outcomes with colon cancer; likely lower MUC2 expression (interpretation), lower risk of gallstones |
| MUC2  | rs7396030  | --            | G             | 0.77                    | increased MUC2, increased risk of gallstones                                                                                                                     |

[Article: Dry Eyes](#)

| Gene   | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                   |
|--------|-------------|---------------|---------------|-------------------------|-----------------------------------------------------------------------------|
| IL1B   | rs1143634   | GG            | A             | 0.22                    | A/A: decreased risk of dry eye syndrome due to lower tear osmolality (good) |
| PTPN22 | rs33996649  | CC            | T             | 0.02                    | Incr. dry eyes; immune system                                               |
| VDR    | rs7975232   | CC            | C             | 0.44                    | Incr. dry eyes; vit. D receptor                                             |
| MUC1   | rs4072037   | TT            | C             | 0.45                    | Incr. dry eyes; mucin                                                       |
| TRPM8  | rs10166942  | TC            | C             | 0.23                    | Decreased cold receptor                                                     |
| TACR1  | rs3771863   | CC            | T             | 0.22                    | Reduced risk dry eyes                                                       |
| BDNF   | rs6265      | CC            | T             | 0.18                    | Incr. dry eyes; decreased BDNF                                              |
| THBS1  | rs2228262   | AA            | G             | 0.1                     | Increased risk of dry eyes after laser surgery                              |
| THBS1  | rs2292305   | --            | G             | 0.14                    | More likely to develop dry eyes after laser surgery                         |
| FGF10  | rs104893889 | --            | T             | 0                       | Rare; possible problems producing tears                                     |

### Article: Macular Degeneration

| Gene  | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele    |
|-------|-------------|---------------|---------------|-------------------------|------------------------------|
| CFH   | rs1061170   | --            | C             | 0.37                    | Increased risk of AMD        |
| CFH   | rs1410996   | AG            | A             | 0.4                     | AA: increased risk of AMD    |
| CFH   | rs800292    | AG            | G             | 0.72                    | GG: increased risk of AMD    |
| CFH   | rs10922109  | --            | A             | 0.43                    | Decreased risk of AMD        |
| CFI   | rs10033900  | TT            | T             | 0.48                    | TT: increase risk of AMD     |
| C3    | rs147859257 | --            | G             | 0.004                   | Increased risk of AMD (rare) |
| ARMS2 | rs10490924  | --            | T             | 0.24                    | TT: increase risk of AMD     |
| LIPC  | rs10468017  | CC            | T             | 0.27                    | Decreased risk of AMD        |
| C2    | rs547154    | GT            | T             | 0.09                    | Decreased risk of AMD        |
| C2    | rs4151667   | TT            | A             | 0.03                    | Decreased risk of AMD        |
| C2    | rs641153    | --            | A             | 0.09                    | Decreased risk of AMD        |
| C2    | rs9332739   | GG            | C             | 0.03                    | Decreased risk of AMD        |

### Article: G6PD Deficiency

| Gene | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele |
|------|-------------|---------------|---------------|-------------------------|---------------------------|
| G6PD | rs5030868   | --            | A             | 0.001                   | G6PD deficiency mutation  |
| G6PD | rs72554664  | --            | T             | 0.00007                 | G6PD deficiency mutation  |
| G6PD | rs1050828   | --            | T             | 0.006                   | G6PD deficiency mutation  |
| G6PD | rs72554665  | --            | T             | 0                       | G6PD deficiency mutation  |
| G6PD | rs5030869   | --            | T             | 0.00009                 | G6PD deficiency mutation  |
| G6PD | rs137852327 | --            | T             | 0.0001                  | G6PD deficiency mutation  |
| G6PD | rs137852330 | --            | A             | 0                       | G6PD deficiency mutation  |
| G6PD | i5012739    | --            | T             | 0                       | G6PD deficiency mutation  |
| G6PD | i3003411    | --            | T             | 0.00009                 | G6PD deficiency mutation  |
| G6PD | i5008436    | --            | T             | 0.0001                  | G6PD deficiency mutation  |
| G6PD | i5008440    | --            | A             | 0                       | G6PD deficiency mutation  |

### Article: HIF1A

| Gene  | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele              |
|-------|------------|---------------|---------------|-------------------------|----------------------------------------|
| HIF1A | rs11549465 | CC            | T             | 0.1                     | Increased HIF1A; increased cancer risk |
| HIF1A | rs11549467 | GG            | A             | 0.008                   | Increased HIF1A; increased cancer risk |
| HIF1A | rs2057482  | CC            | T             | 0.16                    | Decreased HIF1A; decreased cancer      |

[Article: Trimethylaminuria](#)

| Gene | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                               |
|------|------------|---------------|---------------|-------------------------|---------------------------------------------------------|
| FMO3 | rs2266782  | AG            | A             | 0.4                     | Decreased FMO3 function; increased risk of hypertension |
| FMO3 | rs2266780  | AA            | G             | 0.17                    | Somewhat decreased FMO3 function                        |
| FMO3 | rs909530   | CT            | T             | 0.24                    | Somewhat decreased FMO3 function                        |
| FMO3 | rs1736557  | GG            | A             | 0.07                    | Decreased FMO3 function                                 |
| FMO3 | rs72549332 | --            | A             | 0.00006                 | Decreased FMO3 function                                 |
| FMO3 | rs72549326 | CC            | T             | 0.002                   | Decreased FMO3 function                                 |
| FMO3 | rs72549322 | --            | G             | 0.00002                 | Decreased FMO3 function                                 |
| FMO3 | rs61753344 | --            | T             | 0.0005                  | Decreased FMO3 function                                 |
| FMO3 | rs3832024  | --            | D             | 0.00007                 | Decreased FMO3 function                                 |

[Article: Alpha-1](#)

| Gene     | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                            |
|----------|-------------|---------------|---------------|-------------------------|----------------------------------------------------------------------|
| SERPINA1 | rs17580     | --            | A             | 0.03                    | Pi*S mutation                                                        |
| SERPINA1 | rs28929474  | --            | T             | 0.01                    | Pi*Z mutation                                                        |
| SERPINA1 | rs28929473  | --            | A             | 0                       | Null mutation                                                        |
| SERPINA1 | rs199422211 | --            | A             | 0.00008                 | Null mutation                                                        |
| SERPINA1 | rs28931572  | --            | T             | 0                       | Null mutation                                                        |
| SERPINA1 | rs28931568  | --            | T             | 0                       | Pi Mineral Springs mutation                                          |
| SERPINA1 | rs61761869  | GG            | A             | 0.0005                  | Pi Procida mutation                                                  |
| TNF      | rs361525    | GG            | A             | 0.05                    | increased likelihood of having chronic bronchitis with Pi*Z mutation |
| GSTP1    | rs1695      | AA            | G             | 0.32                    | G/G: reduced function, increased risk of COPD in AAT deficiency      |

[Article: TREM2](#)

| Gene  | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele              |
|-------|-------------|---------------|---------------|-------------------------|----------------------------------------|
| TREM2 | rs75932628  | CC            | T             | 0.002                   | Increased risk of Alzheimer's          |
| TREM2 | rs143332484 | CC            | T             | 0.009                   | Somewhat increased risk of Alzheimer's |

[Article: Alzheimer's Protection](#)

| Gene   | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                           |
|--------|-------------|---------------|---------------|-------------------------|-------------------------------------------------------------------------------------|
| APP    | rs63750847  | --            | T             | 0.0001                  | Resistance to Alzheimer's (important)                                               |
| HMGCR  | rs3846662   | GG            | G             | 0.45                    | G/G or A/G: typical risk of Alzheimer's; A/A: decreased risk of Alzheimer's         |
| MAPT   | rs8070723   | AA            | G             | 0.2                     | Slightly reduces risk of Alzheimer's; greatly reduced risk of palsy and Parkinson's |
| ZCWPW1 | rs1476679   | CT            | C             | 0.27                    | Slightly reduces the risk of Alzheimer's                                            |
| CLU    | rs11136000  | TC            | C             | 0.59                    | Slightly decreased risk of Alzheimer's                                              |
| PICALM | rs3851179   | CC            | C             | 0.64                    | Slightly decreased risk of Alzheimer's                                              |
| APOE   | rs7412      | CC            | C             | 0.92                    | No APOE ε2 allele                                                                   |
| APOE   | rs199768005 | TT            | A             | 0.0004                  | one copy of a rare mutation that significantly decreases the risk of Alzheimer's    |
| APOE   | i5000207    | --            | A             | 0.0004                  | one copy of a rare mutation that significantly decreases the risk of Alzheimer's    |
| APOE   | rs267606661 | CC            | G             | 0.0004                  | one copy of a rare mutation that significantly decreases the risk of Alzheimer's    |
| APOE   | i5000206    | --            | G             | 0.0004                  | one copy of a rare mutation that significantly decreases the risk of Alzheimer's    |
| CHI3L1 | rs4950928   | --            | G             | 0.32                    | decreased risk of Alzheimer's                                                       |

[Article: APOE](#)

| Gene | RS ID    | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele          |
|------|----------|---------------|---------------|-------------------------|------------------------------------|
| APOE | rs429358 | --            | C             | 0.07                    | Read the article to determine APOE |
| APOE | rs7412   | CC            | C             | 0.92                    | Read the article to determine APOE |

[Article: MSH3](#)

| Gene | RS ID    | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                       |
|------|----------|---------------|---------------|-------------------------|-----------------------------------------------------------------|
| MSH3 | rs26279  | AA            | G             | 0.29                    | Increased relative risk of cancers, especially colon and breast |
| MSH3 | rs863221 | --            | G             | 0.36                    | Increased survival rate in colon cancer (good)                  |

[Article: Small Fiber Neuropathy](#)

| Gene   | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                        |
|--------|-------------|---------------|---------------|-------------------------|----------------------------------------------------------------------------------|
| SCN9A  | rs6746030   | GG            | A             | 0.12                    | increased risk of arthritis pain, back pain (lumbar disc), and phantom pain      |
| SCN9A  | rs4369876   | --            | A             | 0.009                   | More sensitive to pain, increased risk of small fiber neuropathy                 |
| SCN9A  | rs74449889  | --            | G             | 0.005                   | Increased risk of neuropathic pain                                               |
| SCN9A  | rs80356470  | --            | T             | 0                       | (rare) primary erythromelalgia                                                   |
| SCN9A  | rs182650126 | TT            | C             | 0.003                   | (rare) increased risk of neuropathy pain                                         |
| SCN10A | rs6795970   | AA            | A             | 0.37                    | Higher pain threshold; decreased pain in inflammatory bowel disease              |
| SCN10A | rs12632942  | AA            | G             | 0.24                    | GG: lower pain threshold                                                         |
| SCN10A | rs151090729 | --            | T             | 0.0008                  | (rare mutation) hyperexcitable NaV1.8; increased risk of small fiber neuropathy  |
| SCN11A | rs138607170 | --            | A             | 0.00003                 | (rare mutation) familial episodic pain syndrome, hereditary autonomic neuropathy |
| SCN11A | rs483352921 | --            | C             | 0                       | (rare mutation) familial episodic pain syndrome                                  |
| SCN11A | rs483352920 | --            | G             | 0                       | (rare mutation) congenital insensitivity to pain                                 |
| SCN11A | rs141686175 | AA            | G             | 0.0005                  | (rare mutation) increased nerve firing, pain and neuropathy                      |
| TRPV1  | rs8065080   | --            | C             | 0.37                    | C/C: higher pain tolerance to pinprick pain (in Asian populations)               |

[Article: Phenylketonuria](#)

| Gene | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                      |
|------|------------|---------------|---------------|-------------------------|------------------------------------------------|
| PAH  | rs5030861  | CC            | T             | 0.001                   | Phenylketonuria                                |
| PAH  | rs5030858  | GG            | A             | 0.001                   | Phenylketonuria                                |
| PAH  | rs5030857  | GG            | A             | 0.0009                  | Phenylketonuria                                |
| PAH  | rs5030855  | CT            | T             | 0.0003                  | Phenylketonuria                                |
| PAH  | rs5030853  | CC            | A             | 0.0007                  | Phenylketonuria                                |
| PAH  | rs5030852  | --            | A             | 0                       | Phenylketonuria *mutation may be either A or T |
| PAH  | rs5030849  | --            | T             | 0.0002                  | Phenylketonuria                                |
| PAH  | rs5030841  | --            | G             | 0.0001                  | Phenylketonuria                                |
| PAH  | rs28934899 | --            | G             | 0                       | Phenylketonuria                                |
| PAH  | rs62508588 | --            | T             | 0.00006                 | Phenylketonuria                                |
| PAH  | i4000479   | --            | C             | 0                       | Phenylketonuria                                |
| PAH  | i4000478   | --            | T             | 0                       | Phenylketonuria                                |
| PAH  | rs62514953 | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | rs62516092 | GG            | C             | 0.0002                  | Phenylketonuria                                |
| PAH  | rs62642933 | --            | C             | 0.0001                  | Phenylketonuria                                |
| PAH  | rs62642932 | --            | T             | 0                       | Phenylketonuria                                |
| PAH  | rs76296470 | --            | A             | 0.0005                  | Phenylketonuria                                |
| PAH  | rs75193786 | --            | G             | 0.0005                  | Phenylketonuria                                |
| PAH  | i4000470   | --            | C             | 0                       | Phenylketonuria                                |
| PAH  | i4000467   | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | rs5030860  | TT            | C             | 0.0004                  | Phenylketonuria                                |
| PAH  | rs5030856  | TT            | C             | 0.0002                  | Phenylketonuria                                |
| PAH  | i3003401   | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | i4000472   | --            | G             | 0                       | Phenylketonuria                                |
| PAH  | i4000473   | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | i3003397   | --            | T             | 0                       | Phenylketonuria                                |
| PAH  | i4000481   | --            | T             | 0                       | Phenylketonuria                                |
| PAH  | i3003398   | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | i3003399   | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | i3003400   | --            | A             | 0                       | Phenylketonuria                                |
| PAH  | i4000476   | --            | C             | 0                       | Phenylketonuria                                |

[Article: Serotonin 2A Alzheimers](#)

| Gene  | RS ID  | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                      |
|-------|--------|---------------|---------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| HTR2A | rs6313 | GG            | G             | 0.58                    | Increased risk of Alzheimer's in people without the APOE E4 allele                                                                             |
| HTR2A | rs6314 | GG            | A             | 0.09                    | Reduced serotonin 2A receptors in the prefrontal cortex, increased risk of social withdrawal, diminished hippocampal response to novel stimuli |
| MAOA  | rs6323 | --            | T             | 0.71                    | Reduced MAOA activity                                                                                                                          |

[Article: Prions](#)

| Gene   | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                    |
|--------|------------|---------------|---------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------|
| PRNP   | rs1799990  | GA            | G             | 0.33                    | Protective against sporadic CJD, and possibly reduced risk for late-onset Alz.                                               |
| PRNP   | rs11538758 | --            | T             | 0                       | possible pathogenic allele for Gerstmann-Straussler-Scheinker syndrome (double-check your genetic data with a clinical test) |
| PRNP   | rs28933385 | --            | A             | 0.00003                 | E200K, possibly pathogenic allele for CJD, familial fatal insomnia, double-check this with a clinical-grade test.            |
| PRNP   | i5004356   | --            | C             | 0                       | possible pathogenic allele for Gerstmann-Straussler-Scheinker syndrome (double-check your genetic data with a clinical test) |
| ZBTB38 | rs9857275  | --            | A             | 0.29                    | slightly decreased risk of prion diseases                                                                                    |
| SEMA3A | rs488333   | --            | G             | 0.29                    | slightly increased risk of prion diseases                                                                                    |
| PRNP   | rs74315405 | --            | C             | 0                       | Possible pathogenic allele for Gerstmann-Straussler-Scheinker syndrome (double-check your genetic data with a clinical test) |

[Article: Essential Tremor](#)

| Gene    | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                           |
|---------|-------------|---------------|---------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| CTNNA3  | rs12764057  | --            | G             | 0.36                    | Increased relative risk of ET                                                                                                       |
| CTNNA3  | rs7903491   | --            | A             | 0.41                    | Increased relative risk of ET                                                                                                       |
| FUS     | rs186547381 | --            | T             | 0.00008                 | rare mutation linked to essential tremor                                                                                            |
| SCN11A  | rs138607170 | --            | A             | 0.00003                 | rare mutation linked to essential tremor                                                                                            |
| LINGO1  | rs11856808  | CC            | T             | 0.35                    | Increased relative risk of ET; gene involved in brain repair and neuronal growth                                                    |
| LINGO1  | rs9652490   | AA            | G             | 0.22                    | Increased relative risk of ET; gene involved in brain repair and neuronal growth                                                    |
| MAPT    | rs1052553   | --            | G             | 0.2                     | Increased relative risk of ET                                                                                                       |
| TREM2   | rs75932628  | CC            | T             | 0.002                   | Reduced intracellular signaling, increased risk of Alzheimer's disease, increased risk of essential tremor                          |
| HTRA2   | rs72470545  | GG            | A             | 0.003                   | Rare mutation, significantly increased risk of ET                                                                                   |
| MTHFR   | rs1801133   | GG            | A             | 0.33                    | Increased risk of essential tremor, possibly linked to reduced detoxification (avoid heavy metals and increase folate in your diet) |
| DRD3    | rs6280      | CT            | C             | 0.34                    | Increased risk of essential tremor (especially voice tremor) - dopamine receptor                                                    |
| VDR     | rs2228570   | --            | A             | 0.38                    | AA - reduced risk of essential tremor; vitamin D receptor                                                                           |
| CYP2C19 | rs4244285   | --            | A             | 0.14                    | Increased risk of essential tremor; CYP2C19 is involved in detoxification of tobacco products (avoid cigarette smoke)               |



[Article: Prostate Genes](#)

| Gene    | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                   |
|---------|-------------|---------------|---------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 8q24    | rs188140481 | TT            | A             | 0.002                   | >4 fold increased risk of prostate cancer (important)                                                                                       |
| HOXB13  | rs138213197 | CC            | T             | 0.0009                  | >5 fold increased risk of prostate cancer (important, rare)                                                                                 |
| FGFR4   | rs2011077   | CC            | C             | 0.78                    | increased risk of prostate cancer and BPH (up to 6-fold increase for Japanese ancestry)                                                     |
| HNF1B   | rs4430796   | AA            | A             | 0.5                     | increased relative risk of prostate cancer (additive risk)                                                                                  |
| CASC17  | rs1859962   | TG            | G             | 0.47                    | increased relative risk of prostate cancer (additive risk)                                                                                  |
| 8q24    | rs16901979  | CC            | A             | 0.06                    | increased relative risk of prostate cancer (additive risk)                                                                                  |
| 8q24    | rs6983267   | GG            | T             | 0.47                    | G/G: increased relative risk of prostate cancer (additive risk); G/T: increased risk of prostate cancer; T/T: lower risk of prostate cancer |
| DAB2IP  | rs1571801   | GG            | T             | 0.23                    | increased risk of aggressiveness in prostate cancer                                                                                         |
| 17p12   | rs4054823   | TT            | T             | 0.55                    | T/T: increased risk of aggressiveness in prostate cancer                                                                                    |
| CASC8   | rs1447295   | AA            | A             | 0.1                     | increased relative risk of prostate cancer, and increased aggressiveness in prostate cancer                                                 |
| 11q13   | rs11228565  | GG            | A             | 0.2                     | increased aggressiveness in prostate cancer                                                                                                 |
| ESR2    | rs2987983   | --            | G             | 0.34                    | G/G: increased risk of prostate cancer, but risk mitigated by adding phytoestrogens or isoflavonoids to the diet                            |
| COX2    | rs5275      | AA            | G             | 0.34                    | G/G: decreased risk of prostate cancer with salmon consumption, fish oil (good)                                                             |
| GSTM1   | rs366631    | --            | A             | 0.78                    | A/A: deletion (null) GSTM1 gene; increased risk of prostate cancer in Caucasians                                                            |
| GSTP1   | rs1138272   | CC            | T             | 0.07                    | increased risk of prostate cancer                                                                                                           |
| GSTP1   | rs1695      | AA            | G             | 0.32                    | G/G: increased risk of prostate cancer                                                                                                      |
| CYP3A4  | rs2740574   | TT            | C             | 0.11                    | increased risk of aggressive prostate cancer in African Americans                                                                           |
| CYP1B1  | rs1056836   | GG            | G             | 0.57                    | decreased estradiol metabolism                                                                                                              |
| CYP19A1 | rs700518    | TT            | T             | 0.53                    | TT: increased risk of BPH                                                                                                                   |
| EHBP1   | rs721048    | GG            | A             | 0.17                    | increased risk for prostate cancer                                                                                                          |

[Article: Parkinson's Risk](#)

| Gene    | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                               |
|---------|-------------|---------------|---------------|-------------------------|---------------------------------------------------------------------------------------------------------|
| LRRK2   | rs34637584  | --            | A             | 0.0007                  | rare, may be a miscall if using AncestryDNA data, otherwise significantly increased risk of Parkinson's |
| LRRK2   | rs34778348  | GG            | A             | 0.001                   | increased risk of Parkinson's                                                                           |
| LRRK2   | rs33995883  | AA            | G             | 0.02                    | slightly increased risk of Parkinson's                                                                  |
| SNCA    | rs2736990   | GA            | G             | 0.48                    | slightly increased risk of Parkinson's                                                                  |
| SNCA    | rs356218    | --            | G             | 0.68                    | slightly increased risk of Parkinson's                                                                  |
| PER1    | rs2253820   | --            | C             | 0.78                    | slightly increased risk of Parkinson's                                                                  |
| SLC2A13 | rs1994090   | TT            | G             | 0.2                     | slightly increased risk of Parkinson's                                                                  |
| ALDH    | rs671       | GG            | A             | 0.006                   | increased risk of PD with pesticide exposure                                                            |
| GBA     | rs421016    | --            | G             | 0.002                   | increased risk for Parkinson's; An increased risk of Gaucher's                                          |
| GBA     | i4000417    | --            | I             | 0.0001                  | increased risk for Parkinson's, II - increased risk of Gaucher's                                        |
| GBA     | rs2230288   | CC            | T             | 0.01                    | increased risk for Parkinson's, TT - increased risk of Gaucher's                                        |
| BChE    | rs1803274   | CT            | T             | 0.19                    | increased risk for Parkinson's with organophosphate exposure; K-variant                                 |
| BChE    | rs1126680   | --            | T             | 0.07                    | reduced risk of Parkinson's disease                                                                     |
| GBA     | i4000415    | --            | C             | 0.002                   | type 1 Goucher's risk; increased PD risk                                                                |
| GBA     | rs387906315 | --            | I             | 0.0001                  | increased risk for Parkinson's, II - increased risk of Gaucher's                                        |
| GBA     | rs76763715  | --            | C             | 0.002                   | type 1 Goucher's risk; increased PD risk                                                                |
| SNCA    | rs356219    | GA            | G             | 0.38                    | slightly increased risk of Parkinson's, faster non-motor decline                                        |
| SNCA    | rs104893875 | --            | T             | 0                       | rare mutation linked Parkinson's or Lewy body dementia (double check with a clinical-grade test)        |
| SNCA    | i5002552    | --            | T             | 0                       | rare mutation linked Parkinson's or Lewy body dementia (double check with a clinical-grade test)        |
| SNCA    | rs356220    | TC            | C             | 0.48                    | reduced relative risk of Parkinson's disease                                                            |
| RIT1    | rs1749409   | GA            | G             | 0.48                    | reduced relative risk of Parkinson's disease                                                            |

[Article: Primary Sclerosing Cholangitis](#)

| Gene     | RS ID     | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                                      |
|----------|-----------|---------------|---------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HLA-DRB1 | rs2187668 | CC            | T             | 0.11                    | HLA-DRB1*0301; significantly increased susceptibility to PSC                                                                                                   |
| HLA-B    | rs3099844 | CC            | A             | 0.11                    | increased susceptibility to PSC                                                                                                                                |
| HLA-B    | rs2844559 | --            | T             | 0.1                     | increased susceptibility to PSC                                                                                                                                |
| FUT2     | rs601338  | --            | A             | 0.47                    | A/A: non-secretor of blood type; increased risk of Candida infections in the bile ducts, increased episodes of cholangitis, increased risk of dominant stenosi |
| SLCO1B1  | rs4149056 | TT            | C             | 0.14                    | slightly decreased risk of PSC                                                                                                                                 |
| PNPLA3   | rs738409  | CC            | G             | 0.21                    | Increased liver fat, NAFLD; increased fibrosis by 3-fold in PSC                                                                                                |
| NR1H2    | rs1054190 | CC            | T             | 0.11                    | Reduced median survival in PSC                                                                                                                                 |
| MMP3     | rs650108  | --            | G             | 0.72                    | increased risk of progression and need for liver transplant in PSC patients                                                                                    |
| TNF      | rs1800629 | GG            | A             | 0.15                    | Higher TNF levels; 3-fold increased risk of PSC                                                                                                                |
| MMEL1    | rs3748816 | AA            | G             | 0.35                    | Decreased risk of PSC                                                                                                                                          |

[Article: Genetic Superpowers](#)

| Gene    | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                     |
|---------|-------------|---------------|---------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| CRHR1   | rs242924    | --            | G             | 0.45                    | T/T: Resiliency! Protective against the negative effects of childhood trauma; G/G or GT: more likely to be affected by childhood trauma       |
| CRHR1   | rs110402    | AA            | G             | 0.55                    | AA: Resiliency! Protective against the negative effects of childhood trauma. G/G: not protected against negative effects of childhood trauma. |
| IL17A   | rs2275913   | AA            | A             | 0.33                    | A/A: ~ half the risk for H3N2 flu                                                                                                             |
| IL1B    | rs16944     | AG            | G             | 0.63                    | G/G: less than half the risk for H3N2 flu                                                                                                     |
| IL28    | rs8099917   | GT            | G             | 0.19                    | half the risk for H3N2 flu                                                                                                                    |
| PCSK9   | rs11591147  | GG            | T             | 0.01                    | decreased LDL-cholesterol, 30% lower risk of heart disease                                                                                    |
| PCSK9   | rs28362286  | --            | A             | 0.0003                  | decreased LDL-cholesterol, lower risk of heart disease                                                                                        |
| PCSK9   | rs67608943  | --            | G             | 0.00004                 | decreased LDL-cholesterol, lower risk of heart disease                                                                                        |
| PCSK9   | rs72646508  | CC            | T             | 0.0001                  | decreased LDL-cholesterol, lower risk of heart disease                                                                                        |
| CCR5    | i3003626    | --            | D             | 0.09                    | reduced likelihood of progressing to AIDS with HIV                                                                                            |
| FOXO3A  | rs2802292   | --            | G             | 0.43                    | increased odds of living longer                                                                                                               |
| FOXO3A  | rs1935949   | --            | A             | 0.32                    | increased odds of living longer in women                                                                                                      |
| FOXO3A  | rs479744    | GG            | T             | 0.24                    | slightly increased odds of living longer                                                                                                      |
| FUT2    | rs601338    | --            | A             | 0.47                    | A/A: non-secretor of blood type, resistance to norovirus                                                                                      |
| FUT2    | rs1047781   | AA            | T             | 0.01                    | TT: non-secretor of blood type, resistance to norovirus (East Asian ancestry)                                                                 |
| FOXC2   | rs121909106 | --            | T             | 0                       | double lash mutation, increased risk of lymphedema                                                                                            |
| FOXC2   | rs121909107 | --            | A             | 0                       | double lash mutation, increased risk of lymphedema                                                                                            |
| TAS2R38 | rs713598    | CC            | G             | 0.42                    | Can taste bitter                                                                                                                              |
| TAS2R38 | rs10246939  | TT            | C             | 0.46                    | Can taste bitter                                                                                                                              |
| TAS2R16 | rs846672    | --            | C             | 0.68                    | Can taste bitter in ethanol, fermented foods                                                                                                  |
| TAS2R16 | rs846664    | AA            | C             | 0.03                    | A/A: Can taste bitter in ethanol, fermented foods; C allele - less able to taste bitter                                                       |
| TAS2R16 | rs978739    | TC            | T             | 0.64                    | Can taste bitter in ethanol, fermented foods                                                                                                  |
| DEC2    | rs121912617 | GG            | T             | 0.0002                  | natural short sleeper (less than 0.5% of population)                                                                                          |
| CCR5    | rs333       | --            | D             | 0.09                    | reduced likelihood of progressing to AIDS with HIV                                                                                            |
| FOXC2   | i5002816    | --            | T             | 0                       | Double lash mutation, increased risk of lymphedema                                                                                            |

### Article: Gilbert Syndrome

| Gene   | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele  |
|--------|------------|---------------|---------------|-------------------------|----------------------------|
| UGT1A1 | rs887829   | CT            | T             | 0.32                    | increased bilirubin levels |
| UGT1A1 | rs4148323  | GG            | A             | 0.006                   | increased bilirubin levels |
| UGT1A1 | rs4124874  | TG            | G             | 0.46                    | increased bilirubin levels |
| UGT1A1 | rs6742078  | GT            | T             | 0.32                    | increased bilirubin levels |
| UGT1A1 | rs35003977 | --            | G             | 0.0004                  | increased bilirubin levels |

### Article: Fluoride

| Gene  | RS ID     | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                          |
|-------|-----------|---------------|---------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| VDR   | rs2228570 | --            | A             | 0.38                    | decreased risk of skeletal fluorosis in people drinking tea with >7.0 mg F/day                                                                     |
| GSTP1 | rs1695    | AA            | G             | 0.32                    | Reduced function, decreased risk of skeletal fluorosis with high fluoride consumption                                                              |
| SOD2  | rs5746136 | CT            | T             | 0.28                    | T/T: Increased risk of dental fluorosis                                                                                                            |
| SOD2  | rs10370   | --            | T             | 0.77                    | T/T: Increased risk of dental fluorosis                                                                                                            |
| CREB1 | rs2253206 | --            | G             | 0.51                    | G/G: Lower total T4 (thyroid hormone) in children exposed to high fluoride levels                                                                  |
| CREB1 | rs6740584 | TT            | C             | 0.4                     | Lower total T4 (thyroid hormone) in children exposed to high fluoride levels                                                                       |
| ANKK1 | rs1800497 | GA            | A             | 0.2                     | A/A: Reduced number of dopamine binding sites; linked to lower IQ in children exposed to higher levels of fluoride in their water (study in China) |

### Article: Dental Implants

| Gene | RS ID     | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                              |
|------|-----------|---------------|---------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| IL1A | rs1800587 | AG            | A             | 0.28                    | increased relative risk of peri-implant disease and implant failure                                                                                    |
| IL1B | rs16944   | AG            | G             | 0.65                    | A/A: increased relative risk of peri-implant disease and implant failure; A/G: typical risk (most common genotype); G/G: lower risk of implant failure |
| IL1B | rs1143634 | GG            | A             | 0.22                    | increased relative risk of peri-implant disease and implant failure                                                                                    |
| TNF  | rs1800629 | GG            | A             | 0.15                    | increased TNF, increased risk of peri-implantitis                                                                                                      |
| CD14 | rs2569190 | GG            | G             | 0.53                    | G/G: increased risk of peri-implantitis and higher concentrations of RANKL, which increases bone resorption                                            |
| IL4  | rs2070874 | CC            | T             | 0.16                    | T/T: decreased susceptibility to dental implant loss (good)                                                                                            |

[Article: Pancreatitis](#)

| Gene   | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                  |
|--------|-------------|---------------|---------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| TLR4   | rs4986790   | AA            | G             | 0.05                    | protective against acute biliary (gallstone) pancreatitis                                                                                  |
| TLR4   | rs4986791   | CC            | T             | 0.05                    | protective against acute biliary (gallstone) pancreatitis                                                                                  |
| CCL2   | rs1024611   | AG            | G             | 0.28                    | increased susceptibility to mild or moderate pancreatitis                                                                                  |
| IL-8   | rs4073      | AT            | A             | 0.5                     | A/A: increased susceptibility to pancreatitis                                                                                              |
| IL1B   | rs1143634   | GG            | A             | 0.22                    | A/A: increased inflammation; increased susceptibility to pancreatitis                                                                      |
| IL1B   | rs16944     | AG            | G             | 0.63                    | A/A: more inflammation; increased susceptibility to pancreatitis; A/G: (most common genotype)typical risk; G/G: lower risk of pancreatitis |
| MORC4  | rs12688220  | CC            | T             | 0.24                    | increased susceptibility to pancreatitis                                                                                                   |
| TPH1   | rs211105    | --            | G             | 0.23                    | G/G: increased susceptibility to pancreatitis                                                                                              |
| MTHFR  | rs1801133   | GG            | A             | 0.33                    | MTHFR C677T allele, increased susceptibility to pancreatitis                                                                               |
| CLDN2  | rs7057398   | TT            | C             | 0.3                     | increased susceptibility to pancreatitis in Caucasians                                                                                     |
| PRSS1  | rs111033565 | --            | A             | 0                       | A/G: carrier of a rare mutation linked to hereditary pancreatitis                                                                          |
| PRSS1  | rs111033568 | --            | T             | 0.0001                  | C/T: carrier of a rare mutation linked to hereditary pancreatitis                                                                          |
| PRSS1  | rs144422014 | --            | G             | 0.24                    | likely doesn't cause hereditary pancreatitis on its own, but may interact with other variants to increase pancreatitis risk                |
| SPINK1 | rs17107315  | TT            | C             | 0.009                   | increased risk of hereditary pancreatitis                                                                                                  |
| CTCR   | rs121909293 | CC            | T             | 0.003                   | increased risk of hereditary pancreatitis                                                                                                  |
| CPA2   | rs199695765 | --            | T             | 0.0001                  | C/T: rare mutation, linked to pancreatitis in ALL patients                                                                                 |
| TNF    | rs1800629   | GG            | A             | 0.15                    | higher TNF levels; AA increased risk of severe acute pancreatitis                                                                          |
| PRSS1  | i5005351    | --            | A             | 0                       | A/G: carrier of a rare mutation linked to hereditary pancreatitis                                                                          |

[🔗 Article: Tetrahydrobiopterin](#)

| Gene | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                            |
|------|-------------|---------------|---------------|-------------------------|----------------------------------------------------------------------------------------------------------------------|
| GCH1 | rs3783641   | --            | A             | 0.12                    | reduced BH4 production, especially in combination with T allele of rs8007267 and G allele of rs10483639              |
| GCH1 | rs8007267   | --            | T             | 0.2                     | reduced BH4 production, especially when inherited with A allele of rs3783641 and G allele of rs10483639              |
| GCH1 | rs10483639  | --            | C             | 0.1                     | reduced BH4 production, especially when inherited along with A allele of rs3783641 and T allele of rs8007267         |
| GCH1 | rs10137071  | --            | T             | 0.22                    | slightly lower plasma biopterin levels; linked to schizophrenia patients                                             |
| GCH1 | rs17128077  | --            | T             | 0.15                    | increased risk of cleft lip                                                                                          |
| GCH1 | rs104894433 | --            | A             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | rs137852633 | --            | C             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | i5000643    | --            | C             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | rs104894445 | --            | T             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | i5000644    | --            | T             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | rs104894434 | --            | G             | 0.00004                 | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | i5000652    | --            | G             | 0.00004                 | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | rs104894438 | --            | T             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | i5000654    | --            | T             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | rs104894437 | --            | A             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| GCH1 | i5000655    | --            | A             | 0                       | rare loss of function GCH1 mutation, dystonia                                                                        |
| SPR  | rs1876487   | --            | A             | 0.42                    | A/A only: earlier age of onset in Parkinson's disease                                                                |
| SPR  | rs121917747 | --            | T             | 0.00008                 | carrier of a rare SPR mutation                                                                                       |
| SPR  | i5004360    | --            | T             | 0.00008                 | carrier of a rare SPR mutation                                                                                       |
| SPR  | rs121917746 | --            | T             | 0                       | carrier of a rare SPR mutation                                                                                       |
| SPR  | rs104893666 | --            | T             | 0.00003                 | carrier of a rare SPR mutation                                                                                       |
| SPR  | i5004361    | --            | T             | 0.00003                 | carrier of a rare SPR mutation                                                                                       |
| DHFR | rs70991108  | --            | D             | 0.34                    | deletion in part of the DHFR gene, more likely to have unmetabolized folic acid when consuming more than 500 mcg/day |
| DHFR | rs1650697   | GG            | A             | 0.24                    | decreased DHFR expression                                                                                            |
| AGMO | rs916943    | --            | T             | 0.1                     | increased susceptibility to tuberculosis                                                                             |
| TPH2 | rs4570625   | GG            | T             | 0.21                    | generally decreased risk of depression; less aggressiveness and lower anxiety (likely more TPH2 conversion)          |
| TPH2 | rs11178997  | TT            | A             | 0.08                    | somewhat increased risk of depression                                                                                |
| TPH2 | rs1843809   | TT            | G             | 0.16                    | decreased risk of depression                                                                                         |
| TPH2 | rs4290270   | AT            | T             | 0.61                    | T/T: circadian disruption in people with depression                                                                  |
| NOS3 | rs891512    | GA            | A             | 0.2                     | higher blood pressure, increased risk of coronary artery disease (likely lower NOS3)                                 |
| NOS3 | rs1800779   | AA            | G             | 0.34                    | decreased NOS3 expression; increased risk of high blood pressure and cardiovascular disease                          |
| NOS3 | rs4496877   | --            | T             | 0.34                    | increased risk of hypertension in older males; likely decreased NOS3 expression                                      |



| Gene | RS ID     | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                        |
|------|-----------|---------------|---------------|-------------------------|------------------------------------------------------------------|
| NOS3 | rs2070744 | TT            | C             | 0.34                    | increased risk of hypertension; likely decreased NOS3 expression |

#### [Article: Fibronectin Alzheimer's](#)

| Gene | RS ID       | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                  |
|------|-------------|---------------|---------------|-------------------------|------------------------------------------------------------------------------------------------------------|
| FN1  | rs116558455 | GG            | A             | 0.0003                  | lower fibronectin, protective against Alzheimer's in APOE E4 individuals                                   |
| FN1  | rs140926439 | --            | T             | 0.003                   | lower fibronectin, protective against Alzheimer's in APOE E4 individuals (reduced risk by 70%)             |
| FN1  | rs1250229   | CT            | T             | 0.24                    | somewhat lower fibronectin, significantly decreased risk of heart disease in familial hypercholesterolemia |

#### [Article: PCSK9 Cancer Recurrence](#)

| Gene  | RS ID    | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                   |
|-------|----------|---------------|---------------|-------------------------|---------------------------------------------------------------------------------------------|
| PCSK9 | rs562556 | AA            | G             | 0.16                    | lower average PCSK9 levels, significantly lower risk of breast cancer metastatic recurrence |

#### [Article: Polycythemia Vera](#)

| Gene  | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                                                                              |
|-------|------------|---------------|---------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JAK2  | rs10974944 | --            | G             | 0.26                    | increased susceptibility to a polycythemia vera mutation happening; increased relative risk of essential thrombocythemia, primary myelofibrosis, and polycythemia vera |
| JAK2  | rs12339666 | TG            | T             | 0.32                    | increased relative risk of polycythemia vera and essential thrombocythemia                                                                                             |
| JAK2  | rs12343867 | CT            | C             | 0.27                    | increased relative risk of polycythemia vera and essential thrombocythemia                                                                                             |
| CHEK2 | rs17879961 | AA            | G             | 0.003                   | increased relative risk of polycythemia vera and essential thrombocythemia                                                                                             |
| TERT  | rs2736100  | CC            | C             | 0.49                    | increased relative risk of polycythemia vera and essential thrombocythemia                                                                                             |

[Article: Epstein-Barr](#)

| Gene     | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele                                                                                  |
|----------|------------|---------------|---------------|-------------------------|------------------------------------------------------------------------------------------------------------|
| HLA-A    | rs6457110  | TT            | A             | 0.39                    | A/A: Increased susceptibility to mononucleosis                                                             |
| HLA-A    | rs2287622  | GG            | A             | 0.4                     | increased relative risk of liver complications with EBV in children or teens                               |
| HLA-DRB1 | rs3135388  | GG            | A             | 0.11                    | 2 copies of HLA-DRB1*1501; up to 6x increase in risk for MS, increased MS risk in people who have had mono |
| CD36     | rs2255214  | --            | G             | 0.51                    | increased risk of MS with childhood EBV infection, additive with HLA-DRB1*1501                             |
| HLA-A    | rs2844821  | --            | C             | 0.26                    | likely HLA-A*02:01, decreased risk of EBV and MS                                                           |
| IL10     | rs3024493  | CC            | A             | 0.13                    | increased relative risk of lupus with EBV reactivation                                                     |
| CD40     | rs4810485  | GG            | T             | 0.25                    | decreased relative risk of lupus with EBV antibodies                                                       |
| MDC1     | rs10947087 | --            | A             | 0.02                    | 4-fold increased susceptibility to EBV reactivation                                                        |
| RAD54L   | rs17102086 | --            | C             | 0.17                    | >2-fold increased susceptibility to EBV reactivation                                                       |
| LIG3     | rs1052536  | TC            | T             | 0.41                    | increased susceptibility to EBV reactivation                                                               |
| HLA-B    | rs2894207  | TC            | C             | 0.2                     | decreased risk of EBV reactivation, decreased risk of nasopharyngeal carcinoma                             |

[Article: Bisphosphonates](#)

| Gene      | RS ID      | Your Genotype | Effect Allele | Effect Allele Frequency | Notes About Effect Allele     |
|-----------|------------|---------------|---------------|-------------------------|-------------------------------|
| COL1A1    | rs1800012  | CC            | C             | 0.83                    | C/C: add 2 to polygenic score |
| TNFRSF11A | rs12458117 | GA            | A             | 0.09                    | A/A: add 2 to polygenic score |
| MMP2      | rs243865   | CT            | T             | 0.20                    | T/T: add 2 to polygenic score |
| OPG       | rs2073618  | GG            | G             | 0.49                    | G/G: add 2 to polygenic score |
| OPN       | rs11730582 | TT            | C             | 0.46                    | C/C: add 2 to polygenic score |