# Verification and Validation Report: SyncMaster

Team 15, SyncMaster Kyle D'Souza Mitchell Hynes Richard Fan Akshit Gulia Rafeed Iqbal

 $March\ 10,\ 2025$ 

# 1 Revision History

| Date   | Version | Notes |
|--------|---------|-------|
| Date 1 | 1.0     | Notes |
| Date 2 | 1.1     | Notes |

# 2 Symbols, Abbreviations and Acronyms

Refer to Section 4: Naming Conventions and Terminology of the Software Requirements Specification document SRS.pdf.

# Contents

| 1         | Revision History   | j                                     |
|-----------|--|---------------------------------------|
| 2         | Symbols, Abbreviations and Acronyms  | ii                                    |
| 3         | Functional Requirements Evaluation   | 1                                     |
| 4         | Nonfunctional Requirements Evaluation 4.1 Usability  | 2<br>7<br>7<br>7<br>9                 |
| 5         | Comparison to Existing Implementation  | 9                                     |
| 6         | Unit Testing 6.1 Database Interaction Module Unit Tests 6.2 File Storage Interaction Module Unit Tests 6.3 Location Verification Module Unit Tests 6.4 User Authentication Module Unit Tests 6.5 User Management Module Unit Tests 6.6 Logging Module Unit Tests 6.7 Document Management Module Unit Tests | 9<br>11<br>12<br>12<br>13<br>14<br>15 |
| 7         | Changes Due to Testing   | 16                                    |
| 8         | Automated Testing  | 19                                    |
| 9         | Trace to Requirements  | 19                                    |
| <b>10</b> | Trace to Modules   | 20                                    |
|           | Code Coverage Metrics ist of Tables  | 21                                    |
|           | 1 Functional Requirement Test Cases  | 2                                     |

| 2  | Usability Test Cases                                | 6  |
|----|---|----|
| 3  | Maintainability and Support Test Cases              | 7  |
| 4  | Safety and Security Test Cases                      | 8  |
| 5  | Unit Test Cases for Database Interaction Module     | 11 |
| 6  | Unit Test Cases for File Storage Interaction Module | 11 |
| 7  | Unit Test Cases for Location Verification Module    | 12 |
| 8  | Unit Test Cases for User Authentication Module      | 13 |
| 9  | Unit Test Cases for User Management Module          | 14 |
| 10 | Unit Test Cases for Logging Module                  | 15 |
| 11 | Unit Test for Document Management Module            | 16 |
| 12 | Requirements to Test Case Traceability Matrix       | 20 |
| 13 | Module to Test Case Traceability Matrix             | 21 |

# List of Figures

# 3 Functional Requirements Evaluation

| Test. ID    | Input   | Expected Output  | Result  |
|-------------|---|--|---|
| TC-<br>FR-1 | User uses UI to<br>upload a file into<br>the system   | The file is present in the system with the correct details.                    | Pass, the file is present in the system with the correct metadata                     |
| TC-<br>FR-2 | User downloads file using the UI  | The file is successfully downloaded locally to the device                      | Pass, all file extensions mentioned in the VnV plan check are successfully downloaded |
| TC-<br>FR-3 | Contractor user uploads document  | Upload fails and document is not uploaded to the system                        | Pass, upload is prevented for a contractor user                                       |
| TC-<br>FR-4 | Admin user uses UI to lookup a user with a spe- cific id  | The revelent details for the user are displayed                                | Pass, all details for the given user are displayed                                    |
| TC-<br>FR-5 | User attempts<br>to authenti-<br>cate when they<br>are not in an<br>allowed location            | Authentication is blocked<br>and user is not allowed ac-<br>cess to the system | Pass, user was shown a message saying that they are not in the allowed location       |
| TC-<br>FR-6 | Admin user navigates to main portal when a document approaching expiry is present in the system | A notification is displayed indicating the expiry of this document             | Fail, functionality is not fully implemented  |

| TC-<br>FR-7 | Admin user navigates to main portal when users with expired training exist | A message indicating there are users with expired trainings is displayed                                       | Fail, functionality is not fully implemented |
|-------------|--|--|--|
| TC-<br>FR-8 | User authenticates into the system and acknowledges document               | The acknowledgement is stored in the system with the required information                                      | Fail, functionality not fully implemented    |
| TC-<br>FR-9 | Contractor without the required training attempts to authenticate          | The system prevents authentication and displays a message telling the user to contact their facilities manager | Fail, functionality not fully implemented    |

Table 1: Functional Requirement Test Cases

#### 4 Nonfunctional Requirements Evaluation

#### 4.1 Usability

Usability testing was conducted on the application prototype to validate humanity, look and feel, operational, and cultural requirements. Two users were given the following scenarios for the usability test, to simulate a typical use of the system:

#### Phase 1: Testing the contractor portal

You are a contractor hired by the City of Hamilton to perform work at a station. You arrive and scan the QR code at the station to authenticate your presence and explain the work you will perform. We will ask you to perform a variety of tasks to assess their discoverability and usability. We welcome you explaining your thought process as you navigate through the screens.

• You have scanned the QR code. Please follow the initial steps for the

health and safety acknowledgements. Did the experience of viewing the acknowledgements screen feel easy and intuitive? Did you encounter any errors? After the acknowledgements, are you able to find the station documents?

• Are you able to find and fill out the instructions for the purpose of your visit?

#### Phase 2: Testing the admin portal

You are a Facility Manager who has an account with admin permissions. You sign into the application and would like to perform some routine tasks during the day.

- You would like to navigate to the station documents and add a site specific document for station HC057. Please attempt to do so. Were you frustrated trying to find where this was located?
- Please locate the site wide documents which would be displayed for all stations.
- Please locate and view the site visit logs.
- 2 Users were then directed to fill out the Usability Survey identified in the VnV Plan.
- User 1: Man between the ages of 60 65, no prior experience with the system. User is comfortable using a smartphone and laptop.
- User 2: Woman between ages of 60 65, no prior experience with the system. User is comfortable using a smartphone and laptop. Through these actions, the following results were observed:

| Test. ID | $\mathbf{U}\mathbf{ser}$ | Result |
|----------|--------------------------|--------|
|          |                          |        |

| TC-EU-1 | User 1 | User successfully understood the distinction between the contractor and admin user. User experienced minor confusion what should be entered in the work order field, due to no real work order in scenario. User succesfully navigated core features of contractor and admin portal without issue. Test passed.                   |
|---------|--------|---|
| TC-EU-1 | User 2 | User successfully navigated to contractor portal. Minor difficulties understanding distinction of site wide and site and site specific documentation on the admin portal, emphasizing the emportance of user documentation in requirement MS-SUP-1. Confusion did not hinder accessing all features of admin portal. Test passed. |
| TC-EU-2 | User 1 | As an admin user, the tester was able to add a site wide document but did not receive a warning before deleting file thus identifying a bug in the system to be patched for rev1. Test failed.  |
| TC-EU-2 | User 2 | As an admin user, the tester was able to add a site wide document but did not receive a warning before deleting file thus identifying a bug in the system to be patched for rev1, same as issue identified for User 1. Test failed.   |
| TC-LR-1 | User 1 | User successfully discovered the documentation page. Did not have issues with selecting documents and rated their confidence as an 8. Test passed.  |
| TC-LR-1 | User 2 | User successfully discovered the documentation page. Experienced minor confusion that documents are downloaded and not viewed in the application, but successfully opened the document. User gave their confidence a rating of 7. Test passed.  |
| TC-LR-2 | User 1 | No onboarding documentation yet, user documentation to be taught on Mar 14  |

| TC-LR-2          | User 2 | No onboarding documentation yet, user documen-       |  |
|------------------|--------|--|--|
| 1 C-LIV-2 USEI 2 |        | tation to be taught on Mar 14                        |  |
| TC-UP-1 User 1   |        | User did not report anything offensive or political  |  |
| 10-01-1          | USCI I | through all pages of the system. Test passed.        |  |
| TC-UP-1          | User 2 | User did not report anything offensive or political  |  |
| 10 01 1          | OBCI Z | through all pages of the system. Test passed.        |  |
| TC-UP-2          | User 1 | User did not encounter any system errors during      |  |
| 10 01 2          | CBCI I | use. Test passed.                                    |  |
| TC-UP-2          | User 2 | User did not encounter any system errors during      |  |
| 10 01 2          | OBCI 2 | use. Test passed.                                    |  |
|                  |        | The user reported that accessibility of the appli-   |  |
|                  |        | cation felt similar to the City of Hamilton's main   |  |
| TC-AS-1          | User 1 | website when asked to compare the two. They          |  |
|                  |        | rated their accessibility features to be comparable  |  |
|                  |        | with a rating of 9 out of 10. Test passed.           |  |
|                  |        | The user reported that the accessibility of the ap-  |  |
|                  | User 2 | plication felt similar to the City of Hamilton's     |  |
| TC-AS-1          |        | main website when asked to compare the two.          |  |
|                  |        | They rated the accessibility features of the appli-  |  |
|                  |        | cation to be comparable with a rating of 8 out of    |  |
|                  |        | 10. Test passed.                                     |  |
|                  |        | User reported that the colour palette of the ap-     |  |
|                  |        | plication did not cause them any issues and it       |  |
| TC-LF-1          | User 1 | was quite simple. They appreciated that the main     |  |
|                  |        | colours are white and blue and that the applica-     |  |
|                  |        | tion did not have many distractions. Rated as a      |  |
|                  |        | 10 out of 10. Test passed.                           |  |
| TC-LF-1          |        | User reported that the colour palette of the appli-  |  |
|                  | User 2 | cation did not cause them any issues. Reported       |  |
|                  |        | that some of the text on the Admin site visit logs   |  |
|                  |        | was small and would be difficult to read without     |  |
|                  |        | their glasses. Rated as an 8 out of 10 overall. Test |  |
|                  |        | passed.  |  |

| TC-LF-2  User 1  at the beginning of this section on an iPhon and Samsung Galaxy A13 for the contractor partial. User was able to use a Google Chrome and Samsung Galaxy A13 for the contractor partial. | or-<br>and           |
|--|----------------------|
| tal. User was able to use a Google Chrome a  | and                  |
| tal. User was able to use a Google Chrome a  |                      |
| Mr. C. D.I. D. 337: 1 40   | at-                  |
| Microsoft Edge Browser on a Windows 10 open  |                      |
| ing system. Test passed.   |                      |
| User was able to repeat the actions asked of the   | em                   |
| at the beginning of this section on an iPhone  | 13                   |
| TC-LF-2 User 2 and Samsung Galaxy A13 for the contractor p   | or-                  |
| tal. User was able to use a Google Chrome a  | $\operatorname{ind}$ |
| Microsoft Edge Browser on a Windows 10 open  | at-                  |
| ing system. Test passed.   |                      |
| User did not feel the application violated any   | of                   |
| TC-CR-1 User 1 the corporate pillars. Test passed.   |                      |
| TC-CR-1 User 2 User did not feel the application violated any  | of                   |
| the corporate pillars. Test passed.  |                      |
| TC-OE-1 User 1 User was able to access the application from the  | eir                  |
| homes without issue. Test passed.  |                      |
| TC-OE-1 User 2 User was able to access the application from the  | eir                  |
| homes without issue. Test passed.  |                      |
| User was successfully able to navigate the me  | nus                  |
| TC-OE-2 User 1 freely and reported a similar experience on b   | oth                  |
| iOS and Android operating systems. Test pass   | ed.                  |
| User reported feeling a similar experience acr   | oss                  |
| applications. Noted they preferred the experie   | nce                  |
| TC-OE-2   User 2   on iPhone over Android because they are more  | fa-                  |
| miliar with the iOS interface than an Android  | in-                  |
| terface. Test passed.  |                      |

Table 2: Usability Test Cases

Most of the usability tests were successful, a promising sign for the rev1 prototype. These initial tests did reveal some overlap in test cases and missing survey questions which will be used to refine the Usability Study further before it will be submitted in the Extras folder.

#### 4.2 Performance

## 4.3 Maintainability and Support

| Test. ID | Input | Expected Output  | Result   |
|----------|-------|--|--|
| TC-MS-4  | -     | There is 95% line coverage and 90% branch coverage on our code   | Pass, this is being checked in GitHub actions                                  |
| TC-MS-5  | -     | All functional requirements have a corresponding unit test   | Fail, FR8 and FR9 are missing unit tests as they are not currently implemented |
| TC-MS-6  | -     | Contribution guidelines and<br>maintainer documentation of<br>system approved by the City of<br>Hamilton | Fail, not yet approved   |
| TC-MS-7  | _     | User manual exists and has been approved by the City of Hamilton   | Fail, not yet created  |
| TC-MS-8  | -     | OAS3 compliant documentation has been provided for all API's   | Fail, not yet created  |
| TC-MS-9  | -     | Internal abstractions (classes and functions) in the system have documentation associated with them      | Pass, linter checks this   |
| TC-MS-10 | _     | Documentation for deployment of the system exists  | Fail, not yet created  |

Table 3: Maintainability and Support Test Cases

## 4.4 Safety and Security

| TC-SS-1 | Acounts created on the application for each available level of access. Using each account, the use of each feature of the application was attempted. Wether an action was possible or noted and compared to the permissions of the account.   | Pass  |
|---------|---|---|
| TC-SS-2 | Accounts be created on the application for each available level of access. Using each account, the creation, deletion and modification of of files with varying permission requirements attempted. Wether an action was possible or not noted and compared to the permissions of the account. | Pass  |
| TC-SS-4 | Attempted to submit data fields filled in with a set of entries which vary between incomplete, impossible, and malicious and checked how the application handled the inputs. User login fields and user creation fields tested.   | Pass  |
| TC-SS-5 | The application client has so far been tested using local hosting.  | Fail, not yet hosted                                |
| TC-SS-7 | Pull requests created by Dependabot are merged within a week.   | Fail, not yet integrated with Dependabot            |
| TC-SS-8 | Check notification creation when contractor user declines acknowledgement, attempts to acknowledge but does not complete action, or ignores acknowledge-ment.   | Fail, notification<br>module not yet<br>implemented |

Table 4: Safety and Security Test Cases

#### 4.5 etc.

## 5 Comparison to Existing Implementation

This section will not be appropriate for every project.

## 6 Unit Testing

Note: Unit tests all use moto to mock AWS services.

#### 6.1 Database Interaction Module Unit Tests

| Test. ID | Description  | Result |
|----------|--|--------|
| UT-DB1   | Use the DBTable.put method to create an item, and      | Pass   |
| 01-001   | check that it exists in the database afterwards        | 1 ass  |
|          | Use the DBTable.put method with a failing precondi-    |        |
| UT-DB2   | tion, and check that a ConditionCheckFailed is raised, | Pass   |
|          | and the item is not created                            |        |
|          | Use the DBTable.put method with a permission error     |        |
| UT-DB3   | from AWS, and check that a PermissionException is      | Pass   |
|          | raised, and the item is not created                    |        |
|          | Use the DBTable.put method with an arbitrary error     |        |
| UT-DB4   | from AWS, and check that a ExternalServiceException    | Pass   |
|          | is raised, and the item is not created                 |        |
| UT-DB5   | Use the DBTable.get method to get a pre-existing item  | Pass   |
| UT-DB6   | Use the DBTable.get method to get an item which does   | Pass   |
| 0.1-000  | not exist, and check that a ResourceNotFound is raised | 1 0.55 |
|          | Use the DBTable.get method with an arbitrary error     |        |
| UT-DB7   | from AWS, and check that a ExternalServiceException    | Pass   |
|          | is raised  |        |
| UT-DB8   | Use the DBTable.delete method on a pre-existing item,  | Pass   |
|          | and check that the item is no longer in the database   | 1 000  |
|          | Use the DBTable.delete method with a failing precondi- |        |
| UT-DB9   | tion, and check that a ConditionCheckFailed is raised, | Pass   |
|          | and the item is not deleted                            |        |

| UT-DB10 | Use the DBTable.delete method with a permission error from AWS, and check that a PermissionException is raised, and the item is not deleted  | Pass |
|---------|--|------|
| UT-DB11 | Use the DBTable.delete method with an arbitrary error from AWS, and check that a ExternalServiceException is raised, and the item is not deleted                                       | Pass |
| UT-DB12 | Use the DBTable.update method to update an item adding new attributes, and modifying existing ones, and check that these changes are reflected in the database                         | Pass |
| UT-DB13 | Use the DBTable.update method to update an item removing some attributes and check that these changes are reflected in the database  | Pass |
| UT-DB14 | Use the DBTable.update method with a failing precondition, and check that a ConditionCheckFailed is raised, and the item is not updated  | Pass |
| UT-DB15 | Use the DBTable.update method with a permission error from AWS, and check that a PermissionException is raised, and the item is not updated  | Pass |
| UT-DB16 | Use the DBTable.update method with an arbitrary error from AWS, and check that a ExternalServiceException is raised, and the item is not updated                                       | Pass |
| UT-DB17 | Use the DBTable.query method, and ensure the returned items all match the query criterion  | Pass |
| UT-DB18 | Use the DBTable.query method, under a different GSI, and ensure the returned items all match the query criterion   | Pass |
| UT-DB19 | Use the DBTable.query method, with a reversed query direction, and ensure the returned items all match the query criterion   | Pass |
| UT-DB20 | Use the DBTable.query method, with using the start_key of an existing db item, to determine where to start the query from, and ensure the returned items all match the query criterion | Pass |
| UT-DB21 | Use the DBTable.query method, using a filter expression alongside a key condition, and ensure the returned items all match the query criterion   | Pass |

| UT-DB22 | Use the DBTable.query method, with an invalid key condition, and ensure that a ConditionValidationError is raised  | Pass |
|---------|--|------|
| UT-DB23 | Use the DBTable.query method with an arbitrary error from AWS, and check that a ExternalServiceException is raised | Pass |

Table 5: Unit Test Cases for Database Interaction Module

## 6.2 File Storage Interaction Module Unit Tests

| Test. ID | Description   | Result |
|----------|---|--------|
| UT-FS1   | Use the S3Bucket.create_upload_url method to create an upload url, upload some content to the url, and check  | Pass   |
|          | that the content exists in the S3 bucket Use the S3Bucket.create_upload_url method with a   |        |
| UT-FS2   | S3Bucket object that does not have write permissions, and check that a PermissionException gets raised  | Pass   |
| UT-FS3   | Use the S3Bucket.create_get_url method for a pre-<br>existing file in S3, and check that the file content can<br>be accessed through the url, and check that a Permis-<br>sionException gets raised | Pass   |
| UT-FS4   | Use the S3Bucket.delete method on a pre-existing file in S3, and check that the file no longer exists   | Pass   |
| UT-FS5   | Use the S3Bucket.delete method on a pre-existing file in S3, with an ETag mismatch, and check that a ResourceNotFound is raised   | Pass   |
| UT-FS6   | Use the S3Bucket.delete method with a permission error, and check that a PermissionException is raised  | Pass   |
| UT-FS7   | Use the S3Bucket.delete method with an arbitrary error from AWS, and check that a ExternalServiceException is raised  | Pass   |

Table 6: Unit Test Cases for File Storage Interaction Module

#### 6.3 Location Verification Module Unit Tests

| Test. ID | Description  | Result |
|----------|--|--------|
|          | Use the verify_location method to verify a coordinate    |        |
| UT-LV1   | within a defined radius, and ensure the return value is  | Pass   |
|          | True   |        |
|          | Use the verify_location method to verify a coordinate    |        |
| UT-LV2   | outside a defined radius, and ensure the return value is | Pass   |
|          | False  |        |
|          | Use the verify_location method to verify a coordinate    |        |
| UT-LV3   | just on the boundary of a defined radius, and ensure the | Pass   |
|          | return value is True                                     |        |

Table 7: Unit Test Cases for Location Verification Module

#### 6.4 User Authentication Module Unit Tests

| Test. ID | Description  | Result |
|----------|--|--------|
| UT-UA1   | Attempt to authenticate with a pre-existing user, and ensure that a token is successfully generated                  | Pass   |
| UT-UA2   | Attempt to authenticate with an invalid location, and ensure that an UnauthorizedException is raised                 | Pass   |
| UT-UA3   | Attempt to authenticate with an initial one-time password, and ensure that an ForceChangePasswordException is raised | Pass   |
| UT-UA4   | Attempt to authenticate with the wrong password, and ensure that an UnauthorizedException is raised                  | Pass   |
| UT-UA5   | Attempt to authenticate with a user that does not exist, and ensure that a ResourceNotFound is raised                | Pass   |
| UT-UA6   | Attempt to authenticate with an arbitrary error from AWS, and ensure that a ExternalServiceException is raised       | Pass   |
| UT-UA7   | Attempt to signout a user, with a valid access token, and ensure that the token is successfully invalidated          | Pass   |

| UT-UA8 | Attempt to signout a user, with an invalid access token, and ensure that a BadRequestException is raised          | Pass |
|--------|---|------|
| UT-UA9 | Attempt to signout a user, with an arbitrary error from AWS, and ensure that a ExternalServiceException is raised | Pass |

Table 8: Unit Test Cases for User Authentication Module

# 6.5 User Management Module Unit Tests

| Test. ID | Description  | Result |
|----------|--|--------|
| UT-UM1   | Create an admin, employee, and contractor account, using admin credentials   | Pass   |
| UT-UM2   | Create a user, using admin credentials, where there is already another user using the same email, and check that a ConflictException is raised | Pass   |
| UT-UM3   | Create a user, using employee and contractor credentials, and ensure an UnauthorizedException is raised  | Pass   |
| UT-UM4   | Create a user, with an arbitrary error occuring from AWS, and check that an ExternalServiceException is raised                                 | Pass   |
| UT-UM5   | Get the details of an existing user, using admin and employee credentials  | Pass   |
| UT-UM6   | Get the details of a user that does not exist, using admin<br>and employee credentials, and ensure a ResourceNot-<br>Found is raised           | Pass   |
| UT-UM7   | Use contractor credentials to get the details of their own user  | Pass   |
| UT-UM8   | Use contractor credentials to get the details of another user, and ensure an UnauthorizedException is raised                                   | Pass   |
| UT-UM9   | Get the details of a user, with an arbitrary error occuring from AWS, and check that an ExternalServiceException is raised                     | Pass   |
| UT-UM10  | Update a user, using admin credentials   | Pass   |

| UT-UM11 | Update a user, using admin credentials, where the user to update does not exist, and check that a ResourceNot-Found is raised | Pass |
|---------|---|------|
| UT-UM12 | Update a user, using employee and contractor credentials, and ensure an UnauthorizedException is raised                       | Pass |
| UT-UM13 | Update a user, with an arbitrary error occuring from AWS, and check that an ExternalServiceException is raised                | Pass |
| UT-UM14 | Delete a user, using admin credentials  | Pass |
| UT-UM15 | Delete a user, using admin credentials, where the user to delete does not exist, and check that a ResourceNot-Found is raised | Pass |
| UT-UM16 | Delete a user, using employee and contractor credentials, and ensure an UnauthorizedException is raised                       | Pass |
| UT-UM17 | Delete a user, with an arbitrary error occuring from AWS, and check that an ExternalServiceException is raised                | Pass |

Table 9: Unit Test Cases for User Management Module

# 6.6 Logging Module Unit Tests

| Test. ID | Description  | Result |
|----------|--|--------|
| UT-LG1   | Create a site visit log, and ensure it gets added to the     | Pass   |
| U I-LGI  | database   | 1 ass  |
|          | Create a site visit log, with the same site id, user id, and |        |
| UT-LG2   | entry time as an existing log, and ensure a ResourceCon-     | Pass   |
|          | flict is raised  |        |
| UT-LG3   | Add an exit time to an existing log with no logged exit      | Pass   |
| 01-1103  | time, and ensure the change is reflected in the database     |        |
|          | Add an exit time to an existing log with no logged exit      |        |
| UT-LG4   | time, but an entry time prior to the exit time we are        | Pass   |
|          | attempting to add, and ensure a TimeConsistencyEx-           | 1 ass  |
|          | ception is raised  |        |

| UT-LG5  | Add an exit time to an existing log with a logged exit time, and ensure an ExitTimeConflict is raised  | Pass |
|---------|--|------|
| UT-LG6  | Add an exit time, where there are no existing logs for the user at the given site, and ensure an ResourceNotFound is raised                                | Pass |
| UT-LG7  | Get a list of all site visit logs, using admin and employee credentials  | Pass |
| UT-LG8  | Get a list of all site visit logs, using contractor credentials, and ensure that an UnauthorizedException is raised  | Pass |
| UT-LG9  | Get a list of all site visit logs using filters to only include logs modified between two given dates, and ensure that logs are correctly filtered         | Pass |
| UT-LG10 | Get a list of all site visit logs using a database start_key to start the listing from a certain log, and ensure that logs start from the correct location | Pass |

Table 10: Unit Test Cases for Logging Module

# 6.7 Document Management Module Unit Tests

| Test. ID | Description   | Result |
|----------|---|--------|
| UT-DM1   | Create a document, and ensure it gets added to the        | Pass   |
| U1-DWII  | database with the correct information                     | 1 ass  |
|          | Create a document with the name parent folder and         |        |
| UT-DM2   | document names as an existing document and check that     | Pass   |
|          | a ResourceConflict is raised                              |        |
| UT-DM3   | Get a single document for a particular site id and parent | Pass   |
| 0 1-DM3  | folder  | 1 ass  |
| UT-DM4   | Get a list of documents including both files and folders  | Pass   |
| 01-DM4   | for a particular site id and parent folder                |        |
| UT-DM5   | Get a list of documents for a site id and folder that has | Pass   |
| O 1-DM3  | no documents and ensure that an empty list is returned    |        |
| UT-DM6   | Generate a presigned url that is used to upload a binary  | Pass   |
| U 1-DMO  | file to Amazon S3 give a particular S3 key                | rass   |


| UT-DM7 | Delete an existing file for a given site id and parent folder given that the file exists   | Pass |
|--------|--|------|
| UT-DM8 | Delete a document of type folder that has with documents inside for a given site id and parent folder and ensure that both the folder and its contents are recursively deleted | Pass |

Table 11: Unit Test for Document Management Module


#### 7 Changes Due to Testing

The scope of the project has evolved since the original version of the requirements were written. In meetings with the City where we demonstrated each revision of the prototype, new requirements emerged which were not conceived of in the original drafts. One example was the discussion surrounding a visitor account. When imagining use cases, it was discovered that a likely scenario that would emerge would be new contractors that need access to the portal but are not yet registered in the system. In the interest of ensuring work can still be completed, it was planned to have a visitor account that would enable contractors to access the system without any administrative overhead to create their account first. However, after creating a design, the team and the stakeholder realized this would allow any member of the public who scans a station QR code full access into the contractor portal and not merely legitimate contractors. This then led to the removal of this requirement. The scenarios are outlined in the following flow charts.

#### Prioritizing ease of access to the application with a visitor account:



Prioritizing security of the application by requiring a contractor account first be verified:



# 8 Automated Testing

N/A, the only automated testing we have is the unit tests.

# 9 Trace to Requirements

| Req. ID | Test ID's              |
|---------|------------------------|
| FR1     | TC-FR1, TC-FR2, UT-DM1 |
| FR3     | TC-FR3, UT-UM3         |
| FR4     | TC-FR4, UT-LG7         |
| FR5     | TC-FR5, UT-UA2         |
| FR6     | TC-FR6, UT-DM1         |
| FR7     | TC-FR8, UT-DM4, UT-DM6 |
| FR8     | TC-FR7                 |
| FR9     | TC-FR9                 |
| LF-AP1  | TC-LF-1                |
| LF-ST1  | TC-LF-2                |
| UH-EU1  | TC-EU1                 |
| UH-EU2  | TC-EU2                 |
| UH-LR1  | TC-LR1                 |
| UH-LR2  | TC-LR2                 |
| UH-UP1  | TC-UP1                 |
| UH-UP2  | TC-UP2                 |
| UH-AS1  | TC-AS1                 |
| PR-SL1  | TC-PR-1                |
| PR-SL3  | TC-PR-2                |
| PR-SC1  | TC-PR-3                |
| PR-SC2  | TC-PR-4                |
| PR-PA1  | TC-PR-5                |
| PR-RFT1 | TC-PR-7                |
| PR-CR2  | TC-PR-10               |
| PR-SE1  | TC-PR-11               |
| OE-PE1  | TC-OE-1                |
| OE-WE1  | TC-OE-2                |
| OE-WE2  | TC-OE-2                |

| OE-REL1 | TC-OE-4  |
|---------|----------|
| OE-REL2 | TC-OE-4  |
| OE-REL3 | TC-OE-4  |
| OE-REL4 | TC-OE-4  |
| MS-MTN4 | TC-MS-4  |
| MS-MTN5 | TC-MS-5  |
| MS-MTN6 | TC-MS-6  |
| MS-SUP1 | TC-MS-7  |
| MS-SUP2 | TC-MS-8  |
| MS-SUP3 | TC-MS-9  |
| MS-SUP4 | TC-MS-10 |
| MS-ADP1 | TC-LF-2  |
| MS-ADP2 | TC-LF-2  |
| MS-ADP3 | TC-LF-2  |
| SR-AR1  | TC-SS-1  |
| SR-AR2  | TC-SS-1  |
| SR-AR3  | TC-SS-1  |
| SR-AR4  | TC-SS-2  |
| SR-IR1  | TC-SS-2  |
| SR-IR3  | TC-SS-4  |
| SR-PR1  | TC-SS-5  |
| SR-AU1  | TC-SS-6  |
| SR-IMR1 | TC-SS-7  |
| SR-S1   | TC-SS-8  |
| CR-CR1  | TC-CR-1  |

Table 12: Requirements to Test Case Traceability Matrix

## 10 Trace to Modules

Note: \* indicates that any test prefixed with the test case ID, covers the given module

| Module               | Test ID's                                      |
|----------------------|--|
| Database Interaction | UT-DB* TC-FR-1 TC-FR-2 TC-FR-8 TC-FR-7 TC-FR-6 |

| Logging               | UT-LG* TC-FR-5                                 |
|-----------------------|--|
| File Storage          | UT-FS* TC-FR-1 TC-FR-2                         |
| Location Verification | UT-LV* TC-FR-5 TC-FR-8                         |
| User Management       | UT-UM* TC-FR-4 TC-FR-7 TC-SS-1 TC-SS-4         |
| User Authentication   | UT-AU* TC-FR-9                                 |
| Document Management   | UT-DM* TC-FR-1 TC-FR-2 TC-FR-3 TC-FR-7 TC-SS-2 |

Table 13: Module to Test Case Traceability Matrix

# 11 Code Coverage Metrics

The unit testing achieves 95% line coverage and 90% branch coverage. This is checked by our GitHub Actions on every pull request.

## References

#### Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Reflection.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?

Our team did a reasonable job at allocating work based on everyones different skill sets. Team members with more experience in developing backend tools were responsible for the testing on those technologies, whereas team members more familiar with the frontend and business logic worked on testing those functionalities.

2. What pain points did you experience during this deliverable, and how did you resolve them?

One pain point we experienced was some complications fully implementing some of the more complex requirements and API integrations. This made it more difficult to test some aspects of the project and gave a tighter time frame. To resolve this, we used the Github issues to track progress on various components of the application and maintained regular communication to ensure we could be as prepared as possible for team meetings, meetings with the school, and meetings with the stakeholder.

3. Which parts of this document stemmed from speaking to your client(s)

or a proxy (e.g. your peers)? Which ones were not, and why?

The parts of the document in sections 3 and 4 (functional and non-functional requirements) generally stemmed from conversation with our stakeholder. Those parts of the document are directly intended to ensure that the requirements gathered throughout the project are satisfied. Our stakeholder is relying on our knowledge for the actual implementation, so the specific unit tests and other technical decisions regarding the modules themselves were a decision made by our team.

4. In what ways was the Verification and Validation (VnV) Plan different from the activities that were actually conducted for VnV? If there were differences, what changes required the modification in the plan? Why did these changes occur? Would you be able to anticipate these changes in future projects? If there weren't any differences, how was your team able to clearly predict a feasible amount of effort and the right tasks needed to build the evidence that demonstrates the required quality? (It is expected that most teams will have had to deviate from their original VnV Plan.)

There were some changes to the number of tests performed, these are reflected in the VnV Plan with strikeouts and red text to make clear which changes were made to the original plan. In general, for industry projects such as these, there is always going to be some unanticipated requirements or challenges not originally envisioned until you get into the depths of an implementation which then requires you to reevaluate either the requirements or your initial design. This was an expected challenge and we did our best to minimize the occurrences, and in general there were not an enormous number of deviations.