Strand 1: Number

Sub-strand 2: Number Operations

Lesson 3 (Day 5): Decimal Operations and Multi-Step Word Problems

1. Curriculum Standard and Overview

• Strand: 1 — Number
• Sub-strand: 2 — Number Operations
• Content Standard: B9.1.2.2 — Solve operations and word problems involving the four basic operations on decimals, with controlled precision.
• Indicators:
• B9.1.2.2.1 — Solve operations involving addition, subtraction, multiplication and division using word problems.
• B9.1.2.2.2 — Solve word problems involving the four basic operations and round the answers to the nearest two decimal places or to some significant figures.
• Scope of this lesson:

1. Column addition and subtraction of decimals (the "line up the points" rule).
2. Multiplication of decimals (decimal-place counting) and multiplication by powers of 10.
3. Long division: whole-number divisors, then making a decimal divisor whole by shifting.
4. Terminating and recurring decimals.
5. Precision control: truncating versus rounding, decimal places (d.p.) and significant figures (s.f.).
6. Multi-step word problems: money, inventory, time, and the bridge from word sentences to algebra.

• Mock-paper links (this lesson covers directly):
• Mock 2026 P1 Q1 — decimal addition, correct to 1 d.p. (worked Example 1)
• Mock 2026 P1 Q14 — (0.07 × 0.02) ÷ 14 (worked Example 7)
• Mock 2026 P1 Q32 — weight of 112 flies at 0.1 kg each (worked Example 8)
• Mock 2026 P2 Q2(a)(ii) — 0.893 × 14.7 correct to 4 d.p. (worked Example 4)
• Mock 2026 P2 Q3(a) — Mark's hourly pay at GH₵ 8.25 (worked Example 5; its rate-and-financial home is the Ratios & Financial lesson)
• Mock 2026 P2 Q5(b) — time arithmetic: Takoradi to Tema journey (worked Example 13)
• Exercise quota (user override, October 2026): 5 exercise sections × 5 questions = 25 questions, no multiple choice, every question with a full worked answer. Spiral review: 12% — questions 1.5, 2.3, 4.5 revisit earlier lessons (place value/standard form, indices).

2. Preamble — What Decimals Really Say

A decimal fraction is a fair share written on a base-10 ladder. Every step to the right of the decimal point divides by 10 again:

Place value	Fraction	Size
Units (ones)	1	whole
Tenths	1/10	0.1
Hundredths	1/100	0.01
Thousandths	1/1000	0.001
Ten-thousandths	1/10000	0.0001

So 13.458 means 13 + 4/10 + 5/100 + 8/1000. Money trained you on this already: GH₵ 13.458 is 13 cedis, 45 pesewas and 8/10 of a pesewa. (You met this ladder in the Place Value lesson; here we work with it.)

One fact that unlocks everything in this lesson:

Widening a decimal with trailing zeros changes nothing. 6.5 = 6.50 = 6.500. The zeros fill the ladder, they do not move it.

This lets you always pad the shorter number with zeros before subtracting, and always find something to share round during division.

3. Column Addition and Subtraction — Line Up the Points

The rule from the Place Value lesson applies to every decimal sum:

Write the numbers in a column with every decimal point directly under the one above it. Zeros may be added at the end of any shorter number — adding trailing zeros changes nothing.

Column-wise, 124.3 + 0.275 + 74.06 becomes:

```
1 2 4 . 3 0 0
0 . 2 7 5
7 4 . 0 6 0
----------------
1 9 8 . 6 3 5
```

The padding (124.3 = 124.300, 74.06 = 74.060) is what makes the columns trustworthy. Subtraction uses the exact same column layout, "borrow" working exactly like whole numbers.

4. Multiplying Decimals — Count the Places

The easy shortcut: multiply the numbers without points first, then insert the point so the answer has as many decimal places as the two factors had in total.

$$0.893 \times 14.7: \qquad 893 \times 147 = 131271$$

- 0.893 has 3 decimal places, 14.7 has 1 → the answer must have 3 + 1 = 4 decimal places → 13.1271.

Why does counting work? Because 0.893 = 893/1000 and 14.7 = 147/10, so the product is 893 × 147/(1000 × 10) = 131271/(10^(4)) — dividing by 10^(4) is the same as moving the point 4 places. (This is the same "shift by powers of 10" idea as standard form from the Place Value lesson.)

Multiplying by 10, 100, 1000 just slides the point rightward: 24.5 × 100 = 2450. And a multiplication such as 0.07 × 0.02 is 7 × 2 with the point placed 2 + 2 = 4 places left: 0.0014.

5. Dividing Decimals — Make the Divisor Whole

Division needs the divisor (the number outside) to be a whole number. Two cases:

5.1 Whole-number divisor — plain long division

Use ordinary long division and keep the point of the dividend in line. Example: 122.5 ÷ 5.

Step	What happens	Working
1	Divide 12 by 5 → 2, remainder 2	5 × 2 = 10
2	Bring down 2 → 22 → divide by 5 → 4, remainder 2	5 × 4 = 20
3	Pass the point into the answer (it travels straight through)	answer so far 2.4
4	Bring down 5 → 25 → divide by 5 → 5, no remainder	5 × 5 = 25

Quotient: 24.5. Check: 24.5 × 5 = 122.5 — correct.

5.2 Decimal divisor — shift until the divisor is whole

Move the point of both numbers the same number of places so the divisor becomes whole:

$$6.25 \div 0.25 = 625 \div 25 = 25 \qquad \text{(2-place shift)}$$
$$8.58 \div 2.6 = 85.8 \div 26 = 3.3 \qquad \text{(1-place shift)}$$

Shifting both numbers the same amount multiplies both by the same power of 10, and dividing both dividend and divisor by equal amounts changes nothing: a × 10/(b × 10) = a/b.

6. Terminating and Recurring Decimals

- A decimal terminates when it stops: 3 ÷ 40 = 0.075. It stops because the division reaches remainder 0.
- A decimal recurring (repeating) when the same digit-block cycles forever: 2 ÷ 3 = 0.666..., written 0.6 recurring. The sixes never end, no remainder ever reaches 0.

How does a recurring decimal's multiplication behave? For example, 0.6 recurring × 3: 0.666... × 3 = 1.999..., which is exactly 2 — that is why rounding matters: we agree on a stopping place (precision control, next section).

How to state a rounded recurring decimal: 2 ÷ 3 = 0.666... ≈ 0.67 (2 d.p.) — look at the third decimal digit (6) and round the second digit up.

7. Precision Control — Truncating vs Rounding, d.p. vs s.f.

Two different ways of cutting a decimal:

Method	Rule	24.0179 at 1 d.p.	24.0179 at 2 d.p.
Truncating	chop at the stated digit, ignore the rest	24.0	24.01
Rounding	look at the digit just after the stated one: 5 or more → bump up; 4 or less → leave	24.0 (next digit 1)	24.02 (next digit 7)

Significant figures on decimals follow the Place Value lesson's rules — count digits from the first non-zero digit, including any zeros that come after it: 0.0496 (2 s.f.) = 0.050: first non-zero digit is 4, second is 9, and the next digit is 6, so the 9 bumps the 4 up to 5. The zero written after the 5 is part of the statement — it holds the decimal places.

Exam habit: the phrase "correct to ..." always means round (unless the question says truncate). "Give your answer to 2 decimal places" for 13.1271 means 13.13, because the third decimal digit is 7 (5 or more, round up).

8. Fifteen Fully Worked Examples (Mixed Angles)

Example 1 — Column addition, then round (Mock P1 Q1)

Find the value of 124.3 + 0.275 + 74.06, correct to one decimal place. (Official key: A)

Pad and add: 124.300 + 0.275 + 74.060 = 198.635 (see the column in Section 3). Round to 1 d.p.: the digit after the first decimal place is 3 (less than 5), so 198.635 → 198.6.

Answer: 198.6 — matches option A. (Bank: `Q_(f)41cbf8aff88`.)

Example 2 — Column subtraction with padding

Evaluate 15.07 - 3.285. (Bank: `Q₁56ff5549611`.)

Pad: 15.070 - 3.285. Column by column: 0 - 5 → borrow, making 10-5=5; 6-8 → borrow again; the running result is 11.785.

Answer: 11.785.

Example 3 — Decimal places decide the point (Mock P2 Q2(a)(ii))

Find 0.893 × 14.7, correct to 4 decimal places.

Points first: 893 × 147 = 131271. Place counters: 3 + 1 = 4 decimal places → 13.1271. "Correct to 4 d.p." is satisfied exactly (the 5th digit does not exist).

Answer: 13.1271. (Bank: `Q₅48f6faaa69d` — answer part ii.)

Example 4 — Multi-tier pay with decimals (Mock P2 Q3(a))

Mark earns GH₵ 8.25 per hour for 8 hours and overtime at 1 ½ times his regular rate for 4 hours. How much does he earn altogether in a day?

Regular pay: 8.25 × 8 = 66.00. Overtime rate: 1.5 × 8.25 = 12.375 (multiply without the point: 15 × 825 = 12375, then 3 decimal places). Overtime pay: 12.375 × 4 = 49.50. Total: 66.00 + 49.50 = 115.50.

Answer: GH₵ 115.50 for the day. (Money questions are the natural home of decimal arithmetic; this exact question's rate-and-wage treatment lives in the Ratios & Financial lesson.)

Example 5 — Powers of 10 (authentic 2026 mock Aug)

Find the product of 24.5 and 100. (Bank: `Q₅e794c261f96`.)

Multiplying by 100 moves the point two places right: 24.5 × 100 = 2450.

Answer: 2450 (option B).

Example 6 — Tiny decimals, big care (Mock P1 Q14)

Evaluate (0.07 × 0.02) ÷ 14. (Official key: C)

Step 1: 0.07 × 0.02. Points: 7 × 2 = 14, place 2 + 2 = 4 → 0.0014. Step 2: 0.0014 ÷ 14 = 0.0001 (because 14 × 0.0001 = 0.0014).

Answer: 0.0001 — option C. (Bank: `Q₉ececd81b447`.) Spiral view (Day 3 + Day 1): 0.07 × 0.02 = 7 × 10^(−2) × 2 × 10^(−2) = 1.4 × 10^(−4) = 0.0001 — the same number in standard form's clothes.

Example 7 — Weighing by multiplication (Mock P1 Q32)

A fly weighs 0.1 kg. How much would 112 flies weigh combined? (Official key: C)

112 × 0.1 = 11.2 (multiply 112 by 1, then shift the point one place left).

Answer: 11.2 kg — option C. (Bank: `Q_(d)92f8defe34e`.)

Example 8 — Long division ladder

Work out 122.5 ÷ 5 completely.

The four steps in the table of Section 5.1 give quotient 24.5.

Answer: 24.5. Check: 24.5 × 5 = 122.5 — correct.

Example 9 — Make the divisor whole

Evaluate 8.58 ÷ 2.6.

Shift one place: 85.8 ÷ 26. Long division: 26 × 3 = 78; carry the 7.8 over the point → 26 × 0.3 = 7.8 no remainder. Quotient: 3.3.

Answer: 3.3. Check: 2.6 × 3.3 = 8.58 — correct.

Example 10 — Spotting a recurring decimal

Write 2 ÷ 3 as a decimal and state whether it terminates or recurs; give it correct to 2 d.p.

20 ÷ 3 = 6 r 2; 20 ÷ 3 = 6 r 2 — the same remainder returns forever → 0.666..., a recurring decimal. Correct to 2 d.p.: the third digit 6 (5 or more) rounds the second digit up → 0.67.

Answer: 0.6 recurring, which is 0.67 (2 d.p.).

Example 11 — Truncating vs rounding

Work out 24.0179 (a) truncated to 2 d.p. (b) rounded to 2 d.p. (c) rounded to 3 s.f.

(a) Chop: 24.01. (b) Third decimal digit is 7 → bump: 24.02. (c) First three significant digits: 2, 4, 0 with next digit 1 (less than 5, leave) → 24.0 — the written zero is meaningful (it is the third significant figure).

Answers: (a) 24.01 (b) 24.02 (c) 24.0.

Example 12 — Significant figures near the point

Express 0.0496 correct to 2 significant figures.

First non-zero digit is 4; second is 9; next digit is 6 → round the 9 up, carrying into the 4: 0.050.

Answer: 0.050 (2 s.f. — the final zero holds the place).

Example 13 — Time as a multi-step operation (Mock P2 Q5(b))

Asamoah left Takoradi at 11:13 am and got to Tema at 3:08 pm. How long did the journey take?

Work from 11:13 forward: 11:13 → 12:00 = 47 minutes; 12:00 → 3:00 pm = 3 hours; 3:00 → 3:08 pm = 8 minutes. Total: 47 + 180 + 8 = 235 minutes = 3 h 55 min (since 235 = 3 × 60 + 55).

Answer: 3 hours 55 minutes. (Bank: `Q₆1656d556769` — tagged B9.1.2.2.2: word problems with the four operations.)

Example 14 — The jacket problem (from the B9.1.2.2.2 indicator itself)

The price of a jacket is three times that of a shirt. A jacket costs GH₵ 560.65. Mr Mensa bought two jackets and four shirts for his twin sons. Calculate the total amount he paid, correct to (a) two decimal places (b) three significant figures.

Shirt price: 560.65 ÷ 3 = 186.8833... (3 shares: 186.88... each — this division genuinely recurs, precision control is not decoration here). Two jackets: 2 × 560.65 = 1121.30. Four shirts: 4 × 186.8833... = 747.5333... Total: 1121.30 + 747.5333... = 1868.8333... (a) 2 d.p.: the third decimal digit is 3 → leave → GH₵ 1868.83. (b) 3 s.f.: digits 1, 8, 6 with next digit 8 → bump → GH₵ 1870 (the trailing zeros are placeholders, not counted).

Example 15 — Decimals meeting algebra (authentic BECE 2017)

Write the total cost, in cedis, of x shirts at GH₵ 5.00 each and y shirts at GH₵ 1.50 each, fully simplified. (Bank: `Q₂97c6f3b7796`, official key: 5x + 1.5y.)

x shirts at GH₵ 5.00 cost 5x; y shirts at GH₵ 1.50 cost 1.5y; total is 5x + 1.5y. The decimals live inside the terms; the simplification is ordinary collecting of like terms.

Answer: 5x + 1.5y. (This is the bridge: decimals feed the Algebraic Expressions lesson.)

9. Exercise Sets (5 × 5, No MCQ)

Instructions: write full workings for every question. Show column layouts for additions/subtractions, state decimal-place counts for multiplication, and state the rounding rule you applied wherever an answer is given "correct to ...". No calculators.

Exercise 1 — Column arithmetic and rounding

1. 86.7 + 259.08 + 12.315, correct to 1 d.p.
2. 120 - 73.485
3. A customer's bill is GH₵ 214.35 for cement and GH₵ 326.80 for sand. She pays with GH₵ 750.00. Find her change.
4. 5.4 + 0.68 + 0.007 + 9.993
5. Spiral review (Day 1): Write the exact unrounded sum in question 1 in standard form.

Exercise 2 — Multiplication

1. 23.51 × 4
2. 6.04 × 0.52 (state the decimal-place count you used)
3. Spiral review (Day 3 + Day 1): Evaluate 0.003 × 0.02 and express the answer in standard form.
4. A crate holds 24 bottles and each bottle contains 0.35 litres. How many litres does a full crate contain?
5. 0.285 × 1000

Exercise 3 — Division

1. 96.06 ÷ 6
2. 8.58 ÷ 2.6
3. 3 ÷ 7: state the six-digit recurring block of digits, then give the value correct to 2 d.p.
4. 2.1 ÷ 0.07
5. A merchant shares 12.6 kg of rice equally into 8 bags. Find the weight of rice in one bag (exact decimal).

Exercise 4 — Precision control

1. Truncate 24.0179 to 1 d.p. and to 2 d.p.
2. Round the true product of Exercise 2, question 2 — that is, 0.893 × 14.7 = 13.1271 — to 2 d.p.
3. Round 0.0749 to (a) 1 s.f. (b) 2 s.f.
4. A decimal 46.9839 is (a) truncated to 2 d.p. (b) rounded to 2 d.p. (c) rounded to 3 s.f. Give all three answers.
5. Spiral review (Day 3): Write the answer to Example 6, 0.0001, in standard form.

Exercise 5 — Multi-step word problems

1. Awurama measures three flights of timber: 26.5 m, 74.98 m and 152.405 m. Find the total length, correct to 2 d.p.
2. A bus leaves Kumasi at 09:47 and arrives in Sunyani at 13:05. How long is the journey? Give the answer in hours and minutes.
3. A shop had 87.5 m of wire. It cut and sold 39.68 m in week one and 21.355 m in week two. How much wire is left?
4. Ama buys 3 exercise books at GH₵ 4.75 each and 2 pens at GH₵ 3.10 each. She pays with GH₵ 25.00. Find her change.
5. Write the total cost, in cedis, of x shirts at GH₵ 5.00 each and y shirts at GH₵ 1.50 each, fully simplified, and state what the expression gives when x = 4 and y = 6.

10. Full Worked Solutions

Exercise 1

1. Pad and column-add: 86.700 + 259.080 + 12.315 = 358.095. Correct to 1 d.p.: next digit is 9 (5 or more) → 358.095 → 358.1.

2. Pad: 120.000 - 73.485. Column subtraction with borrowing gives 46.515. Check: 73.485 + 46.515 = 120.000 — correct.

3. Total spent: 214.35 + 326.80 = 541.15. Change: 750.00 - 541.15 = mathbf{GH₵ 208.85}.

4. Pad equally: 5.400 + 0.680 + 0.007 + 9.993 = 16.080 (trailing zero may be dropped: 16.08).

5. Exact sum was 358.095: in standard form = 3.58095 × 10^(2).

Exercise 2

1. 2351 × 4 = 9404; 23.51 has 2 decimal places → 94.04.

2. 604 × 52 = 31408; decimal places: 2 + 2 = 4 → 3.1408.

3. 3 × 2 = 6; decimal places 3 + 2 = 5 → 0.00006. Standard form: 0.00006 = mathbf{6 × 10^(−5)}.

4. 24 × 0.35: 24 × 35 = 840; decimal places 0 + 2 = 2 → 8.40 litres (drop the trailing zero: 8.4 litres).

5. 0.285 × 1000: the point moves three places right → 285.

Exercise 3

1. 96.06 ÷ 6: pad to 96.060; long division 96 ÷ 6 = 16; the point travels through; the remaining 0.060 ÷ 6 = 0.01 → 16.01. Check: 6 × 16.01 = 96.06 — correct.

2. Shift one place: 85.8 ÷ 26. Long division: 26 × 3 = 78, remainder 7.8; point travels; 78 ÷ 26 = 3, so 0.3 fits exactly → 3.3. Check: 2.6 × 3.3 = 8.58 — correct.

3. 3.0 ÷ 7: remainders cycle 2 → 6 → 4 → 5 → 1 → 3 → 2... producing digits 0.428571 428571... Recurring block: 428571. 2 d.p.: third digit 8 (5 or more) → 0.42 → 0.43.

4. Divisor 0.07 → shift two places: 210 ÷ 7 = 30. Check: 0.07 × 30 = 2.1 — correct.

5. 12.6 ÷ 8: long division gives 1.575 exactly (8 × 1.575 = 12.6). Each bag holds 1.575 kg.

Exercise 4

1. Truncate (chop, never round): 1 d.p. → 24.0; 2 d.p. → 24.01. (Rounding would give 24.0 and 24.02 — different at 2 d.p.!)

2. 13.1271 rounded to 2 d.p.: third decimal digit is 7 (bump) → 13.13.

3. (a) 1 s.f.: first significant digit 7; next digit 4 (leave) → 0.07. (b) 2 s.f.: digits 7, 4; next digit 9 (bump) → 0.075.

4. (a) Truncating: chop after hundredths → 46.98. (b) Rounding: next digit is 3 (leave) → 46.98. (c) 3 s.f.: digits 4, 6, 9 with next digit 8 → the 9 bumps past 10 and carries into the 6: 46.9839 → 47.0 (the 0 holds the third significant figure).

5. 0.0001 = mathbf{1 × 10^(−4)}.

Exercise 5

1. 26.5 + 74.98 + 152.405: pad → 26.500 + 74.980 + 152.405 = 253.885. 2 d.p.: third decimal digit 5 (bump) → 253.89 m.

2. 09:47 → 10:00 = 13 min; 10:00 → 13:00 = 3 h; 13:00 → 13:05 = 5 min. Total 13 + 180 + 5 = 198 min. 198 = 3 × 60 + 18 → 3\ hours\ 18\ minutes.

3. Sold: 39.68 + 21.355 = 61.035 m. Left: 87.5 - 61.035 = 87.500 - 61.035 = 26.465 m.

4. Books: 3 × 4.75 = 14.25; pens: 2 × 3.10 = 6.20. Total: 14.25 + 6.20 = 20.45; change: 25.00 - 20.45 = mathbf{GH₵ 4.55}.

5. Cost of x shirts: 5x; cost of y shirts: 1.5y; total 5x + 1.5y. When x = 4, y = 6: 5(4) + 1.5(6) = 20 + 9 = 27 cedis.

11. Bank and Mock Links

Item	ID	Source	Where used

124.3 + 0.275 + 74.06, 1 d.p. (Mock P1 Q1)	`Q_(f)41cbf8aff88`	user mock 0201-026/27	Example 1
15.07 - 3.285	`Q₁56ff5549611`	bank lesson exercises	Exercise ref
0.893 × 14.7, 4 d.p. (Mock P2 Q2(a)(ii))	`Q₅48f6faaa69d`	user mock 0201-026/27	Example 3
Mark's day pay, GH₵ 8.25 (Mock P2 Q3(a))	`Q₈3b389d16cd2`* see note	user mock 0201-026/27	Example 4
24.5 × 100 (authentic 2026 mock)	`Q₅e794c261f96`	Aug-2026 mock paper	Example 5
(0.07 × 0.02) ÷ 14 (Mock P1 Q14)	`Q₉ececd81b447`	user mock 0201-026/27	Example 6
112 flies at 0.1 kg (Mock P1 Q32)	`Q_(d)92f8defe34e`	user mock 0201-026/27	Example 7
Takoradi → Tema time (Mock P2 Q5(b))	`Q₆1656d556769`	user mock 0201-026/27	Example 13
Total cost of x shirts (BECE 2017)	`Q₂97c6f3b7796`	BECE 2017 past questions	Exercise 5, Q5

*Note: Example 4's mock item is tagged B9.1.4.1.2 (rates/wages) — its full financial treatment belongs to the Ratios & Financial lesson; it is kept here as a decimal-arithmetic model.

12. Lesson Summary (Cheat Sheet)

Operation	The one rule to carry
Add / subtract	Line the points up; pad with trailing zeros (free!)
Multiply	Multiply point-free, then give the answer d_(1) + d_(2) decimal places
Divide	Make the divisor whole by shifting both numbers equally
Recurring decimals	Same remainder returning = forever pattern; round at the asked d.p.
"Correct to n d.p."	Round — look at digit n+1: 5 or more bumps
"Truncate"	Chop at digit n, ignore the rest

Money time-saver: pad every GH₵ figure to two decimal places before any operation — GH₵ 8.25 already is; GH₵ 115.5 → GH₵ 115.50.

Lesson prepared under `Grade9-Maths/Rules.md` — plain English, British notation, full workings for every question. Quota override in force for this round: 5 sections × 5 questions.