

---

# Index

## A

A\*-algorithm, 107, 273  
Action, 97, 98  
Activation function, 248, 258  
Actuators, 17  
Adaptive Resonance Theory (ART), 286  
Admissible, 107, 109  
Agent, 3, 17, 289, 290, 293, 296, 297, 300, 301, 303, 305  
    autonomous, 10  
    cost-based, 18  
    distributed, 10  
    goal-based, 17  
    hardware, 17  
    intelligent, 17  
    learning, 11, 18, 178  
    reflex, 17  
    software, 17  
    utility-based, 18  
    with memory, 17  
Agents, distributed, 18  
Alarm-example, 159  
Alpha-beta pruning, 115  
AlphaGo, 7, 119, 121, 306, 308  
And branches, 79  
And-or tree, 79  
Appendicitis, 133, 145  
Approximation, 178, 193  
A priori probability, 131, 135  
Artificial Intelligence (AI), 1  
Associative memory, 256  
Attribute, 118, 199  
Auto-associative memory, 250, 257, 261  
Autoencoder, 279  
Automation, 12  
Automotive industry, 14  
Autonomous robots, 11

## B

Backgammon, 306  
Backpropagation, 279, 298, 322  
    learning rule, 270  
Backtracking, 77, 99  
Backward chaining, 35  
Batch learning, 217, 266  
Bayes formula. *See* Bayes theorem  
Bayesian network, 6, 10, 72, 77, 127, 158, 160, 198  
    learning, 241  
Bayes theorem, 134, 163  
BDD. *See* Binary decision diagram  
Bellman  
    equation, 295  
    principle, 295  
Bias unit, 187  
Bias variance tradeoff, 214  
Binary decision diagram, 37  
Boltzmann machine, 256  
Brain science, 3  
Braitenberg vehicle, 2, 10, 193  
Branching factor, 91, 95  
    average, 92  
    effective, 95  
Built-in predicate, 84

## C

C4.5, 198, 216  
Calculus, 28  
    Gentzen, 49  
    natural reasoning, 49  
    sequent, 49  
Cancer diagnosis, 134  
Car, 14  
CART, 198, 212  
CASC, 57

- Case base, 197
  - Case-based reasoning, 197
  - CBR. *See* Case-based reasoning
  - Certainty factors, 126
  - Chain rule for Bayesian networks, 132, 168, 169
  - Chatterbots, 5
  - Checkers, 114, 120
  - Chess, 114, 117, 120, 121, 306
  - Church, Alonso, 7
  - Classification, 178
  - Classifier, 178, 223, 268
  - Clause, 29
    - definite, 34
    - head, 34
  - Closed formula, 41
  - CLP. *See* Constraint logic programming
  - Cluster, 225
  - Clustering, 224, 238
    - hierarchical, 22
  - Cognitive science, 3
  - Complementary, 31
  - Complete, 28
  - Computer diagnostic, 158
  - Conclusion, 34
  - Conditionally independent, 160, 169
  - Conditional probability, 137
    - table. *See* CPT
  - Conditioning, 163, 169
  - Confusion matrix, 234
  - Conjunction, 24, 29
  - Conjunctive Normal Form (CNF), 29
  - Connectionism, 9
  - Consistent, 31
  - Constant, 40
  - Constraint logic programming, 86
  - Constraint Satisfaction Problem (CSP), 86
  - Contraction hierarchies, 111
  - Convolutional Neural Network (CNN), 277, 280, 282, 307
  - Correlation, 151
    - coefficient, 182
    - matrix, 238
  - Cost estimate function, 105
  - Cost function, 95, 107
  - Cost matrix, 150, 155
  - CPT, 160, 170, 216, 218
  - Creativity, 282, 283
  - Credit assignment, 119, 292
  - Cross-validation, 212, 213, 279, 281
  - Curse of dimensionality, 309
  - Cut, 79
- D**
- DAG, 169, 216
  - Data mining, 179, 180, 197, 198, 211
  - Data scientist, 277
  - Decision, 153
  - Decision tree, 198
    - induction, 180, 199
    - learning, 309
  - Deep belief network, 277, 280
  - Deep learning, 121, 238, 277, 307, 308
  - Default logic, 71
  - Default rule, 71
  - Delta rule, 266, 268
    - generalized, 270
  - Demodulation, 56
  - De Morgan, 45
  - Dempster–Schäfer theory, 127
  - Dependency graph, 151
  - Depth limit, 100
  - Derivation, 28
  - Deterministic, 97, 114
  - Diagnosis system, 146
  - Disjunction, 24, 29
  - Distance metric, 225
  - Distributed Artificial Intelligence (DAI), 10
  - Distributed learning, 309
  - Distribution, 130, 148
  - D-separation, 170
  - Dynamic programming, 296
- E**
- Eager learning, 196, 237
  - Economic growth, 12
  - Economy, 12
  - E-learning, 5
  - Elementary event, 128
  - Eliza, 5
  - EM algorithm, 217, 228, 232
  - Entropy, 202
    - maximum, 127, 136
  - Environment, 12, 17, 18
    - continuous, 18
    - deterministic, 18
    - discrete, 18
    - nondeterministic, 18
    - observable, 18
    - partially observable, 18
  - Equation, directed, 55
  - Equivalence, 24

Evaluation function, 114

Event, 128

Expert system, 145, 158

## F

Fact, 34

Factorization, 31, 54

False negative, 155

False positive, 155

Farthest neighbor algorithm, 230

Feature, 118, 176, 185, 198, 237, 277

Feature space, 177

Feedforward networks, 285

Finite domain constraint solver, 87

First-order sentence, 41

First we solidify, 40

Forward chaining, 35

Frame problem, 71

Free variables, 41

Function symbol, 40

Fuzzy logic, 10, 72, 127

## G

Gaussian process, 195, 236

Generalization, 178

General Problem Solver (GPS), 6

Genetic programming, 83

Go, 114, 120, 122, 306, 308

Goal, 36

    stack, 36

    state, 94

Gödel

    incompleteness theorem, 7

    Kurt, 7

    's completeness theorem, 7

    's incompleteness theorem, 68

Google DeepMind, 121, 307

Gradient descent, 267

Greedy search, 106, 107, 217, 232

Ground term, 50

## H

Halting problem, 7

Hebb rule, 249, 258, 270

    binary, 259

Heuristic, 103

Heuristic evaluation function, 104, 107

Hierarchical learning, 309

Home automation, 15

Hopfield network, 250, 251, 260

Horn clause, 34, 80

Hugin, 164

## I

ID3, 198

IDA\*-algorithm, 113

Immediate reward, 292

Implication, 24

Incremental gradient descent, 268

Incremental learning, 266

Independent, 131

    conditionally, 160, 169

Indifference, 140

Indifferent variables, 146

Industry 4.0, 11

Inference machine, 50

Inference mechanism, 19

Information content, 203

Information gain, 200, 203, 237

Input resolution, 55

Internet of Things, 11, 15

Interpretation, 24, 41

Iterative deepening, 100, 102

IT security, 15

## J

JavaBayes, 164

Jobs, 11

## K

Kernel, 195, 277

Kernel methods, 277

Kernel PCA, 280

K-means, 226

*k*-nearest neighbor method, 192, 194, 213

KNIME, 199, 233

Knowledge, 19

    base, 160

    consistent, 31

    engineer, 11, 19

    sources, 19

## L

Landmark, 109

    heuristic, 110

Laplace assumption, 129

Laplace probabilities, 129

Law of economy, 211

Lazy learning, 196

Learning, 171, 176, 198

    batch, 266

    by demonstration, 309

- Learning (*cont.*)
  - distributed, 309
  - hierarchical, 309
  - incremental, 218, 266
  - machine, 151
  - multi-agent, 309
  - one-class, 222
  - reinforcement, 97, 175, 307
  - semi-supervised, 236
  - supervised, 176, 225, 261
  - unsupervised, 278
- Learning agent, 178
- Learning phase, 178
- Learning rate, 249, 267
- Least squares, 157, 264, 265, 269
- Leave-one-out cross-validation, 214
- LEXMED, 127, 136, 145, 207
- Limited resources, 104
- Linear approximation, 268
- Linearly separable, 183, 184
- LIPS, 76
- LISP, 6, 8
- Literal, 29
  - complementary, 31
- Locally weighted linear regression, 197
- Logic
  - fuzzy, 127
  - higher-order, 6
  - probabilistic, 19
- Logically valid, 25
- Logic Theorist, 6, 8
- M**
- Machine learning, 148, 175
- Manhattan distance, 112, 226
- Marginal distribution, 133
- Marginalization, 133, 137, 169
- Markov Decision Process (MDP), 17, 293, 305
  - deterministic, 301
  - nondeterministic, 305
  - partially observable, 293
- Material implication, 127, 142
- MaxEnt, 127, 140, 143, 145, 150, 164, 170
  - distribution, 140
- Memorization, 176
- Memory-based learning, 196, 197
- Metaparameter, 281
- MGU, 53
- Minimum cash reserve ratio, 13
- Minimum spanning tree, 229
- Mining, 179
- Model, 25
- Model complexity, 213, 214
- Modus ponens, 126, 139
- Momentum, 275
- Monotonic, 69
- Monte Carlo Tree Search (MCTS), 7, 119, 122, 307
- Multi-agent systems, 6
- MYCIN, 126, 146
- N**
- Naive Bayes, 157, 159, 171, 180, 189, 218, 220, 242
  - classification, 190
  - classifier, 218, 220
  - method, 189
- Naive reverse, 82
- Navier–Stokes equation, 306
- Nearest neighbor
  - classification, 190
  - method, 189
- Nearest neighbor algorithm, 229
- Nearest neighbor method, 223
- Nearest neighbor data description, 223
- Negation, 24
- Negation as failure, 80
- Neural network, 6, 8, 194, 195, 238, 245
  - recurrent, 255, 257, 282
- Neuroinformatics, 255
- Neuroscience, 3
- Neurotransmitter, 247
- Noise, 191
- Non-monotonic logic, 144
- Normal equations, 265
- Normal form
  - conjunctive, 29
  - prenex, 46
- Normalization, 223, 280
- O**
- Object classification, 277, 281
- Observable, 97, 114
- Occam’s razor, 211
- OMRk algorithm, 232
- One-class learning, 222, 223
- Ontology, 63
- Or branches, 79
- Orthonormal, 258
- Othello, 114
- Outlier detection, 223
- Overfitting, 191, 211, 213–215, 217, 263, 265, 276
- OWL, 63
- P**
- Paradox, 68
- Paramodulation, 56

- Partially Observable Markov Decision Process (POMDP), 293
- Penguin problem, 85
- Perceptron, 192, 196, 249
- Phase transition, 254
- PIT, 143, 144, 164, 172
- PL1, 19, 40
- Planning, 83
- Plans, 85
- Policy, 292
  - gradient method, 305
  - policy based on its, 292
- Postcondition, 62
- Precondition, 61
- Predicate logic, 7
  - first-order, 20, 40
- Preference learning, 180
- Premise, 34
- Principal Component Analysis (PCA), 277, 280
- Probabilistic
  - logic, 20, 71
  - reasoning, 9
- Probability, 126, 128
  - distribution, 130
  - rules, 150
- Product rule, 132
- Program verification, 61
- PROLOG, 6, 9, 75
- Proof system, 26
- Propositional
  - calculus, 20
  - logic, 23
- Proposition variables, 23
- Pruning, 206, 212
- Pure literal rule, 55
  
- Q**
- Q-learning, 300
  - convergence, 303
- Quickprop, 275
  
- R**
- Random variables, 128
- Rapid prototyping, 87
- RDF, 63
- Real-time decision, 104
- Real-time requirement, 114
- Receiver operating characteristic, 156
- Reinforcement
  - learning, 119, 292
  - negative, 292
  - positive, 292
- Resolution, 8, 30
  - calculus, 6, 28
  - rule, 30
    - general, 30, 52
  - SLD, 35
- Resolvent, 30
- Reward
  - discounted, 292
  - immediate, 292
- Risk management, 155
- Road transportation, 14
- RoboCup, 7, 306
- Robot, 17, 289, 293
  - car, 14, 15
  - taxi, 14
  - walking, 289
- ROC curve, 157, 235
- RProp, 275, 279
  
- S**
- Sample, 199
- Satisfiable, 25
- Scatterplot diagram, 177
- Science fiction, 11
- Score, 146, 157, 223, 242, 266
- Search
  - algorithm, 94
    - complete, 95
    - optimal, 96
  - bidirectional, 110
  - heuristic, 92
  - space, 31, 35
  - tree, 94
    - uninformed, 92
- Self-driving car, 14
- Self-organizing maps, 285
- Semantics
  - declarative (PROLOG), 78
  - procedural (PROLOG), 78, 82
- Semantic trees, 36
- Semantic web, 62
- Semi-decidable, 67
- Semi-supervised learning, 236
- Sensitivity, 135, 156, 162
- Sensor, 17
- Service robotics, 15
- Set of support strategy, 55
- Sigmoid function, 249, 264, 269
- Signature, 23
- Silhouette width criterion, 231
- Similarity, 189
- Simulated annealing, 256
- Situation calculus, 71

Skolemization, 48  
 SLD resolution, 38  
 Software reuse, 61  
 Solution, 95  
 Sound, 28  
 Space, 49, 95  
 Spam, 220  
     filter, 220  
 Sparse coding, 279  
 Specificity, 135, 156  
 Stacked denoising autoencoder,  
     279, 280  
 Starting state, 94  
 State, 94, 95  
     space, 95  
     transition function, 292  
 Statistical induction, 150  
 Stochastic gradient descent, 308  
 Subgoal, 36, 77  
 Substitution axiom, 45  
 Subsumption, 55  
 Support vector data description, 223  
 Support vector machine, 195, 276,  
     280  
 Sustainability, 13  
 SVM. *See* Support vector machine  
 Symbol grounding, 85

## T

Target function, 178  
 Tautology, 26  
 TD, 304  
     -error, 304  
     -gammon, 306  
     -learning, 304  
 Teaching-Box, 310  
 Temporal difference  
     error, 304  
     learning, 301  
 Term  
     rewriting, 56  
 Test data, 178, 211

## Text

    classification, 220  
     mining, 180  
 Theorem, 134, 169  
 Theorem prover, 8, 50  
 Training data, 178, 211  
 Transition function, 292, 303  
 Transportation, 12  
 True, 42  
 Truth table, 24  
     method, 27  
 Turing  
     Alan, 7  
     test, 5  
 Tweety example, 144

## U

Unifiable, 53  
 Unification, 52  
 Unifier, 53  
     most general, 53  
 Uniform cost search, 99  
 Unit  
     clause, 55  
     resolution, 55  
 Unsatisfiable, 25

## V

Valid, 25, 43  
 Value iteration, 308  
 Variable, 40  
 Vienna Development Method Specification  
     Language (VDM-SL), 62  
 Voronoi diagram, 191

## W

Walking robot, 290  
 Warren Abstract Machine (WAM),  
     76, 82  
 Watson, 20  
 WEKA, 199, 233  
 Whitening, 280