

Index

- A/B testing, 86
- Aaron Schwartz case, 68
- AB testing, 137
- academic data, 66
- accuracy, 215, 228
- activation function, 380
- AdaBoost, 364
- add-one discounting, 357
- agglomerative cluster trees, 338
- aggregation mechanisms, 83
- Akaike information criterion, 289, 335
- algorithm analysis, 397
- Amazon Turk, 67, 84
 - tasks assigned, 85
 - Turkers, 84
- American basketball players, 97
- analogies, 312
- anchoring, 82
- angular distance, 310
- Anscombe's Quartet, 159
- AOL, 64
- API, 65
- Apple iPhone sales, 34
- application program interfaces, 65
- area under the ROC curve, 219
- Aristotle, 326, 327
- Arrow's impossibility theorem, 84, 114
- artifacts, 69
- Ascombe quartet, 272
- asking interesting questions, 4
- associativity, 244
- autocorrelation, 46
- average link, 340
- Babbage, Charles, 57, 90
- backpropagation, 382
- Bacon, Kevin, 9
- bag of words, 14
- bagging, 362
- balanced training classes, 295
- bar charts, 179
 - best practices, 181
 - stacked, 181
- Barzun, Jacques, 5
- baseball encyclopedia, 5
- baseline models, 210
 - for classification, 210
 - for value prediction, 212
- Bayes' theorem, 150, 205, 299
- Baysian information criteria, 289
- bell-shaped, 123, 141
 - distribution, 101
- bias, 202, 417
 - lexicographic, 405
 - numerical, 405
 - temporal, 405
- bias–variance trade-off, 202
- big data, 391
 - algorithms, 397
 - bad data, 392
 - statistics, 392
- big data engineer, 4
- big oh analysis, 397
- binary relations, 320
- binary search, 398
- binomial distribution, 123

- bioinformatician, 50
- Blumenstock, Josh, 27
- Body Mass Index, 96, 177
- Bonferroni correction, 141
- boosting, 363, 364
 - algorithms, 364
- bootstrapping, 374
- Borda's method, 108
- box plots, 175
- Box, George, 201
- box-and-whisker plots, 176
- bubble plots, 179
- bupkis, 391
- Bush, George W., 326
- C-language, 59
- cache memory, 401
- canonical representation, 400
- canonization, 400
- CAPTCHAs, 89
- Carroll, Lewis, 423
- cartograms, 189
- Center for Disease Control, 204
- center of mass, 332
- centrality measures, 34
- centroids, 331
- character code unification, 74
- characteristic equation, 256
- characterizing distributions, 39
- chart types, 170
 - bar charts, 179
 - data maps, 187
 - dot and line plots, 174
 - histograms, 183
 - pie charts, 179
 - scatter plots, 177
 - tabular data, 170
- cicada, 46
- classification, 16, 210, 289
 - binary, 290, 314
 - multi-class, 297
 - regression, 290
- classification and regression trees, 357
- classifiers
 - balanced, 217
 - evaluating, 213
 - one-vs.-all, 298
 - perfect, 218
- Clinton, Bill, 326
- Clinton, Bill], 326
- closest pair of points, 398
- cloud computing services, 410
- cluster
 - conductance, 343
 - distance, 337
- clustering, 327, 373
 - agglomerative, 336
 - applications, 328
 - biological, 337
 - cut-based, 341
 - k-means, 330
 - single link, 339
 - visualization of, 337
- clusters
 - number of, 333
 - organization of, 337
- Clyde, 111, 112
- coefficient vector, 270
- Cohen's d, 136
- collaborative filtering, 9
- communication, 408, 416
- commutativity, 243
- company data, 64
- computer scientist, 2
- conditional probability, 30, 31
- Condorcet jury theorem, 84
- confusion matrix, 214, 220
- connected components, 324
- contingency table, 214
- convex, 280
- convex hull, 368
- coordination, 408
- correlation
 - analysis, 40
 - interpretation, 43
 - significance, 45
- correlation and causation, 45, 135
- cosine similarity, 309
- cross validation, 227
 - advantages, 227
- CrowdFlower, 67, 84, 86

- crowdsourcing, 67, 80
 - bad uses, 87
- crowdsourcing services, 84
- cryptographic hashing, 400
- CSV files, 62
- cumulative density function, 33, 132, 186
- currency conversion, 75
- cut, 343
- damping factor, 325
- Darwin, Charles, 81
- data, 237, 391
 - quantitative vs. categorical, 15
 - big vs. little, 15
 - cleaning, 69
 - collecting, 64
 - compatibility, 72
 - errors, 69
 - for evaluation, 225
 - for testing, 225
 - for training, 225
 - logging, 68
 - properties, 14
 - scraping, 67
 - structured, 14
 - types, 14
 - unstructured, 14
 - visualizing, 155
- data analysis, 404
- data centrism, 2
- data cleaning, 376
- data errors, 417
- data formats, 61
- data hygiene
 - evaluation, 225
- data munging, 57
- data parallelism, 409
- data partition, 404
- data processing, 10
- data reduction, 329
- data science, 1
 - languages, 57
 - models, 210
- data science television, 17
- data scientist, 2
- data sources, 64
- data visualization, 155
- data-driven, 156
 - models, 207
- de Méré, Chevalier, 29
- decision boundaries, 291
- decision tree classifiers, 299, 357
- decision trees, 357
 - advantages, 358
 - construction, 359
 - ensembles of, 362
- deep learning, 202, 352, 377
 - models, 209
 - network, 378
- DeepWalk, 385
- degree of vertex, 325
- depth, 378
- derivative, 281
 - partial, 282
 - second, 281
- descriptive statistics, 34
- deterministic sampling algorithms, 404
- developing scoring systems, 99
- dictionary maintenance, 399
- DiMaggio, 148
- dimension reduction, 277, 376
- dimensional egalitarianism, 308
- dimensions, 384
- dinosaur vertebra, 78
- directed acyclic graph, 110
- directed graph, 321
- discounting, 209, 356
- disk storage, 401
- distance methods, 303
- distance metrics, 304
 - L_k , 305
 - euclidean, 305
 - manhattan distance, 305
 - maximum component, 305
- distances, 319
 - measuring, 303
- distributed file system, 396
- distributed processing, 407
- divide and conquer, 411
- DNA sequences, 402

- dot product, 241
- duality, 268
- duplicate removal, 400
- E-step, 335
- edge cuts, 324
- edges, 319
- effect size, 136
- eigenvalues, 255
 - computation, 256
 - decomposition, 257
 - properties of, 255
- Elizabeth II, 326
- Elo rankings, 104
- embedded graph, 323
- embedding, 321
- Emoji Dick, 86
- Engels, Friedrich, 391
- ensemble learning, 363
- entropy, 310
- equations
 - determined, 251
 - underdetermined, 251
- error, 202, 221
 - absolute, 221
 - detection, 155
 - mean squared, 223, 331
 - relative, 222
 - residual, 269
 - root mean squared, 223
 - squared, 222
 - statistics, 221
- errors vs. artifacts, 69
- ethical implications, 416
- Euclidean metric, 303
- evaluation
 - environments, 224
 - statistics, 214
- event, 28
- Excel, 59
- exclusive or, 361
- exercises, 23, 53, 90, 119, 151, 199, 234, 263, 301, 346, 388, 419
- expectation maximization, 335
- expected value, 28
- experiment, 27
- exploratory data analysis, 155, 156
 - visualization, 160
- F-score, 216
- Facebook, 21
- false negatives, 214
- false positives, 214
- fast Fourier transform, 47
- fault tolerance, 408
- feature engineering, 375
- feature scaling, 274
 - sublinear, 275
 - z-scores, 275
- features
 - highly-correlated, 277
- Fermat, Pierre de, 30
- Feynman, Richard, 229
- FFT, 47
- filtering, 403
- financial market, 126
- financial unification, 75
- fit and complexity, 288
- FoldIt, 89
- football, 111
 - American players, 97
 - game prediction, 111
- forecasting
 - time series, 212
- formulation, 354
- Freedom of Information Act, 12, 65
- frequency counting, 400
- frequency distributions, 184
- furthest link, 340
- Galton, Francis, 81
- games with a purpose, 88
- gamification, 88
- garbage in, garbage out, 3, 69
- Gates, Bill, 130
- Gaussian
 - elimination, 250
- Gaussian distribution, 124
- Gaussian noise, 125
- General Sentiment, 20
- genius, 19

- geometric mean, 35
- geometric point sets, 238
- geometry, 240
- Gini impurity, 360
- Global Positioning System, 12
- gold standards, 99
- good scoring functions, 101
- Goodhart's law, 303
- Goodhart, Charles, 303
- Google
 - AlphaGo, 372
 - TensorFlow, 377
- Google Flu Trends, 394
- Google News, 219
- Google Ngrams, 10
- Google Scholar, 66
- government data, 65
- gradient boosted decision trees,
 - 359, 366
- gradient descent search, 281
- graph embeddings, 384
- graph theory, 323
- graphs, 238, 319, 321
 - cuts, 342
 - dense, 322
 - directed, 321
 - embedded, 323
 - labeled, 323
 - non-simple, 322
 - simple, 322
 - sparse, 322
 - topological, 323
 - undirected, 321
 - unlabeled, 323
 - unweighted, 322
 - weighted, 320, 322
- Gray, Dorian, 251
- grid indexes, 315
- grid search, 409
- Hadoop distributed file system, 414
- Hamming, Richard W., 1
- hash functions, 399
 - applications, 399
- hashing, 399
- heatmaps, 178
- hedge fund, 1
- hierarchy, 298
- higher dimensions, 307, 370
- histograms, 32, 183, 222
 - best practices, 186
 - bin size, 184
- Hitler, Adolf, 326
- HTML, 67
- hypothesis development, 328
- hypothesis driven, 156, 392
- Imagenet, 379
- IMDb, 7
- imputation
 - by interpolation, 78
 - by mean value, 77
 - by nearest neighbor, 78
 - by random value, 77
 - heuristic-based, 77
- independence, 30, 123, 354
- inflation rates, 76
- information gain, 360
- information theoretic entropy, 360
- infrastructure, 396
- inner product, 243
- institutional review board, 88
- Internet Movie Database, 7
- Internet of Things, 68
- inverse transform sampling, 132
- IPython, 61
- IQ testing, 89
- Jaccard distance, 341
- Jaccard similarity, 341
- Jackson, Michael [136], 262
- Java, 59
- Jesus, 326
- JSON, 63
- k-means clustering, 343, 409
- k-medoids algorithm, 332
- k-nearest neighbors, 313
- Kaggle, viii
- kd-trees, 316
- kernels, 371
- Kolmogorov-Smirnov test, 139

- Kruskal's algorithm, 339
- Kullback-Leibler divergence, 311
- labeled graphs, 323
- Lang, Andrew, 267
- Laplace, 356
- Laplacian, 343
- large-scale question, 9
- latent Dirichlet allocation, 373
- learning rate, 283, 383
- learning to rank, 119
- least squares regression, 270
- lie factor, 164
- Lincoln, Abraham, 242
- line charts, 174
 - advantages, 174
 - best practices, 175
- line hatchings, 177
- linear algebra, 237
 - power of, 237
- linear algebraic formulae
 - interpretation, 238
- linear equation, 238
- linear programming, 369
- linear regression, 212, 267
 - error, 269
 - solving, 270
- linear support vector machines, 369
- linear systems, 250
- Linnaeus, Carl, 326
- live data, 395
- locality, 401
- locality sensitive hashing, 317
- logarithm, 47
- logistic classification
 - issues, 295
- logistic function, 381
- logistic regression, 366
- logit, 381
- logit function, 106, 292
- loss function, 280, 294
- LU decomposition, 254
- lumpers, 329
- M-step, 335
- machine learning, 351
 - algorithms, 375
 - classifiers, 85
 - models, 208
- main memory, 401
- major league baseball, 6
- MapReduce, 407, 410
 - programming, 412
- MapReduce runtime system, 415
- matchings, 324
- Mathematica, 59, 61
- Matlab, 58
- matrix, 14, 237, 270, 373
 - addition, 242
 - adjacency, 246, 320
 - covariance, 245, 257, 271
 - determinant, 249, 254
 - eigenvalues, 255
 - eigenvectors, 255
 - factoring, 252
 - identity, 246, 248
 - inversion, 248
 - linear combinations of, 242
 - multiplication, 243
 - multiplicative inverse of, 249
 - non-singular, 249
 - permutation, 247
 - rank, 251
 - reasons for factoring, 252
 - rotation, 248
 - singular, 249
 - transpose of, 242
 - triangular, 254
 - underdetermined, 256
- matrix multiplication, 243, 398
 - applications, 244
- matrix operations
 - visualizing, 241
- maximum margin separator, 367
- mean, 34, 83, 125, 132, 138, 212, 227, 403
 - arithmetic, 35
 - geometric, 35
- measurement error, 125
- median, 35, 83, 132, 212, 403
- mergesort, 398
- metadata, 7

- method centrism, 2
- metric, 304
 - identity, 304
 - positivity, 304
 - symmetry, 304
 - triangle inequality, 304
- minima
 - global, 284
 - local, 284
- minimum spanning tree, 324, 339
- missing values, 76, 376
- mixture model, 333
- Moby Dick, 86
- mode, 36
- model-driven, 417
- modeling, 201, 328, 416
 - philosophies of, 201
 - principles for effectiveness, 203
- models
 - ad hoc, 208
 - baseline, 210
 - blackbox, 206
 - data science, 210
 - data-driven, 207
 - deep learning, 209
 - descriptive, 206
 - deterministic, 208
 - evaluating, 212
 - first-principle, 207
 - flat, 209
 - Google's forecasting, 204
 - hierarchical, 209
 - linear, 206
 - live, 204
 - machine learning, 208
 - neural network, 206
 - non-linear, 206
 - overfit, 203
 - simplifying, 286
 - simulation, 229
 - stochastic, 208
 - taxonomy of, 205
 - underfit, 202
- Moneyball, 5
- monkey, 215
- monotonic, 307
- Monte Carlo
 - sampling, 134
 - simulations, 229
- Mosteller, Frederick, 121
- multiclass systems
 - evaluating, 219
- multiedge, 322
- multinomial regression, 299
- multiplying probabilities, 48
- naive Bayes, 354, 363
- name unification, 74
- Napoleon, 326
- NASA, 73
- National Football League, 112
- natural language processing, 20
- nearest centroid, 340
- nearest neighbor, 339, 397
- nearest neighbor classification, 311
 - advantages, 311
- nearest neighbors
 - finding, 315
- negative class, 213
- Netflix prize, 9
- network
 - depth, 379
- network methods, 303
- networks, 109, 238, 319, 378
 - induced, 320
 - learning, 379
- neural networks, 377
- new data set, 156
- New York, 277
- Nixon, Richard, 326
- NLP-based system, 21
- no free lunch theorem, 353
- node
 - bias of, 381
- non-linear classifiers, 366
- non-linear functions
 - fitting, 273
- non-linear support vector
 - machines, 369
- non-linearity, 358, 377, 380
- norm, 287
- normal, 125

- normal distribution, 79, 109, 124, 141
 - implications, 126
- normality testing, 141
- normalization, 103, 376
- normalizing skewed distribution, 49
- norms, 309
- NoSQL databases, 415
- notebook environments, 59
- numerical conversions, 73

- Obama, Barack, 326
- Obama, Barack [91], 327
- Obama, Barack], 326
- Occam's razor, 201, 211, 286
- Occam, William of, 202
- Oh G-d, 177
- optimization
 - local, 284
- Oracle of Bacon, 9
- outlier, 118
 - detection, 78
- outlier detection, 329
- outliers
 - removing, 272
- overfitting, 202, 296
- overlap percentage, 137
- ownership, 417

- p-values, 145
- packing data, 402
- PageRank, 100, 111, 325
- pairwise correlations, 158
- parallel processing, 407
- parallelism, 406
- parameter fitting, 279
- parameter spaces
 - convex, 280
- partition function, 299
- Pascal's triangle, 123
- Pascal, Blaise, 30
- paths, 246
- Pearson correlation coefficient, 41, 136
- penalty function, 293
- performance of models, 39

- periodic table, 188
- Perl, 58
- permutation, 246
 - randomly generating, 147
 - tests, 145
- personal wealth, 130
- pie charts, 179
 - bad examples, 183
 - best practices, 181
- point spread, 112
- points
 - rotating, 248
- points vs. vectors, 309
- Poisson distribution, 127
- position evaluation function, 372
- positive class, 213
- power law distribution, 129
- power law function, 276
- precision, 3, 215, 221
- prefetching, 401
- principal components, 260
 - analysis, 260
- prior probability, 354
- privacy, 418
- probabilistic, 203
- probability, 27, 29, 354
- probability density function, 32, 132, 186
- probability distribution, 32
- probability of an event, 28
- probability of an outcome, 28
- probability vs. statistics, 29
- program flow graph, 322
- programming languages, 57
- protocol buffers, 63
- proxies, 99
- psychologists, 89
- Pubmed, 70
- pure partition, 360
- Pythagorean theorem, 306
- Python, 58, 67

- Quant Shop, 17

- R, 58
- Rand index, 341

- random access machine, 397
- random sampling, 403, 406
- random variable, 28
- ranking systems
 - class rank, 100
 - search results, 100
 - top sports teams, 100
 - university rankings, 100
- rankings, 95
 - digraph-based, 109
 - historical, 117
 - merging, 108
 - techniques, 104
- ratio, 48
- ray
 - unit, 241
- Reagan, Ronald, 326
- rearrangement operations, 238
- recall, 216, 221
- receiver-operator characteristic
 - curve, 218
- rectified linear units, 381
- rectifier, 381
- redundancy, 393
- regression, 16
 - application, 359
 - for classification, 290
 - LASSO, 287
 - logistic, 289, 292
 - ridge, 286
- regression models, 272
 - removing outliers, 272
- regularization, 286, 376
- reinforcement learning, 372
- Richter scale, 131
- right-sizing training data, 404
- road network, 322
- robustness, 3, 96, 359
- Roosevelt, Franklin D., 326
- Rota, Gian-Carlo, 237
- sabermetrics, 22
- sample space, 27
- sampling, 132, 403, 404
 - beyond one dimension, 133
 - by truncation, 404
- scalar
 - multiplication, 242
- scale invariant, 132
- scales
 - Likert, 298
 - ordinal, 297
- scaling constant, 293
- scatter plots, 98, 177
 - best practices, 177
 - three-dimensional, 179
- Schaumann, Jan, 351
- scientist, 2
- scores, 95
 - threshold, 218
- scores vs. rankings, 100
- scoring functions, 95
- security, 418
- self-loop, 322
- semi-supervised learning, 374
- Shakespeare, William, 326
- sharp, 215
- Sheep Market, 86
- shortest paths, 324
- signal to noise ratio, 37
- significance level, 139
- Silver, Nate, 203
- similarity graphs, 341
- similarity matrix, 342
- simple graph, 322
- single-command program, 224
- single-pass algorithm, 402
- singular value decomposition, 258
- sketching, 403
- skew, 413
- Skiena, Len, ix
- small evaluation set, 226
- social media, 392
 - analysis, 21
 - data, 394
- Social Network–movie, 105
- spam, 393
- spam filtering, 393
- Spearman rank correlation
 - coefficient, 42, 108
- Spears, Britney [566], 262
- spectral clustering, 343

- spidering, 67
- splitters, 329
- sports performance, 38
- SQL databases, 63
- standard deviation, 36, 125, 132, 138, 227, 403
- statistical analysis, 121, 230
- statistical distributions, 122
- statistical proxy, 7
- statistical significance, 135
- statistics, 29
- stochastic gradient descent, 285, 296, 382
- stock market, 37, 79, 126
- Stony Brook University, 20
- stop words, 414
- storage hierarchy, 401
- streaming, 402
- summary statistics, 157, 159
- supervised learning, 372
- supervision, 372
 - degrees of, 372
- support vector machines, 352, 366
- support vectors, 368
- Surowiecki, James, 82
- sweat equity, 66

- T-test, 137
- tangent line, 282
- target scaling, 274
 - sublinear, 276
- taxi
 - records from New York, 11
 - tipping model, 286
 - tipping rate, 13, 277
- taxi driver, 277
- terms of service, 68
- test statistic, 138
- text analysis, 253
- theory of relativity, 144
- Tikhonov regularization, 287
- time unification, 75
- Titanic, 183, 358
- top-k success rate, 219
- topic modeling, 373
- topological graph, 323
- topological sorting, 110, 324
- transparency, 417
- tree, 298, 336
- trees
 - agglomerative, 337
- true negatives, 214
- true positives, 214
- truncation, 405
- Tufte, Edward, 155, 162
- Twitter, 392, 404, 405

- U.S. presidential elections, 187, 203
- uncertainty, 175
- undirected graph, 321
- uniform distribution, 406
- uniform sampling, 405
- uninvertible, 400
- unit conversions, 72
- UNIX time, 75
- unlabeled graphs, 323
- unrepresentative participation, 393
- unsupervised learning, 372
- unweighted graph, 322
- urban transportation network, 11

- validation data, 95
- value prediction, 210
- value prediction models
 - evaluating, 221
- variability measures, 36
- variance, 36, 202, 403
 - interpretation, 37
- variation coefficient, 137
- variety, 394
- vectors, 240
 - unit, 240
- velocity, 394
- veracity, 395
- vertex, 319
- vertices, 319
- visualization, 404
 - chart types, 170
 - critiquing, 189
 - interactive, 195
 - tools, 160
- visualization aesthetic, 162

- chartjunk, 162, 165
- colors, 163, 168
- data-ink ratio, 162, 163
- lie factor, 162, 164
- repetition, 163, 169
- scaling and labeling, 162, 167
- volume, 394
- Voronoi diagrams, 315
- voting, 363
 - with classifiers, 363
- web crawling, 68
- weighted average, 84
- weighted graph, 322
- Welch's t-statistic, 138
- Wikipedia, 20, 79, 116, 326
- wisdom, 19
- wisdom of crowds, 81
- Wolfram Alpha, 59, 144
- word embeddings, 254, 383
- word2vec, 384
- XML, 62
- Z-score, 103, 308, 376
- Zipf's law, 131, 357