

Index

A

A*-algorithm, 107, 273
Action, 97, 98
Activation function, 248, 258
Actuators, 17
Adaptive Resonance Theory (ART), 286
Admissible, 107, 109
Agent, 3, 17, 289, 290, 293, 296, 297, 300, 301, 303, 305
 autonomous, 10
 cost-based, 18
 distributed, 10
 goal-based, 17
 hardware, 17
 intelligent, 17
 learning, 11, 18, 178
 reflex, 17
 software, 17
 utility-based, 18
 with memory, 17
Agents, distributed, 18
Alarm-example, 159
Alpha-beta pruning, 115
AlphaGo, 7, 119, 121, 306, 308
And branches, 79
And-or tree, 79
Appendicitis, 133, 145
Approximation, 178, 193
A priori probability, 131, 135
Artificial Intelligence (AI), 1
Associative memory, 256
Attribute, 118, 199
Auto-associative memory, 250, 257, 261
Autoencoder, 279
Automation, 12
Automotive industry, 14
Autonomous robots, 11

B

Backgammon, 306
Backpropagation, 279, 298, 322
 learning rule, 270
Backtracking, 77, 99
Backward chaining, 35
Batch learning, 217, 266
Bayes formula. *See* Bayes theorem
Bayesian network, 6, 10, 72, 77, 127, 158, 160, 198
 learning, 241
Bayes theorem, 134, 163
BDD. *See* Binary decision diagram
Bellman
 equation, 295
 principle, 295
Bias unit, 187
Bias variance tradeoff, 214
Binary decision diagram, 37
Boltzmann machine, 256
Brain science, 3
Braitenberg vehicle, 2, 10, 193
Branching factor, 91, 95
 average, 92
 effective, 95
Built-in predicate, 84

C

C4.5, 198, 216
Calculus, 28
 Gentzen, 49
 natural reasoning, 49
 sequent, 49
Cancer diagnosis, 134
Car, 14
CART, 198, 212
CASC, 57

Case base, 197
 Case-based reasoning, 197
 CBR. *See* Case-based reasoning
 Certainty factors, 126
 Chain rule for Bayesian networks, 132, 168, 169
 Chatterbots, 5
 Checkers, 114, 120
 Chess, 114, 117, 120, 121, 306
 Church, Alonso, 7
 Classification, 178
 Classifier, 178, 223, 268
 Clause, 29
 definite, 34
 -head, 34
 Closed formula, 41
 CLP. *See* Constraint logic programming
 Cluster, 225
 Clustering, 224, 238
 hierarchical, 22
 Cognitive science, 3
 Complementary, 31
 Complete, 28
 Computer diagnostic, 158
 Conclusion, 34
 Conditionally independent, 160, 169
 Conditional probability, 137
 table. *See* CPT
 Conditioning, 163, 169
 Confusion matrix, 234
 Conjunction, 24, 29
 Conjunctive Normal Form (CNF), 29
 Connectionism, 9
 Consistent, 31
 Constant, 40
 Constraint logic programming, 86
 Constraint Satisfaction Problem (CSP), 86
 Contraction hierarchies, 111
 Convolutional Neural Network (CNN), 277, 280, 282, 307
 Correlation, 151
 coefficient, 182
 matrix, 238
 Cost estimate function, 105
 Cost function, 95, 107
 Cost matrix, 150, 155
 CPT, 160, 170, 216, 218
 Creativity, 282, 283
 Credit assignment, 119, 292
 Cross-validation, 212, 213, 279, 281
 Curse of dimensionality, 309

Cut, 79

D

DAG, 169, 216
 Data mining, 179, 180, 197, 198, 211
 Data scientist, 277
 Decision, 153
 decision tree, 198
 induction, 180, 199
 learning, 309
 Deep belief network, 277, 280
 Deep learning, 121, 238, 277, 307, 308
 Default logic, 71
 Default rule, 71
 Delta rule, 266, 268
 generalized, 270
 Demodulation, 56
 De Morgan, 45
 Dempster–Schäfer theory, 127
 Dependency graph, 151
 Depth limit, 100
 Derivation, 28
 Deterministic, 97, 114
 Diagnosis system, 146
 Disjunction, 24, 29
 Distance metric, 225
 Distributed Artificial Intelligence (DAI), 10
 Distributed learning, 309
 Distribution, 130, 148
 D-separation, 170
 Dynamic programming, 296

E

Eager learning, 196, 237
 Economic growth, 12
 Economy, 12
 E-learning, 5
 Elementary event, 128
 Eliza, 5
 EM algorithm, 217, 228, 232
 Entropy, 202
 maximum, 127, 136
 Environment, 12, 17, 18
 continuous, 18
 deterministic, 18
 discrete, 18
 nondeterministic, 18
 observable, 18
 partially observable, 18
 Equation, directed, 55
 Equivalence, 24

Evaluation function, 114

Event, 128

Expert system, 145, 158

F

Fact, 34

Factorization, 31, 54

False negative, 155

False positive, 155

Farthest neighbor algorithm, 230

Feature, 118, 176, 185, 198, 237, 277

Feature space, 177

Feedforward networks, 285

Finite domain constraint solver, 87

First-order sentence, 41

First we solidify, 40

Forward chaining, 35

Frame problem, 71

Free variables, 41

Function symbol, 40

Fuzzy logic, 10, 72, 127

G

Gaussian process, 195, 236

Generalization, 178

General Problem Solver (GPS), 6

Genetic programming, 83

Go, 114, 120, 122, 306, 308

Goal, 36

stack, 36

state, 94

Gödel

incompleteness theorem, 7

Kurt, 7

's completeness theorem, 7

's incompleteness theorem, 68

Google DeepMind, 121, 307

Gradient descent, 267

Greedy search, 106, 107, 217, 232

Ground term, 50

H

Halting problem, 7

Hebb rule, 249, 258, 270

binary, 259

Heuristic, 103

Heuristic evaluation function, 104, 107

Hierarchical learning, 309

Home automation, 15

Hopfield network, 250, 251, 260

Horn clause, 34, 80

Hugin, 164

I

ID3, 198

IDA*-algorithm, 113

Immediate reward, 292

Implication, 24

Incremental gradient descent, 268

Incremental learning, 266

Independent, 131

conditionally, 160, 169

Indifference, 140

Indifferent variables, 146

Industry 4.0, 11

Inference machine, 50

Inference mechanism, 19

Information content, 203

Information gain, 200, 203, 237

Input resolution, 55

Internet of Things, 11, 15

Interpretation, 24, 41

Iterative deepening, 100, 102

IT security, 15

J

JavaBayes, 164

Jobs, 11

K

Kernel, 195, 277

Kernel methods, 277

Kernel PCA, 280

K-means, 226

k-nearest neighbor method, 192, 194, 213

KNIME, 199, 233

Knowledge, 19

base, 160

consistent, 31

engineer, 11, 19

sources, 19

L

Landmark, 109

heuristic, 110

Laplace assumption, 129

Laplace probabilities, 129

Law of economy, 211

Lazy learning, 196

Learning, 171, 176, 198

batch, 266

by demonstration, 309

Learning (*cont.*)

- distributed, 309
- hierarchical, 309
- incremental, 218, 266
- machine, 151
- multi-agent, 309
- one-class, 222
- reinforcement, 97, 175, 307
- semi-supervised, 236
- supervised, 176, 225, 261
- unsupervised, 278

Learning agent, 178

Learning phase, 178

Learning rate, 249, 267

Least squares, 157, 264, 265, 269

Leave-one-out cross-validation, 214

LEXMED, 127, 136, 145, 207

Limited resources, 104

Linear approximation, 268

Linearly separable, 183, 184

LIPS, 76

LISP, 6, 8

Literal, 29

- complementary, 31

Locally weighted linear regression, 197

Logic

- fuzzy, 127
- higher-order, 6
- probabilistic, 19

Logically valid, 25

Logic Theorist, 6, 8

M

Machine learning, 148, 175

Manhattan distance, 112, 226

Marginal distribution, 133

Marginalization, 133, 137, 169

Markov Decision Process (MDP), 17, 293, 305

- deterministic, 301
- nondeterministic, 305
- partially observable, 293

Material implication, 127, 142

MaxEnt, 127, 140, 143, 145, 150, 164, 170

- distribution, 140

Memorization, 176

Memory-based learning, 196, 197

Metaparameter, 281

MGU, 53

Minimum cash reserve ratio, 13

Minimum spanning tree, 229

Mining, 179

Model, 25

Model complexity, 213, 214

Modus ponens, 126, 139

Momentum, 275

Monotonic, 69

Monte Carlo Tree Search (MCTS), 7, 119, 122, 307

Multi-agent systems, 6

MYCIN, 126, 146

N

Naive Bayes, 157, 159, 171, 180, 189, 218, 220, 242

- classification, 190

- classifier, 218, 220

- method, 189

Naive reverse, 82

Navier–Stokes equation, 306

Nearest neighbor

- classification, 190

- method, 189

Nearest neighbor algorithm, 229

Nearest neighbor method, 223

Nearest neighbor data description, 223

Negation, 24

Negation as failure, 80

Neural network, 6, 8, 194, 195, 238, 245

- recurrent, 255, 257, 282

Neuroinformatics, 255

Neuroscience, 3

Neurotransmitter, 247

Noise, 191

Non-monotonic logic, 144

Normal equations, 265

Normal form

- conjunctive, 29

- prenex, 46

Normalization, 223, 280

O

Object classification, 277, 281

Observable, 97, 114

Occam's razor, 211

OMRk algorithm, 232

One-class learning, 222, 223

Ontology, 63

Or branches, 79

Orthonormal, 258

Othello, 114

Outlier detection, 223

Overfitting, 191, 211, 213–215, 217, 263, 265, 276

OWL, 63

P

Paradox, 68

Paramodulation, 56

Partially Observable Markov Decision Process (POMDP), 293
 Penguin problem, 85
 Perceptron, 192, 196, 249
 Phase transition, 254
 PIT, 143, 144, 164, 172
 PL1, 19, 40
 Planning, 83
 Plans, 85
 Policy, 292
 gradient method, 305
 policy based on its, 292
 Postcondition, 62
 Precondition, 61
 Predicate logic, 7
 first-order, 20, 40
 Preference learning, 180
 Premise, 34
 Principal Component Analysis (PCA), 277, 280
 Probabilistic
 logic, 20, 71
 reasoning, 9
 Probability, 126, 128
 distribution, 130
 rules, 150
 Product rule, 132
 Program verification, 61
 PROLOG, 6, 9, 75
 Proof system, 26
 Propositional
 calculus, 20
 logic, 23
 Proposition variables, 23
 Pruning, 206, 212
 Pure literal rule, 55

Q
 Q-learning, 300
 convergence, 303
 Quickprop, 275

R
 Random variables, 128
 Rapid prototyping, 87
 RDF, 63
 Real-time decision, 104
 Real-time requirement, 114
 Receiver operating characteristic, 156
 Reinforcement
 learning, 119, 292
 negative, 292
 positive, 292

Resolution, 8, 30
 calculus, 6, 28
 rule, 30
 general, 30, 52
 SLD, 35
 Resolvent, 30
 Reward
 discounted, 292
 immediate, 292
 Risk management, 155
 Road transportation, 14
 RoboCup, 7, 306
 Robot, 17, 289, 293
 car, 14, 15
 taxi, 14
 walking, 289
 ROC curve, 157, 235
 RProp, 275, 279

S
 Sample, 199
 Satisfiable, 25
 Scatterplot diagram, 177
 Science fiction, 11
 Score, 146, 157, 223, 242, 266
 Search
 algorithm, 94
 complete, 95
 optimal, 96
 bidirectional, 110
 heuristic, 92
 space, 31, 35
 tree, 94
 uninformed, 92
 Self-driving car, 14
 Self-organizing maps, 285
 Semantics
 declarative (PROLOG), 78
 procedural (PROLOG), 78, 82
 Semantic trees, 36
 Semantic web, 62
 Semi-decidable, 67
 Semi-supervised learning, 236
 Sensitivity, 135, 156, 162
 Sensor, 17
 Service robotics, 15
 Set of support strategy, 55
 Sigmoid function, 249, 264, 269
 Signature, 23
 Silhouette width criterion, 231
 Similarity, 189
 Simulated annealing, 256
 Situation calculus, 71

Skolemization, 48
 SLD resolution, 38
 Software reuse, 61
 Solution, 95
 Sound, 28
 Space, 49, 95
 Spam, 220
 filter, 220
 Sparse coding, 279
 Specificity, 135, 156
 Stacked denoising autoencoder,
 279, 280
 Starting state, 94
 State, 94, 95
 space, 95
 transition function, 292
 Statistical induction, 150
 Stochastic gradient descent, 308
 Subgoal, 36, 77
 Substitution axiom, 45
 Subsumption, 55
 Support vector data description, 223
 Support vector machine, 195, 276,
 280
 Sustainability, 13
 SVM. *See* Support vector machine
 Symbol grounding, 85

T

Target function, 178
 Tautology, 26
 TD, 304
 -error, 304
 -gammon, 306
 -learning, 304
 Teaching-Box, 310
 Temporal difference
 error, 304
 learning, 301
 Term
 rewriting, 56
 Test data, 178, 211

Text
 classification, 220
 mining, 180
 Theorem, 134, 169
 Theorem prover, 8, 50
 Training data, 178, 211
 Transition function, 292, 303
 Transportation, 12
 True, 42
 Truth table, 24
 method, 27
 Turing
 Alan, 7
 test, 5
 Tweety example, 144

U

Unifiable, 53
 Unification, 52
 Unifier, 53
 most general, 53
 Uniform cost search, 99
 Unit
 clause, 55
 resolution, 55
 Unsatisfiable, 25

V

Valid, 25, 43
 Value iteration, 308
 Variable, 40
 Vienna Development Method Specification
 Language (VDM-SL), 62
 Voronoi diagram, 191

W

Walking robot, 290
 Warren Abstract Machine (WAM),
 76, 82
 Watson, 20
 WEKA, 199, 233
 Whitening, 280