

Contents

0.1	Algorithm Design	2
0.2	Steven S. Skiena	2
0.3	The Algorithm Design Manual	3
0.4	Preface	4
0.5	To the Reader	4
0.6	To the Instructor	5
0.7	Acknowledgments	7
0.8	Caveat	7
0.9	Contents	7
0.10	Introduction to Algorithm Design	16
0.11	Problem: Sorting	17
0.11.1	Robot Tour Optimization	18
0.12	Problem: Robot Tour Optimization	19
0.13	ClosestPair (P)	21
0.13.1	Selecting the Right Jobs	22
0.13.2	Reasoning about Correctness	25
0.13.3	Problems and Properties	25
0.13.4	Expressing Algorithms	26
0.13.5	Demonstrating Incorrectness	26
0.14	Stop and Think: Greedy Movie Stars?	28
0.14.1	Induction and Recursion	29
0.15	Stop and Think: Incremental Correctness	30
0.15.1	Modeling the Problem	31
0.15.2	Combinatorial Objects	31
0.15.3	Recursive Objects	33
0.15.4	Proof by Contradiction	34
0.15.5	About the War Stories	35
0.15.6	War Story: Psychic Modeling	35
0.15.7	Estimation	38
0.16	Chapter Notes	39
0.17	Finding Counterexamples	40
0.18	Proofs of Correctness	41
0.19	Induction	41
0.20	Estimation	42
0.21	Implementation Projects	42

0.22 Interview Problems	43
0.23 LeetCode	43
0.24 HackerRank	43
0.25 Programming Challenges	43
0.26 Algorithm Analysis	43
0.26.1 The RAM Model of Computation	44
0.26.2 Best-Case, Worst-Case, and Average-Case Complexity	45
0.26.3 The Big Oh Notation	46
0.27 Stop and Think: Back to the Definition	48
0.28 Stop and Think: Hip to the Squares?	48
0.28.1 Growth Rates and Dominance Relations	49
0.28.2 Dominance Relations	50
0.28.3 Working with the Big Oh	51
0.28.4 Adding Functions	51
0.28.5 Multiplying Functions	51
0.29 Stop and Think: Transitive Experience	52
0.29.1 Reasoning about Efficiency	52
0.29.2 Selection Sort	52
0.30 Proving the Theta	53
0.30.1 Insertion Sort	53
0.31 Proving the Theta	54
0.31.1 String Pattern Matching	54
0.32 Problem: Substring Pattern Matching	54
0.33 Proving the Theta	56
0.33.1 Matrix Multiplication	56
0.34 Problem: Matrix Multiplication	57
0.34.1 Summations	58
0.35 Stop and Think: Factorial Formulae	59
0.35.1 Logarithms and Their Applications	60
0.35.2 Logarithms and Binary Search	60
0.35.3 Logarithms and Trees	60
0.35.4 Logarithms and Bits	61
0.35.5 Logarithms and Multiplication	61
0.35.6 Fast Exponentiation	61
0.35.7 Logarithms and Summations	62
0.35.8 Logarithms and Criminal Justice	62
0.35.9 Properties of Logarithms	63
0.36 Stop and Think: Importance of an Even Split	65
0.36.1 War Story: Mystery of the Pyramids	65
0.36.2 Advanced Analysis (*)	68
0.36.3 Esoteric Functions	68
0.36.4 Limits and Dominance Relations	69
0.37 Chapter Notes	70
0.38 Program Analysis	71
0.39 Big Oh	73
0.40 Summations	76

0.41	Logarithms	78
0.42	Interview Problems	78
0.43	LeetCode	79
0.44	HackerRank	79
0.45	Programming Challenges	79
0.46	Data Structures	79
0.46.1	Contiguous vs. Linked Data Structures	80
0.46.2	Arrays	80
0.46.3	Pointers and Linked Structures	81
0.47	Searching a List	82
0.48	Insertion into a List	83
0.49	Deletion From a List	83
0.49.1	Comparison	84
0.49.2	Containers: Stacks and Queues	85
0.49.3	Dictionaries	86
0.50	Stop and Think: Comparing Dictionary Implementations (I)	87
0.51	Stop and Think: Comparing Dictionary Implementations (II)	89
0.51.1	Binary Search Trees	90
0.51.2	Implementing Binary Search Trees	91
0.52	Searching in a Tree	91
0.53	Finding Minimum and Maximum Elements in a Tree	92
0.54	Traversal in a Tree	92
0.55	Insertion in a Tree	93
0.56	Deletion from a Tree	94
0.56.1	How Good are Binary Search Trees?	94
0.56.2	Balanced Search Trees	95
0.57	Stop and Think: Exploiting Balanced Search Trees	95
0.57.1	Priority Queues	96
0.58	Stop and Think: Basic Priority Queue Implementations	97
0.58.1	War Story: Stripping Triangulations	98
0.58.2	Hashing	101
0.58.3	Collision Resolution	101
0.58.4	Duplicate Detection via Hashing	103
0.58.5	Other Hashing Tricks	104
0.58.6	Canonicalization	104
0.58.7	Compaction	105
0.58.8	Specialized Data Structures	105
0.58.9	War Story: String 'em Up	106
0.59	Chapter Notes	109
0.60	Stacks, Queues, and Lists	110
0.61	Elementary Data Structures	111
0.62	Trees and Other Dictionary Structures	111
0.63	Applications of Tree Structures	112
0.64	Implementation Projects	114
0.65	Interview Problems	115
0.66	LeetCode	115

0.67	HackerRank	116
0.68	Programming Challenges	116
0.69	Sorting	116
0.69.1	Applications of Sorting	117
0.70	Stop and Think: Finding the Intersection	119
0.71	Stop and Think: Making a Hash of the Problem?	119
0.71.1	Pragmatics of Sorting	120
0.71.2	Heapsort: Fast Sorting via Data Structures	122
0.71.3	Heaps	123
0.72	Stop and Think: Who's Where in the Heap?	125
0.72.1	Constructing Heaps	125
0.72.2	Extracting the Minimum	127
0.72.3	Faster Heap Construction (*)	128
0.73	Stop and Think: Where in the Heap?	130
0.73.1	Sorting by Incremental Insertion	131
0.73.2	War Story: Give me a Ticket on an Airplane	131
0.73.3	Mergesort: Sorting by Divide and Conquer	134
0.74	Implementation	136
0.74.1	Quicksort: Sorting by Randomization	137
0.74.2	Intuition: The Expected Case for Quicksort	138
0.74.3	Randomized Algorithms	139
0.75	Stop and Think: Nuts and Bolts	141
0.75.1	Is Quicksort Really Quick?	142
0.75.2	Distribution Sort: Sorting via Bucketing	142
0.75.3	Lower Bounds for Sorting	143
0.75.4	War Story: Skiena for the Defense	144
0.76	Chapter Notes	146
0.77	Applications of Sorting: Numbers	146
0.78	Applications of Sorting: Intervals and Sets	148
0.79	Heaps	149
0.80	Quicksort	149
0.81	Mergesort	150
0.82	Other Sorting Algorithms	151
0.83	Lower Bounds	151
0.84	Searching	152
0.85	Implementation Challenges	152
0.86	Interview Problems	153
0.87	LeetCode	153
0.88	HackerRank	154
0.89	Programming Challenges	154
0.90	Divide and Conquer	154
0.90.1	Binary Search and Related Algorithms	155
0.90.2	Counting Occurrences	156
0.90.3	One-Sided Binary Search	156
0.90.4	Square and Other Roots	157
0.90.5	War Story: Finding the Bug in the Bug	157

0.90.6	Recurrence Relations	159
0.90.7	Divide-and-Conquer Recurrences	160
0.90.8	Solving Divide-and-Conquer Recurrences	161
0.90.9	Fast Multiplication	162
0.90.10	Largest Subrange and Closest Pair	164
0.90.11	Parallel Algorithms	166
0.90.12	Data Parallelism	166
0.90.13	Pitfalls of Parallelism	167
0.90.14	War Story: Going Nowhere Fast	168
0.90.15	Convolution (*)	169
0.90.16	Applications of Convolution	170
0.90.17	Fast Polynomial Multiplication (**)	172
0.91	Chapter Notes	174
0.92	Binary Search	174
0.93	Divide and Conquer Algorithms	175
0.94	Recurrence Relations	176
0.95	LeetCode	176
0.96	HackerRank	177
0.97	Programming Challenges	177
0.98	Hashing and Randomized Algorithms	177
0.99	Stop and Think: Quicksort City	178
0.99.1	Probability Review	178
0.99.2	Probability	179
0.99.3	Compound Events and Independence	180
0.99.4	Conditional Probability	181
0.99.5	Probability Distributions	182
0.99.6	Mean and Variance	182
0.99.7	Tossing Coins	183
0.100	Stop and Think: Random Walks on a Path	184
0.100.1	Understanding Balls and Bins	185
0.100.2	The Coupon Collector's Problem	186
0.101	Stop and Think: Covering Time for K_n	187
0.101.1	Why is Hashing a Randomized Algorithm?	187
0.101.2	Bloom Filters	189
0.101.3	The Birthday Paradox and Perfect Hashing	190
0.101.4	Minwise Hashing	192
0.102	Stop and Think: Estimating Population Size	194
0.102.1	Efficient String Matching	195
0.102.2	Primality Testing	196
0.102.3	War Story: Giving Knuth the Middle Initial	198
0.102.4	Where do Random Numbers Come From?	199
0.103	Chapter Notes	200
0.104	Probability	200
0.105	Hashing	201
0.106	Randomized Algorithms	201
0.107	LeetCode	202


0.108	HackerRank	202
0.109	Programming Challenges	202
0.110	Graph Traversal	202
0.110.1	Flavors of Graphs	203
0.110.2	The Friendship Graph	206
0.110.3	Data Structures for Graphs	208
0.110.4	War Story: I was a Victim of Moore's Law	212
0.110.5	War Story: Getting the Graph	214
0.110.6	Traversing a Graph	216
0.110.7	Breadth-First Search	218
0.111	Implementation	219
0.111.1	Exploiting Traversal	220
0.111.2	Finding Paths	221
0.111.3	Applications of Breadth-First Search	222
0.111.4	Connected Components	222
0.111.5	Two-Coloring Graphs	223
0.111.6	Depth-First Search	225
0.112	Implementation	226
0.112.1	Applications of Depth-First Search	227
0.112.2	Finding Cycles	228
0.112.3	Articulation Vertices	229
0.112.4	Depth-First Search on Directed Graphs	232
0.112.5	Topological Sorting	233

Texts in Computer Science

Steven S. Skiena
Department of Computer Science
Stony Brook University
Stony Brook, NY 11794-2424
<http://www.cs.stonybrook.edu/~skiena>
August 2020

0.1 Algorithm Design

MANUAL



0.2 Steven S. Skiena

Springer

David Gries, Department of Computer Science, Cornell University, Ithaca, NY, USA

Orit Hazzan (10), Faculty of Education in Technology and Science, Technion-Israel Institute of Technology, Haifa, Israel

Titles in this series now included in the Thomson Reuters Book Citation Index!

'Texts in Computer Science' (TCS) delivers high-quality instructional content for undergraduates and graduates in all areas of computing and information science, with a strong emphasis on core foundational and theoretical material but inclusive of some prominent applications-related content. TCS books should be reasonably self-contained and aim to provide students with modern and clear accounts of topics ranging across the computing curriculum. As a result, the books are ideal for semester courses or for individual self-study in cases where people need to expand their knowledge. All texts are authored by established experts in their fields, reviewed internally and by the series editors, and provide numerous examples, problems, and other pedagogical tools; many contain fully worked solutions.

The TCS series is comprised of high-quality, self-contained books that have broad and comprehensive coverage and are generally in hardback format and sometimes contain color. For undergraduate textbooks that are likely to be more brief and modular in their approach, require only black and white, and are under 275 pages, Springer offers the flexibly designed Undergraduate Topics in Computer Science series, to which we refer potential authors.

More information about this series at <http://www.springer.com/series/3191>

0.3 The Algorithm Design Manual

Third Edition

Springer

ISSN 1868-0941

ISSN 1868-095X (electronic)

Texts in Computer Science

ISBN 978-3-030-54255-9

ISBN 978-3-030-54256-6 (eBook)

<https://doi.org/10.1007/978-3-030-54256-6>

1st edition: I Springer-Verlag New York 1998

2nd edition: I Springer-Verlag London Limited 2008, Corrected printing 2012

3rd edition: I The Editor(s) (if applicable) and The Author(s), under exclusive license to Springer Nature Switzerland AG 2020

This work is subject to copyright. All rights are solely and exclusively licensed by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG

The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

0.4 Preface

Many professional programmers are not well prepared to tackle algorithm design problems. This is a pity, because the techniques of algorithm design form one of the core practical technologies of computer science.

This book is intended as a manual on algorithm design, providing access to combinatorial algorithm technology for both students and computer professionals. It is divided into two parts: Techniques and Resources. The former is a general introduction to the design and analysis of computer algorithms. The Resources section is intended for browsing and reference, and comprises the catalog of algorithmic resources, implementations, and an extensive bibliography.

0.5 To the Reader

I have been gratified by the warm reception previous editions of The Algorithm Design Manual have received, with over 60,000 copies sold in various formats since first being published by Springer-Verlag in 1997. Translations have appeared in Chinese, Japanese, and Russian. It has been recognized as a unique guide to using algorithmic techniques to solve problems that often arise in practice.

Much has changed in the world since the second edition of The Algorithm Design Manual was published in 2008. The popularity of my book soared as software companies increasingly emphasized algorithmic questions during employment interviews, and many successful job candidates have trusted The Algorithm Design Manual to help them prepare for their interviews.

Although algorithm design is perhaps the most classical area of computer science, it continues to advance and change. Randomized algorithms and data structures have become increasingly important, particularly techniques based on hashing. Recent breakthroughs have reduced the algorithmic complexity of the best algorithms known for such fundamental problems as finding minimum spanning trees, graph isomorphism, and network flows. Indeed, if we date the origins of modern algorithm design and analysis to about 1970, then roughly 20% of modern algorithmic history has happened since the second edition of The Algorithm Design Manual.

The time has come for a new edition of my book, incorporating changes in the algorithmic and industrial world plus the feedback I have received from hundreds of readers. My major goals for the third edition are:

- To introduce or expand coverage of important topics like hashing, randomized algorithms, divide and conquer, approximation algorithms, and quantum computing in the first part of the book (Practical Algorithm Design).
- To update the reference material for all the catalog problems in the second part of the book (The Hitchhiker's Guide to Algorithms).

- To take advantage of advances in color printing to produce more informative and eye-catching illustrations.

Three aspects of The Algorithm Design Manual have been particularly beloved: (1) the hitchhiker's guide to algorithms, (2) the war stories, and (3) the electronic component of the book. These features have been preserved and strengthened in this third edition:

- The Hitchhiker's Guide to Algorithms - Since finding out what is known about an algorithmic problem can be a difficult task, I provide a catalog of the seventy-five most important algorithmic problems arising in practice. By browsing through this catalog, the student or practitioner can quickly identify what their problem is called, what is known about it, and how they should proceed to solve it.

I have updated every section in response to the latest research results and applications. Particular attention has been paid to updating discussion of available software implementations for each problem, reflecting sources such as GitHub, which have emerged since the previous edition.

- War stories - To provide a better perspective on how algorithm problems arise in the real world, I include a collection of "war stories", tales from my experience on real problems. The moral of these stories is that algorithm design and analysis is not just theory, but an important tool to be pulled out and used as needed.

The new edition of the book updates the best of the old war stories, plus adds new tales on randomized algorithms, divide and conquer, and dynamic programming.

- Online component - Full lecture notes and a problem solution Wiki is available on my website WWW.algorist.com. My algorithm lecture videos have been watched over 900,000 times on YouTube. This website has been updated in parallel with the book.

Equally important is what is not done in this book. I do not stress the mathematical analysis of algorithms, leaving most of the analysis as informal arguments. You will not find a single theorem anywhere in this book. When more details are needed, the reader should study the cited programs or references. The goal of this manual is to get you going in the right direction as quickly as possible.

0.6 To the Instructor

This book covers enough material for a standard Introduction to Algorithms course. It is assumed that the reader has completed the equivalent of a second programming course, typically titled Data Structures or Computer Science II.

A full set of lecture slides for teaching this course are available online at www.algorist.com. Further, I make available online video lectures using these slides to teach a full-semester algorithm course. Let me help teach your course, through the magic of the Internet!

I have made several pedagogical improvements throughout the book, including:

- New material - To reflect recent developments in algorithm design, I have added new chapters on randomized algorithms, divide and conquer, and approximation algorithms. I also delve deeper into topics such as hashing. But I have been careful to heed the readers who begged me to keep the book of modest length. I have (painfully) removed less important material to keep total expansion by page count under 10% over the previous edition.
- Clearer exposition - Reading through my text ten years later, I was thrilled to find many sections where my writing seemed ethereal, but other places that were a muddled mess. Every page in this manuscript has been edited or rewritten for greater clarity, correctness and flow.
- More interview resources - The Algorithm Design Manual remains very popular for interview prep, but this is a fast-paced world. I include more and fresher interview problems, plus coding challenges associated with interview sites like LeetCode and Hackerrank. I also include a new section with advice on how to best prepare for interviews.
- Stop and think - Each of my course lectures begins with a "Problem of the Day," where I illustrate my thought process as I solve a topic-specific homework problem - false starts and all. This edition had more Stop and Think sections, which perform a similar mission for the reader.
- More and better homework problems - The third edition of The Algorithm Design Manual has more and better homework exercises than the previous one. I have added over a hundred exciting new problems, pruned some less interesting problems, and clarified exercises that proved confusing or ambiguous.
- Updated code style - The second edition featured algorithm implementations in C, replacing or augmenting pseudocode descriptions. These have generally been well received, although certain aspects of my programming have been condemned by some as old fashioned. All programs have been revised and updated, and are structurally highlighted in color.
- Color images - My companion book The Data Science Design Manual was printed with color images, and I was excited by how much this made concepts clearer. Every single image in the The Algorithm Design Manual is now rendered in living color, and the process of review has improved the contents of most figures in the text.

0.7 Acknowledgments

Updating a book dedication every ten years focuses attention on the effects of time. Over the lifespan of this book, Renee became my wife and then the mother of our two children, Bonnie and Abby, who are now no longer children. My father has left this world, but Mom and my brothers Len and Rob remain a vital presence in my life. I dedicate this book to my family, new and old, here and departed.

I would like to thank several people for their concrete contributions to this new edition. Michael Alvin, Omar Amin, Emily Barker, and Jack Zheng were critical to building the website infrastructure and dealing with a variety of manuscript preparation issues. Their roles were played by Ricky Bradley, Andrew Gaun, Zhong Li, Betson Thomas, and Dario Vlah on previous editions. The world's most careful reader, Robert Piché of Tampere University, and Stony Brook students Peter Duffy, Olesia Elfimova, and Robert Matsibekker read early versions of this edition, and saved both you and me the trouble of dealing with many errata. Thanks also to my Springer-Verlag editors, Wayne Wheeler and Simon Rees.

Several exercises were originated by colleagues or inspired by other texts. Reconstructing the original sources years later can be challenging, but credits for each problem (to the best of my recollection) appear on the website.

Much of what I know about algorithms I learned along with my graduate students. Several of them (Yaw-Ling Lin, Sundaram Gopalakrishnan, Ting Chen, Francine Evans, Harald Rau, Ricky Bradley, and Dimitris Margaritis) are the real heroes of the war stories related within. My Stony Brook friends and algorithm colleagues Estie Arkin, Michael Bender, Jing Chen, Rezaul Chowdhury, Jie Gao, Joe Mitchell, and Rob Patro have always been a pleasure to work with.

0.8 Caveat

It is traditional for the author to magnanimously accept the blame for whatever deficiencies remain. I don't. Any errors, deficiencies, or problems in this book are somebody else's fault, but I would appreciate knowing about them so as to determine who is to blame.

0.9 Contents

I Practical Algorithm Design	1
1 Introduction to Algorithm Design	3
1.1 Robot Tour Optimization	5
1.2 Selecting the Right Jobs	8
1.3 Reasoning about Correctness	11
1.3.1 Problems and Properties	11
1.3.2 Expressing Algorithms	12
1.3.3 Demonstrating Incorrectness	13

1.4 Induction and Recursion	15
1.5 Modeling the Problem	17
1.5.1 Combinatorial Objects	17
1.5.2 Recursive Objects	19
1.6 Proof by Contradiction	21
1.7 About the War Stories	22
1.8 War Story: Psychic Modeling	22
1.9 Estimation	25
1.10 Exercises	27
2 Algorithm Analysis	31
2.1 The RAM Model of Computation	31
2.1.1 Best-Case, Worst-Case, and Average-Case Complexity	32
2.2 The Big Oh Notation	34
2.3 Growth Rates and Dominance Relations	37
2.3.1 Dominance Relations	38
2.4 Working with the Big Oh	39
2.4.1 Adding Functions	40
2.4.2 Multiplying Functions	40
2.5 Reasoning about Efficiency	41
2.5.1 Selection Sort	41
2.5.2 Insertion Sort	42
2.5.3 String Pattern Matching	43
2.5.4 Matrix Multiplication	45
2.6 Summations	46
2.7 Logarithms and Their Applications	48
2.7.1 Logarithms and Binary Search	49
2.7.2 Logarithms and Trees	49
2.7.3 Logarithms and Bits	50
2.7.4 Logarithms and Multiplication	50
2.7.5 Fast Exponentiation	50
2.7.6 Logarithms and Summations	51
2.7.7 Logarithms and Criminal Justice	51
2.8 Properties of Logarithms	52
2.9 War Story: Mystery of the Pyramids	54
2.10 Advanced Analysis ()	57
2.10.1 Esoteric Functions	57
2.10.2 Limits and Dominance Relations	58
2.11 Exercises	59
3 Data Structures	69
3.1 Contiguous vs. Linked Data Structures	69
3.1.1 Arrays	70
3.1.2 Pointers and Linked Structures	71
3.1.3 Comparison	74
3.2 Containers: Stacks and Queues	75
3.3 Dictionaries	76

3.4	<i>Binary Search Trees</i>	81
3.4.1	<i>Implementing Binary Search Trees</i>	81
3.4.2	<i>How Good are Binary Search Trees?</i>	85
3.4.3	<i>Balanced Search Trees</i>	86
3.5	<i>Priority Queues</i>	87
3.6	<i>War Story: Stripping Triangulations</i>	89
3.7	<i>Hashing</i>	93
3.7.1	<i>Collision Resolution</i>	93
3.7.2	<i>Duplicate Detection via Hashing</i>	95
3.7.3	<i>Other Hashing Tricks</i>	96
3.7.4	<i>Canonicalization</i>	96
3.7.5	<i>Compaction</i>	97
3.8	<i>Specialized Data Structures</i>	98
3.9	<i>War Story: String 'em Up</i>	98
3.10	<i>Exercises</i>	103
4	<i>Sorting</i>	109
4.1	<i>Applications of Sorting</i>	109
4.2	<i>Pragmatics of Sorting</i>	113
4.3	<i>Heapsort: Fast Sorting via Data Structures</i>	115
4.3.1	<i>Heaps</i>	116
4.3.2	<i>Constructing Heaps</i>	118
4.3.3	<i>Extracting the Minimum</i>	120
4.3.4	<i>Faster Heap Construction ()</i>	122
4.3.5	<i>Sorting by Incremental Insertion</i>	124
4.4	<i>War Story: Give me a Ticket on an Airplane</i>	125
4.5	<i>Mergesort: Sorting by Divide and Conquer</i>	127
4.6	<i>Quicksort: Sorting by Randomization</i>	130
4.6.1	<i>Intuition: The Expected Case for Quicksort</i>	132
4.6.2	<i>Randomized Algorithms</i>	133
4.6.3	<i>Is Quicksort Really Quick?</i>	135
4.7	<i>Distribution Sort: Sorting via Bucketing</i>	136
4.7.1	<i>Lower Bounds for Sorting</i>	137
4.8	<i>War Story: Skiena for the Defense</i>	138
4.9	<i>Exercises</i>	140
5	<i>Divide and Conquer</i>	147
5.1	<i>Binary Search and Related Algorithms</i>	148
5.1.1	<i>Counting Occurrences</i>	148
5.1.2	<i>One-Sided Binary Search</i>	149
5.1.3	<i>Square and Other Roots</i>	150
5.2	<i>War Story: Finding the Bug in the Bug</i>	150
5.3	<i>Recurrence Relations</i>	152
5.3.1	<i>Divide-and-Conquer Recurrences</i>	153
5.4	<i>Solving Divide-and-Conquer Recurrences</i>	154
5.5	<i>Fast Multiplication</i>	155
5.6	<i>Largest Subrange and Closest Pair</i>	157

5.7 Parallel Algorithms	159
5.7.1 Data Parallelism	159
5.7.2 Pitfalls of Parallelism	160
5.8 War Story: Going Nowhere Fast	161
5.9 Convolution (	
6.9 War Story: Giving Knuth the Middle Initial	191
6.10 Where do Random Numbers Come From?	192
6.11 Exercises	193
7 Graph Traversal	197
7.1 Flavors of Graphs	198
7.1.1 The Friendship Graph	201
7.2 Data Structures for Graphs	203
7.3 War Story: I was a Victim of Moore's Law	207
7.4 War Story: Getting the Graph	210
7.5 Traversing a Graph	212
7.6 Breadth-First Search	213
7.6.1 Exploiting Traversal	216
7.6.2 Finding Paths	217
7.7 Applications of Breadth-First Search	217
7.7.1 Connected Components	218
7.7.2 Two-Coloring Graphs	219
7.8 Depth-First Search	221
7.9 Applications of Depth-First Search	224
7.9.1 Finding Cycles	224
7.9.2 Articulation Vertices	225
7.10 Depth-First Search on Directed Graphs	230
7.10.1 Topological Sorting	231
7.10.2 Strongly Connected Components	232
7.11 Exercises	235
8 Weighted Graph Algorithms	243
8.1 Minimum Spanning Trees	244
8.1.1 Prim's Algorithm	245
8.1.2 Kruskal's Algorithm	248
8.1.3 The Union-Find Data Structure	250
8.1.4 Variations on Minimum Spanning Trees	253
8.2 War Story: Nothing but Nets	254
8.3 Shortest Paths	257
8.3.1 Dijkstra's Algorithm	258
8.3.2 All-Pairs Shortest Path	261
8.3.3 Transitive Closure	263
8.4 War Story: Dialing for Documents	264
8.5 Network Flows and Bipartite Matching	267
8.5.1 Bipartite Matching	267
8.5.2 Computing Network Flows	268
8.6 Randomized Min-Cut	272
8.7 Design Graphs, Not Algorithms	274

8.8 Exercises	276
9 Combinatorial Search	281
9.1 Backtracking	281
9.2 Examples of Backtracking	284
9.2.1 Constructing All Subsets	284
9.2.2 Constructing All Permutations	286
9.2.3 Constructing All Paths in a Graph	287
9.3 Search Pruning	289
9.4 Sudoku	290
9.5 War Story: Covering Chessboards	295
9.6 Best-First Search	298
9.7 The A)	162
5.9.1 Applications of Convolution	163
5.9.2 Fast Polynomial Multiplication (**)	164
5.10 Exercises	166
6 Hashing and Randomized Algorithms	171
6.1 Probability Review	172
6.1.1 Probability	172
6.1.2 Compound Events and Independence	174
6.1.3 Conditional Probability	175
6.1.4 Probability Distributions	176
6.1.5 Mean and Variance	176
6.1.6 Tossing Coins	177
6.2 Understanding Balls and Bins	179
6.2.1 The Coupon Collector's Problem	180
6.3 Why is Hashing a Randomized Algorithm?	181
6.4 Bloom Filters	182
6.5 The Birthday Paradox and Perfect Hashing	184
6.6 Minwise Hashing	186
6.7 Efficient String Matching	188
6.8 Primality Testing	190
6.9 War Story: Giving Knuth the Middle Initial	191
6.10 Where do Random Numbers Come From?	192
6.11 Exercises	193
7 Graph Traversal	197
7.1 Flavors of Graphs	198
7.1.1 The Friendship Graph	201
7.2 Data Structures for Graphs	203
7.3 War Story: I was a Victim of Moore's Law	207
7.4 War Story: Getting the Graph	210
7.5 Traversing a Graph	212
7.6 Breadth-First Search	213
7.6.1 Exploiting Traversal	216
7.6.2 Finding Paths	217

7.7 Applications of Breadth-First Search	217
7.7.1 Connected Components	218
7.7.2 Two-Coloring Graphs	219
7.8 Depth-First Search	221
7.9 Applications of Depth-First Search	224
7.9.1 Finding Cycles	224
7.9.2 Articulation Vertices	225
7.10 Depth-First Search on Directed Graphs	230
7.10.1 Topological Sorting	231
7.10.2 Strongly Connected Components	232
7.11 Exercises	235
8 Weighted Graph Algorithms	243
8.1 Minimum Spanning Trees	244
8.1.1 Prim's Algorithm	245
8.1.2 Kruskal's Algorithm	248
8.1.3 The Union-Find Data Structure	250
8.1.4 Variations on Minimum Spanning Trees	253
8.2 War Story: Nothing but Nets	254
8.3 Shortest Paths	257
8.3.1 Dijkstra's Algorithm	258
8.3.2 All-Pairs Shortest Path	261
8.3.3 Transitive Closure	263
8.4 War Story: Dialing for Documents	264
8.5 Network Flows and Bipartite Matching	267
8.5.1 Bipartite Matching	267
8.5.2 Computing Network Flows	268
8.6 Randomized Min-Cut	272
8.7 Design Graphs, Not Algorithms	274
8.8 Exercises	276
9 Combinatorial Search	281
9.1 Backtracking	281
9.2 Examples of Backtracking	284
9.2.1 Constructing All Subsets	284
9.2.2 Constructing All Permutations	286
9.2.3 Constructing All Paths in a Graph	287
9.3 Search Pruning	289
9.4 Sudoku	290
9.5 War Story: Covering Chessboards	295
9.6 Best-First Search	298
9.7 The A Heuristic	300
9.8 Exercises	303
10 Dynamic Programming	307
10.1 Caching vs. Computation	308
10.1.1 Fibonacci Numbers by Recursion	308
10.1.2 Fibonacci Numbers by Caching	309

10.1.3 Fibonacci Numbers by Dynamic Programming	311
10.1.4 Binomial Coefficients	312
10.2 Approximate String Matching	314
10.2.1 Edit Distance by Recursion	315
10.2.2 Edit Distance by Dynamic Programming	317
10.2.3 Reconstructing the Path	318
10.2.4 Varieties of Edit Distance	321
10.3 Longest Increasing Subsequence	324
10.4 War Story: Text Compression for Bar Codes	326
10.5 Unordered Partition or Subset Sum	329
10.6 War Story: The Balance of Power	331
10.7 The Ordered Partition Problem	333
10.8 Parsing Context-Free Grammars	337
10.9 Limitations of Dynamic Programming: TSP	339
10.9.1 When is Dynamic Programming Correct?	340
10.9.2 When is Dynamic Programming Efficient?	341
10.10 War Story: What's Past is Prolog	342
10.11 Exercises	345
11 NP-Completeness	355
11.1 Problems and Reductions	355
11.1.1 The Key Idea	356
11.1.2 Decision Problems	357
11.2 Reductions for Algorithms	358
11.2.1 Closest Pair	358
11.2.2 Longest Increasing Subsequence	359
11.2.3 Least Common Multiple	359
11.2.4 Convex Hull (*)	360
11.3 Elementary Hardness Reductions	361
11.3.1 Hamiltonian Cycle	362
11.3.2 Independent Set and Vertex Cover	363
11.3.3 Clique	366
11.4 Satisfiability	367
11.4.1 3-Satisfiability	367
11.5 Creative Reductions from SAT	369
11.5.1 Vertex Cover	369
11.5.2 Integer Programming	371
11.6 The Art of Proving Hardness	373
11.7 War Story: Hard Against the Clock	375
11.8 War Story: And Then I Failed	377
11.9 P vs. NP	379
11.9.1 Verification vs. Discovery	380
11.9.2 The Classes P and NP	380
11.9.3 Why Satisfiability is Hard	381
11.9.4 NP-hard vs. NP-complete?	382
11.10 Exercises	383

<i>12 Dealing with Hard Problems</i>	<i>389</i>
<i>12.1 Approximation Algorithms</i>	<i>389</i>
<i>12.2 Approximating Vertex Cover</i>	<i>390</i>
<i>12.2.1 A Randomized Vertex Cover Heuristic</i>	<i>392</i>
<i>12.3 Euclidean TSP</i>	<i>393</i>
<i>12.3.1 The Christofides Heuristic</i>	<i>394</i>
<i>12.4 When Average is Good Enough</i>	<i>396</i>
<i>12.4.1 Maximum k-SAT</i>	<i>396</i>
<i>12.4.2 Maximum Acyclic Subgraph</i>	<i>397</i>
<i>12.5 Set Cover</i>	<i>397</i>
<i>12.6 Heuristic Search Methods</i>	<i>399</i>
<i>12.6.1 Random Sampling</i>	<i>400</i>
<i>12.6.2 Local Search</i>	<i>402</i>
<i>12.6.3 Simulated Annealing</i>	<i>406</i>
<i>12.6.4 Applications of Simulated Annealing</i>	<i>410</i>
<i>12.7 War Story: Only it is Not a Radio</i>	<i>411</i>
<i>12.8 War Story: Annealing Arrays</i>	<i>414</i>
<i>12.9 Genetic Algorithms and Other Heuristics</i>	<i>417</i>
<i>12.10 Quantum Computing</i>	<i>418</i>
<i>12.10.1 Properties of "Quantum" Computers</i>	<i>419</i>
<i>12.10.2 Grover's Algorithm for Database Search</i>	<i>420</i>
<i>12.10.3 The Faster "Fourier Transform"</i>	<i>422</i>
<i>12.10.4 Shor's Algorithm for Integer Factorization</i>	<i>422</i>
<i>12.10.5 Prospects for Quantum Computing</i>	<i>424</i>
<i>12.11 Exercises</i>	<i>426</i>
<i>13 How to Design Algorithms</i>	<i>429</i>
<i>13.1 Preparing for Tech Company Interviews</i>	<i>433</i>
 <i>II The Hitchhiker's Guide to Algorithms</i>	 <i>435</i>
<i>14 A Catalog of Algorithmic Problems</i>	<i>437</i>
<i>15 Data Structures</i>	<i>439</i>
<i>15.1 Dictionaries</i>	<i>440</i>
<i>15.2 Priority Queues</i>	<i>445</i>
<i>15.3 Suffix Trees and Arrays</i>	<i>448</i>
<i>15.4 Graph Data Structures</i>	<i>452</i>
<i>15.5 Set Data Structures</i>	<i>456</i>
<i>15.6 Kd-Trees</i>	<i>460</i>
<i>16 Numerical Problems</i>	<i>465</i>
<i>16.1 Solving Linear Equations</i>	<i>467</i>
<i>16.2 Bandwidth Reduction</i>	<i>470</i>
<i>16.3 Matrix Multiplication</i>	<i>472</i>
<i>16.4 Determinants and Permanents</i>	<i>475</i>
<i>16.5 Constrained/Unconstrained Optimization</i>	<i>478</i>
<i>16.6 Linear Programming</i>	<i>482</i>
<i>16.7 Random Number Generation</i>	<i>486</i>
<i>16.8 Factoring and Primality Testing.</i>	<i>490</i>

16.9	Arbitrary-Precision Arithmetic	493
16.10	Knapsack Problem	497
16.11	Discrete Fourier Transform	501
17	Combinatorial Problems	505
17.1	Sorting.	506
17.2	Searching	510
17.3	Median and Selection	514
17.4	Generating Permutations	517
17.5	Generating Subsets	521
17.6	Generating Partitions	524
17.7	Generating Graphs	528
17.8	Calendrical Calculations	532
17.9	Job Scheduling	534
17.10	Satisfiability	537
18	Graph Problems: Polynomial Time	541
18.1	Connected Components	542
18.2	Topological Sorting	546
18.3	Minimum Spanning Tree	549
18.4	Shortest Path	554
18.5	Transitive Closure and Reduction	559
18.6	Matching	562
18.7	Eulerian Cycle/Chinese Postman	565
18.8	Edge and Vertex Connectivity	568
18.9	Network Flow	571
18.10	Drawing Graphs Nicely	574
18.11	Drawing Trees	578
18.12	Planarity Detection and Embedding	581
19	Graph Problems: NP-Hard	585
19.1	Clique	586
19.2	Independent Set	589
19.3	Vertex Cover	591
19.4	Traveling Salesman Problem	594
19.5	Hamiltonian Cycle	598
19.6	Graph Partition	601
19.7	Vertex Coloring	604
19.8	Edge Coloring	608
19.9	Graph Isomorphism	610
19.10	Steiner Tree	614
19.11	Feedback Edge/Vertex Set	618
20	Computational Geometry	621
20.1	Robust Geometric Primitives	622
20.2	Convex Hull	626
20.3	Triangulation	630
20.4	Voronoi Diagrams	634
20.5	Nearest-Neighbor Search	637

20.6 Range Search	641
20.7 Point Location	644
20.8 Intersection Detection	648
20.9 Bin Packing	652
20.10 Medial-Axis Transform	655
20.11 Polygon Partitioning	658
20.12 Simplifying Polygons	661
20.13 Shape Similarity	664
20.14 Motion Planning	667
20.15 Maintaining Line Arrangements	671
20.16 Minkowski Sum	674
21 Set and String Problems	677
21.1 Set Cover	678
21.2 Set Packing	682
21.3 String Matching	685
21.4 Approximate String Matching	688
21.5 Text Compression	693
21.6 Cryptography	697
21.7 Finite State Machine Minimization	702
21.8 Longest Common Substring/Subsequence	706
21.9 Shortest Common Superstring	709
22 Algorithmic Resources	713
22.1 Algorithm Libraries	713
22.1.1 LEDA	713
22.1.2 CGAL	714
22.1.3 Boost Graph Library	714
22.1.4 Netlib	714
22.1.5 Collected Algorithms of the ACM	715
22.1.6 GitHub and SourceForge	715
22.1.7 The Stanford GraphBase	715
22.1.8 Combinatorica	716
22.1.9 Programs from Books	716
22.2 Data Sources	717
22.3 Online Bibliographic Resources	718
22.4 Professional Consulting Services	718
23 Bibliography	719
Index	769

0.10 Introduction to Algorithm Design

What is an algorithm? An algorithm is a procedure to accomplish a specific task. An algorithm is the idea behind any reasonable computer program.

To be interesting, an algorithm must solve a general, well-specified problem. An algorithmic problem is specified by describing the complete set of instances

it must work on and of its output after running on one of these instances. This distinction, between a problem and an instance of a problem, is fundamental. For example, the algorithmic problem known as sorting is defined as follows:

0.11 Problem: Sorting

Input: A sequence of n keys $a_1, \dots, a_n$.

Output: The permutation (reordering) of the input sequence such that $a'_1 \leq a'_2 \leq \dots \leq a'_{n-1} \leq a'_n$.

An instance of sorting might be an array of names, like {Mike, Bob, Sally, Jill, Jan}, or a list of numbers like {154, 245, 568, 324, 654, 324}. Determining that you are dealing with a general problem instead of an instance is your first step towards solving it.

An algorithm is a procedure that takes any of the possible input instances and transforms it to the desired output. There are many different algorithms that can solve the problem of sorting. For example, insertion sort is a method that starts with a single element (thus trivially forming a sorted list) and then incrementally inserts the remaining elements so that the list remains sorted. An animation of the logical flow of this algorithm on a particular instance (the letters in the word "INSERTIONSORT") is given in Figure 1.1.

This algorithm, implemented in C, is described below:

I N S E R T I O N S O R											
			R								
I N S E R T I O N S O R											
E I N S R T I O N S O R											
E I N R S T I O N S O R											
E I N R S T I O N S O R											
E I I N R S T O N S O R											
E I I N O R S T N S O R											
E I I N N O R S T S O R											
E I I N N O R S S T O R											
E I I N N O O R S S T R											
E I I N N O O R R S S T											

Figure 1.1: Animation of insertion sort in action (time flows downward).

```
void insertion_sort(item_type s[], int n) {
    int i, j; /* counters */
    for (i = 1; i < n; i++) {
        j = i;
        while ((j > 0) && (s[j] < s[j - 1])) {
            swap(&s[j], &s[j - 1]);
            j = j-1;
        }
    }
}
```

```

    }
  }
}

```

Note the generality of this algorithm. It works just as well on names as it does on numbers. Or anything else, given the appropriate comparison operation ($<$) to test which of two keys should appear first in sorted order. It can be readily verified that this algorithm correctly orders every possible input instance according to our definition of the sorting problem.

There are three desirable properties for a good algorithm. We seek algorithms that are correct and efficient, while being easy to implement. These goals may not be simultaneously achievable. In industrial settings, any program that seems to give good enough answers without slowing the application down is often acceptable, regardless of whether a better algorithm exists. The issue of finding the best possible answer or achieving maximum efficiency usually arises in industry only after serious performance or legal troubles.

This chapter will focus on algorithm correctness, with our discussion of efficiency concerns deferred to Chapter 2. It is seldom obvious whether a given algorithm correctly solves a given problem. Correct algorithms usually come with a proof of correctness, which is an explanation of why we know that the algorithm must take every instance of the problem to the desired result. But before we go further, it is important to demonstrate why it's obvious never suffices as a proof of correctness, and is usually flat-out wrong.




Figure 1: A good instance for the nearest-neighbor heuristic. The rainbow coloring (red to violet) reflects the order of incorporation.

0.11.1 Robot Tour Optimization

Let's consider a problem that arises often in manufacturing, transportation, and testing applications. Suppose we are given a robot arm equipped with a tool, say

a soldering iron. When manufacturing circuit boards, all the chips and other components must be fastened onto the substrate. More specifically, each chip has a set of contact points (or wires) that need be soldered to the board. To program the robot arm for this job, we must first construct an ordering of the contact points so that the robot visits (and solders) the first contact point, then the second point, third, and so forth until the job is done. The robot arm then proceeds back to the first contact point to prepare for the next board, thus turning the tool-path into a closed tour, or cycle.

Robots are expensive devices, so we want the tour that minimizes the time it takes to assemble the circuit board. A reasonable assumption is that the robot arm moves with fixed speed, so the time to travel between two points is proportional to their distance. In short, we must solve the following algorithm problem:

0.12 Problem: Robot Tour Optimization

Input: A set S of n points in the plane.

Output: What is the shortest cycle tour that visits each point in the set S ?

You are given the job of programming the robot arm. Stop right now and think up an algorithm to solve this problem. I'll be happy to wait for you...

Several algorithms might come to mind to solve this problem. Perhaps the most popular idea is the nearest-neighbor heuristic. Starting from some point p_0 , we walk first to its nearest neighbor p_1 . From p_1 , we walk to its nearest unvisited neighbor, thus excluding only p_0 as a candidate. We now repeat this process until we run out of unvisited points, after which we return to p_0 to close off the tour. Written in pseudo-code, the nearest-neighbor heuristic looks like




Figure 2: A bad instance for the nearest-neighbor heuristic, with the optimal solution. Colors are sequenced as ordered in the rainbow.

this:

```

NearestNeighbor (P)
  Pick and visit an initial point  $p_0$  from P
   $p = p_0$ 
   $i = 0$ 
  While there are still unvisited points
     $i = i + 1$ 
    Select  $p_i$  to be the closest unvisited point to  $p_{i-1}$ 
    Visit  $p_i$ 
  Return to  $p_0$  from  $p_{n-1}$ 

```

This algorithm has a lot to recommend it. It is simple to understand and implement. It makes sense to visit nearby points before we visit faraway points to reduce the total travel time. The algorithm works perfectly on the example in Figure 1.2. The nearest-neighbor rule is reasonably efficient, for it looks at each pair of points (p_i, p_j) at most twice: once when adding p_i to the tour, the other when adding p_j . Against all these positives there is only one problem. This algorithm is completely wrong.

Wrong? How can it be wrong? The algorithm always finds a tour, but it doesn't necessarily find the shortest possible tour. It doesn't necessarily even come close. Consider the set of points in Figure 1.3 all of which lie along a line. The numbers describe the distance that each point lies to the left or right of the point labeled "0". When we start from the point "0" and repeatedly walk to the nearest unvisited neighbor, we might keep jumping left-right-left-right over "0" as the algorithm offers no advice on how to break ties. A much better (indeed optimal) tour for these points starts from the left-most point and visits each point as we walk right before returning at the left-most point.

Try now to imagine your boss's delight as she watches a demo of your robot arm hopscotching left-right-left-right during the assembly of such a simple board.

"But wait," you might be saying. "The problem was in starting at point "0". Instead, why don't we start the nearest-neighbor rule using the left-most point as the initial point p_0 ? By doing this, we will find the optimal solution on this instance."

That is 100% true, at least until we rotate our example by 90 degrees. Now all points are equally left-most. If the point "0" were moved just slightly to the left, it would be picked as the starting point. Now the robot arm will hopscotch up-down-up-down instead of left-right-left-right, but the travel time will be just as bad as before. No matter what you do to pick the first point, the nearest-neighbor rule is doomed to work incorrectly on certain point sets.

Maybe what we need is a different approach. Always walking to the closest point is too restrictive, since that seems to trap us into making moves we didn't want. A different idea might repeatedly connect the closest pair of endpoints

whose connection will not create a problem, such as premature termination of the cycle. Each vertex begins as its own single vertex chain. After merging everything together, we will end up with a single chain containing all the points in it. Connecting the final two endpoints gives us a cycle. At any step during the execution of this closest-pair heuristic, we will have a set of single vertices and the end of vertex-disjoint chains available to merge. In pseudocode:

0.13 ClosestPair (P)

Let n be the number of points in set P .

For $i = 1$ to $n - 1$ do

$d = \infty$

For each pair of endpoints (s, t) from distinct vertex chains if $\text{dist}(s, t) \leq d$ then $s_m = s, t_m = t$, and $d = \text{dist}(s, t)$ Connect (s_m, t_m) by an edge

Connect the two endpoints by an edge

This closest-pair rule does the right thing in the example in Figure 1.3 It starts by connecting "0" to its two immediate neighbors, the points 1 and -1. Subsequently, the next closest pair will alternate left-right, growing the central path by one link at a time. The closest-pair heuristic is somewhat more complicated and less efficient than the previous one, but at least it gives the right answer in this example.

But not on all examples. Consider what this algorithm does on the point set in Figure 1.4 (l). It consists of two rows of equally spaced points, with the rows slightly closer together (distance $1 - \epsilon$) than the neighboring points are spaced within each row (distance $1 + \epsilon$). Thus, the closest pairs of points stretch across the gap, not around the boundary. After we pair off these points, the closest remaining pairs will connect these pairs alternately around the boundary. The total path length of the closest-pair tour is $3(1 - \epsilon) + 2(1 + \epsilon) + \sqrt{(1 - \epsilon)^2 + (2 + 2\epsilon)^2}$. Compared to the tour shown in Figure 1.4(r), we travel over 20% farther than necessary when $\epsilon \rightarrow 0$. Examples exist where the penalty is considerably worse than this.

Thus, this second algorithm is also wrong. Which one of these algorithms




Figure 3: A bad instance for the closest-pair heuristic, with the optimal solution.

performs better? You can't tell just by looking at them. Clearly, both heuris-

tics can end up with very bad tours on innocent-looking input.

At this point, you might wonder what a correct algorithm for our problem looks like. Well, we could try enumerating all possible orderings of the set of points, and then select the one that minimizes the total length:

```

OptimalTSP (P)
d = ∞
For each of the n! permutations Pi of point set P
    If (cost (Pi) ≤ d) then d = cost (Pi) and Pmin = Pi
Return Pmin

```

Since all possible orderings are considered, we are guaranteed to end up with the shortest possible tour. This algorithm is correct, since we pick the best of all the possibilities. But it is also extremely slow. Even a powerful computer couldn't hope to enumerate all the $20! = 2,432,902,008,176,640,000$ orderings of 20 points within a day. For real circuit boards, where $n \approx 1,000$, forget about it. All of the world's computers working full time wouldn't come close to finishing the problem before the end of the universe, at which point it presumably becomes moot.

The quest for an efficient algorithm to solve this problem, called the traveling salesman problem (TSP), will take us through much of this book. If you need to know how the story ends, check out the catalog entry for TSP in Section 19.4 (page 594).

Take-Home Lesson: There is a fundamental difference between algorithms, procedures that always produce a correct result, and heuristics, which may usually do a good job but provide no guarantee of correctness.

0.13.1 Selecting the Right Jobs

Now consider the following scheduling problem. Imagine you are a highly in demand actor, who has been presented with offers to star in n different movie projects under development. Each offer comes specified with the first and last

Tarjan of the Jungle		The Four Volume Problem
The President's Algorist	Steiner's Tree	Process Terminated
	Halting State	Programming Challenges
"Discrete" Mathematics		Calculated Bets

Figure 1.5: An instance of the non-overlapping movie scheduling problem. The four red titles define an optimal solution.

day of filming. Whenever you accept a job, you must commit to being available throughout this entire period. Thus, you cannot accept two jobs whose intervals overlap.

For an artist such as yourself, the criterion for job acceptance is clear: you want to make as much money as possible. Because each film pays the same fee,

this implies you seek the largest possible set of jobs (intervals) such that no two of them conflict with each other.

For example, consider the available projects in Figure 1.5 You can star in at most four films, namely "Discrete" Mathematics, Programming Challenges, Calculated Bets, and one of either Halting State or Steiner's Tree.

You (or your agent) must solve the following algorithmic scheduling problem:
Problem: Movie Scheduling Problem

Input: A set I of n intervals on the line.

Output: What is the largest subset of mutually non-overlapping intervals that can be selected from I ?

Now you (the algorist) are given the job of developing a scheduling algorithm for this task. Stop right now and try to find one. Again, I'll be happy to wait. .

There are several ideas that may come to mind. One is based on the notion that it is best to work whenever work is available. This implies that you should start with the job with the earliest start date - after all, there is no other job you can work on then, at least during the beginning of this period:

EarliestJobFirst(I)

Accept the earliest starting job j from I that does not overlap any previously accepted job, and repeat until no more such jobs remain.

This idea makes sense, at least until we realize that accepting the earliest job might block us from taking many other jobs if that first job is long. Check out Figure 1.6(1), where the epic War and Peace is both the first job available and long enough to kill off all other prospects.

This bad example naturally suggests another idea. The problem with War and Peace is that it is too long. Perhaps we should instead start by taking the shortest job, and keep seeking the shortest available job at every turn. Maximizing the number of jobs we do in a given period is clearly connected to the notion of banging them out as quickly as possible. This yields the heuristic:




Figure 4: Bad instances for the (l) earliest job first and (r) shortest job first heuristics. The optimal solutions are in red.

ShortestJobFirst(I)

While ($I \neq \emptyset$) do

Accept the shortest possible job j from I .

Delete j , and any interval that intersects j , from I .

Again this idea makes sense, at least until we realize that accepting the shortest job might block us from taking two other jobs, as shown in Figure 1.6(r). While the maximum potential loss here seems smaller than with the previous heuristic, it can still limit us to half the optimal payoff.

At this point, an algorithm where we try all possibilities may start to look good. As with the TSP problem, we can be certain exhaustive search is correct. If we ignore the details of testing whether a set of intervals are in fact disjoint, it looks something like this:

```
ExhaustiveScheduling  $(I)$ 
   $j=0$ 
   $S_{\text{max}}=\emptyset$ 
  For each of the  $2^n$  subsets  $S_i$  of intervals  $I$ 
    If (  $S_i$  is mutually non-overlapping ) and  $|\left(\operatorname{size}\right)\left(\right|$ 
      then  $j=\operatorname{size}\left(S_i\right)$  and  $S_{\text{max}}=S_i$ .
  Return  $S_{\text{max}}$ 
```

But how slow is it? The key limitation is enumerating the 2^n subsets of n things. The good news is that this is much better than enumerating all $n!$ orders of n things, as proposed for the robot tour optimization problem. There are only about one million subsets when $n = 20$, which can be enumerated within seconds on a decent computer. However, when fed $n = 100$ movies, we get 2^{100} subsets, which is much much greater than the $20!$ that made our robot cry "uncle" in the previous problem.

The difference between our scheduling and robotics problems is that there is an algorithm that solves movie scheduling both correctly and efficiently. Think about the first job to terminate - that is, the interval x whose right endpoint is left-most among all intervals. This role is played by "Discrete" Mathematics in Figure 1.5. Other jobs may well have started before x , but all of these must at least partially overlap each other. Thus, we can select at most one from the group. The first of these jobs to terminate is x , so any of the overlapping jobs potentially block out other opportunities to the right of it. Clearly we can never lose by picking x . This suggests the following correct, efficient algorithm:

OptimalScheduling (I)

While ($I \neq \emptyset$) do

Accept the job j from I with the earliest completion date.

Delete j , and any interval which intersects j , from I .

Ensuring the optimal answer over all possible inputs is a difficult but often achievable goal. Seeking counterexamples that break pretender algorithms is an important part of the algorithm design process. Efficient algorithms are often lurking out there; this book will develop your skills to help you find them.

Take-Home Lesson: Reasonable-looking algorithms can easily be incorrect. Algorithm correctness is a property that must be carefully demonstrated.

0.13.2 Reasoning about Correctness

Hopefully, the previous examples have opened your eyes to the subtleties of algorithm correctness. We need tools to distinguish correct algorithms from incorrect ones, the primary one of which is called a proof.

A proper mathematical proof consists of several parts. First, there is a clear, precise statement of what you are trying to prove. Second, there is a set of assumptions of things that are taken to be true, and hence can be used as part of the proof. Third, there is a chain of reasoning that takes you from these assumptions to the statement you are trying to prove. Finally, there is a little square ($\square$) or QED at the bottom to denote that you have finished, representing the Latin phrase for "thus it is demonstrated."

This book is not going to emphasize formal proofs of correctness, because they are very difficult to do right and quite misleading when you do them wrong. A proof is indeed a demonstration. Proofs are useful only when they are honest, crisp arguments that explain why an algorithm satisfies a non-trivial correctness property. Correct algorithms require careful exposition, and efforts to show both correctness and not incorrectness.

0.13.3 Problems and Properties

Before we start thinking about algorithms, we need a careful description of the problem that needs to be solved. Problem specifications have two parts: (1) the set of allowed input instances, and (2) the required properties of the algorithm's output. It is impossible to prove the correctness of an algorithm for a fuzzilystated problem. Put another way, ask the wrong question and you will get the wrong answer.

Some problem specifications allow too broad a class of input instances. Suppose we had allowed film projects in our movie scheduling problem to have gaps in production (e.g. filming in September and November but a hiatus in October). Then the schedule associated with any particular film would consist of a given set of intervals. Our star would be free to take on two interleaving but not overlapping projects (such as the above-mentioned film nested with one filming

in August and October). The earliest completion algorithm would not work for such a generalized scheduling problem. Indeed, no efficient algorithm exists for this generalized problem, as we will see in Section 11.3.2

Take-Home Lesson: An important and honorable technique in algorithm design is to narrow the set of allowable instances until there is a correct and efficient algorithm. For example, we can restrict a graph problem from general graphs down to trees, or a geometric problem from two dimensions down to one.

There are two common traps when specifying the output requirements of a problem. The first is asking an ill-defined question. Asking for the best route between two places on a map is a silly question, unless you define what best means. Do you mean the shortest route in total distance, or the fastest route, or the one minimizing the number of turns? All of these are liable to be different

things.

The second trap involves creating compound goals. The three route-planning criteria mentioned above are all well-defined goals that lead to correct, efficient optimization algorithms. But you must pick a single criterion. A goal like Find the shortest route from a to b that doesn't use more than twice as many turns as necessary is perfectly well defined, but complicated to reason about and solve.

I encourage you to check out the problem statements for each of the seventy-five catalog problems in Part II of this book. Finding the right formulation for your problem is an important part of solving it. And studying the definition of all these classic algorithm problems will help you recognize when someone else has thought about similar problems before you.

0.13.4 Expressing Algorithms

Reasoning about an algorithm is impossible without a careful description of the sequence of steps that are to be performed. The three most common forms of algorithmic notation are (1) English, (2) pseudocode, or (3) a real programming language. Pseudocode is perhaps the most mysterious of the bunch, but it is best defined as a programming language that never complains about syntax errors.

All three methods are useful because there is a natural tradeoff between greater ease of expression and precision. English is the most natural but least precise programming language, while Java and C/C++ are precise but difficult to write and understand. Pseudocode is generally useful because it represents a happy medium.

The choice of which notation is best depends upon which method you are most comfortable with. I usually prefer to describe the ideas of an algorithm in English (with pictures!), moving to a more formal, programming-language-like pseudocode or even real code to clarify sufficiently tricky details.

A common mistake my students make is to use pseudocode to dress up an ill-defined idea so that it looks more formal. Clarity should be the goal. For

example, the `ExhaustiveScheduling` algorithm on page 10 would have better been written in English as:

ExhaustiveScheduling (I)

Test all 2^n subsets of intervals from I, and return the largest subset consisting of mutually non-overlapping intervals.

Take-Home Lesson: The heart of any algorithm is an idea. If your idea is not clearly revealed when you express an algorithm, then you are using too low-level a notation to describe it.

0.13.5 Demonstrating Incorrectness

The best way to prove that an algorithm is incorrect is to produce an instance on which it yields an incorrect answer. Such instances are called counterexamples. No rational person will ever defend the correctness of an algorithm after a counter-example has been identified. Very simple instances can instantly defeat

reasonable-looking heuristics with a quick touché. Good counterexamples have two important properties:

- *Verifiability* - To demonstrate that a particular instance is a counterexample to a particular algorithm, you must be able to (1) calculate what answer your algorithm will give in this instance, and (2) display a better answer so as to prove that the algorithm didn't find it.
- *Simplicity* - Good counter-examples have all unnecessary details stripped away. They make clear exactly why the proposed algorithm fails. Simplicity is important because you must be able to hold the given instance in your head in order to reason about it. Once a counterexample has been found, it is worth simplifying it down to its essence. For example, the counterexample of Figure 1.6 (1) could have been made simpler and better by reducing the number of overlapped segments from five to two.

Hunting for counterexamples is a skill worth developing. It bears some similarity to the task of developing test sets for computer programs, but relies more on inspiration than exhaustion. Here are some techniques to aid your quest:

- *Think small* - Note that the robot tour counter-examples I presented boiled down to six points or less, and the scheduling counter-examples to only three intervals. This is indicative of the fact that when algorithms fail, there is usually a very simple example on which they fail. Amateur algo-rists tend to draw a big messy instance and then stare at it helplessly. The pros look carefully at several small examples, because they are easier to verify and reason about.
- *Think exhaustively* - There are usually only a small number of possible instances for the first non-trivial value of n . For example, there are only three distinct ways two intervals on the line can occur: as disjoint intervals, as overlapping intervals, and as properly nesting intervals, one within the other. All cases of three intervals (including counter-examples to both of the movie heuristics) can be systematically constructed by adding a third segment in each possible way to these three instances.
- *Hunt for the weakness* - If a proposed algorithm is of the form "always take the biggest" (better known as the greedy algorithm), think about why that might prove to be the wrong thing to do. In particular, ...
- *Go for a tie* - A devious way to break a greedy heuristic is to provide instances where everything is the same size. Suddenly the heuristic has nothing to base its decision on, and perhaps has the freedom to return something suboptimal as the answer.
- *Seek extremes* - Many counter-examples are mixtures of huge and tiny, left and right, few and many, near and far. It is usually easier to verify or reason about extreme examples than more muddled ones. Consider two

tightly bunched clouds of points separated by a much larger distance d . The optimal TSP tour will be essentially $2d$ regardless of the number of points, because what happens within each cloud doesn't really matter.

Take-Home Lesson: Searching for counterexamples is the best way to disprove the correctness of a heuristic.

0.14 Stop and Think: Greedy Movie Stars?

Problem: Recall the movie star scheduling problem, where we seek to find the largest possible set of non-overlapping intervals in a given set S . A natural greedy heuristic selects the interval i , which overlaps the smallest number of other intervals in S , removes them, and repeats until no intervals remain.

Give a counter-example to this proposed algorithm.

Solution: Consider the counter-example in Figure 1.7 The largest possible independent set consists of the four intervals in red, but the interval of lowest degree (shown in pink) overlaps two of these. After we grab it, we are doomed to finding a solution of only three intervals.

But how would you go about constructing such an example? My thought process started with an odd-length chain of intervals, each of which overlaps one interval to the left and one to the right. Picking an even-length chain would mess up the optimal solution (hunt for the weakness). All intervals overlap two others, except for the left and right-most intervals (go for the tie). To make these terminal intervals unattractive, we can pile other intervals on top of them




Figure 5: Counter-example to the greedy heuristic for movie star scheduling. Picking the pink interval, which intersects the fewest others, blocks us from the optimal solution (the four red intervals).

(seek extremes). The length of our chain (7) is the shortest that permits this construction to work.

0.14.1 Induction and Recursion

Failure to find a counterexample to a given algorithm does not mean "it is obvious" that the algorithm is correct. A proof or demonstration of correctness is needed. Often mathematical induction is the method of choice.

When I first learned about mathematical induction it seemed like complete magic. You proved a formula like $\sum_{i=1}^n i = n(n+1)/2$ for some basis case like $n = 1$ or 2 , then assumed it was true all the way to $n - 1$ before proving it was in fact true for general n using the assumption. That was a proof? Ridiculous!

When I first learned the programming technique of recursion it also seemed like complete magic. The program tested whether the input argument was some basis case like 1 or 2 . If not, you solved the bigger case by breaking it into pieces and calling the subprogram itself to solve these pieces. That was a program? Ridiculous!

The reason both seemed like magic is because recursion is mathematical induction in action. In both, we have general and boundary conditions, with the general condition breaking the problem into smaller and smaller pieces. The initial or boundary condition terminates the recursion. Once you understand either recursion or induction, you should be able to see why the other one also works.

I've heard it said that a computer scientist is a mathematician who only knows how to prove things by induction. This is partially true because computer scientists are lousy at proving things, but primarily because so many of the algorithms we study are either recursive or incremental.

Consider the correctness of insertion sort, which we introduced at the beginning of this chapter. The reason it is correct can be shown inductively:



Figure 6: Large-scale changes in the optimal solution (red boxes) after inserting a single interval (dashed) into the instance.

- *The basis case consists of a single element, and by definition a one-element array is completely sorted.*
- *We assume that the first $n - 1$ elements of array A are completely sorted after $n - 1$ iterations of insertion sort.*
- *To insert one last element x to A , we find where it goes, namely the unique spot between the biggest element less than or equal to x and the smallest element greater than x . This is done by moving all the greater elements back by one position, creating room for x in the desired location.*

One must be suspicious of inductive proofs, however, because very subtle reasoning errors can creep in. The first are boundary errors. For example, our

insertion sort correctness proof above boldly stated that there was a unique place to insert x between two elements, when our basis case was a single-element array. Greater care is needed to properly deal with the special cases of inserting the minimum or maximum elements.

The second and more common class of inductive proof errors concerns cavalier extension claims. Adding one extra item to a given problem instance might cause the entire optimal solution to change. This was the case in our scheduling problem (see Figure 1.8). The optimal schedule after inserting a new segment may contain none of the segments of any particular optimal solution prior to insertion. Boldly ignoring such difficulties can lead to very convincing inductive proofs of incorrect algorithms.

Take-Home Lesson: Mathematical induction is usually the right way to verify the correctness of a recursive or incremental insertion algorithm.

0.15 Stop and Think: Incremental Correctness

Problem: Prove the correctness of the following recursive algorithm for incrementing natural numbers, that is, $y \rightarrow y + 1$:

```
Increment ( $y$ )
  if $(y=0)$ then return(1) else
    if $(y \bmod 2)=1$ then
      return( $2 \cdot \operatorname{Increment}(\lfloor y / 2 \rfloor)$ )
    else return $(y+1)$
```

Solution: The correctness of this algorithm is certainly not obvious to me. But as it is recursive and I am a computer scientist, my natural instinct is to try to prove it by induction. The basis case of $y = 0$ is obviously correctly handled. Clearly the value 1 is returned, and $0 + 1 = 1$.

Now assume the function works correctly for the general case of $y = n - 1$. Given this, we must demonstrate the truth for the case of $y = n$. The cases corresponding to even numbers are obvious, because $y + 1$ is explicitly returned when $(y \bmod 2) = 0$.

For odd numbers, the answer depends on what $\operatorname{Increment}(\lfloor y/2 \rfloor)$ returns. Here we want to use our inductive assumption, but it isn't quite right. We have assumed that $\operatorname{Increment}$ worked correctly for $y = n - 1$, but not for a value that is about half of it. We can fix this problem by strengthening our assumption to declare that the general case holds for all $y \leq n - 1$. This costs us nothing in principle, but is necessary to establish the correctness of the algorithm.

Now, the case of odd y (i.e. $y = 2m + 1$ for some integer m) can be dealt with as:

$$\begin{aligned} 2 \cdot \operatorname{Increment}(\lfloor (2m + 1)/2 \rfloor) &= 2 \cdot \operatorname{Increment}(\lfloor m + 1/2 \rfloor) \\ &= 2 \cdot \operatorname{Increment}(m) \\ &= 2(m + 1) \\ &= 2m + 2 = y + 1 \end{aligned}$$

and the general case is resolved.

0.15.1 Modeling the Problem

Modeling is the art of formulating your application in terms of precisely described, well-understood problems. Proper modeling is the key to applying algorithmic design techniques to real-world problems. Indeed, proper modeling can eliminate the need to design or even implement algorithms, by relating your application to what has been done before. Proper modeling is the key to effectively using the "Hitchhiker's Guide" in Part II of this book.

Real-world applications involve real-world objects. You might be working on a system to route traffic in a network, to find the best way to schedule classrooms in a university, or to search for patterns in a corporate database. Most algorithms, however, are designed to work on rigorously defined abstract structures such as permutations, graphs, and sets. To exploit the algorithms literature, you must learn to describe your problem abstractly, in terms of procedures on such fundamental structures.

0.15.2 Combinatorial Objects

Odds are very good that others have probably stumbled upon any algorithmic problem you care about, perhaps in substantially different contexts. But to find




Figure 7: Modeling real-world structures with trees and graphs.

out what is known about your particular "widget optimization problem," you can't hope to find it in a book under widget. You must first formulate widget optimization in terms of computing properties of common structures such as those described below:

- *Permutations are arrangements, or orderings, of items. For example, $\{1, 4, 3, 2\}$ and $\{4, 3, 2, 1\}$ are two distinct permutations of the same set of four integers. We have already seen permutations in the robot optimization problem, and in sorting. Permutations are likely the object in question whenever your problem seeks an "arrangement," "tour," "ordering," or "sequence."*

- *Subsets represent selections from a set of items. For example, $\{1, 3, 4\}$ and $\{2\}$ are two distinct subsets of the first four integers. Order does not matter in subsets the way it does with permutations, so the subsets $\{1, 3, 4\}$ and $\{4, 3, 1\}$ would be considered identical. Subsets arose as candidate solutions in the movie scheduling problem. They are likely the object in question whenever your problem seeks a "cluster," "collection," "committee," "group," "packaging," or "selection."*
- *Trees represent hierarchical relationships between items. Figure 1.9 a) shows part of the family tree of the Skiena clan. Trees are likely the object in question whenever your problem seeks a "hierarchy," "dominance relationship," "ancestor/descendant relationship," or "taxonomy."*
- *Graphs represent relationships between arbitrary pairs of objects. Figure 1.9 (b) models a network of roads as a graph, where the vertices are cities and the edges are roads connecting pairs of cities. Graphs are likely the object in question whenever you seek a "network," "circuit," "web," or "relationship."*
- *Points define locations in some geometric space. For example, the locations of McDonald's restaurants can be described by points on a map/plane. Points are likely the object in question whenever your problems work on "sites," "positions," "data records," or "locations."*
- *Polygons define regions in some geometric spaces. For example, the borders of a country can be described by a polygon on a map/plane. Polygons and polyhedra are likely the object in question whenever you are working on "shapes," "regions," "configurations," or "boundaries."*
- *Strings represent sequences of characters, or patterns. For example, the names of students in a class can be represented by strings. Strings are likely the object in question whenever you are dealing with "text," "characters," "patterns," or "labels."*

These fundamental structures all have associated algorithm problems, which are presented in the catalog of Part II. Familiarity with these problems is important, because they provide the language we use to model applications. To become fluent in this vocabulary, browse through the catalog and study the input and output pictures for each problem. Understanding these problems, even at a cartoon/definition level, will enable you to know where to look later when the problem arises in your application.

Examples of successful application modeling will be presented in the war stories spaced throughout this book. However, some words of caution are in order. The act of modeling reduces your application to one of a small number of existing problems and structures. Such a process is inherently constraining, and certain details might not fit easily into the given target problem. Also, certain problems can be modeled in several different ways, some much better than others.

Modeling is only the first step in designing an algorithm for a problem. Be alert for how the details of your applications differ from a candidate model, but don't be too quick to say that your problem is unique and special. Temporarily ignoring details that don't fit can free the mind to ask whether they really were fundamental in the first place.

Take-Home Lesson: Modeling your application in terms of well-defined structures and algorithms is the most important single step towards a solution.

0.15.3 Recursive Objects

Learning to think recursively is learning to look for big things that are made from smaller things of exactly the same type as the big thing. If you think of houses as sets of rooms, then adding or deleting a room still leaves a house behind.

Recursive structures occur everywhere in the algorithmic world. Indeed, each of the abstract structures described above can be thought about recursively. You just have to see how you can break them down, as shown in Figure 1.10

- *Permutations - Delete the first element of a permutation of n things $\{1, \dots, n\}$ and you get a permutation of the remaining $n-1$ things. This may require renumbering to keep the object a permutation of consecutive integers. For example, removing the first element of $\{4, 1, 5, 2, 3\}$ and*

ALGORITHM $\longrightarrow$ A | LGORITHM

Figure 1.10: Recursive decompositions of combinatorial objects. Permutations, subsets, trees, and graphs (left column). Point sets, polygons, and strings (right column). Note that the elements of a permutation of $\{1, \dots, n\}$ get renumbered after element deletion in order to remain a permutation of $\{1, \dots, n-1\}$. renumbering gives $\{1, 4, 2, 3\}$, a permutation of $\{1, 2, 3, 4\}$. Permutations are recursive objects.

- *Subsets - Every subset of $\{1, \dots, n\}$ contains a subset of $\{1, \dots, n-1\}$ obtained by deleting element n , if it is present. Subsets are recursive objects.*
- *Trees - Delete the root of a tree and what do you get? A collection of smaller trees. Delete any leaf of a tree and what do you get? A slightly smaller tree. Trees are recursive objects.*
- *Graphs - Delete any vertex from a graph, and you get a smaller graph. Now divide the vertices of a graph into two groups, left and right. Cut through all edges that span from left to right, and what do you get? Two smaller graphs, and a bunch of broken edges. Graphs are recursive objects.*
- *Points - Take a cloud of points, and separate them into two groups by drawing a line. Now you have two smaller clouds of points. Point sets are recursive objects.*

- *Polygons* - Inserting any internal chord between two non-adjacent vertices of a simple polygon cuts it into two smaller polygons. Polygons are recursive objects.
- *Strings* - Delete the first character from a string, and what do you get? A shorter string. Strings are recursive objects.¹

Recursive descriptions of objects require both decomposition rules and basis cases, namely the specification of the smallest and simplest objects where the decomposition stops. These basis cases are usually easily defined. Permutations and subsets of zero things presumably look like $\{\}$. The smallest interesting tree or graph consists of a single vertex, while the smallest interesting point cloud consists of a single point. Polygons are a little trickier; the smallest genuine simple polygon is a triangle. Finally, the empty string has zero characters in it. The decision of whether the basis case contains zero or one element is more a question of taste and convenience than any fundamental principle.

Recursive decompositions will define many of the algorithms we will see in this book. Keep your eyes open for them.

0.15.4 Proof by Contradiction

Although some computer scientists only know how to prove things by induction, this isn't true of everyone. The best sometimes use contradiction.

The basic scheme of a contradiction argument is as follows:

- Assume that the hypothesis (the statement you want to prove) is false.
- Develop some logical consequences of this assumption.
- Show that one consequence is demonstrably false, thereby showing that the assumption is incorrect and the hypothesis is true.

The classic contradiction argument is Euclid's proof that there are an infinite number of prime numbers: integers n like 2, 3, 5, 7, 11, ... that have no nontrivial factors, only 1 and n itself. The negation of the claim would be that there are only a finite number of primes, say m , which can be listed as $p_1, \dots, p_m$. So let's assume this is the case and work with it.

Prime numbers have particular properties with respect to division. Suppose we construct the integer formed as the product of "all" of the listed primes:

$$N = \prod_{i=1}^m p_i$$

This integer N has the property that it is divisible by each and every one of the known primes, because of how it was built.

¹ An alert reader of the previous edition observed that salads are recursive objects, in ways that hamburgers are not. Take a bite (or an ingredient) out of a salad, and what is left is a smaller salad. Take a bite out of a hamburger, and what is left is something disgusting.

But consider the integer $N + 1$. It can't be divisible by $p_1 = 2$, because N is. The same is true for $p_2 = 3$ and every other listed prime. Since $N + 1$ doesn't have any non-trivial factor, this means it must be prime. But you asserted that there are exactly m prime numbers, none of which are $N + 1$. This assertion is false, so there cannot be a bounded number of primes. Touché!

For a contradiction argument to be convincing, the final consequence must be clearly, ridiculously false. Muddy outcomes are not convincing. It is also important that this contradiction be a logical consequence of the assumption. We will see contradiction arguments for minimum spanning tree algorithms in Section 8.1

0.15.5 About the War Stories

The best way to learn how careful algorithm design can have a huge impact on performance is to look at real-world case studies. By carefully studying other people's experiences, we learn how they might apply to our work.

Scattered throughout this text are several of my own algorithmic war stories, presenting our successful (and occasionally unsuccessful) algorithm design efforts on real applications. I hope that you will be able to internalize these experiences so that they will serve as models for your own attacks on problems.

Every one of the war stories is true. Of course, the stories improve somewhat in the retelling, and the dialogue has been punched up to make them more interesting to read. However, I have tried to honestly trace the process of going from a raw problem to a solution, so you can watch how this process unfolded.

The Oxford English Dictionary defines an algorist as "one skillful in reckonings or figuring." In these stories, I have tried to capture some of the mindset of the algorist in action as they attack a problem.

The war stories often involve at least one problem from the problem catalog in Part II. I reference the appropriate section of the catalog when such a problem occurs. This emphasizes the benefits of modeling your application in terms of standard algorithm problems. By using the catalog, you will be able to pull out what is known about any given problem whenever it is needed.

0.15.6 War Story: Psychic Modeling

The call came for me out of the blue as I sat in my office.

"Professor Skiena, I hope you can help me. I'm the President of Lotto Systems Group Inc., and we need an algorithm for a problem arising in our latest product."

"Sure," I replied. After all, the dean of my engineering school is always encouraging our faculty to interact more with industry.

"At Lotto Systems Group, we market a program designed to improve our customers' psychic ability to predict winning lottery numbers. ² In a standard lottery, each ticket consists of six numbers selected from, say, 1 to 44. However, after proper training, our clients can visualize (say) fifteen numbers out of the 44 and be certain that at least four of them will be on the winning ticket. Are

you with me so far?"

"Probably not," I replied. But then I recalled how my dean encourages us to interact with industry.

"Our problem is this. After the psychic has narrowed the choices down to fifteen numbers and is certain that at least four of them will be on the winning ticket, we must find the most efficient way to exploit this information. Suppose a cash prize is awarded whenever you pick at least three of the correct numbers on your ticket. We need an algorithm to construct the smallest set of tickets that we must buy in order to guarantee that we win at least one prize."

Tickets	Winning Pairs			
123	12	2	3	3
145	13	2	4	35
245	14	2	5	45
345	15			

Figure 1.11: Covering all pairs of $\{1, 2, 3, 4, 5\}$ with tickets $\{1, 2, 3\}$, $\{1, 4, 5\}$, $\{2, 4, 5\}$, $\{3, 4, 5\}$. Pair color reflects the covering ticket.

"Assuming the psychic is correct?"

"Yes, assuming the psychic is correct. We need a program that prints out a list of all the tickets that the psychic should buy in order to minimize their investment. Can you help us?"

Maybe they did have psychic ability, for they had come to the right place. Identifying the best subset of tickets to buy was very much a combinatorial algorithm problem. It was going to be some type of covering problem, where each ticket bought would "cover" some of the possible 4-element subsets of the psychic's set. Finding the absolute smallest set of tickets to cover everything was a special instance of the NP-complete problem set cover (discussed in Section 21.1 (page 678), and presumably computationally intractable.

It was indeed a special instance of set cover, completely specified by only four numbers: the size n of the candidate set S (typically $n \approx 15$), the number of slots k for numbers on each ticket (typically $k \approx 6$), the number of psychically-promised correct numbers j from S (say $j = 4$), and finally, the number of matching numbers l necessary to win a prize (say $l = 3$). Figure 1.11 illustrates a covering of a smaller instance, where $n = 5$, $k = 3$, and $l = 2$, and no psychic contribution (meaning $j = 5$).

"Although it will be hard to find the exact minimum set of tickets to buy, with heuristics I should be able to get you pretty close to the cheapest covering ticket set," I told him. "Will that be good enough?"

"So long as it generates better ticket sets than my competitor's program, that will be fine. His system doesn't always guarantee a win. I really appreciate your help on this, Professor Skiena."

"One last thing. If your program can train people to pick lottery winners, why don't you use it to win the lottery yourself?"

² Yes, this is a true story.

"I look forward to talking to you again real soon, Professor Skiena. Thanks for the help."

I hung up the phone and got back to thinking. It seemed like the perfect project to give to a bright undergraduate. After modeling it in terms of sets and subsets, the basic components of a solution seemed fairly straightforward:

- We needed the ability to generate all subsets of k numbers from the candidate set S . Algorithms for generating and ranking/unranking subsets of sets are presented in Section 17.5 (page 521).
- We needed the right formulation of what it meant to have a covering set of purchased tickets. The obvious criteria would be to pick a small set of tickets such that we have purchased at least one ticket containing each of the $\binom{n}{l}$ l -subsets of S that might pay off with the prize.
- We needed to keep track of which prize combinations we have thus far covered. We seek tickets to cover as many thus-far-uncovered prize combinations as possible. The currently covered combinations are a subset of all possible combinations. Data structures for subsets are discussed in Section 15.5 (page 456). The best candidate seemed to be a bit vector, which would answer in constant time "is this combination already covered?"
- We needed a search mechanism to decide which ticket to buy next. For small enough set sizes, we could do an exhaustive search over all possible subsets of tickets and pick the smallest one. For larger problems, a randomized search process like simulated annealing (see Section 12.6.3 (page 406)) would select tickets-to-buy to cover as many uncovered combinations as possible. By repeating this randomized procedure several times and picking the best solution, we would be likely to come up with a good set of tickets.

The bright undergraduate, Fayyaz Younas, rose to the challenge. Based on this framework, he implemented a brute-force search algorithm and found optimal solutions for problems with $n \leq 5$ in a reasonable time. He implemented a random search procedure to solve larger problems, tweaking it for a while before settling on the best variant. Finally, the day arrived when we could call Lotto Systems Group and announce that we had solved the problem.

"Our program found an optimal solution for $n = 15, k = 6, j = 4, l = 3$ meant buying 28 tickets."

"Twenty-eight tickets!" complained the president. "You must have a bug. Look, these five tickets will suffice to cover everything twice over: $\{2, 4, 8, 10, 13, 14\}$, $\{4, 5, 7, 8, 12, 15\}$, $\{1, 2, 3, 6, 11, 13\}$, $\{3, 5, 6, 9, 10, 15\}$, $\{1, 7, 9, 11, 12, 14\}$." We fiddled with this example for a while before admitting that he was right.

We hadn't modeled the problem correctly! In fact, we didn't need to explicitly cover all possible winning combinations. Figure 1.12 illustrates the principle by giving a two-ticket solution to our previous four-ticket example. Although the pairs $\{2, 4\}$, $\{2, 5\}$, $\{3, 4\}$, or $\{3, 5\}$ do not explicitly appear in one of our two tickets, these pairs plus any possible third ticket number must create a pair in

either $\{1, 2, 3\}$ or $\{1, 4, 5\}$. We were trying to cover too many combinations, and the penny-pinching psychics were unwilling to pay for such extravagance.

Fortunately, this story has a happy ending. The general outline of our search-based solution still holds for the real problem. All we must fix is which subsets we get credit for covering with a given set of tickets. After this modification, we obtained the kind of results they were hoping for. Lotto Systems Group gratefully accepted our program to incorporate into their product, and we hope they hit the jackpot with it.

Tickets	Winning Pairs
123	1 2 2 3 4
14	5

The moral of this story is to make sure that you model your problem correctly before trying to solve it. In our case, we came up with a reasonable model, but didn't work hard enough to validate it before we started to program. Our misinterpretation would have become obvious had we worked out a small example by hand and bounced it off our sponsor before beginning work. Our success in recovering from this error is a tribute to the basic correctness of our initial formulation, and our use of well-defined abstractions for such tasks as (1) ranking/unranking k -subsets, (2) the set data structure, and (3) combinatorial search.

0.15.7 Estimation

When you don't know the right answer, the best thing to do is guess. Principled guessing is called estimation. The ability to make back-of-the-envelope estimates of diverse quantities such as the running time of a program is a valuable skill in algorithm design, as it is in any technical enterprise.

Estimation problems are best solved through some kind of logical reasoning process, typically a mix of principled calculations and analogies. Principled calculations give the answer as a function of quantities that either you already know, can look up on Google, or feel confident enough to guess. Analogies reference your past experiences, recalling those that seem similar to some aspect of the problem at hand.

I once asked my class to estimate the number of pennies in a hefty glass jar, and got answers ranging from 250 to 15,000. Both answers will seem pretty silly if you make the right analogies:

- A penny roll holds 50 coins in a tube roughly the length and width of your biggest finger. So five such rolls can easily be held in your hand, with no need for a hefty jar.
- 15,000 pennies means \$150 in value. I have never managed to accumulate that much value in coins even in a hefty pile of change - and here I am only using pennies!

But the class average estimate proved very close to the right answer, which turned out to be 1879. There are at least three principled ways I can think of to estimate the number of coins in the jar:

- *Volume - The jar was a cylinder with about 5 inches diameter, and the coins probably reached a level equal to about ten pennies tall stacked end to end. Figure a penny is ten times longer than it is thick. The bottom layer of the jar was a circle of radius about five pennies. So*

$$(10 \times 10) \times (\pi \times 2.5^2) \approx 1962.5$$

- *Weight - Lugging the jar felt like carrying around a bowling ball. Multiplying the number of US pennies in a pound (181 when I looked it up) times a 10 lb . ball gave a frighteningly accurate estimate of 1810.*
- *Analogy - The coins had a height of about 8 inches in the jar, or twice that of a penny roll. Figure I could stack about two layers of ten rolls per layer in the jar, or a total estimate of 1,000 coins.*

A best practice in estimation is to try to solve the problem in different ways and see if the answers generally agree in magnitude. All of these are within a factor of two of each other, giving me confidence that my answer is about right.

Try some of the estimation exercises at the end of this chapter, and see how many different ways you can approach them. If you do things right, the ratio between your high and low estimates should be somewhere within a factor of two to ten, depending upon the nature of the problem. A sound reasoning process matters a lot more here than the actual numbers you get.

0.16 Chapter Notes

Every algorithm book reflects the design philosophy of its author. For students seeking alternative presentations and viewpoints, I particularly recommend the books of Cormen, et al. CLRS09, Kleinberg and Tardos [KT06], Manber Man89, and Roughgarden Rou17.

Formal proofs of algorithm correctness are important, and deserve a fuller discussion than this chapter is able to provide. See Gries Gri89] for a thorough introduction to the techniques of program verification.

The movie scheduling problem represents a very special case of the general independent set problem, which will be discussed in Section 19.2 (page 589). The restriction limits the allowable input instances to interval graphs, where the vertices of the graph G can be represented by intervals on the line and (i, j) is an edge of G iff the intervals overlap. Golumbic Gol04 provides a full treatment of this interesting and important class of graphs.

Jon Bentley's Programming Pearls columns are probably the best known collection of algorithmic "war stories," collected in two books Ben90 Ben99.

Brooks's *The Mythical Man Month* [Bro95] is another wonderful collection of war stories that, although focused more on software engineering than algorithm design, remain a source of considerable wisdom. Every programmer should read these books for pleasure as well as insight.

Our solution to the lotto ticket set covering problem is presented in more detail in Younas and Skiena [YS96].

0.17 Finding Counterexamples

1-1. [3] Show that $a + b$ can be less than $\min(a, b)$.

1-2. [3] Show that $a \times b$ can be less than $\min(a, b)$.

1-3. [5] Design/draw a road network with two points a and b such that the fastest route between a and b is not the shortest route.

1-4. [5] Design/draw a road network with two points a and b such that the shortest route between a and b is not the route with the fewest turns.

1-5. [4] The knapsack problem is as follows: given a set of integers $S = \{s_1, s_2, \dots, s_n\}$, and a target number T , find a subset of S that adds up exactly to T . For example, there exists a subset within $S = \{1, 2, 5, 9, 10\}$ that adds up to $T = 22$ but not $T = 23$.

Find counterexamples to each of the following algorithms for the knapsack problem. That is, give an S and T where the algorithm does not find a solution that leaves the knapsack completely full, even though a full-knapsack solution exists.

(a) Put the elements of S in the knapsack in left to right order if they fit, that is, the first-fit algorithm.

(b) Put the elements of S in the knapsack from smallest to largest, that is, the best-fit algorithm.

(c) Put the elements of S in the knapsack from largest to smallest.

1-6. [5] The set cover problem is as follows: given a set S of subsets $S_1, \dots, S_m$ of the universal set $U = \{1, \dots, n\}$, find the smallest subset of subsets $T \subseteq S$ such that $\cup_{i \in T} t_i = U$. For example, consider the subsets $S_1 = \{1, 3, 5\}$, $S_2 = \{2, 4\}$, $S_3 = \{1, 4\}$, and $S_4 = \{2, 5\}$. The set cover of $\{1, \dots, 5\}$ would then be S_1 and S_2 .

Find a counterexample for the following algorithm: Select the largest subset for the cover, and then delete all its elements from the universal set. Repeat by adding the subset containing the largest number of uncovered elements until all are covered.

1-7. [5] The maximum clique problem in a graph $G = (V, E)$ asks for the largest subset C of vertices V such that there is an edge in E between every pair of vertices in C . Find a counterexample for the following algorithm: Sort the vertices of G from highest to lowest degree. Considering the vertices in order

of degree, for each vertex add it to the clique if it is a neighbor of all vertices currently in the clique. Repeat until all vertices have been considered.

0.18 Proofs of Correctness

1-8. [3] Prove the correctness of the following recursive algorithm to multiply two natural numbers, for all integer constants $c \geq 2$.

```

 $\text{\operatorname{Multiply}}(y, z)$ 
if  $z=0$  then return(0) else
    return( $\text{\operatorname{Multiply}}(c \cdot y, \lfloor z / c \rfloor) + y \cdot (z \bmod c)$ )

```

1-9. [3] Prove the correctness of the following algorithm for evaluating a polynomial $a_n x^n + a_{n-1} x^{n-1} + \cdots + a_1 x + a_0$.

Horner (a, x)

```

     $p = a_n$ 
for  $i$  from  $n - 1$  to 0

```

$p = p \cdot x + a_i$

return p

1-10. [3] Prove the correctness of the following sorting algorithm.

Bubblesort (A)

```

    for  $i$  from  $n$  to 1
    for  $j$  from 1 to  $i - 1$ 
        if ( $A[j] > A[j + 1]$ )
            swap the values of  $A[j]$  and  $A[j + 1]$ 

```

1-11. [5] The greatest common divisor of positive integers x and y is the largest integer d such that d divides x and d divides y . Euclid's algorithm to compute $\text{gcd}(x, y)$ where $x > y$ reduces the task to a smaller problem:

$$\text{gcd}(x, y) = \text{gcd}(y, x \bmod y)$$

Prove that Euclid's algorithm is correct.

0.19 Induction

1-12. [3] Prove that $\sum_{i=1}^n i = n(n+1)/2$ for $n \geq 0$, by induction.

1-13. [3] Prove that $\sum_{i=1}^n i^2 = n(n+1)(2n+1)/6$ for $n \geq 0$, by induction.

1-14. [3] Prove that $\sum_{i=1}^n i^3 = n^2(n+1)^2/4$ for $n \geq 0$, by induction.

1-15. [3] Prove that

$$\sum_{i=1}^n i(i+1)(i+2) = n(n+1)(n+2)(n+3)/4$$

1-16. [5] Prove by induction on $n \geq 1$ that for every $a \neq 1$,

$$\sum_{i=0}^n a^i = \frac{a^{n+1} - 1}{a - 1}$$

1-17. [3] Prove by induction that for $n \geq 1$,

$$\sum_{i=1}^n \frac{1}{i(i+1)} = \frac{n}{n+1}$$

1-18. [3] Prove by induction that $n^3 + 2n$ is divisible by 3 for all $n \geq 0$.

1-19. [3] Prove by induction that a tree with n vertices has exactly $n - 1$ edges.

1-20. [3] Prove by induction that the sum of the cubes of the first n positive integers is equal to the square of the sum of these integers, that is,

$$\sum_{i=1}^n i^3 = \left(\sum_{i=1}^n i \right)^2$$

0.20 Estimation

1-21. [3] Do all the books you own total at least one million pages? How many total pages are stored in your school library?

1-22. [3] How many words are there in this textbook?

1-23. [3] How many hours are one million seconds? How many days? Answer these questions by doing all arithmetic in your head.

1-24. [3] Estimate how many cities and towns there are in the United States.

1-25. [3] Estimate how many cubic miles of water flow out of the mouth of the Mississippi River each day. Do not look up any supplemental facts. Describe all assumptions you made in arriving at your answer.

1-26. [3] How many Starbucks or McDonald's locations are there in your country?

1-27. [3] How long would it take to empty a bathtub with a drinking straw?

1-28. [3] Is disk drive access time normally measured in milliseconds (thousandths of a second) or microseconds (millionths of a second)? Does your RAM memory access a word in more or less than a microsecond? How many instructions can your CPU execute in one year if the machine is left running all the time?

1-29. [4] A sorting algorithm takes 1 second to sort 1,000 items on your machine. How long will it take to sort 10,000 items...

(a) if you believe that the algorithm takes time proportional to n^2 , and

(b) if you believe that the algorithm takes time roughly proportional to $n \log n$?

0.21 Implementation Projects

1-30. [5] Implement the two TSP heuristics of Section 1.1 (page 5). Which of them gives better solutions in practice? Can you devise a heuristic that works

better than both of them?

1-31. [5] Describe how to test whether a given set of tickets establishes sufficient coverage in the Lotto problem of Section 1.8 (page 22). Write a program to find good ticket sets.

0.22 Interview Problems

1-32. [5] Write a function to perform integer division without using either the `/` or `*` operators. Find a fast way to do it.

1-33. [5] There are twenty-five horses. At most, five horses can race together at a time. You must determine the fastest, second fastest, and third fastest horses. Find the minimum number of races in which this can be done.

1-34. [3] How many piano tuners are there in the entire world?

1-35. [3] How many gas stations are there in the United States?

1-36. [3] How much does the ice in a hockey rink weigh?

1-37. [3] How many miles of road are there in the United States?

1-38. [3] On average, how many times would you have to flip open the Manhattan phone book at random in order to find a specific name?

0.23 LeetCode

1-1. <https://leetcode.com/problems/daily-temperatures/>

1-2. <https://leetcode.com/problems/rotate-list/>

1-3. <https://leetcode.com/problems/wiggle-sort-ii/>

0.24 HackerRank

1-1. <https://www.hackerrank.com/challenges/array-left-rotation/>

1-2. <https://www.hackerrank.com/challenges/kangaroo/>

1-3. <https://www.hackerrank.com/challenges/hackerland-radio-transmitters/>

0.25 Programming Challenges

These programming challenge problems with robot judging are available at <https://onlinejudge.org>

1-1. "The $3n + 1$ Problem"-Chapter 1, problem 100.

1-2. "The Trip"-Chapter 1, problem 10137.

1-3. "Australian Voting"-Chapter 1, problem 10142.

0.26 Algorithm Analysis

Algorithms are the most important and durable part of computer science because they can be studied in a language- and machine-independent way. This means

we need techniques that let us compare the efficiency of algorithms without implementing them. Our two most important tools are (1) the RAM model of computation and (2) the asymptotic analysis of computational complexity.

Assessing algorithmic performance makes use of the "Big Oh" notation that proves essential to compare algorithms, and design better ones. This method of keeping score will be the most mathematically demanding part of this book. But once you understand the intuition behind this formalism it becomes a lot easier to deal with.

0.26.1 The RAM Model of Computation

Machine-independent algorithm design depends upon a hypothetical computer called the Random Access Machine, or RAM. Under this model of computation, we are confronted with a computer where:

- *Each simple operation ($+$, $*$, $-$, $=$, if , call) takes exactly one time step.*
- *Loops and subroutines are not considered simple operations. Instead, they are the composition of many single-step operations. It makes no sense for sort to be a single-step operation, since sorting 1,000,000 items will certainly take much longer than sorting ten items. The time it takes to run through a loop or execute a subprogram depends upon the number of loop iterations or the specific nature of the subprogram.*
- *Each memory access takes exactly one time step. Furthermore, we have as much memory as we need. The RAM model takes no notice of whether an item is in cache or on the disk.*

Under the RAM model, we measure run time by counting the number of steps an algorithm takes on a given problem instance. If we assume that our

RAM executes a given number of steps per second, this operation count converts naturally to the actual running time.

The RAM is a simple model of how computers perform. Perhaps it sounds too simple. After all, multiplying two numbers takes more time than adding two numbers on most processors, which violates the first assumption of the model. Fancy compiler loop unrolling and hyperthreading may well violate the second assumption. And certainly memory-access times differ greatly depending on where your data sits in the storage hierarchy. This makes us zero for three on the truth of our basic assumptions.

And yet, despite these objections, the RAM proves an excellent model for understanding how an algorithm will perform on a real computer. It strikes a fine balance by capturing the essential behavior of computers while being simple to work with. We use the RAM model because it is useful in practice.

Every model in science has a size range over which it is useful. Take, for example, the model that the Earth is flat. You might argue that this is a bad model, since it is quite well established that the Earth is round. But, when laying the foundation of a house, the flat Earth model is sufficiently accurate that it

can be reliably used. It is so much easier to manipulate a flat-Earth model that it is inconceivable that you would try to think spherically when you don't have to ¹

The same situation is true with the RAM model of computation. We make an abstraction that is generally very useful. It is difficult to design an algorithm where the RAM model gives you substantially misleading results. The robustness of this model enables us to analyze algorithms in a machine-independent way.

Take-Home Lesson: Algorithms can be understood and studied in a language- and machine-independent manner.

0.26.2 Best-Case, Worst-Case, and Average-Case Complexity

Using the RAM model of computation, we can count how many steps our algorithm takes on any given input instance by executing it. However, to understand how good or bad an algorithm is in general, we must know how it works over all possible instances.

To understand the notions of the best, worst, and average-case complexity, think about running an algorithm over all possible instances of data that can be fed to it. For the problem of sorting, the set of possible input instances includes every possible arrangement of n keys, for all possible values of n . We can represent each input instance as a point on a graph (shown in Figure 2.1) where the x -axis represents the size of the input problem (for sorting, the number of items to sort), and the y -axis denotes the number of steps taken by the algorithm in this instance.

These points naturally align themselves into columns, because only integers represent possible input sizes (e.g., it makes no sense to sort 10.57 items). We can define three interesting functions over the plot of these points:

- The worst-case complexity of the algorithm is the function defined by the maximum number of steps taken in any instance of size n . This represents the curve passing through the highest point in each column.
- The best-case complexity of the algorithm is the function defined by the minimum number of steps taken in any instance of size n . This represents the curve passing through the lowest point of each column.
- The average-case complexity or expected time of the algorithm, which is the function defined by the average number of steps over all instances of size n .

The worst-case complexity generally proves to be most useful of these three measures in practice. Many people find this counterintuitive. To illustrate why,

¹ The Earth is not completely spherical either, but a spherical Earth provides a useful model for such things as longitude and latitude.

try to project what will happen if you bring \$ n into a casino to gamble. The best case, that you walk out owning the place, is so unlikely that you should not even think about it. The worst case, that you lose all \$ n , is easy to calculate and distressingly likely to happen.

The average case, that the typical bettor loses 87.32% of the money that he or she brings to the casino, is both difficult to establish and its meaning subject to debate. What exactly does average mean? Stupid people lose more than smart people, so are you smarter or stupider than the average person, and by how much? Card counters at blackjack do better on average than customers who accept three or more free drinks. We avoid all these complexities and obtain a very useful result by considering the worst case.

That said, average-case analysis for expected running time will prove very important with respect to randomized algorithms, which use random numbers to make decisions within the algorithm. If you make n independent \$1 redblack bets on roulette in the casino, your expected loss is indeed well defined at $$(2n/38)$, because American roulette wheels have eighteen red, eighteen black, and two green slots 0 and 00 where every bet loses.$

Take-Home Lesson: Each of these time complexities defines a numerical function for any given algorithm, representing running time as a function of input size. These functions are just as well defined as any other numerical function, be it $y = x^2 - 2x + 1$ or the price of Alphabet stock as a function of time. But time complexities are such complicated functions that we must simplify them for analysis using the "Big Oh" notation.

0.26.3 The Big Oh Notation

The best-case, worst-case, and average-case time complexities for any given algorithm are numerical functions over the size of possible problem instances. However, it is very difficult to work precisely with these functions, because they tend to:

- *Have too many bumps* - An algorithm such as binary search typically runs a bit faster for arrays of size exactly $n = 2^k - 1$ (where k is an integer), because the array partitions work out nicely. This detail is not particularly important, but it warns us that the exact time complexity function for any algorithm is liable to be very complicated, with lots of little up and down bumps as shown in Figure 2.2
- *Require too much detail to specify precisely* - Counting the exact number of RAM instructions executed in the worst case requires the algorithm be specified to the detail of a complete computer program. Furthermore, the precise answer depends upon uninteresting coding details (e.g. did the code use a case statement or nested ifs?). Performing a precise worst-case analysis like

$$T(n) = 12754n^2 + 4353n + 834 \lg_2 n + 13546$$

would clearly be very difficult work, but provides us little extra information than the observation that "the time grows quadratically with n ."

It proves to be much easier to talk in terms of simple upper and lower bounds of time-complexity functions using the Big Oh notation. The Big Oh simplifies our analysis by ignoring levels of detail that do not impact our comparison of algorithms.

The Big Oh notation ignores the difference between multiplicative constants. The functions $f(n) = 2n$ and $g(n) = n$ are identical in Big Oh analysis. This makes sense given our application. Suppose a given algorithm in (say) C language ran twice as fast as one with the same algorithm written in Java. This multiplicative factor of two can tell us nothing about the algorithm itself, because both programs implement exactly the same algorithm. We should ignore such constant factors when comparing two algorithms.

The formal definitions associated with the Big Oh notation are as follows:

Figure 2.3: Illustrating notations: (a) $f(n) = O(g(n))$, (b) $f(n) = \Omega(g(n))$, and (c) $f(n) = \Theta(g(n))$.

- $f(n) = O(g(n))$ means $c \cdot g(n)$ is an upper bound on $f(n)$. Thus, there exists some constant c such that $f(n) \leq c \cdot g(n)$ for every large enough n (that is, for all $n \geq n_0$, for some constant n_0).
- $f(n) = \Omega(g(n))$ means $c \cdot g(n)$ is a lower bound on $f(n)$. Thus, there exists some constant c such that $f(n) \geq c \cdot g(n)$ for all $n \geq n_0$.
- $f(n) = \Theta(g(n))$ means $c_1 \cdot g(n)$ is an upper bound on $f(n)$ and $c_2 \cdot g(n)$ is a lower bound on $f(n)$, for all $n \geq n_0$. Thus, there exist constants c_1 and c_2 such that $f(n) \leq c_1 \cdot g(n)$ and $f(n) \geq c_2 \cdot g(n)$ for all $n \geq n_0$. This means that $g(n)$ provides a nice, tight bound on $f(n)$.

Got it? These definitions are illustrated in Figure 2.3 Each of these definitions assumes there is a constant n_0 beyond which they are satisfied. We are not concerned about small values of n , anything to the left of n_0 . After all, we don't really care whether one sorting algorithm sorts six items faster than

another, but we do need to know which algorithm proves faster when sorting 10,000 or 1,000,000 items. The Big Oh notation enables us to ignore details and focus on the big picture.

Take-Home Lesson: The Big Oh notation and worst-case analysis are tools that greatly simplify our ability to compare the efficiency of algorithms.

Make sure you understand this notation by working through the following examples. Certain constants (c and n_0) are chosen in the explanations below because they work and make a point, but other pairs of constants will do exactly the same job. You are free to choose any constants that maintain the same inequality (ideally constants that make it obvious that the inequality holds):

$f(n) = 3n^2 - 100n + 6 = O(n^2)$, because for $c = 3$, $3n^2 > f(n)$;

$f(n) = 3n^2 - 100n + 6 = O(n^3)$, because for $c = 1$, $n^3 > f(n)$ when $n > 3$;

$f(n) = 3n^2 - 100n + 6 \neq O(n)$, because for any $c > 0$, $cn < f(n)$ when $n > (c + 100)/3$,
 since $n > (c + 100)/3 \Rightarrow 3n > c + 100 \Rightarrow 3n^2 > cn + 100n > cn + 100n - 6$
 $\Rightarrow 3n^2 - 100n + 6 = f(n) > cn$;
 $f(n) = 3n^2 - 100n + 6 = \Omega(n^2)$, because for $c = 2$, $2n^2 < f(n)$ when $n > 100$;
 $f(n) = 3n^2 - 100n + 6 \neq \Omega(n^3)$, because for any $c > 0$, $f(n) < c \cdot n^3$ when $n > 3/c + 3$;
 $f(n) = 3n^2 - 100n + 6 = \Omega(n)$, because for any $c > 0$, $f(n) < 3n^2 + 6n^2 = 9n^2$,
 which is $< cn^3$ when $n > \max(9/c, 1)$;
 $f(n) = 3n^2 - 100n + 6 = \Theta(n^2)$, because both O and Ω apply;
 $f(n) = 3n^2 - 100n + 6 \neq \Theta(n^3)$, because only O applies;
 $f(n) = 3n^2 - 100n + 6 \neq \Theta(n)$, because only Ω applies.

The Big Oh notation provides for a rough notion of equality when comparing functions. It is somewhat jarring to see an expression like $n^2 = O(n^3)$, but its meaning can always be resolved by going back to the definitions in terms of upper and lower bounds. It is perhaps most instructive to read the "=" here as meaning one of the functions that are. Clearly, n^2 is one of the functions that are $O(n^3)$.

0.27 Stop and Think: Back to the Definition

Problem: Is $2^{n+1} = \Theta(2^n)$?

Solution: Designing novel algorithms requires cleverness and inspiration. However, applying the Big Oh notation is best done by swallowing any creative instincts you may have. All Big Oh problems can be correctly solved by going back to the definition and working with that.

- Is $2^{n+1} = O(2^n)$? Well, $f(n) = O(g(n))$ iff there exists a constant c such that for all sufficiently large n , $f(n) \leq c \cdot g(n)$. Is there? Yes, because $2^{n+1} = 2 \cdot 2^n$, and clearly $2 \cdot 2^n \leq c \cdot 2^n$ for any $c \geq 2$.
- Is $2^{n+1} = \Omega(2^n)$? Go back to the definition. $f(n) = \Omega(g(n))$ iff there exists a constant $c > 0$ such that for all sufficiently large n , $f(n) \geq c \cdot g(n)$. This would be satisfied for any $0 < c \leq 2$. Together the Big Oh and Ω bounds imply $2^{n+1} = \Theta(2^n)$.

0.28 Stop and Think: Hip to the Squares?

Problem: Is $(x + y)^2 = O(x^2 + y^2)$?

Solution: Working with the Big Oh means going back to the definition at the slightest sign of confusion. By definition, this expression is valid iff we can find some c such that $(x + y)^2 \leq c(x^2 + y^2)$ for all sufficiently large x and y .

My first move would be to expand the left side of the equation, that is, $(x + y)^2 = x^2 + 2xy + y^2$. If the middle $2xy$ term wasn't there, the inequality would clearly hold for any $c > 1$. But it is there, so we need to relate $2xy$ to $x^2 + y^2$.

What if $x \leq y$? Then $2xy \leq 2y^2 \leq 2(x^2 + y^2)$. What if $x \geq y$? Then $2xy \leq 2x^2 \leq 2(x^2 + y^2)$. Either way, we now can bound $2xy$ by two times the right-side function $x^2 + y^2$. This means that $(x + y)^2 \leq 3(x^2 + y^2)$, and so the result holds.

0.28.1 Growth Rates and Dominance Relations

With the Big Oh notation, we cavalierly discard the multiplicative constants. Thus, the functions $f(n) = 0.001n^2$ and $g(n) = 1000n^2$ are treated identically, even though $g(n)$ is a million times larger than $f(n)$ for all values of n .

The reason why we are content with such coarse Big Oh analysis is provided by Figure 2.4, which shows the growth rate of several common time analysis functions. In particular, it shows how long algorithms that use $f(n)$ operations take to run on a fast computer, where each operation costs one nanosecond (10^{-9} seconds). The following conclusions can be drawn from this table:

- All such algorithms take roughly the same time for $n = 10$.
- Any algorithm with $n!$ running time becomes useless for $n \geq 20$.

n	$\lg n$	n	$n \lg n$	n^2	2^n	$n!$
10	0.003μ s	0.01μ s	0.033μ s	0.1μ s	1μ s	3.63 ms
20	0.004μ s	0.02μ s	0.086μ s	0.4μ s	1 ms	77.1 years
30	0.005μ s	0.03μ s	0.147μ s	0.9μ s	1 sec	8.4×10^{15} yrs
40	0.005μ s	0.04μ s	0.213μ s	1.6μ s	18.3 min	
50	0.006μ s	0.05μ s	0.282μ s	2.5μ s	13 days	
100	0.007μ s	0.1μ s	0.644μ s	10μ s	4×10^{13} yrs	
1,000	0.010μ s	1.00μ s	9.966μ s	1 ms		
10,000	0.013μ s	10μ s	130μ s	100 ms		
100,000	0.017μ s	0.10 ms	1.67 ms	10 sec		
1,000,000	0.020μ s	1 ms	19.93 ms	16.7 min		
10,000,000	0.023μ s	0.01 sec	0.23 sec	1.16 days		
100,000,000	0.027μ s	0.10 sec	2.66 sec	115.7 days		
1,000,000,000	0.030μ s	1 sec	29.90 sec	31.7 years		

Figure 2.4: Running times of common functions measured in nanoseconds. The function $\lg n$ denotes the base- 2 logarithm of n .

- Algorithms whose running time is 2^n have a greater operating range, but become impractical for $n > 40$.
- Quadratic-time algorithms, whose running time is n^2 , remain usable up to about $n = 10,000$, but quickly deteriorate with larger inputs. They are likely to be hopeless for $n > 1,000,000$.
- Linear-time and $n \lg n$ algorithms remain practical on inputs of one billion items.

- An $O(\lg n)$ algorithm hardly sweats for any imaginable value of n .

The bottom line is that even ignoring constant factors, we get an excellent idea of whether a given algorithm is appropriate for a problem of a given size.

0.28.2 Dominance Relations

The Big Oh notation groups functions into a set of classes, such that all the functions within a particular class are essentially equivalent. Functions $f(n) = 0.34n$ and $g(n) = 234,234n$ belong in the same class, namely those that are order $\Theta(n)$. Furthermore, when two functions f and g belong to different classes, they are different with respect to our notation, meaning either $f(n) = O(g(n))$ or $g(n) = O(f(n))$, but not both.

We say that a faster growing function dominates a slower growing one, just as a faster growing company eventually comes to dominate the laggard. When f and g belong to different classes (i.e. $f(n) \neq \Theta(g(n))$), we say g dominates f when $f(n) = O(g(n))$. This is sometimes written $g \gg f$.

The good news is that only a few different function classes tend to occur in the course of basic algorithm analysis. These suffice to cover almost all the algorithms we will discuss in this text, and are listed in order of increasing dominance:

- Constant functions, $f(n) = 1$: Such functions might measure the cost of adding two numbers, printing out "The Star Spangled Banner," or the growth realized by functions such as $f(n) = \min(n, 100)$. In the big picture, there is no dependence on the parameter n .
- Logarithmic functions, $f(n) = \log n$: Logarithmic time complexity shows up in algorithms such as binary search. Such functions grow quite slowly as n gets big, but faster than the constant function (which is standing still, after all). Logarithms will be discussed in more detail in Section 2.7 (page 48).
- Linear functions, $f(n) = n$: Such functions measure the cost of looking at each item once (or twice, or ten times) in an n -element array, say to identify the biggest item, the smallest item, or compute the average value.
- Superlinear functions, $f(n) = n \lg n$: This important class of functions arises in such algorithms as quicksort and mergesort. They grow just a little faster than linear (recall Figure 2.4, but enough so to rise to a higher dominance class).
- Quadratic functions, $f(n) = n^2$: Such functions measure the cost of looking at most or all pairs of items in an n -element universe. These arise in algorithms such as insertion sort and selection sort.
- Cubic functions, $f(n) = n^3$: Such functions enumerate all triples of items in an n -element universe. These also arise in certain dynamic programming algorithms, to be developed in Chapter 10

- *Exponential functions, $f(n) = c^n$ for a given constant $c > 1$: Functions like 2^n arise when enumerating all subsets of n items. As we have seen, exponential algorithms become useless fast, but not as fast as...*
- *Factorial functions, $f(n) = n!$: Functions like $n!$ arise when generating all permutations or orderings of n items.*

The intricacies of dominance relations will be further discussed in Section 2.10 .2 (page 58). However, all you really need to understand is that:

$$n! \gg 2^n \gg n^3 \gg n^2 \gg n \log n \gg n \gg \log n \gg 1$$

Take-Home Lesson: Although esoteric functions arise in advanced algorithm analysis, a small set of time complexities suffice for most algorithms we will see in this book.

0.28.3 Working with the Big Oh

You learned how to do simplifications of algebraic expressions back in high school. Working with the Big Oh requires dusting off these tools. Most of what you learned there still holds in working with the Big Oh, but not everything.

0.28.4 Adding Functions

The sum of two functions is governed by the dominant one, namely:

$$f(n) + g(n) \rightarrow \Theta(\max(f(n), g(n)))$$

This is very useful in simplifying expressions: for example it gives us that $n^3 + n^2 + n + 1 = \Theta(n^3)$. Everything else is small potatoes besides the dominant term.

The intuition is as follows. At least half the bulk of $f(n) + g(n)$ must come from the larger value. The dominant function will, by definition, provide the larger value as $n \rightarrow \infty$. Thus, dropping the smaller function from consideration reduces the value by at most a factor of 1/2, which is just a multiplicative constant. For example, if $f(n) = O(n^2)$ and $g(n) = O(n^2)$, then $f(n) + g(n) = O(n^2)$ as well.

0.28.5 Multiplying Functions

Multiplication is like repeated addition. Consider multiplication by any constant $c > 0$, be it 1.02 or 1,000,000. Multiplying a function by a constant cannot affect its asymptotic behavior, because we can multiply the bounding constants in the Big Oh analysis to account for it. Thus,

$$O(c \cdot f(n)) \rightarrow O(f(n))$$

$$\Omega(c \cdot f(n)) \rightarrow \Omega(f(n))$$

$$\Theta(c \cdot f(n)) \rightarrow \Theta(f(n))$$

Of course, c must be strictly positive (i.e. $c > 0$) to avoid any funny business, since we can wipe out even the fastest growing function by multiplying it by zero.

On the other hand, when two functions in a product are increasing, both are important. An $O(n! \log n)$ function dominates $n!$ by just as much as $\log n$ dominates 1. In general,

$$O(f(n)) \cdot O(g(n)) \rightarrow O(f(n) \cdot g(n))$$

$$\Omega(f(n)) \cdot \Omega(g(n)) \rightarrow \Omega(f(n) \cdot g(n))$$

$$\Theta(f(n)) \cdot \Theta(g(n)) \rightarrow \Theta(f(n) \cdot g(n))$$

0.29 Stop and Think: Transitive Experience

Problem: Show that Big Oh relationships are transitive. That is, if $f(n) = O(g(n))$ and $g(n) = O(h(n))$, then $f(n) = O(h(n))$.

Solution: We always go back to the definition when working with the Big Oh. What we need to show here is that $f(n) \leq c_3 \cdot h(n)$ for $n > n_3$ given that $f(n) \leq c_1 \cdot g(n)$ and $g(n) \leq c_2 \cdot h(n)$, for $n > n_1$ and $n > n_2$, respectively. Cascading these inequalities, we get that

$$f(n) \leq c_1 \cdot g(n) \leq c_1 c_2 \cdot h(n)$$

$$\text{for } n > n_3 = \max(n_1, n_2).$$

0.29.1 Reasoning about Efficiency

Coarse reasoning about an algorithm's running time is usually easy, given a precise description of the algorithm. In this section, I will work through several examples, perhaps in greater detail than necessary.

0.29.2 Selection Sort

Here we'll analyze the selection sort algorithm, which repeatedly identifies the smallest remaining unsorted element and puts it at the end of the sorted portion of the array. An animation of selection sort in action appears in Figure 2.5 and the code is shown below:

```
void selection_sort(item_type s[], int n) {
    int i, j; /* counters */
    int min; /* index of minimum */
    for (i = 0; i < n; i++) {
        min = i;
        for (j = i + 1; j < n; j++) {
            if (s[j] < s[min]) {
                min = j;
            }
        }
    }
}
```

```

        swap(&s[i], &s[min]);
    }
}

```

The outer for loop goes around n times. The nested inner loop goes around $n - (i + 1)$ times, where i is the index of the outer loop. The exact number of times the if statement is executed is given by:

$$T(n) = \sum_{i=0}^{n-1} \sum_{j=i+1}^{n-1} 1 = \sum_{i=0}^{n-1} n - i - 1$$

What this sum is doing is adding up the non-negative integers in decreasing order starting from $n - 1$, that is,

$$T(n) = (n - 1) + (n - 2) + (n - 3) + \dots + 2 + 1$$

How can we reason about such a formula? We must solve the summation formula using the techniques of Section 2.6 (page 46) to get an exact value. But, with the Big Oh, we are only interested in the order of the expression. One way to think about it is that we are adding up $n - 1$ terms, whose average value is about $n/2$. This yields $T(n) \approx (n - 1)n/2 = O(n^2)$.

0.30 Proving the Theta

Another way to think about this algorithm's running time is in terms of upper and lower bounds. We have n terms at most, each of which is at most $n - 1$.

Thus, $T(n) \leq n(n - 1) = O(n^2)$. The Big Oh is an upper bound.

The Big Ω is a lower bound. Looking at the sum again, we have $n/2$ terms each of which is bigger than $n/2$, followed by $n/2$ terms each greater than zero.

Thus, $T(n) \geq (n/2) \cdot (n/2) + (n/2) \cdot 0 = \Omega(n^2)$. Together with the Big Oh result, this tells us that the running time is $\Theta(n^2)$, meaning that selection sort is quadratic.

Generally speaking, turning a Big Oh worst-case analysis into a Big Θ involves identifying a bad input instance that forces the algorithm to perform as poorly as possible. But selection sort is distinctive among sorting algorithms in that it takes exactly the same time on all n ! possible input instances. Since

$$T(n) = n(n - 1)/2 \text{ for all } n \geq 0, T(n) = \Theta(n^2).$$

0.30.1 Insertion Sort

A basic rule of thumb in Big Oh analysis is that worst-case running time follows from multiplying the largest number of times each nested loop can iterate. Consider the insertion sort algorithm presented on page 3 whose inner loops are repeated here:

```

for (i = 1; i < n; i++) {
    j = i;
    while ((j > 0) && (s[j] < s[j - 1])) {
        swap(&s[j], &s[j - 1]);
        j = j-1;
    }
}

```

How often does the inner while loop iterate? This is tricky because there are two different stopping conditions: one to prevent us from running off the bounds of the array ($j > 0$) and the other to mark when the element finds its proper place in sorted order ($s[j] < s[j - 1]$). Since worst-case analysis seeks an upper bound on the running time, we ignore the early termination and assume that this loop always goes around i times. In fact, we can simplify further and assume it always goes around n times since $i < n$. Since the outer loop goes around n times, insertion sort must be a quadratic-time algorithm, that is, $O(n^2)$.

This crude "round it up" analysis always does the job, in that the Big Oh running time bound you get will always be correct. Occasionally, it might be too pessimistic, meaning the actual worst-case time might be of a lower order than implied by such analysis. Still, I strongly encourage this kind of reasoning as a basis for simple algorithm analysis.

0.31 Proving the Theta

The worst case for insertion sort occurs when each newly inserted element must slide all the way to the front of the sorted region. This happens if the input is given in reverse sorted order. Each of the last $n/2$ elements of the input must slide over at least $n/2$ elements to find the correct position, taking at least $(n/2)^2 = \Omega(n^2)$ time.

0.31.1 String Pattern Matching

Pattern matching is the most fundamental algorithmic operation on text strings. This algorithm implements the find command available in any web browser or text editor:

0.32 Problem: Substring Pattern Matching

Input: A text string t and a pattern string p .

Output: Does t contain the pattern p as a substring, and if so, where?

Perhaps you are interested in finding where "Skiena" appears in a given news article (well, I would be interested in such a thing). This is an instance of string pattern matching with t as the news article and $p = \text{"Skiena"}$.

There is a fairly straightforward algorithm for string pattern matching that considers the possibility that p may start at each possible position in t and then tests if this is so.

```
a b b a
a b b a
a b b a
a b b a
a b b a
a b b a
```

abaababbaba

Figure 2.6: Searching for the substring abba in the text abaababbaba. Blue characters represent pattern-text matches, with red characters mismatches. The search stops as soon as a match is found.

```
int findmatch(char *p, char *t) {
    int i, j; /* counters */
    int plen, tlen; /* string lengths */
    plen = strlen(p);
    tlen = strlen(t);
    for (i = 0; i <= (tlen-plen); i = i + 1) {
        j = 0;
        while ((j < plen) && (t[i + j] == p[j])) {
            j = j + 1;
        }
        if (j == plen) {
            return(i); /* location of the first match */
        }
    }
    return(-1); /* there is no match */
}
```

What is the worst-case running time of these two nested loops? The inner while loop goes around at most m times, and potentially far less when the pattern match fails. This, plus two other statements, lies within the outer for loop. The outer loop goes around at most $n - m$ times, since no complete alignment is possible once we get too far to the right of the text. The time complexity of nested loops multiplies, so this gives a worst-case running time of $O((n - m)(m + 2))$.

We did not count the time it takes to compute the length of the strings using the function `strlen`. Since the implementation of `strlen` is not given, we must guess how long it should take. If it explicitly counts the number of characters until it hits the end of the string, this will take time linear in the length of the string. Thus, the total worst-case running time is $O(n + m + (n - m)(m + 2))$. Let's use our knowledge of the Big Oh to simplify things. Since $m + 2 = \Theta(m)$, the "+2" isn't interesting, so we are left with $O(n + m + (n - m)m)$.

Multiplying this out yields $O(n + m + nm - m^2)$, which still seems kind of ugly.

However, in any interesting problem we know that $n \geq m$, since p can't be a substring of t when the pattern is longer than the text itself. One consequence of this is that $n + m \leq 2n = \Theta(n)$. Thus, our worst-case running time simplifies further to $O(n + nm - m^2)$.

Two more observations and we are done. First, note that $n \leq nm$, since $m \geq 1$ in any interesting pattern. Thus, $n + nm = \Theta(nm)$, and we can drop the additive n , simplifying our analysis to $O(nm - m^2)$.

Finally, observe that the $-m^2$ term is negative, and thus only serves to lower the value within. Since the Big Oh gives an upper bound, we can drop any negative term without invalidating the upper bound. The inequality $n \geq m$ implies that $nm \geq m^2$, so the negative term is not big enough to cancel the term that is left. Thus, we can express the worst-case running time of this algorithm simply as $O(nm)$.

After you get enough experience, you will be able to do such an algorithm analysis in your head without even writing the algorithm down. After all, algorithm design for a given task involves mentally rifling through different possibilities and selecting the best approach. This kind of fluency comes with practice, but if you are confused about why a given algorithm runs in $O(f(n))$ time, start by writing the algorithm out carefully and then employ the kind of reasoning we used in this section.

0.33 Proving the Theta

The analysis above gives a quadratic-time upper bound on the running time of this simple pattern matching algorithm. To prove the theta, we must show an example where it actually does take $\Omega(mn)$ time.

Consider what happens when the text $t = \text{"aaaa ...aaaa"}$ is a string of n a 's, and the pattern $p = \text{"aaaa ...aaab"}$ is a string of $m - 1$ a 's followed by a b . Wherever the pattern is positioned on the text, the while loop will successfully match the first $m - 1$ characters before failing on the last one. There are $n - m + 1$ possible positions where p can sit on t without overhanging the end, so the running time is:

$$(n - m + 1)(m) = mn - m^2 + m = \Omega(mn)$$

Thus, this string matching algorithm runs in worst-case $\Theta(nm)$ time. Faster algorithms do exist: indeed we will see an expected linear-time algorithm for this problem in Section 6.7.

0.33.1 Matrix Multiplication

Nested summations often arise in the analysis of algorithms with nested loops. Consider the problem of matrix multiplication:

0.34 Problem: Matrix Multiplication

Input: Two matrices, A (of dimension $x \times y$) and B (dimension $y \times z$).
Output: An $x \times z$ matrix C where $C[i][j]$ is the dot product of the i th row of A and the j th column of B .

Matrix multiplication is a fundamental operation in linear algebra, presented with an entry in the catalog in Section 16.3 (page 472). That said, the elementary algorithm for matrix multiplication is implemented as three nested loops:

```
for (i = 1; i <= a->rows; i++) {
    for (j = 1; j <= b->columns; j++) {
        c->m[i][j] = 0;
        for (k = 1; k <= b->rows; k++) {
            c->m[i][j] += a->m[i][k] * b->m[k][j];
        }
    }
}
```

How can we analyze the time complexity of this algorithm? Three nested loops should smell $O(n^3)$ to you by this point, but let's be precise. The number of multiplications $M(x, y, z)$ is given by the following summation:

$$M(x, y, z) = \sum_{i=1}^x \sum_{j=1}^y \sum_{k=1}^z 1$$

Sums get evaluated from the right inward. The sum of z ones is z , so

$$M(x, y, z) = \sum_{i=1}^x \sum_{j=1}^y z$$

The sum of yz 's is just as simple, yz , so

$$M(x, y, z) = \sum_{i=1}^x yz$$

Finally, the sum of xyz 's is xyz .

Thus, the running of this matrix multiplication algorithm is $O(xyz)$. If we consider the common case where all three dimensions are the same, this becomes $O(n^3)$. The same analysis holds for an $\Omega(n^3)$ lower bound, because the matrix dimensions govern the number of iterations of the for loops. Simple matrix multiplication is a cubic algorithm that runs in $\Theta(n^3)$ time. Faster algorithms exist: see Section 16.3.

0.34.1 Summations

Mathematical summation formulae are important to us for two reasons. First, they often arise in algorithm analysis. Second, proving the correctness of such formulae is a classic application of mathematical induction. Several exercises on inductive proofs of summations appear as exercises at the end of this chapter. To make them more accessible, I review the basics of summations here.

Summation formulae are concise expressions describing the addition of an arbitrarily large set of numbers, in particular the formula

$$\sum_{i=1}^n f(i) = f(1) + f(2) + \dots + f(n)$$

Simple closed forms exist for summations of many algebraic functions. For example, since the sum of n ones is n ,

$$\sum_{i=1}^n 1 = n$$

When n is even, the sum of the first $n = 2k$ integers can be seen by pairing up the i th and $(n - i + 1)$ th integers:

$$\sum_{i=1}^n i = \sum_{i=1}^k (i + (2k - i + 1)) = k(2k + 1) = n(n + 1)/2$$

The same result holds for odd n with slightly more careful analysis. Recognizing two basic classes of summation formulae will get you a long way in algorithm analysis:

- *Sum of a power of integers - We encountered the sum of the first n positive integers $S(n) = \sum_{i=1}^n i = n(n+1)/2$ in the analysis of selection sort. From the big picture perspective, the important thing is that the sum is quadratic, not that the constant is $1/2$. In general,*

$$S(n, p) = \sum_{i=1}^n i^p = \Theta(n^{p+1})$$

for $p \geq 0$. Thus, the sum of squares is cubic, and the sum of cubes is quartic (if you use such a word).

For $p < -1$, this sum $S(n, p)$ always converges to a constant as $n \rightarrow \infty$, while for $p \geq 0$ it diverges. The interesting case between these is the Harmonic numbers, $H(n) = \sum_{i=1}^n 1/i = \Theta(\log n)$.

- *Sum of a geometric progression - In geometric progressions, the index of the loop affects the exponent, that is,*

$$G(n, a) = \sum_{i=0}^n a^i = (a^{n+1} - 1) / (a - 1)$$

How we interpret this sum depends upon the base of the progression, in this case a . When $|a| < 1$, $G(n, a)$ converges to a constant as $n \rightarrow \infty$.

This series convergence proves to be the great "free lunch" of algorithm analysis. It means that the sum of a linear number of things can be constant, not linear. For example, $1 + 1/2 + 1/4 + 1/8 + \dots \leq 2$ no matter how many terms we add up.

When $a > 1$, the sum grows rapidly with each new term, as in $1 + 2 + 4 + 8 + 16 + 32 = 63$. Indeed, $G(n, a) = \Theta(a^{n+1})$ for $a > 1$.

0.35 Stop and Think: Factorial Formulae

Problem: Prove that $\sum_{i=1}^n i \times i! = (n+1)! - 1$ by induction.

Solution: The inductive paradigm is straightforward. First verify the basis case.

The case $n = 0$ gives an empty sum, which by definition evaluates to 0.

Alternately we can do $n = 1$:

$$\sum_{i=1}^1 i \times i! = 1 \text{ and } (1+1)! - 1 = 2 - 1 = 1$$

Now assume the statement is true up to n . To prove the general case of $n+1$, observe that separating out the largest term

$$\sum_{i=1}^{n+1} i \times i! = (n+1) \times (n+1)! + \sum_{i=1}^n i \times i!$$

reveals the left side of our inductive assumption. Substituting the right side gives us

$$\begin{aligned} \sum_{i=1}^{n+1} i \times i! &= (n+1) \times (n+1)! + (n+1)! - 1 \\ &= (n+1)! \times ((n+1) + 1) - 1 \\ &= (n+2)! - 1 \end{aligned}$$

This general trick of separating out the largest term from the summation to reveal an instance of the inductive assumption lies at the heart of all such proofs.

0.35.1 Logarithms and Their Applications

Logarithm is an anagram of algorithm, but that's not why we need to know what logarithms are. You've seen the button on your calculator, but may have forgotten why it is there. A logarithm is simply an inverse exponential function. Saying $b^x = y$ is equivalent to saying that $x = \log_b y$. Further, this equivalence is the same as saying $b^{\log_b y} = y$.

Exponential functions grow at a distressingly fast rate, as anyone who has ever tried to pay off a credit card balance understands. Thus, inverse exponential functions (logarithms) grow refreshingly slowly. Logarithms arise in any process where things are repeatedly halved. We'll now look at several examples.

0.35.2 Logarithms and Binary Search

Binary search is a good example of an $O(\log n)$ algorithm. To locate a particular person p in a telephone book ² containing n names, you start by comparing p against the middle, or $(n/2)$ nd name, say Monroe, Marilyn.

Regardless of whether p belongs before this middle name (Dean, James) or after it (Presley, Elvis), after just one comparison you can discard one half of all the names in the book. The number of steps the algorithm takes equals the number of times we can halve n until only one name is left. By definition, this is exactly $\log_2 n$. Thus, twenty comparisons suffice to find any name in the million-name Manhattan phone book!

Binary search is one of the most powerful ideas in algorithm design. This power becomes apparent if we imagine trying to find a name in an unsorted telephone book.

0.35.3 Logarithms and Trees

A binary tree of height 1 can have up to 2 leaf nodes, while a tree of height 2 can have up to 4 leaves. What is the height h of a rooted binary tree with n leaf nodes? Note that the number of leaves doubles every time we increase the height by 1. To account for n leaves, $n = 2^h$, which implies that $h = \log_2 n$.

What if we generalize to trees that have d children, where $d = 2$ for the case of binary trees? A tree of height 1 can have up to d leaf nodes, while one of height 2 can have up to d^2 leaves. The number of possible leaves multiplies by d every time we increase the height by 1, so to account for n leaves, $n = d^h$, which implies that $h = \log_d n$, as shown in Figure 2.7

The punch line here is that short trees can have very many leaves, which is the main reason why binary trees prove fundamental to the design of fast data structures.

² If necessary, ask your grandmother what telephone books were.

0.35.4 Logarithms and Bits

There are two bit patterns of length 1 (0 and 1), four of length 2 (00, 01, 10, and 11), and eight of length 3 (see Figure 2.7 (right)). How many bits w do we need to represent any one of n different possibilities, be it one of n items or the integers from 0 to $n - 1$?

The key observation is that there must be at least n different bit patterns of length w . Since the number of different bit patterns doubles as you add each bit, we need at least w bits where $2^w = n$. In other words, we need $w = \log_2 n$ bits.

0.35.5 Logarithms and Multiplication

Logarithms were particularly important in the days before pocket calculators.

They provided the easiest way to multiply big numbers by hand, either implicitly using a slide rule or explicitly by using a book of logarithms.

Logarithms are still useful for multiplication, particularly for exponentiation. Recall that $\log_a(xy) = \log_a(x) + \log_a(y)$; that is, the log of a product is the sum of the logs. A direct consequence of this is

$$\log_a n^b = b \cdot \log_a n$$

How can we compute a^b for any a and b using the $\exp(x)$ and $\ln(x)$ functions on your calculator, where $\exp(x) = e^x$ and $\ln(x) = \log_e(x)$? We know

$$a^b = \exp(\ln(a^b)) = \exp(b \ln(a))$$

so the problem is reduced to one multiplication plus one call to each of these functions.

0.35.6 Fast Exponentiation

Suppose that we need to exactly compute the value of a^n for some reasonably large n . Such problems occur in primality testing for cryptography, as discussed in Section 16.8 (page 490). Issues of numerical precision prevent us from applying the formula above.

The simplest algorithm performs $n - 1$ multiplications, by computing $a \times a \times \dots \times a$. However, we can do better by observing that $n = \lfloor n/2 \rfloor + \lceil n/2 \rceil$. If n is even, then $a^n = (a^{n/2})^2$. If n is odd, then $a^n = a(a^{\lfloor n/2 \rfloor})^2$. In either case, we have halved the size of our exponent at the cost of, at most, two multiplications, so $O(\lg n)$ multiplications suffice to compute the final value.

```
function power $(a, n)$
  if $(n=0)$ return $(1)$
  $x=\operatornamename{power}(a,\lfloor n / 2\rfloor)$
  if ( $n$ is even) then return $\left(x^2\right)$
  else return $(a \times x^2)$
```

This simple algorithm illustrates an important principle of divide and conquer. It always pays to divide a job as evenly as possible. When n is not a power of two, the problem cannot always be divided perfectly evenly, but a difference of one element between the two sides as shown here cannot cause any serious imbalance.

0.35.7 Logarithms and Summations

The Harmonic numbers arise as a special case of a sum of a power of integers, namely $H(n) = S(n, -1)$. They are the sum of the progression of simple reciprocals, namely,

$$H(n) = \sum_{i=1}^n 1/i = \Theta(\log n)$$

The Harmonic numbers prove important, because they usually explain "where the log comes from" when one magically pops out from algebraic manipulation. For example, the key to analyzing the average-case complexity of quicksort is the summation $n \sum_{i=1}^n 1/i$. Employing the Harmonic number's Θ bound immediately reduces this to $\Theta(n \log n)$.

0.35.8 Logarithms and Criminal Justice

Figure 2.8 will be our final example of logarithms in action. This table appears in the Federal Sentencing Guidelines, used by courts throughout the United States. These guidelines are an attempt to standardize criminal sentences, so that a felon convicted of a crime before one judge receives the same sentence that they would before a different judge. To accomplish this, the judges have prepared an intricate point function to score the depravity of each crime and map it to time-to-serve.

Figure 2.8 gives the actual point function for fraud - a table mapping dollars stolen to points. Notice that the punishment increases by one level each time the amount of money stolen roughly doubles. That means that the level of punishment (which maps roughly linearly to the amount of time served) grows logarithmically with the amount of money stolen.

Think for a moment about the consequences of this. Many a corrupt CEO certainly has. It means that your total sentence grows extremely slowly with the amount of money you steal. Embezzling an additional \$100,000 gets you 3 additional punishment levels if you've already stolen \$10,000, adds only 1 level if you've stolen \$50,000, and has no effect if you've stolen a million. The corresponding benefit of stealing really large amounts of money becomes even

<i>Loss (apply the greatest)</i>	<i>Increase in level</i>
(A) \$2,000 or less	no increase
(B) More than \$2,000	add 1
(C) More than \$5,000	add 2
(D) More than \$10,000	add 3
(E) More than \$20,000	add 4
(F) More than \$40,000	add 5
(G) More than \$70,000	add 6
(H) More than \$120,000	add 7
(I) More than \$200,000	add 8
(J) More than \$350,000	add 10
(K) More than \$500,000	add 11
(L) More than \$800,000	add 12
(M) More than \$1,500,000	add 13
(N) More than \$2,500,000	add 14
(O) More than \$5,000,000	add 15
(P) More than \$10,000,000	add 16
(Q) More than \$20,000,000	add 17
(R) More than \$40,000,000	add 18
(S) More than \$80,000,000	

Figure 2.8: The Federal Sentencing Guidelines for fraud greater. The moral of logarithmic growth is clear: If you're gonna do the crime, make it worth the time ^{β}

Take-Home Lesson: Logarithms arise whenever things are repeatedly halved or doubled.

0.35.9 Properties of Logarithms

As we have seen, stating $b^x = y$ is equivalent to saying that $x = \log_b y$. The b term is known as the base of the logarithm. Three bases are of particular importance for mathematical and historical reasons:

- Base $b = 2$: The binary logarithm, usually denoted $\lg x$, is a base 2 logarithm. We have seen how this base arises whenever repeated halving (i.e., binary search) or doubling (i.e., nodes in trees) occurs. Most algorithmic applications of logarithms imply binary logarithms.
- Base $b = e$: The natural logarithm, usually denoted $\ln x$, is a base $e = 2.71828\dots$ logarithm. The inverse of $\ln x$ is the exponential function $\exp(x) = e^x$ on your calculator. Thus, composing these functions gives us the identity function,

$$\exp(\ln x) = x \text{ and } \ln(\exp x) = x$$

- *Base $b = 10$: Less common today is the base-10 or common logarithm, usually denoted as $\log x$. This base was employed in slide rules and logarithm books in the days before pocket calculators.*

We have already seen one important property of logarithms, namely that

$$\log_a(xy) = \log_a(x) + \log_a(y)$$

The other important fact to remember is that it is easy to convert a logarithm from one base to another. This is a consequence of the following formula:

$$\log_a b = \frac{\log_c b}{\log_c a}$$

Thus, changing the base of $\log b$ from base- a to base- c simply involves multiplying by $\log_c a$. It is easy to convert a common log function to a natural log function, and vice versa.

Two implications of these properties of logarithms are important to appreciate from an algorithmic perspective:

- *The base of the logarithm has no real impact on the growth rate: Compare the following three values: $\log_2(1,000,000) = 19.9316$, $\log_3(1,000,000) = 12.5754$, and $\log_{100}(1,000,000) = 3$. A big change in the base of the logarithm produces little difference in the value of the log. Changing the base of the log from a to c involves multiplying by $\log_c a$. This conversion factor is absorbed in the Big Oh notation whenever a and c are constants. Thus, we are usually justified in ignoring the base of the logarithm when analyzing algorithms.*
- *Logarithms cut any function down to size: The growth rate of the logarithm of any polynomial function is $O(\lg n)$. This follows because*

$$\log_a n^b = b \cdot \log_a n$$

The effectiveness of binary search on a wide range of problems is a consequence of this observation. Note that performing a binary search on a sorted array of n^2 things requires only twice as many comparisons as a binary search on n things.

Logarithms efficiently cut any function down to size. It is hard to do arithmetic on factorials except after taking logarithms, since

³ Life imitates art. After publishing this example in the previous edition, I was approached by the U.S. Sentencing Commission seeking insights to improve these guidelines.

$$n! = \prod_{i=1}^n i \rightarrow \log n! = \sum_{i=1}^n \log i = \Theta(n \log n)$$

provides another way logarithms pop up in algorithm analysis.

0.36 Stop and Think: Importance of an Even Split

Problem: How many queries does binary search take on the million-name Manhattan phone book if each split were 1/3-to- 2/3 instead of 1/2-to- 1/2 ?
Solution: When performing binary searches in a telephone book, how important is it that each query split the book exactly in half? Not very much. For the Manhattan telephone book, we now use $\log_{3/2}(1,000,000) \approx 35$ queries in the worst case, not a significant change from $\log_2(1,000,000) \approx 20$. Changing the base of the log does not affect the asymptotic complexity. The effectiveness of binary search comes from its logarithmic running time, not the base of the log.

0.36.1 War Story: Mystery of the Pyramids

That look in his eyes should have warned me off even before he started talking.

"We want to use a parallel supercomputer for a numerical calculation up to 1,000,000,000, but we need a faster algorithm to do it."

I'd seen that distant look before. Eyes dulled from too much exposure to the raw horsepower of supercomputers-machines so fast that brute force seemed to eliminate the need for clever algorithms; at least until the problems got hard enough.

"I am working with a Nobel prize winner to use a computer on a famous problem in number theory. Are you familiar with Waring's problem?"

I knew some number theory. "Sure. Waring's problem asks whether every integer can be expressed at least one way as the sum of at most four integer squares. For example, $78 = 8^2 + 3^2 + 2^2 + 1^2 = 7^2 + 5^2 + 2^2$. I remember proving that four squares suffice to represent any integer in my undergraduate number theory class. Yes, it's a famous problem but one that got solved 200 years ago."

"No, we are interested in a different version of Waring's problem. A pyramidal number is a number of the form $(m^3 - m)/6$, for $m \geq 2$. Thus, the first several pyramidal numbers are 1, 4, 10, 20, 35, 56, 84, 120, and 165. The conjecture since 1928 is that every integer can be represented by the sum of at most five such pyramidal numbers. We want to use a supercomputer to prove this conjecture on all numbers from 1 to 1,000,000,000."

"Doing a billion of anything will take a substantial amount of time," I warned.

"The time you spend to compute the minimum representation of each number

will be critical, since you are going to do it one billion times. Have you thought about what kind of an algorithm you are going to use?"

"We have already written our program and run it on a parallel supercomputer. It works very fast on smaller numbers. Still, it takes much too much time as soon as we get to 100,000 or so."

"Terrific," I thought. Our supercomputer junkie had discovered asymptotic growth. No doubt his algorithm ran in something like quadratic time, and went into vapor lock as soon as n got large.

"We need a faster program in order to get to a billion. Can you help us? Of course, we can run it on our parallel supercomputer when you are ready."

I am a sucker for this kind of challenge, finding fast algorithms to speed up programs. I agreed to think about it and got down to work.

I started by looking at the program that the other guy had written. He had built an array of all the $\Theta(n^{1/3})$ pyramidal numbers from 1 to n inclusive $\int^4$. To test each number k in this range, he did a brute force test to establish whether it was the sum of two pyramidal numbers. If not, the program tested whether it was the sum of three of them, then four, and finally five, until it first got an answer. About 45% of the integers are expressible as the sum of three pyramidal numbers. Most of the remaining 55% require the sum of four, and usually each of these can be represented in many different ways. Only 241 integers are known to require the sum of five pyramidal numbers, the largest being 343,867. For about half of the n numbers, this algorithm presumably went through all of the three-tests and at least some of the four-tests before terminating. Thus, the total time for this algorithm would be at least $O\left(n \times (n^{1/3})^3\right) = O(n^2)$ time, where $n = 1,000,000,000$. No wonder his program cried "Uncle."

Anything that was going to do significantly better on a problem this large had to avoid explicitly testing all triples. For each value of k , we were seeking the smallest set of pyramidal numbers that add up to exactly to k . This problem is called the knapsack problem, and is discussed in Section 16.10 (page 497). In our case, the weights are the pyramidal numbers no greater than n , with an additional constraint that the knapsack holds exactly k items.

A standard approach to solving knapsack precomputes the sum of smaller subsets of the items for use in computing larger subsets. If we have a table of all sums of two numbers and want to know whether k is expressible as the sum of three numbers, we can ask whether k is expressible as the sum of a single number plus a number in this two-table.

Therefore, I needed a table of all integers less than n that can be expressed as the sum of two of the 1,816 non-trivial pyramidal numbers less than 1,000,000,000. There can be at most $1,816^2 = 3,297,856$ of them. Actually, there are only about half this many, after we eliminate duplicates and any sum bigger than our target. Building a sorted array storing these numbers would be no big deal. Let's call this sorted data structure of all pair-sums the two-table. To find the minimum decomposition for a given k , I would first check whether it was one of the 1,816 pyramidal numbers. If not, I would then check whether k was in the sorted table of the sums of two pyramidal numbers. To see whether

k was expressible as the sum of three such numbers, all I had to do was check whether $k - p[i]$ was in the two-table for $1 \leq i \leq 1,816$. This could be done quickly using binary search. To see whether k was expressible as the sum of four pyramidal numbers, I had to check whether $k - \text{two}[i]$ was in the two-table for any $1 \leq i \leq |\text{two}|$. However, since almost every k was expressible in many ways as the sum of four pyramidal numbers, this test would terminate quickly, and the total time taken would be dominated by the cost of the threes. Testing whether k was the sum of three pyramidal numbers would take $O(n^{1/3} \lg n)$. Running this on each of the n integers gives an $O(n^{4/3} \lg n)$ algorithm for the complete job. Comparing this to his $O(n^2)$ algorithm for $n = 1,000,000,000$ suggested that my algorithm was a cool 30,000 times faster than his original! My first attempt to code this solved up to $n = 1,000,000$ on my ancient Sparc ELC in about 20 minutes. From here, I experimented with different data structures to represent the sets of numbers and different algorithms to search these tables. I tried using hash tables and bit vectors instead of sorted arrays, and experimented with variants of binary search such as interpolation search (see Section 17.2 (page 510p)). My reward for this work was solving up to $n = 1,000,000$ in under three minutes, a factor of six improvement over my original program.

With the real thinking done, I worked to tweak a little more performance out of the program. I avoided doing a sum-of-four computation on any k when $k - 1$ was the sum-of-three, since 1 is a pyramidal number, saving about 10% of the total run time using this trick alone. Finally, I got out my profiler and tried some low-level tricks to squeeze a little more performance out of the code. For example, I saved another 10% by replacing a single procedure call with inline code.

At this point, I turned the code over to the supercomputer guy. What he did with it is a depressing tale, which is reported in Section 5.8 (page 161.). In writing up this story, I went back to rerun this program, which is now older than my current graduate students. Even though single-threaded, it ran in 1.113 seconds. Turning on the compiler optimizer reduced this to a mere 0.334 seconds: this is why you need to remember to turn your optimizer on when you are trying to make your program run fast. This code has gotten hundreds of times faster by doing nothing, except waiting for 25 years of hardware improvements. Indeed a server in our lab can now run up to a billion in under three hours (174 minutes and 28.4 seconds) using only a single thread. Even more amazingly, I can run this code to completion in 9 hours, 37 minutes, and 34.8 seconds on the same crummy Apple MacBook laptop that I am writing this book on, despite its keys falling off as I type.

The primary lesson of this war story is to show the enormous potential for algorithmic speedups, as opposed to the fairly limited speedup obtainable via more expensive hardware. I sped his program up by about 30,000 times. His

⁴ Why $n^{1/3}$? Recall that pyramidal numbers are of the form $(m^3 - m)/6$. The largest m such that the resulting number is at most n is roughly $\sqrt[3]{6n}$, so there are $\Theta(n^{1/3})$ such numbers.

million-dollar computer (at that time) had 16 processors, each reportedly five times faster on integer computations than the \$3,000 machine on my desk. That gave him a maximum potential speedup of less than 100 times. Clearly, the algorithmic improvement was the big winner here, as it is certain to be in any sufficiently large computation.

0.36.2 Advanced Analysis (*)

Ideally, each of us would be fluent in working with the mathematical techniques of asymptotic analysis. And ideally, each of us would be rich and good looking as well.

In this section I will survey the major techniques and functions employed in advanced algorithm analysis. I consider this optional material-it will not be used elsewhere in the textbook section of this book. That said, it will make some of the complexity functions reported in the Hitchhiker's Guide a little less mysterious.

0.36.3 Esoteric Functions

The bread-and-butter classes of complexity functions were presented in Section 2.3.1 (page 38). More esoteric functions also make appearances in advanced algorithm analysis. Although we will not see them much in this book, it is still good business to know what they mean and where they come from.

- *Inverse Ackermann's function $f(n) = \alpha(n)$: This function arises in the detailed analysis of several algorithms, most notably the Union-Find data structure discussed in Section 8.1.3 (page 250). It is sufficient to think of this as geek talk for the slowest growing complexity function. Unlike the constant function $f(n) = 1$, $\alpha(n)$ eventually gets to infinity as $n \rightarrow \infty$, but it certainly takes its time about it. The value of $\alpha(n)$ is smaller than 5 for any value of n that can be written in this physical universe.*
- *$f(n) = \log \log n$: The "log log" function is just that-the logarithm of the logarithm of n . One natural example of how it might arise is doing a binary search on a sorted array of only $\lg n$ items.*
- *$f(n) = \log n / \log \log n$: This function grows a little slower than $\log n$, because it is divided by an even slower growing function. To see where this arises, consider an n -leaf rooted tree of degree d . For binary trees, that is, when $d = 2$, the height h is given*

$$n = 2^h \rightarrow h = \lg n$$

by taking the logarithm of both sides of the equation. Now consider the height of such a tree when the degree $d = \log n$. Then

$$n = (\log n)^h \rightarrow h = \log n / \log \log n$$

- $f(n) = \log^2 n$: This is the product of two log functions, $(\log n) \times (\log n)$. It might arise if we wanted to count the bits looked at when doing a binary search on n items, each of which was an integer from 1 to (say) n^2 . Each such integer requires a $\lg(n^2) = 2\lg n$ bit representation, and we look at $\lg n$ of them, for a total of $2\lg^2 n$ bits.

The "log squared" function typically arises in the design of intricate nested data structures, where each node in (say) a binary tree represents another data structure, perhaps ordered on a different key.

- $f(n) = \sqrt{n}$: The square root is not very esoteric, but represents the class of "sublinear polynomials" since $\sqrt{n} = n^{1/2}$. Such functions arise in building d -dimensional grids that contain n points. A $\sqrt{n} \times \sqrt{n}$ square has area n , and an $n^{1/3} \times n^{1/3} \times n^{1/3}$ cube has volume n . In general, a d -dimensional hypercube of length $n^{1/d}$ on each side has volume n .
- $f(n) = n^{(1+\epsilon)}$: Epsilon (ϵ) is the mathematical symbol to denote a constant that can be made arbitrarily small but never quite goes away. It arises in the following way. Suppose I design an algorithm that runs in $2^c \cdot n^{(1+1/c)}$ time, and I get to pick whichever c I want. For $c = 2$, this is $4n^{3/2}$ or $O(n^{3/2})$. For $c = 3$, this is $8n^{4/3}$ or $O(n^{4/3})$, which is better. Indeed, the exponent keeps getting better the larger I make c . The problem is that I cannot make c arbitrarily large before the 2^c term begins to dominate. Instead, we report this algorithm as running in $O(n^{1+\epsilon})$, and leave the best value of ϵ to the beholder.

0.36.4 Limits and Dominance Relations

The dominance relation between functions is a consequence of the theory of limits, which you may recall from taking calculus. We say that $f(n)$ dominates $g(n)$ if $\lim_{n \rightarrow \infty} g(n)/f(n) = 0$.

Let's see this definition in action. Suppose $f(n) = 2n^2$ and $g(n) = n^2$. Clearly $f(n) > g(n)$ for all n , but it does not dominate since

$$\lim_{n \rightarrow \infty} \frac{g(n)}{f(n)} = \lim_{n \rightarrow \infty} \frac{n^2}{2n^2} = \lim_{n \rightarrow \infty} \frac{1}{2} \neq 0$$

This is to be expected because both functions are in the class $\Theta(n^2)$. What about $f(n) = n^3$ and $g(n) = n^2$? Since

$$\lim_{n \rightarrow \infty} \frac{g(n)}{f(n)} = \lim_{n \rightarrow \infty} \frac{n^2}{n^3} = \lim_{n \rightarrow \infty} \frac{1}{n} = 0$$

the higher-degree polynomial dominates. This is true for any two polynomials, that is, n^a dominates n^b if $a > b$ since

$$\lim_{n \rightarrow \infty} \frac{n^b}{n^a} = \lim_{n \rightarrow \infty} n^{b-a} \rightarrow 0$$

Thus, $n^{1.2}$ dominates $n^{1.1999999}$.

Now consider two exponential functions, say $f(n) = 3^n$ and $g(n) = 2^n$. Since

$$\lim_{n \rightarrow \infty} \frac{g(n)}{f(n)} = \frac{2^n}{3^n} = \lim_{n \rightarrow \infty} \left(\frac{2}{3}\right)^n = 0$$

the exponential with the higher base dominates.

Our ability to prove dominance relations from scratch depends upon our ability to prove limits. Let's look at one important pair of functions. Any polynomial (say $f(n) = n^\epsilon$) dominates logarithmic functions (say $g(n) = \lg n$). Since $n = 2^{\lg n}$,

$$f(n) = (2^{\lg n})^\epsilon = 2^{\epsilon \lg n}$$

Now consider

$$\lim_{n \rightarrow \infty} \frac{g(n)}{f(n)} = \lg n / 2^{\epsilon \lg n}$$

In fact, this does go to 0 as $n \rightarrow \infty$.

Take-Home Lesson: By interleaving the functions here with those of Section 2.3.1 (page 38, we see where everything fits into the dominance pecking order:

$$n! \gg c^n \gg n^3 \gg n^2 \gg n^{1+\epsilon} \gg n \log n \gg n \gg \sqrt{n} \gg 1 \\ \log^2 n \gg \log n \gg \log n / \log \log n \gg \log \log n \gg \alpha(n) \gg 1$$

0.37 Chapter Notes

Most other algorithm texts devote considerably more efforts to the formal analysis of algorithms than I have here, and so I refer the theoretically inclined reader elsewhere for more depth. Algorithm texts more heavily stressing analysis include Cormen et al. CLRS09 and Kleinberg and Tardos KT06. The book *Concrete Mathematics* by Graham, Knuth, and Patashnik [GKP89] offers an interesting and thorough presentation of mathematics for the analysis of algorithms. Niven and Zuckerman [NZM91] is my favorite introduction to number theory, including Waring's problem, discussed in the war story.

The notion of dominance also gives rise to the "Little Oh" notation. We say that $f(n) = o(g(n))$ iff $g(n)$ dominates $f(n)$. Among other things, the Little Oh proves useful for asking questions. Asking for an $o(n^2)$ algorithm means you want one that is better than quadratic in the worst case - and means you would be willing to settle for $O(n^{1.999} \log^2 n)$.

0.38 Program Analysis

2-1. [3] What value is returned by the following function? Express your answer as a function of n . Give the worst-case running time using the Big Oh notation.

```
Mystery(n)
  r = 0
  for i = 1 to n - 1 do
    for j = i + 1 to n do
      for k = 1 to j do

          r = r + 1
      return (r)
```

2-2. [3] What value is returned by the following function? Express your answer as a function of n . Give the worst-case running time using Big Oh notation.

```
Pesky(n)
  r = 0
  for i = 1 to n do
    for j = 1 to i do
      for k = j to i + j do
        r = r + 1
      return(r)
```

2-3. [5] What value is returned by the following function? Express your answer as a function of n . Give the worst-case running time using Big Oh notation.

```
Pestiferous (n)
  r = 0
  for i = 1 to n do
    for j = 1 to i do
      for k = j to i + j do
        for l = 1 to i + j - k do
          r = r + 1
        return(r)
```

2-4. [8] What value is returned by the following function? Express your answer as a function of n . Give the worst-case running time using Big Oh notation.

Conundrum (n)

```

 $r = 0$ 
for  $i = 1$  to  $n$  do
  for  $j = i + 1$  to  $n$  do
    for  $k = i + j - 1$  to  $n$  do
       $r = r + 1$ 
return( $r$ )

```

2-5. [5] Consider the following algorithm: (the print operation prints a single asterisk; the operation $x = 2x$ doubles the value of the variable x).

```

for  $k = 1$  to  $n$  :
   $x = k$ 
  while ( $x < n$ )
    print '
     $x = 2x$ 

```

Let $f(n)$ be the time complexity of this algorithm (or equivalently the number of times $*$ is printed). Provide correct bounds for $O(f(n))$ and $\Omega(f(n))$, ideally converging on $\Theta(f(n))$.

2-6. [5] Suppose the following algorithm is used to evaluate the polynomial

$$p(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x + a_0$$

```

 $p = a_0$ ;
 $xpower = 1$ ;
for  $i = 1$  to  $n$  do

```

```

   $xpower = x \cdot xpower$  ;
   $p = p + a_i * xpower$ 

```

(a) How many multiplications are done in the worst case? How many additions?

(b) How many multiplications are done on the average?

(c) Can you improve this algorithm?

2-7. [3] Prove that the following algorithm for computing the maximum value in an array $A[1..n]$ is correct.

```

max(A)
  m = A[1]
  for i = 2 to n do
    if A[i] > m then m = A[i]
  return (m)

```

0.39 Big Oh

2-8. [3] (a) Is $2^{n+1} = O(2^n)$?

(b) Is $2^{2n} = O(2^n)$?

2-9. [3] For each of the following pairs of functions, $f(n)$ is in $O(g(n))$, $\Omega(g(n))$, or $\Theta(g(n))$. Determine which relationships are correct and briefly explain why.

(a) $f(n) = \log n^2$; $g(n) = \log n + 5$

(b) $f(n) = \sqrt{n}$; $g(n) = \log n^2$

(c) $f(n) = \log^2 n$; $g(n) = \log n$

(d) $f(n) = n$; $g(n) = \log^2 n$

(e) $f(n) = n \log n + n$; $g(n) = \log n$

(f) $f(n) = 10$; $g(n) = \log 10$

(g) $f(n) = 2^n$; $g(n) = 10n^2$

(h) $f(n) = 2^n$; $g(n) = 3^n$

2-10. [3] For each of the following pairs of functions $f(n)$ and $g(n)$, determine whether $f(n) = O(g(n))$, $g(n) = O(f(n))$, or both.

(a) $f(n) = (n^2 - n)/2$, $g(n) = 6n$

(b) $f(n) = n + 2\sqrt{n}$, $g(n) = n^2$

(c) $f(n) = n \log n$, $g(n) = n\sqrt{n}/2$

(d) $f(n) = n + \log n$, $g(n) = \sqrt{n}$

(e) $f(n) = 2(\log n)^2$, $g(n) = \log n + 1$

(f) $f(n) = 4n \log n + n$, $g(n) = (n^2 - n)/2$

2-11. [5] For each of the following functions, which of the following asymptotic bounds hold for $f(n)$: $O(g(n))$, $\Omega(g(n))$, or $\Theta(g(n))$?

(a) $f(n) = 3n^2$, $g(n) = n^2$

(b) $f(n) = 2n^4 - 3n^2 + 7$, $g(n) = n^5$

(c) $f(n) = \log n$, $g(n) = \log n + \frac{1}{n}$

(d) $f(n) = 2^{k \log n}$, $g(n) = n^k$

(e) $f(n) = 2^n$, $g(n) = 2^{2n}$

2-12. [3] Prove that $n^3 - 3n^2 - n + 1 = \Theta(n^3)$.

2-13. [3] Prove that $n^2 = O(2^n)$.

2-14. [3] Prove or disprove: $\Theta(n^2) = \Theta(n^2 + 1)$.

2-15. [3] Suppose you have algorithms with the five running times listed below. (Assume these are the exact running times.) How much slower do each of these algorithms get when you (a) double the input size, or (b) increase the input size by one?

(a) n^2 (b) n^3

$$(c) 100n^2$$

$$(d) n \log n \quad (e) 2^n$$

2-16. [3] Suppose you have algorithms with the six running times listed below. (Assume these are the exact number of operations performed as a function of the input size n .) Suppose you have a computer that can perform 10^{10} operations per second. For each algorithm, what is the largest input size n that you can complete within an hour? (a) n^2 (b) n^3 (c) $100n^2$ (d) $n \log n$ (e) 2^n (f) 2^{2^n}

2-17. [3] For each of the following pairs of functions $f(n)$ and $g(n)$, give an appropriate positive constant c such that $f(n) \leq c \cdot g(n)$ for all $n > 1$.

$$(a) f(n) = n^2 + n + 1, g(n) = 2n^3$$

$$(b) f(n) = n\sqrt{n} + n^2, g(n) = n^2$$

$$(c) f(n) = n^2 - n + 1, g(n) = n^2/2$$

2-18. [3] Prove that if $f_1(n) = O(g_1(n))$ and $f_2(n) = O(g_2(n))$, then $f_1(n) + f_2(n) = O(g_1(n) + g_2(n))$.

2-19. [3] Prove that if $f_1(n) = \Omega(g_1(n))$ and $f_2(n) = \Omega(g_2(n))$, then $f_1(n) + f_2(n) = \Omega(g_1(n) + g_2(n))$.

2-20. [3] Prove that if $f_1(n) = O(g_1(n))$ and $f_2(n) = O(g_2(n))$, then $f_1(n) \cdot f_2(n) = O(g_1(n) \cdot g_2(n))$.

2-21. [5] Prove that for all $k \geq 0$ and all sets of real constants $\{a_k, a_{k-1}, \dots, a_1, a_0\}$,

$$a_k n^k + a_{k-1} n^{k-1} + \dots + a_1 n + a_0 = O(n^k)$$

2-22. [5] Show that for any real constants a and $b, b > 0$

$$(n + a)^b = \Theta(n^b)$$

2-23. [5] List the functions below from the lowest to the highest order. If any two or more are of the same order, indicate which.

n	2^n	$n \lg n$	$\ln n$
$n - n^3 + 7n^5$	$\lg n$	$\sqrt{n}$	e^n
$n^2 + \lg n$	n^2	2^{n-1}	$\lg \lg n$
n^3	$(\lg n)^2$	$n!$	$n^{1+\varepsilon}$ where $0 < \varepsilon < 1$

2-24. [8] List the functions below from the lowest to the highest order. If any two or more are of the same order, indicate which.

n^π	π^n	$\binom{n}{5}$	$\sqrt{2\sqrt{n}}$
$\binom{n}{n-4}$	$2^{\log^4 n}$	$n^{5(\log n)^2}$	$n^4 \binom{n}{n-4}$

2-25. [8] List the functions below from the lowest to the highest order. If any two or more are of the same order, indicate which.

$$\sum_{i=1}^n i^i \quad n^n \quad (\log n)^{\log n} \quad 2^{(\log n^2)}$$

$$n! \quad 2^{\log^4 n} \quad n^{(\log n)^2} \quad \binom{n}{n-4}$$

2-26. [5] List the functions below from the lowest to the highest order. If any two or more are of the same order, indicate which.

$$\begin{array}{lll} \sqrt{n} & n & 2^n \\ n \log n & n - n^3 + 7n^5 & n^2 + \log n \\ n^2 & n^3 & \log n \\ n^{\frac{1}{3}} + \log n & (\log n)^2 & n! \\ \ln n & \frac{n}{\log n} & \log \log n \\ (1/3)^n & (3/2)^n & 6 \end{array}$$

2-27. [5] Find two functions $f(n)$ and $g(n)$ that satisfy the following relationship. If no such f and g exist, write "None."

- (a) $f(n) = o(g(n))$ and $f(n) \neq \Theta(g(n))$
- (b) $f(n) = \Theta(g(n))$ and $f(n) = o(g(n))$
- (c) $f(n) = \Theta(g(n))$ and $f(n) \neq O(g(n))$
- (d) $f(n) = \Omega(g(n))$ and $f(n) \neq O(g(n))$

2-28. [5] True or False?

- (a) $2n^2 + 1 = O(n^2)$
- (b) $\sqrt{n} = O(\log n)$
- (c) $\log n = O(\sqrt{n})$
- (d) $n^2(1 + \sqrt{n}) = O(n^2 \log n)$
- (e) $3n^2 + \sqrt{n} = O(n^2)$
- (f) $\sqrt{n} \log n = O(n)$
- (g) $\log n = O(n^{-1/2})$

2-29. [5] For each of the following pairs of functions $f(n)$ and $g(n)$, state whether $f(n) = O(g(n))$, $f(n) = \Omega(g(n))$, $f(n) = \Theta(g(n))$, or none of the above.

- (a) $f(n) = n^2 + 3n + 4, g(n) = 6n + 7$
- (b) $f(n) = n\sqrt{n}, g(n) = n^2 - n$
- (c) $f(n) = 2^n - n^2, g(n) = n^4 + n^2$

2-30. [3] For each of these questions, answer yes or no and briefly explain your answer.

- (a) If an algorithm takes $O(n^2)$ worst-case time, is it possible that it takes $O(n)$ on some inputs?
- (b) If an algorithm takes $O(n^2)$ worst-case time, is it possible that it takes $O(n)$ on all inputs?
- (c) If an algorithm takes $\Theta(n^2)$ worst-case time, is it possible that it takes $O(n)$ on some inputs?
- (d) If an algorithm takes $\Theta(n^2)$ worst-case time, is it possible that it takes $O(n)$ on all inputs?
- (e) Is the function $f(n) = \Theta(n^2)$, where $f(n) = 100n^2$ for even n and $f(n) = 20n^2 - n \log_2 n$ for odd n ?

2-31. [3] For each of the following, answer yes, no, or can't tell. Explain your reasoning.

- (a) Is $3^n = O(2^n)$?
- (b) Is $\log 3^n = O(\log 2^n)$?
- (c) Is $3^n = \Omega(2^n)$?
- (d) Is $\log 3^n = \Omega(\log 2^n)$?

2-32. [5] For each of the following expressions $f(n)$ find a simple $g(n)$ such that $f(n) = \Theta(g(n))$.

- (a) $f(n) = \sum_{i=1}^n \frac{1}{i}$.
- (b) $f(n) = \sum_{i=1}^n \lceil \frac{i}{i} \rceil$.
- (c) $f(n) = \sum_{i=1}^n \log i$.
- (d) $f(n) = \log(n!)$.

2-33. [5] Place the following functions into increasing order: $f_1(n) = n^2 \log_2 n$, $f_2(n) = n (\log_2 n)^2$, $f_3(n) = \sum_{i=0}^n 2^i$ and, $f_4(n) = \log_2 (\sum_{i=0}^n 2^i)$.

2-34. [5] Which of the following are true?

- (a) $\sum_{i=1}^n 3^i = \Theta(3^{n-1})$.
- (b) $\sum_{i=1}^n 3^i = \Theta(3^n)$.
- (c) $\sum_{i=1}^n 3^i = \Theta(3^{n+1})$.

2-35. [5] For each of the following functions f find a simple function g such that $f(n) = \Theta(g(n))$.

- (a) $f_1(n) = (1000)2^n + 4^n$.
- (b) $f_2(n) = n + n \log n + \sqrt{n}$.
- (c) $f_3(n) = \log(n^{20}) + (\log n)^{10}$.
- (d) $f_4(n) = (0.99)^n + n^{100}$.

2-36. [5] For each pair of expressions (A, B) below, indicate whether A is O , o , Ω , ω , or Θ of B . Note that zero, one, or more of these relations may hold for a given pair; list all correct ones.

	A	B
(a)	n^{100}	2^n
(b)	$(\lg n)^{12}$	$\sqrt{n}$
(c)	$\sqrt{n}$	$n^{\cos(\pi n/8)}$
(d)	10^n	100^n
(e)	$n^{\lg n}$	$(\lg n)^n$
(f)	$\lg(n!)$	$n \lg n$

0.40 Summations

2-37. [5] Find an expression for the sum of the i th row of the following triangle, and prove its correctness. Each entry is the sum of the three entries directly above it. All non-existing entries are considered 0.

$$\begin{array}{cccccccc}
 & & & & 1 & & & \\
 & & & & & & & \\
 & & & 1 & 1 & 1 & & \\
 & & 1 & 2 & 3 & 2 & 1 & \\
 & 1 & 3 & 6 & 7 & 6 & 3 & 1 \\
 1 & 4 & 10 & 16 & 19 & 16 & 10 & 4 & 1
 \end{array}$$

2-38. [3] Assume that Christmas has n days. Exactly how many presents did my "true love" send to me? (Do some research if you do not understand this question.)

2-39. [5] An unsorted array of size n contains distinct integers between 1 and $n + 1$, with one element missing. Give an $O(n)$ algorithm to find the missing integer, without using any extra space.

2-40. [5] Consider the following code fragment:

```

for i=1 to n do
  for j=i to 2*i do
    output 'foobar'

```

Let $T(n)$ denote the number of times 'foobar' is printed as a function of n .

a. Express $T(n)$ as a summation (actually two nested summations).

b. Simplify the summation. Show your work.

2-41. [5] Consider the following code fragment:

```

for i=1 to n/2 do
  for j=i to n-i do
    for k=1 to j do
      output 'foobar'

```

Assume n is even. Let $T(n)$ denote the number of times "foobar" is printed as a function of n .

(a) Express $T(n)$ as three nested summations.

(b) Simplify the summation. Show your work.

2-42. [6] When you first learned to multiply numbers, you were told that $x \times y$ means adding x a total of y times, so $5 \times 4 = 5 + 5 + 5 + 5 = 20$. What is the time complexity of multiplying two n -digit numbers in base b (people work in base 10, of course, while computers work in base 2) using the repeated addition method, as a function of n and b . Assume that single-digit by single-digit addition or multiplication takes $O(1)$ time. (Hint: how big can y be as a function of n and b ?)

2-43. [6] In grade school, you learned to multiply long numbers on a digit-by-digit basis, so that $127 \times 211 = 127 \times 1 + 127 \times 10 + 127 \times 200 = 26,797$.

Analyze the time complexity of multiplying two n -digit numbers with this method as a function of n (assume constant base size). Assume that single-digit by single-digit addition or multiplication takes $O(1)$ time.

0.41 Logarithms

2-44. [5] Prove the following identities on logarithms:

$$(a) \log_a(xy) = \log_a x + \log_a y$$

$$(b) \log_a x^y = y \log_a x$$

$$(c) \log_a x = \frac{\log_b x}{\log_b a}$$

$$(d) x^{\log_b y} = y^{\log_b x}$$

2-45. [3] Show that $\lceil \lg(n+1) \rceil = \lfloor \lg n \rfloor + 1$

2-46. [3] Prove that the binary representation of $n \geq 1$ has $\lfloor \lg_2 n \rfloor + 1$ bits.

2-47. [5] In one of my research papers I give a comparison-based sorting algorithm that runs in $O(n \log(\sqrt{n}))$. Given the existence of an $\Omega(n \log n)$ lower bound for sorting, how can this be possible?

0.42 Interview Problems

2-48. [5] You are given a set S of n numbers. You must pick a subset S' of k numbers from S such that the probability of each element of S occurring in S' is equal (i.e., each is selected with probability k/n). You may make only one pass over the numbers. What if n is unknown?

2-49. [5] We have 1,000 data items to store on 1,000 nodes. Each node can store copies of exactly three different items. Propose a replication scheme to minimize data loss as nodes fail. What is the expected number of data entries that get lost when three random nodes fail?

2-50. [5] Consider the following algorithm to find the minimum element in an array of numbers $A[0, \dots, n]$. One extra variable tmp is allocated to hold the current minimum value. Start from $A[0]$; tmp is compared against $A[1], A[2], \dots, A[N]$ in order. When $A[i] < tmp$, $tmp = A[i]$. What is the expected number of times that the assignment operation $tmp = A[i]$ is performed?

2-51. [5] You are given ten bags of gold coins. Nine bags contain coins that each weigh 10 grams. One bag contains all false coins that weigh 1 gram less. You must identify this bag in just one weighing. You have a digital balance that reports the weight of what is placed on it.

2-52. [5] You have eight balls all of the same size. Seven of them weigh the same, and one of them weighs slightly more. How can you find the ball that is heavier by using a balance and only two weighings?

2-53. [5] Suppose we start with n companies that eventually merge into one big company. How many different ways are there for them to merge?

2-54. [7] Six pirates must divide \$300 among themselves. The division is to proceed as follows. The senior pirate proposes a way to divide the money.

Then the pirates vote. If the senior pirate gets at least half the votes he wins, and that

division remains. If he doesn't, he is killed and then the next senior-most pirate gets a chance to propose the division. Now tell what will happen and why (i.e. how many pirates survive and how the division is done)? All the

pirates are intelligent and the first priority is to stay alive and the next priority is to get as much money as possible.

- 2-55. [7] *Reconsider the pirate problem above, where we start with only one indivisible dollar. Who gets the dollar, and how many are killed?*

0.43 LeetCode

- 2-1. <https://leetcode.com/problems/remove-k-digits/>
- 2-2. <https://leetcode.com/problems/counting-bits/>
- 2-3. <https://leetcode.com/problems/4sum/>

0.44 HackerRank

- 2-1. <https://www.hackerrank.com/challenges/pangrams/>
- 2-2. <https://www.hackerrank.com/challenges/the-power-sum/>
- 2-3. <https://www.hackerrank.com/challenges/magic-square-forming/>

0.45 Programming Challenges

These programming challenge problems with robot judging are available at <https://onlinejudge.org>;

- 2-1. *"Primary Arithmetic"-Chapter 5, problem 10035.*
- 2-2. *"A Multiplication Game"-Chapter 5, problem 847.*
- 2-3. *"Light, More Light" - Chapter 7, problem 10110.*

0.46 Data Structures

Putting the right data structure into a slow program can work the same wonders as transplanting fresh parts into a sick patient. Important classes of abstract data types such as containers, dictionaries, and priority queues have many functionally equivalent data structures that implement them. Changing the data structure does not affect the correctness of the program, since we presumably replace a correct implementation with a different correct implementation. However, the new implementation may realize different trade-offs in the time to execute various operations, so the total performance can improve dramatically. Like a patient in need of a transplant, only one part might need to be replaced in order to fix the problem.

But it is better to be born with a good heart than have to wait for a replacement. The maximum benefit from proper data structures results from designing your program around them in the first place. We assume that the reader has had some previous exposure to elementary data structures and pointer manipulation. Still, data structure courses (CS II) focus more on data abstraction and object orientation than the nitty-gritty of how structures should

be represented in memory. This material will be reviewed here to make sure you have it down.

As with most subjects, in data structures it is more important to really understand the basic material than to have exposure to more advanced concepts. This chapter will focus on each of the three fundamental abstract data types (containers, dictionaries, and priority queues) and show how they can be implemented with arrays and lists. Detailed discussion of the trade-offs between more sophisticated implementations is deferred to the relevant catalog entry for each of these data types.

0.46.1 Contiguous vs. Linked Data Structures

Data structures can be neatly classified as either contiguous or linked, depending upon whether they are based on arrays or pointers. Contiguously allocated

structures are composed of single slabs of memory, and include arrays, matrices, heaps, and hash tables. Linked data structures are composed of distinct chunks of memory bound together by pointers, and include lists, trees, and graph adjacency lists.

In this section, I review the relative advantages of contiguous and linked data structures. These trade-offs are more subtle than they appear at first glance, so I encourage readers to stick with me here even if you may be familiar with both types of structures.

0.46.2 Arrays

The array is the fundamental contiguously allocated data structure. Arrays are structures of fixed-size data records such that each element can be efficiently located by its index or (equivalently) address.

A good analogy likens an array to a street full of houses, where each array element is equivalent to a house, and the index is equivalent to the house number. Assuming all the houses are of equal size and numbered sequentially from 1 to n , we can compute the exact position of each house immediately from its address. ¹

Advantages of contiguously allocated arrays include:

- *Constant-time access given the index - Because the index of each element maps directly to a particular memory address, we can access arbitrary data items instantly provided we know the index.*
- *Space efficiency - Arrays consist purely of data, so no space is wasted with links or other formatting information. Further, end-of-record information is not needed because arrays are built from fixed-size records.*
- *Memory locality - Many programming tasks require iterating through all the elements of a data structure. Arrays are good for this because they exhibit excellent memory locality. Physical continuity between successive*

data accesses helps exploit the high-speed cache memory on modern computer architectures.

The downside of arrays is that we cannot adjust their size in the middle of a program's execution. Our program will fail as soon as we try to add the $(n+1)$ st customer, if we only allocated room for n records. We can compensate by allocating extremely large arrays, but this can waste space, again restricting what our programs can do.

Actually, we can efficiently enlarge arrays as we need them, through the miracle of dynamic arrays. Suppose we start with an array of size 1, and double its size from m to $2m$ whenever we run out of space. This doubling process allocates a new contiguous array of size $2m$, copies the contents of the old array to the lower half of the new one, and then returns the space used by the old array to the storage allocation system.

The apparent waste in this procedure involves recopying the old contents on each expansion. How much work do we really do? It will take $\log_2 n$ (also known as $\lg n$) doublings until the array gets to have n positions, plus one final doubling on the last insertion when $n = 2^j$ for some j . There are recopying operations after the first, second, fourth, eighth, ..., n th insertions. The number of copy operations at the i th doubling will be 2^{i-1} , so the total number of movements M will be:

$$M = n + \sum_{i=1}^{\lg n} 2^{i-1} = 1 + 2 + 4 + \dots + \frac{n}{2} + n = \sum_{i=i}^{\lg n} \frac{n}{2^i} \leq n \sum_{i=0}^{\infty} \frac{1}{2^i} = 2n$$

Thus, each of the n elements move only two times on average, and the total work of managing the dynamic array is the same $O(n)$ as it would have been if a single array of sufficient size had been allocated in advance!

The primary thing lost in using dynamic arrays is the guarantee that each insertion takes constant time in the worst case. Note that all accesses and most insertions will be fast, except for those relatively few insertions that trigger array doubling. What we get instead is a promise that the n th element insertion will be completed quickly enough that the total effort expended so far will still be $O(n)$. Such amortized guarantees arise frequently in the analysis of data structures.

0.46.3 Pointers and Linked Structures

Pointers are the connections that hold the pieces of linked structures together. Pointers represent the address of a location in memory. A variable storing a pointer to a given data item can provide more freedom than storing a copy of

¹ Houses in Japanese cities are traditionally numbered in the order they were built, not by their physical location. This makes it extremely difficult to locate a Japanese address without a detailed map.

the item itself. A cell-phone number can be thought of as a pointer to its owner as they move about the planet.

Pointer syntax and power differ significantly across programming languages, so we begin with a quick review of pointers in C language. A pointer p is assumed to give the address in memory where a particular chunk of data is located n^2

*Pointers in C have types declared at compile time, denoting the data type of the items they can point to. We use $*p$ to denote the item that is pointed to by pointer p , and $\&x$ to denote the address of (i.e. pointer to) a particular variable x . A special NULL pointer value is used to denote structure-terminating or unassigned pointers.*

All linked data structures share certain properties, as revealed by the following type declaration for linked lists:

```
typedef struct list {
    item_type item; /* data item */
    struct list *next; /* point to successor */
} list;
```

In particular:

- *Each node in our data structure (here list) contains one or more data fields (here item) that retain the data that we need to store.*
- *Each node contains a pointer field to at least one other node (here next). This means that much of the space used in linked data structures is devoted to pointers, not data.*
- *Finally, we need a pointer to the head of the structure, so we know where to access it.*

The list here is the simplest linked structure. The three basic operations supported by lists are searching, insertion, and deletion. In doubly linked lists, each node points both to its predecessor and its successor element. This simplifies certain operations at a cost of an extra pointer field per node.

0.47 Searching a List

Searching for item x in a linked list can be done iteratively or recursively. I opt for recursively in the implementation below. If x is in the list, it is either the first element or located in the rest of the list. Eventually, the problem is reduced to searching in an empty list, which clearly cannot contain x .

²C permits direct manipulation of memory addresses in ways that may horrify Java programmers, but I will avoid doing any such tricks.


```
list *search_list(list *l, item_type x) {
    if (l == NULL) {
        return(NULL);
    }
    if (l->item == x) {
        return(l);
    } else {
        return(search_list(l->next, x));
    }
}
```

0.48 Insertion into a List

*Insertion into a singly linked list is a nice exercise in pointer manipulation, as shown below. Since we have no need to maintain the list in any particular order, we might as well insert each new item in the most convenient place. Insertion at the beginning of the list avoids any need to traverse the list, but does require us to update the pointer (denoted *l*) to the head of the data structure.*

```
void insert_list(list **l, item_type x) {
    list *p; /* temporary pointer */
    p = malloc(sizeof(list));
    p->item = x;
    p->next = *l;
    *l = p;
}
```

*Two C-isms to note. First, the malloc function allocates a chunk of memory of sufficient size for a new node to contain *x*. Second, the funny double star in ***l* denotes that *l* is a pointer to a pointer to a list node. Thus, the last line, **l = p*; copies *p* to the place pointed to by *l*, which is the external variable maintaining access to the head of the list.*

0.49 Deletion From a List

Deletion from a linked list is somewhat more complicated. First, we must find a pointer to the predecessor of the item to be deleted. We do this recursively:

```
list *item_ahead(list *l, list *x) {
    if ((l == NULL) || (l->next == NULL)) {
        return(NULL);
    }
    if ((l->next) == x) {
        return(l);
    }
}
```

```

    } else {
        return(item_ahead(l->next, x));
    }
}

```

The predecessor is needed because it points to the doomed node, so its next pointer must be changed. The actual deletion operation is simple, once ruling out the case that the to-be-deleted element does not exist. Special care must be taken to reset the pointer to the head of the list (1) when the first element is deleted:

```

void delete_list(list **l, list **x) {
    list *p; /* item pointer */
    list *pred; /* predecessor pointer */
    p = *l;
    pred = item_ahead(*l, *x);
    if (pred == NULL) { /* splice out of list */
        *l = p->next;
    } else {
        pred->next = (*x)->next;
    }
    free(*x); /* free memory used by node */
}

```

C language requires explicit deallocation of memory, so we must free the deleted node after we are finished with it in order to return the memory to the system. This leaves the incoming pointer as a dangling reference to a location that no longer exists, so care must be taken not to use this pointer again. Such problems can generally be avoided in Java because of its stronger memory management model.

0.49.1 Comparison

The advantages of linked structures over static arrays include:

- *Overflow on linked structures never occurs unless the memory is actually full.*
- *Insertion and deletion are simpler than for static arrays.*
- *With large records, moving pointers is easier and faster than moving the items themselves.*

Conversely, the relative advantages of arrays include:

- *Space efficiency: linked structures require extra memory for storing pointer fields.*

- *Efficient random access to items in arrays.*
- *Better memory locality and cache performance than random pointer jumping.*

Take-Home Lesson: Dynamic memory allocation provides us with flexibility on how and where we use our limited storage resources.

One final thought about these fundamental data structures is that both arrays and linked lists can be thought of as recursive objects:

- *Lists - Chopping the first element off a linked list leaves a smaller linked list. This same argument works for strings, since removing characters from a string leaves a string. Lists are recursive objects.*
- *Arrays - Splitting the first k elements off of an n element array gives two smaller arrays, of size k and $n - k$, respectively. Arrays are recursive objects.*

This insight leads to simpler list processing, and efficient divide-and-conquer algorithms such as quicksort and binary search.

0.49.2 Containers: Stacks and Queues

I use the term container to denote an abstract data type that permits storage and retrieval of data items independent of content. By contrast, dictionaries are abstract data types that retrieve based on key values or content, and will be discussed in Section 3.3 (page 76).

Containers are distinguished by the particular retrieval order they support. In the two most important types of containers, this retrieval order depends on the insertion order:

- *Stacks support retrieval by last-in, first-out (LIFO) order. Stacks are simple to implement and very efficient. For this reason, stacks are probably the right container to use when retrieval order doesn't matter at all, such as when processing batch jobs. The put and get operations for stacks are usually called push and pop:*
- *Push (x, s) : Insert item x at the top of stack s .*
- *Pop(s): Return (and remove) the top item of stack s .*

LIFO order arises in many real-world contexts. People crammed into a subway car exit in LIFO order. Food inserted into my refrigerator usually exits the same way, despite the incentive of expiration dates. Algorithmically, LIFO tends to happen in the course of executing recursive algorithms.

- *Queues support retrieval in first-in, first-out (FIFO) order. This is surely the fairest way to control waiting times for services. Jobs processed in*

FIFO order minimize the maximum time spent waiting. Note that the average waiting time will be the same regardless of whether FIFO or LIFO is used. Many computing applications involve data items with infinite patience, which renders the question of maximum waiting time moot. Queues are somewhat trickier to implement than stacks and thus are most appropriate for applications (like certain simulations) where the order is important. The put and get operations for queues are usually called enqueue and dequeue.

- *Enqueue (x, q) : Insert item x at the back of queue q .*
- *Dequeue (q): Return (and remove) the front item from queue q .*

We will see queues later as the fundamental data structure controlling breadth-first search (BFS) in graphs.

Stacks and queues can be effectively implemented using either arrays or linked lists. The key issue is whether an upper bound on the size of the container is known in advance, thus permitting the use of a statically allocated array.

0.49.3 Dictionaries

The dictionary data type permits access to data items by content. You stick an item into a dictionary so you can find it when you need it. The primary operations dictionaries support are:

- *Search(D, k) - Given a search key k , return a pointer to the element in dictionary D whose key value is k , if one exists.*
- *Insert(D, x) - Given a data item x , add it to the dictionary D .*
- *Delete (D, x) - Given a pointer x to a given data item in the dictionary D , remove it from D .*

Certain dictionary data structures also efficiently support other useful operations:

- *Max(D) or Min(D) - Retrieve the item with the largest (or smallest) key from D . This enables the dictionary to serve as a priority queue, as will be discussed in Section 3.5 (page 87).*
- *Predecessor (D, x) or Successor(D, x) - Retrieve the item from D whose key is immediately before (or after) item x in sorted order. These enable us to iterate through the elements of the data structure in sorted order.*

Many common data processing tasks can be handled using these dictionary operations. For example, suppose we want to remove all duplicate names from a mailing list, and print the results in sorted order. Initialize an empty dictionary D , whose search key will be the record name. Now read through the mailing list, and for each record search to see if the name is already in D . If

not, insert it into D . After reading through the mailing list, we print the names in the dictionary. By starting from the first item $\text{Min}(D)$ and repeatedly calling Successor until we obtain $\text{Max}(D)$, we traverse all elements in sorted order. By defining such problems in terms of abstract dictionary operations, we can ignore the details of the data structure's representation and focus on the task at hand.

In the rest of this section, we will carefully investigate simple dictionary implementations based on arrays and linked lists. More powerful dictionary implementations such as binary search trees (see Section 3.4 (page 81)) and hash tables (see Section 3.7 (page 93)) are also attractive options in practice. A complete discussion of different dictionary data structures is presented in the catalog in Section 15.1 (page 440). I encourage the reader to browse through the data structures section of the catalog to better learn what your options are.

0.50 Stop and Think: Comparing Dictionary Implementations (I)

Problem: What are the asymptotic worst-case running times for all seven fundamental dictionary operations (search, insert, delete, successor, predecessor, minimum, and maximum) when the data structure is implemented as:

- An unsorted array.
- A sorted array.

Dictionary operation	Unsorted array	Sorted array
Search(A, k)	$O(n)$	$O(\log n)$
Insert(A, x)	$O(1)$	$O(n)$
Delete (A, x)	$O(1)^*$	$O(n)$
Successor (A, x)	$O(n)$	$O(1)$
Predecessor (A, x)	$O(n)$	$O(1)$
Minimum (A)	$O(n)$	$O(1)$
Maximum (A)	$O(n)$	$O(1)$

Solution: This problem (and the one following it) reveals some of the inherent trade-offs of data structure design. A given data representation may permit efficient implementation of certain operations at the cost that other operations are expensive.

In addition to the array in question, we will assume access to a few extra variables such as n , the number of elements currently in the array. Note that we must maintain the value of these variables in the operations where they change (e.g., insert and delete), and charge these operations the cost of this maintenance.

The basic dictionary operations can be implemented with the following costs on unsorted and sorted arrays. The starred element indicates cleverness.

We must understand the implementation of each operation to see why. First, let's discuss the operations when maintaining an unsorted array A .

- Search is implemented by testing the search key k against (potentially) each element of an unsorted array. Thus, search takes linear time in the worst case, which is when key k is not found in A .
- Insertion is implemented by incrementing n and then copying item x to the n th cell in the array, $A[n]$. The bulk of the array is untouched, so this operation takes constant time.
- Deletion is somewhat trickier, hence the asterisk in the table above. The definition states that we are given a pointer x to the element to delete, so we need not spend any time searching for the element. But removing the x th element from the array A leaves a hole that must be filled. We could fill the hole by moving each of the elements from $A[x + 1]$ to $A[n]$ down one position, but this requires $\Theta(n)$ time when the first element is deleted. The following idea is better: just overwrite $A[x]$ with $A[n]$, and decrement n . This only takes constant time.
- The definitions of the traversal operations, Predecessor and Successor, refer to the item appearing before/after x in sorted order. Thus, the answer is not simply $A[x - 1]$ (or $A[x + 1]$), because in an unsorted array an element's physical predecessor (successor) is not necessarily its logical predecessor (successor). Instead, the predecessor of $A[x]$ is the biggest element smaller than $A[x]$. Similarly, the successor of $A[x]$ is the smallest element larger than $A[x]$. Both require a sweep through all n elements of A to determine the winner.
- Minimum and Maximum are similarly defined with respect to sorted order, and so require linear-cost sweeps to identify in an unsorted array. It is tempting to set aside extra variables containing the current minimum and maximum values, so we can report them in $O(1)$ time. But this is incompatible with constant-time deletion, as deleting the minimum valued item mandates a linear-time search to find the new minimum.

Implementing a dictionary using a sorted array completely reverses our notions of what is easy and what is hard. Searches can now be done in $O(\log n)$ time, using binary search, because we know the median element sits in $A[n/2]$. Since the upper and lower portions of the array are also sorted, the search can continue recursively on the appropriate portion. The number of halvings of n until we get to a single element is $\lceil \lg n \rceil$.

The sorted order also benefits us with respect to the other dictionary retrieval operations. The minimum and maximum elements sit in $A[1]$ and $A[n]$, while the predecessor and successor to $A[x]$ are $A[x - 1]$ and $A[x + 1]$, respectively. Insertion and deletion become more expensive, however, because making room for a new item or filling a hole may require moving many items arbitrarily.

Thus, both become linear-time operations.

Take-Home Lesson: Data structure design must balance all the different operations it supports. The fastest data structure to support both operations A and B may well not be the fastest structure to support just operation A or B.

0.51 Stop and Think: Comparing Dictionary Implementations (II)

Problem: What are the asymptotic worst-case running times for each of the seven fundamental dictionary operations when the data structure is implemented as

- *A singly linked unsorted list.*
- *A doubly linked unsorted list.*
- *A singly linked sorted list.*
- *A doubly linked sorted list.*

Solution: Two different issues must be considered in evaluating these implementations: singly vs. doubly linked lists and sorted vs. unsorted order. Operations with subtle implementations are denoted with an asterisk:

Dictionary operation	Singly linked		Doubly linked	
	unsorted	sorted	unsorted	sorted
Search (L, k)	$O(n)$	$O(n)$	$O(n)$	$O(n)$
Insert (L, x)	$O(1)$	$O(n)$	$O(1)$	$O(n)$
Delete (L, x)	$O(n)^*$	$O(n)^*$	$O(1)$	$O(1)$
Successor (L, x)	$O(n)$	$O(1)$	$O(n)$	$O(1)$
Predecessor (L, x)	$O(n)$	$O(n)^*$	$O(n)$	$O(1)$
Minimum (L)	$O(1)^*$	$O(1)$	$O(n)$	$O(1)$
Maximum (L)	$O(1)^*$	$O(1)^*$	$O(n)$	$O(1)$

As with unsorted arrays, search operations are destined to be slow while maintenance operations are fast.

- *Insertion/Deletion - The complication here is deletion from a singly linked list. The definition of the Delete operation states we are given a pointer x to the item to be deleted. But what we really need is a pointer to the element pointing to x in the list, because that is the node that needs to be changed. We can do nothing without this list predecessor, and so must spend linear time searching for it on a singly linked list. Doubly linked lists avoid this problem, since we can immediately retrieve the list predecessor of x*

³ Actually, there is a way to delete an element from a singly linked list in constant time,

Deletion is faster for sorted doubly linked lists than sorted arrays, because splicing out the deleted element from the list is more efficient than filling the hole by moving array elements. The predecessor pointer problem again complicates deletion from singly linked sorted lists.

- *Search - Sorting provides less benefit for linked lists than it did for arrays. Binary search is no longer possible, because we can't access the median element without traversing all the elements before it. What sorted lists do provide is quick termination of unsuccessful searches, for if we have not found Abbott by the time we hit Costello we can deduce that he doesn't exist in the list. Still, searching takes linear time in the worst case.*
- *Traversal operations - The predecessor pointer problem again complicates implementing Predecessor with singly linked lists. The logical successor is equivalent to the node successor for both types of sorted lists, and hence can be implemented in constant time.*
- *Minimum/Maximum - The minimum element sits at the head of a sorted list, and so is easily retrieved. The maximum element is at the tail of the list, which normally requires $\Theta(n)$ time to reach in either singly or doubly linked lists.*

However, we can maintain a separate pointer to the list tail, provided we pay the maintenance costs for this pointer on every insertion and deletion. The tail pointer can be updated in constant time on doubly linked lists: on insertion check whether last->next still equals NULL, and on deletion set last to point to the list predecessor of last if the last element is deleted.

We have no efficient way to find this predecessor for singly linked lists. So why can we implement Maximum in $O(1)$? The trick is to charge the cost to each deletion, which already took linear time. Adding an extra linear sweep to update the pointer does not harm the asymptotic complexity of Delete, while gaining us Maximum (and similarly Minimum) in constant time as a reward for clear thinking.

0.51.1 Binary Search Trees

We have seen data structures that allow fast search or flexible update, but not fast search and flexible update. Unsorted, doubly linked lists supported insertion and deletion in $O(1)$ time but search took linear time in the worst case. Sorted arrays support binary search and logarithmic query times, but at the cost of linear-time update.

as shown in Figure 3.2 Overwrite the node that x points to with the contents of what $x.next$ points to, then deallocate the node that $x.next$ originally pointed to. Special care must be taken if x is the first node in the list, or the last node (by employing a permanent sentinel element that is always the last node in the list). But this would prevent us from having constant-time minimum/maximum operations, because we no longer have time to find new extreme elements after deletion.

Binary search requires that we have fast access to two elements—specifically the median elements above and below the given node. To combine these ideas, we need a "linked list" with two pointers per node. This is the basic idea behind binary search trees.

A rooted binary tree is recursively defined as either being (1) empty, or (2) consisting of a node called the root, together with two rooted binary trees called the left and right subtrees, respectively. The order among "sibling" nodes matters in rooted trees, that is, left is different from right. Figure 3.3 gives the shapes of the five distinct binary trees that can be formed on three nodes.

A binary search tree labels each node in a binary tree with a single key such that for any node labeled x , all nodes in the left subtree of x have keys $< x$ while all nodes in the right subtree of x have keys $> x$.⁴ This search tree labeling scheme is very special. For any binary tree on n nodes, and any set of n keys, there is exactly one labeling that makes it a binary search tree. Allowable labelings for three-node binary search trees are given in Figure 3.3

0.51.2 Implementing Binary Search Trees

Binary tree nodes have left and right pointer fields, an (optional) parent pointer, and a data field. These relationships are shown in Figure 3.4 a type declaration for the tree structure is given below:

```
typedef struct tree {
    item_type item; /* data item */
    struct tree *parent; /* pointer to parent */
    struct tree *left; /* pointer to left child */
    struct tree *right; /* pointer to right child */
} tree;
```

The basic operations supported by binary trees are searching, traversal, insertion, and deletion.

0.52 Searching in a Tree

The binary search tree labeling uniquely identifies where each key is located. Start at the root. Unless it contains the query key x , proceed either left or right depending upon whether x occurs before or after the root key. This algorithm works because both the left and right subtrees of a binary search tree are themselves binary search trees. This recursive structure yields the recursive search algorithm below:

⁴ Allowing duplicate keys in a binary search tree (or any other dictionary structure) is bad karma, often leading to very subtle errors. To better support repeated items, we can add a third pointer to each node, explicitly maintaining a list of all items with the given key.

```

tree *search_tree(tree *l, item_type x) {
    if (l == NULL) {
        return(NULL);
    }
    if (l->item == x) {
        return(l);
    }
    if (x < l->item) {
        return(search_tree(l->left, x));
    } else {
        return(search_tree(l->right, x));
    }
}

```

This search algorithm runs in $O(h)$ time, where h denotes the height of the tree.

0.53 Finding Minimum and Maximum Elements in a Tree

By definition, the smallest key must reside in the left subtree of the root, since all keys in the left subtree have values less than that of the root. Therefore, as shown in Figure 3.4 (center), the minimum element must be the left-most descendant of the root. Similarly, the maximum element must be the right-most descendant of the root.

```

tree *find_minimum(tree *t) {
    tree *min; /* pointer to minimum */
    if (t == NULL) {
        return(NULL);
    }
    min = t;
    while (min->left != NULL) {
        min = min->left;
    }
    return(min);
}

```

0.54 Traversal in a Tree

Visiting all the nodes in a rooted binary tree proves to be an important component of many algorithms. It is a special case of traversing all the nodes and edges in a graph, which will be the foundation of Chapter 7

A prime application of tree traversal is listing the labels of the tree nodes.

Binary search trees make it easy to report the labels in sorted order. By definition, all the keys smaller than the root must lie in the left subtree of the

root, and all keys bigger than the root in the right subtree. Thus, visiting the nodes recursively, in accord with such a policy, produces an in-order traversal of the search tree:

```
void traverse_tree(tree *l) {
    if (l != NULL) {
        traverse_tree(l->left);
        process_item(l->item);
        traverse_tree(l->right);
    }
}
```

Each item is processed only once during the course of traversal, so it runs in $O(n)$ time, where n denotes the number of nodes in the tree.

Different traversal orders come from changing the position of process_item relative to the traversals of the left and right subtrees. Processing the item first yields a pre-order traversal, while processing it last gives a post-order traversal. These make relatively little sense with search trees, but prove useful when the rooted tree represents arithmetic or logical expressions.

0.55 Insertion in a Tree

There is exactly one place to insert an item x into a binary search tree T so we can be certain where to find it again. We must replace the NULL pointer found in T after an unsuccessful query for the key of x .

*This implementation uses recursion to combine the search and node insertion stages of key insertion. The three arguments to insert_tree are (1) a pointer l to the pointer linking the search subtree to the rest of the tree, (2) the key x to be inserted, and (3) a parent pointer to the parent node containing l . The node is allocated and linked in after hitting the NULL pointer. Note that we pass the pointer to the appropriate left/right pointer in the node during the search, so the assignment $*l = p$; links the new node into the tree:*

```
void insert_tree(tree **l, item_type x, tree *parent) {
    tree *p; /* temporary pointer */
    if (*l == NULL) {
        p = malloc(sizeof(tree));
        p->item = x;
        p->left = p->right = NULL;
        p->parent = parent;
        *l = p;
        return;
    }
    if (x < (*l)->item) {
        insert_tree(&((*l)->left), x, *l);
    } else {
```

```

        insert_tree(&((*l)->right), x, *l);
    }
}

```

Allocating the node and linking it into the tree is a constant-time operation, after the search has been performed in $O(h)$ time. Here h denotes the height of the search tree.

0.56 Deletion from a Tree

Deletion is somewhat trickier than insertion, because removing a node means appropriately linking its two descendant subtrees back into the tree somewhere else. There are three cases, illustrated in Figure 3.5 Study this figure. Leaf nodes have no children, and so may be deleted simply by clearing the pointer to the given node.

The case of a doomed node having one child is also straightforward. We can link this child to the deleted node's parent without violating the in-order labeling property of the tree.

But what of a node with two children? Our solution is to relabel this node with the key of its immediate successor in sorted order. This successor must be the smallest value in the right subtree, specifically the left-most descendant in the right subtree p . Moving this descendant to the point of deletion results in a properly labeled binary search tree, and reduces our deletion problem to physically removing a node with at most one child—a case that has been resolved above. The full implementation has been omitted here because it looks a little ghastly, but the code follows logically from the description above.

The worst-case complexity analysis is as follows. Every deletion requires the cost of at most two search operations, each taking $O(h)$ time where h is the height of the tree, plus a constant amount of pointer manipulation.

0.56.1 How Good are Binary Search Trees?

When implemented using binary search trees, all three dictionary operations take $O(h)$ time, where h is the height of the tree. The smallest height we can hope for occurs when the tree is perfectly balanced, meaning that $h = \lceil \log n \rceil$.

This is very good, but the tree must be perfectly balanced.

Our insertion algorithm puts each new item at a leaf node where it should have been found. This makes the shape (and more importantly height) of the tree determined by the order in which we insert the keys.

Unfortunately, bad things can happen when building trees through insertion. The data structure has no control over the order of insertion. Consider what happens if the user inserts the keys in sorted order. The operations insert (a), followed by insert (b), insert (c), insert (d), ... will produce a skinny, linear-height tree where only right pointers are used.

Thus, binary trees can have heights ranging from $\lg n$ to n . But how tall are they on average? The average case analysis of algorithms can be tricky because

we must carefully specify what we mean by average. The question is well defined if we assume each of the $n!$ possible insertion orderings to be equally likely, and average over those. If this assumption is valid then we are in luck, because with high probability the resulting tree will have $\Theta(\log n)$ height. This will be shown in Section 4.6 (page 130).

This argument is an important example of the power of randomization. We can often develop simple algorithms that offer good performance with high probability. We will see that a similar idea underlies the fastest known sorting algorithm, quicksort.

0.56.2 Balanced Search Trees

Random search trees are usually good. But if we get unlucky with our order of insertion, we can end up with a linear-height tree in the worst case. This worst case is outside of our direct control, since we must build the tree in response to the requests given by our potentially nasty user.

What would be better is an insertion/deletion procedure that adjusts the tree a little after each insertion, keeping it close enough to be balanced that the maximum height is logarithmic. Sophisticated balanced binary search tree data structures have been developed that guarantee the height of the tree always to be $O(\log n)$. Therefore, all dictionary operations (insert, delete, query) take $O(\log n)$ time each. Implementations of balanced tree data structures such as red-black trees and splay trees are discussed in Section 15.1 (page 440).

From an algorithm design viewpoint, it is important to know that these trees exist and that they can be used as black boxes to provide an efficient dictionary implementation. When figuring the costs of dictionary operations for algorithm analysis, we can assume the worst-case complexities of balanced binary trees to be a fair measure.

Take-Home Lesson: Picking the wrong data structure for the job can be disastrous in terms of performance. Identifying the very best data structure is usually not as critical, because there can be several choices that perform in a similar manner.

0.57 Stop and Think: Exploiting Balanced Search Trees

Problem: You are given the task of reading n numbers and then printing them out in sorted order. Suppose you have access to a balanced dictionary data structure, which supports the operations search, insert, delete, minimum, maximum, successor, and predecessor each in $O(\log n)$ time. How can you sort in $O(n \log n)$ time using only:

- 1. insert and in-order traversal?*
- 2. minimum, successor, and insert?*

3. minimum, insert, and delete?

Solution: Every algorithm for sorting items using a binary search tree has to start by building the actual tree. This involves initializing the tree (basically setting the pointer t to $NULL$), and then reading/inserting each of the n items into t . This costs $O(n \log n)$, since each insertion takes at most $O(\log n)$ time.

Curiously, just building the data structure is a rate-limiting step for each of our sorting algorithms!

The first problem allows us to do insertion and in-order traversal. We can build a search tree by inserting all n elements, then do a traversal to access the items in sorted order.

The second problem allows us to use the minimum and successor operations after constructing the tree. We can start from the minimum element, and then repeatedly find the successor to traverse the elements in sorted order.

The third problem does not give us successor, but does allow us delete. We can repeatedly find and delete the minimum element to once again traverse all the elements in sorted order.

In summary, the solutions to the three problems are:

<i>Sort1()</i>	<i>Sort2() So</i>	
<i>initialize-tree(t)</i>	<i>initialize-tree(t)</i>	<i>initia</i>
<i>While (not EOF) read(x); insert (x, t)</i>	<i>While (not EOF) read(x); insert(x, t);</i>	<i>While (not EO</i>
<i>Traverse(t)</i>	<i>y = Minimum(t)</i>	<i>y =</i>
	<i>While (y $\neq$ NULL) do print (y $\rightarrow$ item)</i>	<i>While (y $\neq$ NU</i>
	<i>y = Successor(y, t)</i>	<i>Dele</i>
		<i>y =</i>

Each of these algorithms does a linear number of logarithmic-time operations, and hence runs in $O(n \log n)$ time. The key to exploiting balanced binary search trees is using them as black boxes.

0.57.1 Priority Queues

Many algorithms need to process items in a specific order. For example, suppose you must schedule jobs according to their importance relative to other jobs. Such scheduling requires sorting the jobs by importance, and then processing them in this sorted order.

The priority queue is an abstract data type that provides more flexibility than simple sorting, because it allows new elements to enter a system at arbitrary intervals. It can be much more cost-effective to insert a new job into a priority queue than to re-sort everything on each such arrival.

The basic priority queue supports three primary operations:

- *Insert(Q, x)-Given item x , insert it into the priority queue Q .*

- *Find-Minimum (Q) or Find-Maximum (Q)* - Return a pointer to the item whose key value is smallest (or largest) among all keys in priority queue Q.
- *Delete-Minimum (Q) or Delete-Maximum (Q)* - Remove the item whose key value is minimum (or maximum) from priority queue Q.

Naturally occurring processes are often informally modeled by priority queues. Single people maintain a priority queue of potential dating candidates, mentally if not explicitly. One's impression on meeting a new person maps directly to an attractiveness or desirability score, which serves as the key field for inserting this new entry into the "little black book" priority queue data structure. Dating is the process of extracting the most desirable person from the data structure (Find-Maximum), spending an evening to evaluate them better, and then reinserting them into the priority queue with a possibly revised score. *Take-Home Lesson: Building algorithms around data structures such as dictionaries and priority queues leads to both clean structure and good performance.*

0.58 Stop and Think: Basic Priority Queue Implementations

Problem: What is the worst-case time complexity of the three basic priority queue operations (insert, find-minimum, and delete-minimum) when the basic data structure is as follows:

- *An unsorted array.*
- *A sorted array.*
- *A balanced binary search tree.*

For sorted arrays, we can implement insert and delete in linear time, and minimum in constant time. However, priority queue deletions involve only the minimum element. By storing the sorted array in reverse order (largest value on top), the minimum element will always be the last one in the array. Deleting the tail element requires no movement of any items, just decrementing the number of remaining items n , and so delete-minimum can be implemented in constant time.

All this is fine, yet the table below claims we can implement find-minimum in constant time for each data structure:

Solution: There is surprising subtlety when implementing these operations, even using a data structure as simple as an unsorted array. The unsorted array dictionary (discussed on page 77) implements insertion and deletion in constant time, and search and minimum in linear time. A linear-time implementation of delete-minimum can be composed from find-minimum, followed by delete.

	<i>Unsorted array</i>	<i>Sorted array</i>	<i>Balanced tree</i>
<i>Insert</i> (Q, x)	$O(1)$	$O(n)$	$O(\log n)$
<i>Find-Minimum</i> (Q)	$O(1)$	$O(1)$	$O(1)$
<i>Delete-Minimum</i> (Q)	$O(n)$	$O(1)$	$O(\log n)$

The trick is using an extra variable to store a pointer/index to the minimum entry in each of these structures, so we can simply return this value whenever we are asked to find-minimum. Updating this pointer on each insertion is easy—we update it iff the newly inserted value is less than the current minimum. But what happens on a delete-minimum? We can delete that minimum element we point to, and then do a search to restore this canned value. The operation to identify the new minimum takes linear time on an unsorted array and logarithmic time on a tree, and hence can be folded into the cost of each deletion.

Priority queues are very useful data structures. Indeed, they will be the hero of two of our war stories. A particularly nice priority queue implementation (the heap) will be discussed in the context of sorting in Section 4.3 (page 115). Further, a complete set of priority queue implementations is presented in Section 15.2 (page 445) of the catalog.

0.58.1 War Story: Stripping Triangulations

Geometric models used in computer graphics are commonly represented by a triangulated surface, as shown in Figure 3.6(1). High-performance rendering engines have special hardware for rendering and shading triangles. This rendering hardware is so fast that the computational bottleneck becomes the cost of feeding the triangulation structure into the hardware engine.

Although each triangle can be described by specifying its three endpoints, an alternative representation proves more efficient. Instead of specifying each triangle in isolation, suppose that we partition the triangles into strips of adjacent triangles and walk along the strip. Since each triangle shares two vertices in common with its neighbors, we save the cost of retransmitting the two extra vertices and any associated information. To make the description of the triangles unambiguous, the Open GL triangular-mesh renderer assumes that all turns alternate left and right. The strip in Figure 3.7 (left) completely describes five triangles of the mesh with the vertex sequence $[1, 2, 3, 4, 5, 7, 6]$ and the implied left/right order. The strip on the right describes all seven triangles with specified turns: $[1, 2, 3, l - 4, r - 5, l - 7, r - 6, r - 1, r - 3]$.

The task was to find a small number of strips that together cover all the triangle in a mesh, without overlap. This can be thought of as a graph problem. The graph of interest has a vertex for every triangle of the mesh, and an edge between every pair of vertices representing adjacent triangles. This dual graph representation captures all the information about the triangulation (see Section 18.12 (page 581) needed to partition it into strips.

Once we had the dual graph, the project could begin in earnest. We sought to partition the dual graph's vertices into as few paths or strips as possible.

Partitioning it into one path implied that we had discovered a Hamiltonian path, which by definition visits each vertex exactly once. Since finding a Hamiltonian path is NP-complete (see Section 19.5 (page 598), we knew not to look for an optimal algorithm, but concentrate instead on heuristics.

The simplest approach for strip cover would start from an arbitrary triangle and then do a left-right walk until the walk ends, either by hitting the boundary of the object or a previously visited triangle. This heuristic had the advantage that it would be fast and simple, although there is no reason to expect that it must find the smallest possible set of left-right strips for a given triangulation.

The greedy heuristic should result in a relatively small number of strips, however. Greedy heuristics always try to grab the best possible thing first. In the case of the triangulation, the natural greedy heuristic would be to identify the starting triangle that yields the longest left-right strip, and peel that one off first.

Being greedy does not guarantee you the best possible solution overall, since the first strip you peel off might break apart a lot of potential strips we would have wanted to use later. Still, being greedy is a good rule of thumb if you want to get rich. Removing the longest strip leaves the fewest number of triangles remaining for later strips, so greedy should outperform the naive heuristic of pick anything.

But how much time does it take to find the largest strip to peel off next? Let k be the length of the walk possible from an average vertex. Using the simplest possible implementation, we could walk from each of the n vertices to find the largest remaining strip to report in $O(kn)$ time. Repeating this for each of the roughly n/k strips we extract yields an $O(n^2)$ -time implementation, which would be hopelessly slow on even a small model of 20,000 triangles.

How could we speed this up? It seems wasteful to re-walk from each triangle after deleting a single strip. We could maintain the lengths of all the possible future strips in a data structure. However, whenever we peel off a strip, we must update the lengths of all affected strips. These strips will be shortened because they walked through a triangle that now no longer exists. There are two aspects of such a data structure:

- *Priority queue - Since we were repeatedly identifying the longest remaining strip, we needed a priority queue to store the strips ordered according to length. The next strip to peel always sits at the top of the queue. Our priority queue had to permit reducing the priority of arbitrary elements of the queue whenever we updated the strip lengths to reflect what triangles were peeled away. Because all of the strip lengths were bounded by a fairly*

<i>Model name</i>	<i>Triangle count</i>	<i>Naïve cost</i>	<i>Greedy cost</i>	<i>Greedy time</i>
<i>Diver</i>	3,798	8,460	4,650	6.4 sec
<i>Heads</i>	4,157	10,588	4,749	9.9 sec
<i>Framework</i>	5,602	9,274	7,210	9.7 sec
<i>Bart Simpson</i>	9,654	24,934	11,676	20.5 sec
<i>Enterprise</i>	12,710	29,016	13,738	26.2 sec
<i>Torus</i>	20,000	40,000	20,200	272.7 sec
<i>Jaw</i>	75,842	104,203	95,020	136.2 sec

Figure 3.9: A comparison of the naive and greedy heuristics for several triangular meshes. Cost is the number of strips. Running time generally scales with triangle count, except for the highly symmetric torus with very long strips. small integer (hardware constraints prevent any strip from having more than 256 vertices), we used a bounded-height priority queue (an array of buckets, shown in Figure 3.8 and described in Section 15.2 (page 445)). An ordinary heap would also have worked just fine. To update the queue entry associated with each triangle, we needed to quickly find where it was. This meant that we also needed a ...

- *Dictionary* - For each triangle in the mesh, we had to find where it was in the queue. This meant storing a pointer to each triangle in a dictionary. By integrating this dictionary with the priority queue, we built a data structure capable of a wide range of operations.

Although there were various other complications, such as quickly recalculating the length of the strips affected by the peeling, the key idea needed to obtain better performance was to use the priority queue. Run time improved by several orders of magnitude after employing this data structure.

How much better did the greedy heuristic do than the naive heuristic? Study the table in Figure 3.9. In all cases, the greedy heuristic led to a set of strips that cost less, as measured by the total number of vertex occurrences in the strips. The savings ranged from about 10% to 50%, which is quite remarkable since the greatest possible improvement (going from three vertices per triangle down to one) yields a savings of only 66.6%.

After implementing the greedy heuristic with our priority queue data structure, the program ran in $O(n \cdot k)$ time, where n is the number of triangles and k is the length of the average strip. Thus, the torus, which consisted of a small number of very long strips, took longer than the jaw, even though the latter contained over three times as many triangles.

There are several lessons to be gleaned from this story. First, when working with a large enough data set, only linear or near-linear algorithms are likely to be fast enough. Second, choosing the right data structure is often the key to getting the time complexity down. Finally, using the greedy heuristic can significantly improve performance over the naive approach. How much this improvement will be can only be determined by experimentation.

0.58.2 Hashing

Hash tables are a very practical way to maintain a dictionary. They exploit the fact that looking an item up in an array takes constant time once you have its index. A hash function is a mathematical function that maps keys to integers. We will use the value of our hash function as an index into an array, and store our item at that position.

The first step of the hash function is usually to map each key (here the string S) to a big integer. Let α be the size of the alphabet on which S is written. Let $\text{char}(c)$ be a function that maps each symbol of the alphabet to a unique integer from 0 to $\alpha - 1$. The function

$$H(S) = \alpha^{|S|} + \sum_{i=0}^{|S|-1} \alpha^{|S|-(i+1)} \times \text{char}(s_i)$$

maps each string to a unique (but large) integer by treating the characters of the string as "digits" in a base- α number system.

This creates unique identifier numbers, but they are so large they will quickly exceed the number of desired slots in our hash table (denoted by m). We must reduce this number to an integer between 0 and $m - 1$, by taking the remainder $H'(S) = H(S) \bmod m$. This works on the same principle as a roulette wheel. The ball travels a long distance, around and around the circumference- m wheel $\lfloor H(S)/m \rfloor$ times before settling down to a random bin. If the table size is selected with enough finesse (ideally m is a large prime not too close to $2^i - 1$), the resulting hash values should be fairly uniformly distributed.

0.58.3 Collision Resolution

No matter how good our hash function is, we had better be prepared for collisions, because two distinct keys will at least occasionally hash to the same value. There are two different approaches for maintaining a hash table:

- *Chaining represents a hash table as an array of m linked lists ("buckets"), as shown in Figure 3.10. The i th list will contain all the items that hash to the value of i . Search, insertion, and deletion thus reduce to the corresponding problem in linked lists. If the n keys are distributed uniformly in a table, each list will contain roughly n/m elements, making them a constant size when $m \approx n$.*

Chaining is very natural, but devotes a considerable amount of memory to pointers. This is space that could be used to make the table larger, which reduces the likelihood of collisions. In fact, the highest-performing hash tables generally rely on an alternative method called open addressing.

0	1	2	3	4	5	6	7	8	9
34	5	55	21		2		3	8	13

Figure 3.11: Collision resolution by open addressing and sequential probing, after inserting the first eight Fibonacci numbers in increasing order with $H(x) = (2x + 1) \bmod 10$. The red elements have been bumped to the first open slot after the desired location.

- Open addressing maintains the hash table as a simple array of elements (not buckets). Each cell is initialized to null, as shown in Figure 3.11. On each insertion, we check to see whether the desired cell is empty; if so, we insert the item there. But if the cell is already occupied, we must find some other place to put the item. The simplest possibility (called sequential probing) inserts the item into the next open cell in the table. Provided the table is not too full, the contiguous runs of non-empty cells should be fairly short, hence this location should be only a few cells away from its intended position. Searching for a given key now involves going to the appropriate hash value and checking to see if the item there is the one we want. If so, return it. Otherwise we must keep checking through the length of the run. Deletion in an open addressing scheme can get ugly, since removing one element might break a chain of insertions, making some elements inaccessible. We have no alternative but to reinsert all the items in the run that follows the new hole.

Chaining and open addressing both cost $O(m)$ to initialize an m -element hash table to null elements prior to the first insertion.

When using chaining with doubly linked lists to resolve collisions in an m -element hash table, the dictionary operations for n items can be implemented in the following expected and worst case times:

	Hash table (expected)	Hash table (worst case)
Search (L, k)	$O(n/m)$	$O(n)$
Insert(L, x)	$O(1)$	$O(1)$
Delete (L, x)	$O(1)$	$O(1)$
Successor (L, x)	$O(n + m)$	$O(n + m)$
Predecessor (L, x)	$O(n + m)$	$O(n + m)$
Minimum (L)	$O(n + m)$	$O(n + m)$
Maximum (L)	$O(n + m)$	$O(n + m)$

Traversing all the elements in the table takes $O(n + m)$ time for chaining, since we have to scan all m buckets looking for elements, even if the actual number of inserted items is small. This reduces to $O(m)$ time for open addressing, since n must be at most m .

Pragmatically, a hash table often is the best data structure to maintain a dictionary. The applications of hashing go far beyond dictionaries, however, as we will see below.

0.58.4 Duplicate Detection via Hashing

The key idea of hashing is to represent a large object (be it a key, a string, or a substring) by a single number. We get a representation of the large object by a value that can be manipulated in constant time, such that it is relatively unlikely that two different large objects map to the same value.

Hashing has a variety of clever applications beyond just speeding up search. I once heard Udi Manber - at one point responsible for all search products at Google - talk about the algorithms employed in industry. The three most important algorithms, he explained, were "hashing, hashing, and hashing."

Consider the following problems with nice hashing solutions:

- *Is a given document unique within a large corpus? - Google crawls yet another webpage. How can it tell whether this is new content never seen before, or just a duplicate page that exists elsewhere on the web?*

Explicitly comparing the new document D against all n previous documents is hopelessly inefficient for a large corpus. However, we can hash D to an integer, and compare $H(D)$ to the hash codes of the rest of the corpus. Only if there is a collision might D be a possible duplicate. Since we expect few spurious collisions, we can explicitly compare the few documents sharing a particular hash code with little total effort.

- *Is part of this document plagiarized? - A lazy student copies a portion of a web document into their term paper. "The web is a big place," he smirks. "How will anyone ever find the page I stole this from?"*

This is a more difficult problem than the previous application. Adding, deleting, or changing even one character from a document will completely change its hash code. The hash codes produced in the previous application thus cannot help for this more general problem.

However, we could build a hash table of all overlapping windows (substrings) of length w in all the documents in the corpus. Whenever there is a match of hash codes, there is likely a common substring of length w between the two documents, which can then be further investigated. We should choose w to be long enough so such a co-occurrence is very unlikely to happen by chance.

The biggest downside of this scheme is that the size of the hash table becomes as large as the document corpus itself. Retaining a small but well-chosen subset of these hash codes is exactly the goal of min-wise hashing, discussed in Section 6.6

- *How can I convince you that a file isn't changed? - In a closed-bid auction, each party submits their bid in secret before the announced deadline. If you knew what the other parties were bidding, you could arrange to bid \$1 more than the highest opponent and walk off with*

the prize as cheaply as possible. The "right" auction strategy would thus be to hack into the computer containing the bids just prior to the deadline, read the bids, and then magically emerge as the winner.

How can this be prevented? What if everyone submits a hash code of their actual bid prior to the deadline, and then submits the full bid only after the deadline? The auctioneer will pick the largest full bid, but checks to make sure the hash code matches what was submitted prior to the deadline. Such cryptographic hashing methods provide a way to ensure that the file you give me today is the same as the original, because any change to the file will change the hash code.

Although the worst-case bounds on anything involving hashing are dismal, with a proper hash function we can confidently expect good behavior. Hashing is a fundamental idea in randomized algorithms, yielding linear expected-time algorithms for problems that are $\Theta(n \log n)$ or $\Theta(n^2)$ in the worst case.

0.58.5 Other Hashing Tricks

Hash functions provide useful tools for many things beyond powering hash tables. The fundamental idea is of many-to-one mappings, where many is controlled so it is very unlikely to be too many.

0.58.6 Canonicalization

Consider a word game that gives you a set of letters S , and asks you to find all dictionary words that can be made by reordering them. For example, I can

make three words from the four letters in $S = (a, e, k, l)$, namely kale, lake, and leak.

Think how you might write a program to find the matching words for S , given a dictionary D of n words. Perhaps the most straightforward approach is to test each word $d \in D$ against the characters of S . This takes time linear in n for each S , and the test is somewhat tricky to program.

What if we instead hash every word in D to a string, by sorting the word's letters. Now kale goes to $aekl$, as do lake and leak. By building a hash table with the sorted strings as keys, all words with the same letter distribution get hashed to the same bucket. Once you have built this hash table, you can use it for different query sets S . The time for each query will be proportional to the number of matching words in D , which is a lot smaller than n .

Which set of k letters can be used to make the most dictionary words? This seems like a much harder problem, because there are α^k possible letter sets, where α is the size of the alphabet. But observe that the answer is simply

the hash code with the largest number of collisions. Sweeping over a sorted array of hash codes (or walking through each bucket in a chained hash table) makes this fast and easy.

This is a good example of the power of canonicalization, reducing complicated objects to a standard (i.e. "canonical") form. String transformations like reducing letters to lower case or stemming (removing word suffixes like -ed, -s, or -ing) result in increased matches, because multiple strings collide on the same code. Soundex is a canonicalization scheme for names, so spelling variants of "Skiena" like "Skina", "Skinnia", and "Schiena" all get hashed to the same Soundex code, S25. Soundex is described in more detail in Section 21.4

For hash tables, collisions are very bad. But for pattern matching problems like these, collisions are exactly what we want.

0.58.7 Compaction

Suppose that you wanted to sort all n books in the library, not by their titles but by the contents of the actual text. Bulwer-Lytton's BL30] "It was a dark and stormy night..." would appear before this book's "What is an algorithm?..." Assuming the average book is $m \approx 100,000$ words long, doing this sort seems an expensive and clumsy job since each comparison involves two books.

But suppose we instead represent each book by the first (say) 100 characters, and sort these strings. There will be collisions involving duplicates of the same prefix, involving multiple editions or perhaps plagiarism, but these will be quite rare. After sorting the prefixes, we can then resolve the collisions by comparing the full texts. The world's fastest sorting programs use this idea, as discussed in Section 17.1

This is an example of hashing for compaction, also called fingerprinting, where we represent large objects by small hash codes. It is easier to work with small objects than large ones, and the hash code generally preserves the identity of each item. The hash function here is trivial (just take the prefix) but it is designed to accomplish a specific goal - not to maintain a hash table. More

sophisticated hash functions can make the probability of collisions between even slightly different objects vanishingly low.

0.58.8 Specialized Data Structures

The basic data structures described thus far all represent an unstructured set of items so as to facilitate retrieval operations. These data structures are well known to most programmers. Not as well known are data structures for representing more specialized kinds of objects, such as points in space, strings, and graphs.

The design principles of these data structures are the same as for basic objects. There exists a set of basic operations we need to perform repeatedly. We seek a data structure that allows these operations to be performed very efficiently. These specialized data structures are important for efficient graph and geometric algorithms, so one should be aware of their existence:

- *String data structures* - Character strings are typically represented by arrays of characters, perhaps with a special character to mark the end of the string. Suffix trees/arrays are special data structures that preprocess strings to make pattern matching operations faster. See Section 15.3 (page 448) for details.
- *Geometric data structures* - Geometric data typically consists of collections of data points and regions. Regions in the plane can be described by polygons, where the boundary of the polygon is a closed chain of line segments. A polygon P can be represented using an array of points $(v_1, \dots, v_n, v_1)$, such that (v_i, v_{i+1}) is a segment of the boundary of P . Spatial data structures such as kd-trees organize points and regions by geometric location to support fast search operations. See Section 15.6 (page 460).
- *Graph data structures* - Graphs are typically represented using either adjacency matrices or adjacency lists. The choice of representation can have a substantial impact on the design of the resulting graph algorithms, and will be discussed in Chapter 7 and in the catalog in Section 15.4.
- *Set data structures* - Subsets of items are typically represented using a dictionary to support fast membership queries. Alternatively, bit vectors are Boolean arrays such that the i th bit is 1 if i is in the subset. Data structures for manipulating sets is presented in the catalog in Section 15.5.

0.58.9 War Story: String 'em Up

The human genome encodes all the information necessary to build a person. Sequencing the genome has had an enormous impact on medicine and molecular biology. Algorists like me have become interested in bioinformatics, for several reasons:

- *DNA sequences can be accurately represented as strings of characters on the four-letter alphabet (A,C,T,G). The needs of biologist have sparked new interest in old algorithmic problems such as string matching (see Section 21.3 (page 685) as well as creating new problems such as shortest common superstring (see Section 21.9 (page 709)).*
- *DNA sequences are very long strings. The human genome is approximately three billion base pairs (or characters) long. Such large*

problem size means that asymptotic (Big Oh) complexity analysis is fully justified on biological problems.

- *Enough money is being invested in genomics for computer scientists to want to claim their piece of the action.*

One of my interests in computational biology revolved around a proposed technique for DNA sequencing called sequencing by hybridization (SBH). This procedure attaches a set of probes to an array, forming a sequencing chip. Each of these probes determines whether or not the probe string occurs as a substring of the DNA target. The target DNA can now be sequenced based on the constraints of which strings are (and are not) substrings of the target.

We sought to identify all the strings of length $2k$ that are possible substrings of an unknown string S , given the set of all length- k substrings of S . For example, suppose we know that AC , CA , and CC are the only length- 2 substrings of S . It is possible that $ACCA$ is a substring of S , since the center substring is one of our possibilities. However, $CAAC$ cannot be a substring of S , since AA is not a substring of S . We needed to find a fast algorithm to construct all the consistent length- $2k$ strings, since S could be very long.

The simplest algorithm to build the $2k$ strings would be to concatenate all $O(n^2)$ pairs of k -strings together, and then test to make sure that all $(k-1)$ length- k substrings spanning the boundary of the concatenation were in fact substrings, as shown in Figure 3.12. For example, the nine possible concatenations of AC , CA , and CC are $ACAC$, $ACCA$, $ACCC$, $CAAC$, $CACA$, $CACC$, $CCAC$, $CCCA$, and $CCCC$. Only $CAAC$ can be eliminated, because of the absence of AA as a substring of S .

We needed a fast way of testing whether the $k-1$ substrings straddling the concatenation were members of our dictionary of permissible k -strings. The time it takes to do this depends upon which dictionary data structure we use. A binary search tree could find the correct string within $O(\log n)$ comparisons, where each comparison involved testing which of two length- k strings appeared first in alphabetical order. The total time using such a binary search tree would be $O(k \log n)$.

That seemed pretty good. So my graduate student, Dimitris Margaritis, used a binary search tree data structure for our implementation. It worked great up until the moment we ran it.

"I've tried the fastest computer we have, but our program is too slow," Dimitris complained. "It takes forever on string lengths of only 2,000 characters. We will never get up to $n = 50,000$."

We profiled our program and discovered that almost all the time was spent searching in this data structure. This was no surprise, since we did this $k-1$ times for each of the $O(n^2)$ possible concatenations. We needed a

faster dictionary data structure, since search was the innermost operation in such a deep loop.

"How about using a hash table?" I suggested. "It should take $O(k)$ time to hash a k -character string and look it up in our table. That should knock off a factor of $O(\log n)$."

Dimitris went back and implemented a hash table implementation for our dictionary. Again, it worked great, up until the moment we ran it.

"Our program is still too slow," Dimitris complained. "Sure, it is now about ten times faster on strings of length 2,000. So now we can get up to about 4,000 characters. Big deal. We will never get up to 50,000."

"We should have expected this," I mused. "After all, $\lg_2(2,000) \approx 11$. We need a faster data structure to search in our dictionary of strings."

"But what can be faster than a hash table?" Dimitris countered. "To look up a k -character string, you must read all k characters. Our hash table already does $O(k)$ searching."

"Sure, it takes k comparisons to test the first substring. But maybe we can do better on the second test. Remember where our dictionary queries are coming from. When we concatenate $ABCD$ with $EFGH$, we are first testing whether $BCDE$ is in the dictionary, then $CDEF$. These strings differ from each other by only one character. We should be able to exploit this so each subsequent test takes constant time to perform. . ."

"We can't do that with a hash table," Dimitris observed. "The second key is not going to be anywhere near the first in the table. A binary search tree won't help, either. Since the keys $ABCD$ and $BCDE$ differ according to the first character, the two strings will be in different parts of the tree."

"But we can use a suffix tree to do this," I countered. "A suffix tree is a trie containing all the suffixes of a given set of strings. For example, the suffixes of $ACAC$ are $\{ACAC, CAC, AC, C\}$. Coupled with suffixes of string $CACT$,

we get the suffix tree of Figure 3.13. By following a pointer from $ACAC$ to its longest proper suffix CAC , we get to the right place to test whether $CACT$ is in our set of strings. One character comparison is all we need to do from there."

Suffix trees are amazing data structures, discussed in considerably more detail in Section 15.3 (page 448). Dimitris did some reading about them, then built a nice suffix tree implementation for our dictionary. Once again, it worked great up until the moment we ran it.

"Now our program is faster, but it runs out of memory," Dimitris complained. "The suffix tree builds a path of length k for each suffix of length k , so all told there can be $\Theta(n^2)$ nodes in the tree. It crashes when we go beyond 2,000 characters. We will never get up to strings with 50,000 characters."

I wasn't ready to give up yet. "There is a way around the space problem, by using compressed suffix trees," I recalled. "Instead of explicitly representing long paths of character nodes, we can refer back to the original string."

Compressed suffix trees always take linear space, as described in Section 15.3 (page 448).

Dimitris went back one last time and implemented the compressed suffix tree data structure. Now it worked great! As shown in Figure 3.14 we ran our simulation for strings of length $n = 65,536$ without incident. Our results showed that interactive SBH could be a very efficient sequencing technique. Based on these simulations, we were able to arouse interest in our technique from biologists. Making the actual wet laboratory experiments feasible provided another computational challenge, which is reported in Section 12.8 (page 414).

The take-home lessons for programmers should be apparent. We isolated a single operation (dictionary string search) that was being performed repeatedly and optimized the data structure to support it. When an improved dictionary structure still did not suffice, we looked deeper into the kind of queries we were performing, so that we could identify an even better data structure. Finally, we didn't give up until we had achieved the level of performance we needed. In algorithms, as in life, persistence usually pays off.

String length	Binary tree	Hash table	Suffix tree	Compressed tree
8	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0
32	0.1	0.0	0.0	0.0
64	0.3	0.4	0.3	0.0
128	2.4	1.1	0.5	0.0
256	17.1	9.4	3.8	0.2
512	31.6	67.0	6.9	1.3
1,024	1,828.9	96.6	31.5	2.7
2,048	11,441.7	941.7	553.6	39.0
4,096	> 2 days	5,246.7	out of	45.4
8,192		> 2 days	memory	642.0
16,384				1,614.0
32,768				13,657.8
65,536				39,776.9

Figure 3.14: Run times (in seconds) for the SBH simulation using various data structures, as a function of the string length n .

0.59 Chapter Notes

Optimizing hash table performance is surprisingly complicated for such a conceptually simple data structure. The importance of short runs in open

addressing has led to more sophisticated schemes than sequential probing for optimal hash table performance. For more details, see Knuth Knu98.

My thinking on hashing was profoundly influenced by a talk by Mihai Patrascu, a brilliant theoretician who sadly died before he turned 30. More detailed treatments on hashing and randomized algorithms include Motwani and Raghavan MR95 and Mitzenmacher and Upfal MU17.

Our triangle strip optimizing program, *stripe*, is described in Evans et al. ESV96. Hashing techniques for plagiarism detection are discussed in Schlieimer et al. SWA03].

Surveys of algorithmic issues in DNA sequencing by hybridization include Chetverin and Kramer [CK94] and Pevzner and Lipshutz [PL94]. Our work on interactive SBH reported in the war story is reported in Margaritis and Skiena MS95a.

0.60 Stacks, Queues, and Lists

3-1. [3] A common problem for compilers and text editors is determining whether the parentheses in a string are balanced and properly nested. For example, the string `((()))()` contains properly nested pairs of parentheses, while the strings `)()()` and `()` do not. Give an algorithm that returns true if a string contains properly nested and balanced parentheses, and false if otherwise. For full credit, identify the position of the first offending parenthesis if the string is not properly nested and balanced.

3-2. [5] Give an algorithm that takes a string S consisting of opening and closing parentheses, say `)((()())())()`, and finds the length of the longest balanced parentheses in S , which is 12 in the example above. (Hint: The solution is not necessarily a contiguous run of parenthesis from S .)

3-3. [3] Give an algorithm to reverse the direction of a given singly linked list. In other words, after the reversal all pointers should now point backwards. Your algorithm should take linear time.

3-4. [5] Design a stack S that supports $S.push(x)$, $S.pop()$, and $S.findmin()$, which returns the minimum element of S . All operations should run in constant time.

3-5. [5] We have seen how dynamic arrays enable arrays to grow while still achieving constant-time amortized performance. This problem concerns extending dynamic arrays to let them both grow and shrink on demand.

(a) Consider an underflow strategy that cuts the array size in half whenever the array falls below half full. Give an example sequence of insertions and deletions where this strategy gives a bad amortized cost.

(b) Then, give a better underflow strategy than that suggested above, one that achieves constant amortized cost per deletion.

3-6. [3] Suppose you seek to maintain the contents of a refrigerator so as to minimize food spoilage. What data structure should you use, and how should you use it?

3-7. [5] Work out the details of supporting constant-time deletion from a singly linked list as per the footnote from page 79 ideally to an actual implementation. Support the other operations as efficiently as possible.

0.61 Elementary Data Structures

3-8. [5] Tic-tac-toe is a game played on an $n \times n$ board (typically $n = 3$) where two players take consecutive turns placing "O" and "X" marks onto the board cells. The game is won if n consecutive "O" or "X" marks are placed in a row, column, or diagonal. Create a data structure with $O(n)$ space that accepts a sequence of moves, and reports in constant time whether the last move won the game.

3-9. [3] Write a function which, given a sequence of digits 2-9 and a dictionary of n words, reports all words described by this sequence when typed in on a standard telephone keypad. For the sequence 269 you should return any, box, boy, and cow, among other words.

3-10. [3] Two strings X and Y are anagrams if the letters of X can be rearranged to form Y . For example, silent/listen, and incest/insect are anagrams. Give an efficient algorithm to determine whether strings X and Y are anagrams.

0.62 Trees and Other Dictionary Structures

3-11. [3] Design a dictionary data structure in which search, insertion, and deletion can all be processed in $O(1)$ time in the worst case. You may assume the set elements are integers drawn from a finite set $1, 2, \dots, n$, and initialization can take $O(n)$ time.

3-12. [3] The maximum depth of a binary tree is the number of nodes on the path from the root down to the most distant leaf node. Give an $O(n)$ algorithm to find the maximum depth of a binary tree with n nodes.

3-13. [5] Two elements of a binary search tree have been swapped by mistake. Give an $O(n)$ algorithm to identify these two elements so they can be swapped back.

3-14. [5] Given two binary search trees, merge them into a doubly linked list in sorted order.

3-15. [5] Describe an $O(n)$ -time algorithm that takes an n -node binary search tree and constructs an equivalent height-balanced binary search tree. In a heightbalanced binary search tree, the difference between the height of the left and right subtrees of every node is never more than 1.

3-16. [3] Find the storage efficiency ratio (the ratio of data space over total space) for each of the following binary tree implementations on n nodes:

- (a) All nodes store data, two child pointers, and a parent pointer. The data field requires 4 bytes and each pointer requires 4 bytes.
- (b) Only leaf nodes store data; internal nodes store two child pointers. The data field requires four bytes and each pointer requires two bytes.

3-17. [5] Give an $O(n)$ algorithm that determines whether a given n -node binary tree is height-balanced (see Problem 3-15).

3-18. [5] Describe how to modify any balanced tree data structure such that search, insert, delete, minimum, and maximum still take $O(\log n)$ time each, but successor and predecessor now take $O(1)$ time each. Which operations have to be modified to support this?

3-19. [5] Suppose you have access to a balanced dictionary data structure that supports each of the operations search, insert, delete, minimum, maximum, successor, and predecessor in $O(\log n)$ time. Explain how to modify the insert and delete operations so they still take $O(\log n)$ but now minimum and maximum take $O(1)$ time. (Hint: think in terms of using the abstract dictionary operations, instead of mucking about with pointers and the like.)

3-20. [5] Design a data structure to support the following operations:

- insert(x, T) - Insert item x into the set T .
- delete(k, T) - Delete the k th smallest element from T .
- member(x, T) - Return true iff $x \in T$.

All operations must take $O(\log n)$ time on an n -element set.

3-21. [8] A concatenate operation takes two sets S_1 and S_2 , where every key in S_1 is smaller than any key in S_2 , and merges them. Give an algorithm to concatenate two binary search trees into one binary search tree. The worst-case running time should be $O(h)$, where h is the maximal height of the two trees.

0.63 Applications of Tree Structures

3-22. [5] Design a data structure that supports the following two operations:

- insert(x) - Insert item x from the data stream to the data structure.
- median() - Return the median of all elements so far.

All operations must take $O(\log n)$ time on an n -element set.

3-23. [5] Assume we are given a standard dictionary (balanced binary search tree) defined on a set of n strings, each of length at most l . We

seek to print out all strings beginning with a particular prefix p . Show how to do this in $O(m \log n)$ time, where m is the number of strings.

3-24. [5] An array A is called k -unique if it does not contain a pair of duplicate elements within k positions of each other, that is, there is no i and j such that $A[i] = A[j]$ and $|j - i| \leq k$. Design a worst-case $O(n \log k)$ algorithm to test if A is k -unique.

3-25. [5] In the bin-packing problem, we are given n objects, each weighing at most 1 kilogram. Our goal is to find the smallest number of bins that will hold the n objects, with each bin holding 1 kilogram at most.

- The best-fit heuristic for bin packing is as follows. Consider the objects in the order in which they are given. For each object, place it into the partially filled bin with the smallest amount of extra room after the object is inserted. If no such bin exists, start a new bin. Design an algorithm that implements the best-fit heuristic (taking as input the n weights $w_1, w_2, \dots, w_n$ and outputting the number of bins used) in $O(n \log n)$ time.
- Repeat the above using the worst-fit heuristic, where we put the next object into the partially filled bin with the largest amount of extra room after the object is inserted.

3-26. [5] Suppose that we are given a sequence of n values $x_1, x_2, \dots, x_n$ and seek to quickly answer repeated queries of the form: given i and j , find the smallest value in $x_i, \dots, x_j$.

(a) Design a data structure that uses $O(n^2)$ space and answers queries in $O(1)$ time.

(b) Design a data structure that uses $O(n)$ space and answers queries in $O(\log n)$ time. For partial credit, your data structure can use $O(n \log n)$ space and have $O(\log n)$ query time.

3-27. [5] Suppose you are given an input set S of n integers, and a black box that if given any sequence of integers and an integer k instantly and correctly answers whether there is a subset of the input sequence whose sum is exactly k . Show how to use the black box $O(n)$ times to find a subset of S that adds up to k .

3-28. [5] Let $A[1..n]$ be an array of real numbers. Design an algorithm to perform any sequence of the following operations:

- $\text{Add}(i, y)$ - Add the value y to the i th number.
- $\text{Partial-sum}(i)$ - Return the sum of the first i numbers, that is, $\sum_{j=1}^i A[j]$.

There are no insertions or deletions; the only change is to the values of the numbers. Each operation should take $O(\log n)$ steps. You may use one additional array of size n as a work space.

3-29. [8] Extend the data structure of the previous problem to support insertions and deletions. Each element now has both a key and a value.

An element is accessed by its key, but the addition operation is applied to the values. The *Partial_sum* operation is different.

- *Add*(k, y) - Add the value y to the item with key k .
- *Insert* (k, y) - Insert a new item with key k and value y .
- *Delete* (k) - Delete the item with key k .
- *Partial-sum* (k) - Return the sum of all the elements currently in the set whose key is less than k , that is, $\sum_{i < k} x_i$.

The worst-case running time should still be $O(n \log n)$ for any sequence of $O(n)$ operations.

3-30. [8] You are consulting for a hotel that has n one-bed rooms. When a guest checks in, they ask for a room whose number is in the range $[l, h]$. Propose a data structure that supports the following data operations in the allotted time:

- (a) *Initialize* (n): Initialize the data structure for empty rooms numbered $1, 2, \dots, n$, in polynomial time.
- (b) *Count* (l, h): Return the number of available rooms in $[l, h]$, in $O(\log n)$ time.
- (c) *Checkin* (l, h): In $O(\log n)$ time, return the first empty room in $[l, h]$ and mark it occupied, or return *NIL* if all the rooms in $[l, h]$ are occupied.
- (d) *Checkout* (x): Mark room x as unoccupied, in $O(\log n)$ time.

3-31. [8] Design a data structure that allows one to search, insert, and delete an integer X in $O(1)$ time (i.e., constant time, independent of the total number of integers stored). Assume that $1 \leq X \leq n$ and that there are $m + n$ units of space available, where m is the maximum number of integers that can be in the table at any one time. (Hint: use two arrays $A[1..n]$ and $B[1..m]$.) You are not allowed to initialize either A or B , as that would take $O(m)$ or $O(n)$ operations. This means the arrays are full of random garbage to begin with, so you must be very careful.

0.64 Implementation Projects

3-32. [5] Implement versions of several different dictionary data structures, such as linked lists, binary trees, balanced binary search trees, and hash tables. Conduct experiments to assess the relative performance of these data structures in a simple application that reads a large text file and reports exactly one instance of each word that appears within it. This application can be efficiently implemented by maintaining a dictionary of all distinct words that have appeared thus far in the text and inserting/reporting each new word that appears in the stream. Write a brief report with your conclusions.

3-33. [5] A Caesar shift (see Section 21.6 (page 697)) is a very simple class of ciphers for secret messages. Unfortunately, they can be broken using

statistical properties of English. Develop a program capable of decrypting Caesar shifts of sufficiently long texts.

0.65 Interview Problems

3-34. [3] *What method would you use to look up a word in a dictionary?*

3-35. [3] *Imagine you have a closet full of shirts. What can you do to organize your shirts for easy retrieval?*

3 – 36. [4] *Write a function to find the middle node of a singly linked list.*

3-37. [4] *Write a function to determine whether two binary trees are identical. Identical trees have the same key value at each position and the same structure.*

3-38. [4] *Write a program to convert a binary search tree into a linked list.*

3-39. [4] *Implement an algorithm to reverse a linked list. Now do it without recursion.*

3-40. [5] *What is the best data structure for maintaining URLs that have been visited by a web crawler? Give an algorithm to test whether a given URL has already been visited, optimizing both space and time.*

3 – 41. [4] *You are given a search string and a magazine. You seek to generate all the characters in the search string by cutting them out from the magazine. Give an algorithm to efficiently determine whether the magazine contains all the letters in the search string.*

3 – 42. [4] *Reverse the words in a sentence - that is, "My name is Chris" becomes "Chris is name My." Optimize for time and space.*

3-43. [5] *Determine whether a linked list contains a loop as quickly as possible without using any extra storage. Also, identify the location of the loop.*

3-44. [5] *You have an unordered array X of n integers. Find the array M containing n elements where M_i is the product of all integers in X except for X_i . You may not use division. You can use extra memory. (Hint: there are solutions faster than $O(n^2)$.)*

3-45. [6] *Give an algorithm for finding an ordered word pair (e.g. "New York") occurring with the greatest frequency in a given webpage. Which data structures would you use? Optimize both time and space.*

0.66 LeetCode

3-1. <https://leetcode.com/problems/validate-binary-search-tree/>

3-2. <https://leetcode.com/problems/count-of-smaller-numbers-after-self/>

3-3. <https://leetcode.com/problems/construct-binary-tree-from-preorder-and-inorder-traversal/>

0.67 HackerRank

- 3-1. <https://www.hackerrank.com/challenges/is-binary-search-tree/>
- 3-2. <https://www.hackerrank.com/challenges/queue-using-two-stacks/>
- 3-3. <https://www.hackerrank.com/challenges/detect-whether-a-linked-list-contains-a-cycle/problem>

0.68 Programming Challenges

These programming challenge problems with robot judging are available at <https://onlinejudge.org>

- 3-1. "Jolly Jumpers" - Chapter 2, problem 10038.
- 3-2. "Crypt Kicker" - Chapter 2, problem 843.
- 3-3. "Where's Waldorf?" - Chapter 3, problem 10010.
- 3-4. "Crypt Kicker II" - Chapter 3, problem 850.

0.69 Sorting

Typical computer science students study the basic sorting algorithms at least three times before they graduate: first in introductory programming, then in data structures, and finally in their algorithms course. Why is sorting worth so much attention? There are several reasons:

- *Sorting is the basic building block that many other algorithms are built around. By understanding sorting, we obtain an amazing amount of power to solve other problems.*
- *Most of the interesting ideas used in the design of algorithms appear in the context of sorting, such as divide-and-conquer, data structures, and randomized algorithms.*
- *Sorting is the most thoroughly studied problem in computer science. Literally dozens of different algorithms are known, most of which possess some particular advantage over all other algorithms in certain situations.*

This chapter will discuss sorting, stressing how sorting can be applied to solving other problems. In this sense, sorting behaves more like a data structure than a problem in its own right. I then give detailed presentations of several fundamental algorithms: heapsort, mergesort, quicksort, and distribution sort as examples of important algorithm design paradigms. Sorting is also represented by Section 17.1 (page 506 in the problem catalog.

0.69.1 Applications of Sorting

I will review several sorting algorithms and their complexities over the course of this chapter. But the punch line is this: clever sorting algorithms exist that run in $O(n \log n)$. This is a big improvement over naive $O(n^2)$ sorting algorithms, for large values of n . Consider the number of steps done by two different sorting algorithms for reasonable values of n :

n	$n^2/4$	$n \lg n$
10	25	33
100	2,500	664
1,000	250,000	9,965
10,000	25,000,000	132,877
100,000	2,500,000,000	1,660,960

You might survive using a quadratic-time algorithm even if $n = 10,000$, but the slow algorithm clearly gets ridiculous once $n \geq 100,000$.

Many important problems can be reduced to sorting, so we can use our clever $O(n \log n)$ algorithms to do work that might otherwise seem to require a quadratic algorithm. An important algorithm design technique is to use sorting as a basic building block, because many other problems become easy once a set of items is sorted.

Consider the following applications:

- *Searching - Binary search tests whether an item is in a dictionary in $O(\log n)$ time, provided the keys are all sorted. Search preprocessing is perhaps the single most important application of sorting.*
- *Closest pair - Given a set of n numbers, how do you find the pair of numbers that have the smallest difference between them? Once the numbers are sorted, the closest pair of numbers must lie next to each other somewhere in sorted order. Thus, a linear-time scan through the sorted list completes the job, for a total of $O(n \log n)$ time including the sorting.*
- *Element uniqueness - Are there any duplicates in a given set of n items? This is a special case of the closest-pair problem, where now we ask if there is a pair separated by a gap of zero. An efficient algorithm sorts the numbers and then does a linear scan checking all adjacent pairs.*
- *Finding the mode - Given a set of n items, which element occurs the largest number of times in the set? If the items are sorted, we can sweep from left to right and count the number of occurrences of each element, since all identical items will be lumped together after sorting. To find out how often an arbitrary element k occurs, look up k using binary search in a sorted array of keys. By walking to the left of*

this point until the first element is not k and then doing the same to the right, we can find this count in $O(\log n + c)$ time, where c is the number of occurrences of k . Even better, the number of instances of k can be found in $O(\log n)$ time by using binary search to look for the positions of both $k - \epsilon$ and $k + \epsilon$ (where ϵ is suitably small) and then taking the difference of these positions.

- Selection - What is the k th largest item in an array? If the keys are placed in sorted order, the k th largest item can be found in constant time because it must sit in the k th position of the array. In particular, the median element (see Section 17.3 (page 514)) appears in the $(n/2)$ nd position in sorted order.

* Convex hulls - What is the polygon of smallest perimeter that contains a given set of n points in two dimensions? The convex hull is like a rubber band stretched around the points in the plane and then released. It shrinks to just enclose the points, as shown in Figure 4.1(1). The convex hull gives a nice representation of the shape of the point set and is an important building block for more sophisticated geometric algorithms, as discussed in the catalog in Section 20.2 (page 626).

But how can we use sorting to construct the convex hull? Once you have the points sorted by x -coordinate, the points can be inserted from left to right into the hull. Since the right-most point is always on the boundary, we know that it must appear in the hull. Adding this new right-most point may cause others to be deleted, but we can quickly identify these points because they lie inside the polygon formed by adding the new point. See the example in Figure 4.1(r). These points will be neighbors of the previous point we inserted, so they will be easy to find and delete. The total time is linear after the sorting has been done.

While a few of these problems (namely median and selection) can be solved in linear time using more sophisticated algorithms, sorting provides quick and easy solutions to all of these problems. It is a rare application where the running time of sorting proves to be the bottleneck, especially a bottleneck that could have otherwise been removed using more clever algorithmics. Never be afraid to spend time sorting, provided you use an efficient sorting routine.

Take-Home Lesson: Sorting lies at the heart of many algorithms. Sorting the data is one of the first things any algorithm designer should try in the quest for efficiency.

0.70 Stop and Think: Finding the Intersection

Problem: Give an efficient algorithm to determine whether two sets (of size m and n , respectively) are disjoint. Analyze the worst-case complexity in terms of m and n , considering the case where $m \ll n$.

Solution: At least three algorithms come to mind, all of which are variants of sorting and searching:

- * *First sort the big set* - The big set can be sorted in $O(n \log n)$ time. We can now do a binary search with each of the m elements in the second, looking to see if it exists in the big set. The total time will be $O((n + m) \log n)$.
- * *First sort the small set* - The small set can be sorted in $O(m \log m)$ time. We can now do a binary search with each of the n elements in the big set, looking to see if it exists in the small one. The total time will be $O((n + m) \log m)$.
- * *Sort both sets* - Observe that once the two sets are sorted, we no longer have to do binary search to detect a common element. We can compare the smallest elements of the two sorted sets, and discard the smaller one if they are not identical. By repeating this idea recursively on the now smaller sets, we can test for duplication in linear time after sorting. The total cost is $O(n \log n + m \log m + n + m)$.

So, which of these is the fastest method? Clearly small-set sorting trumps big-set sorting, since $\log m < \log n$ when $m < n$. Similarly, $(n + m) \log m$ must be asymptotically smaller than $n \log n$, since $n + m < 2n$ when $m < n$. Thus, sorting the small set is the best of these options. Note that this is linear when m is constant in size.

Note that expected linear time can be achieved by hashing. Build a hash table containing the elements of both sets, and then explicitly check whether collisions in the same bucket are in fact identical elements. In practice, this may be the best solution.

0.71 Stop and Think: Making a Hash of the Problem?

Problem: Fast sorting is a wonderful thing. But which of these tasks can be done as fast or faster (in expected time) using hashing instead of sorting?

- * Searching?
- * Closest pair?
- * Element uniqueness?

- * *Finding the mode?*
- * *Finding the median?*
- * *Convex hull?*

Solution: Hashing can solve some these problems efficiently, but is inappropriate for others. Let's consider them one by one:

- * *Searching - Hash tables are a great answer here, enabling you to search for items in constant expected time, as opposed to $O(\log n)$ with binary search.*
- * *Closest pair - Hash tables as so far defined cannot help at all. Normal hash functions scatter keys around the table, so a pair of similar numerical values are unlikely to end up in the same bucket for comparison. Bucketing values by numerical ranges will ensure that the closest pair lie within the same bucket, or at worst neighboring buckets. But we cannot also force only a small number of items to lie in this bucket, as will be discussed with respect to bucketsort in Section 4.7*
- * *Element uniqueness - Hashing is even faster than sorting for this problem. Build a hash table using chaining, and then compare each of the (expected constant) pairs of items within a bucket. If no bucket contains a duplicate pair, then all the elements must be unique. The table construction and sweeping can be completed in linear expected time.*
- * *Finding the mode - Hashing leads to a linear expected-time algorithm here. Each bucket should contain a small number of distinct elements, but may have many duplicates. We start from the first element in a bucket and count/delete all copies of it, repeating this sweep the expected constant number of passes until the bucket is empty.*
- * *Finding the median - Hashing does not help us, I am afraid. The median might be in any bucket of our table, and we have no way to judge how many items lie before or after it in sorted order.*
- * *Convex hull - Sure, we can build a hash table on points just as well as any other data type. But it isn't clear what good that does us for this problem: certainly it can't help us order the points by x -coordinate.*

0.71.1 Pragmatics of Sorting

We have seen many algorithmic applications of sorting, and we will see several efficient sorting algorithms. One issue stands between them: in what order do we want our items sorted? The answer to this basic question is application specific. Consider the following issues:

- * *Increasing or decreasing order? - A set of keys S are sorted in ascending order when $S_i \leq S_{i+1}$ for all $1 \leq i < n$. They are in*

descending order when $S_i \geq S_{i+1}$ for all $1 \leq i < n$. Different applications call for different orders.

- * *Sorting just the key or an entire record?* - Sorting a data set requires maintaining the integrity of complex data records. A mailing list of names, addresses, and phone numbers may be sorted by names as the key field, but it had better retain the linkage between names and addresses. Thus, we need to specify which is the key field in any complex record, and understand the full extent of each record.
- * *What should we do with equal keys?* - Elements with equal key values all bunch together in any total order, but sometimes the relative order among these keys matters. Suppose an encyclopedia contains articles on both Michael Jordan (the basketball player) and Michael Jordan (the actor) ¹ Which entry should appear first? You may need to resort to secondary keys, such as article size, to resolve ties in a meaningful way. Sometimes it is required to leave the items in the same relative order as in the original permutation. Sorting algorithms that automatically enforce this requirement are called *stable*. Few fast algorithms are naturally stable. Stability can be achieved for any sorting algorithm by adding the initial position as a secondary key.

Of course we could make no decision about equal key order and let the ties fall where they may. But beware, certain efficient sort algorithms (such as quicksort) can run into quadratic performance trouble unless explicitly engineered to deal with large numbers of ties.

- * *What about non-numerical data?* - Alphabetizing defines the sorting of text strings. Libraries have very complete and complicated rules concerning the relative collating sequence of characters and punctuation. Is *Skiena* the same key as *skiena*? Is *Brown-Williams* before or after *Brown America*, and before or after *Brown, John*?

The right way to specify such details to your sorting algorithm is with an application-specific pairwise-element comparison function. Such a comparison function takes pointers to record items a and b and returns " $<$ " if $a < b$, " $>$ " if $a > b$, or " $=$ " if $a = b$.

By abstracting the pairwise ordering decision to such a comparison function, we can implement sorting algorithms independently of such criteria. We simply pass the comparison function in as an argument to the sort procedure. Any reasonable programming language has a built-in sort routine as a library function. You are usually better off using this than writing your own routine. For example, the standard library for C contains the `qsort` function for sorting:

```
#include <stdlib.h>
void qsort(void *base, size_t nel, size_t width,
           int (*compare) (const void *, const void *));
```

The key to using qsort is realizing what its arguments do. It sorts the first nel elements of an array (pointed to by base), where each element is widthbytes long. We can thus sort arrays of 1-byte characters, 4-byte integers, or 100 -byte records, all by changing the value of width. The desired output order is determined by the compare function. It takes as arguments pointers to two width-byte elements, and returns a negative number if the first belongs before the second in sorted order, a positive number if the second belongs before the first, or zero if they are the same. Here is a comparison function to sort integers in increasing order:

```
int intcompare(int *i, int *j)
{
    if (*i > *j) return (1);
    if (*i < *j) return (-1);
    return (0);
}
```

This comparison function can be used to sort an array a, of which the first n elements are occupied, as follows:

```
qsort(a, n, sizeof(int), intcompare);
```

The name qsort suggests that quicksort is the algorithm implemented in this library function, although this is usually irrelevant to the user.

0.71.2 Heapsort: Fast Sorting via Data Structures

Sorting is a natural laboratory for studying algorithm design paradigms, since many useful techniques lead to interesting sorting algorithms. The next several sections will introduce algorithmic design techniques motivated by particular sorting algorithms.

The alert reader may ask why I review all the standard sorting algorithms after saying that you are usually better off not implementing them, and using library functions instead. The answer is that the underlying design techniques are very important for other algorithmic problems you are likely to encounter.

We start with data structure design, because one of the most dramatic algorithmic improvements via appropriate data structures occurs in sorting. Selection sort is a simple-to-code algorithm that repeatedly

¹ Not to mention Michael Jordan (the statistician).

extracts the smallest remaining element from the unsorted part of the set:

```

SelectionSort $(A)$
  For $i=1$ to $n$ do
    Sort $[i]=$ Find-Minimum from $A$
    Delete-Minimum from $A$
  Return(Sort)

```

A C language implementation of selection sort appeared back in Section 2.5.1 (page 41). There we partitioned the input array into sorted and unsorted regions. To find the smallest item, we performed a linear sweep through the unsorted portion of the array. The smallest item is then swapped with the i th item in the array before moving on to the next iteration. Selection sort performs n iterations, where the average iteration takes $n/2$ steps, for a total of $O(n^2)$ time.

But what if we improve the data structure? It takes $O(1)$ time to remove a particular item from an unsorted array after it has been located, but $O(n)$ time to find the smallest item. These are exactly the operations supported by priority queues. So what happens if we replace the data structure with a better priority queue implementation, either a heap or a balanced binary tree? The operations within the loop now take $O(\log n)$ time each, instead of $O(n)$. Using such a priority queue implementation speeds up selection sort from $O(n^2)$ to $O(n \log n)$.

The name typically given to this algorithm, heapsort, obscures the fact that the algorithm is nothing but an implementation of selection sort using the right data structure.

0.71.3 Heaps

Heaps are a simple and elegant data structure for efficiently supporting the priority queue operations insert and extract-min. Heaps work by maintaining a partial order on the set of elements that is weaker than the sorted order (so it can be efficient to maintain) yet stronger than random order (so the minimum element can be quickly identified).

Power in any hierarchically structured organization is reflected by a tree, where each node in the tree represents a person, and edge (x, y) implies that x directly supervises (or dominates) y . The person at the root sits at the "top of the heap."

In this spirit, a heap-labeled tree is defined to be a binary tree such that the key of each node dominates the keys of its children. In a min-heap, a node dominates its children by having a smaller key than they do, while in a maxheap parent nodes dominate by being bigger.

Figure 4.2(1) presents a min-heap ordered tree of noteworthy years in American history.

The most natural implementation of this binary tree would store each key in a node with pointers to its two children. But as with binary search trees, the memory used by the pointers can easily outweigh the size of keys, which is the data we are really interested in. The heap is a slick data structure that enables us to represent binary trees without using any pointers. We store data as an array of keys, and use the position of the keys to implicitly play the role of the pointers.

We store the root of the tree in the first position of the array, and its left and right children in the second and third positions, respectively. In general, we store the 2^{l-1} keys of the l th level of a complete binary tree from left to right in positions 2^{l-1} to $2^l - 1$, as shown in Figure 4.2 right). We assume that the array starts with index 1 to simplify matters.

```
typedef struct {
    item_type q[PQ_SIZE+1]; /* body of queue */
    int n; /* number of queue elements */
} priority_queue;
```

What is especially nice about this representation is that the positions of the parent and children of the key at position k are readily determined. The left child of k sits in position $2k$ and the right child in $2k + 1$, while the parent of k holds court in position $\lfloor k/2 \rfloor$. Thus, we can move around the tree without any pointers.

```
int pq_parent(int n) {
    if (n == 1) {
        return(-1);
    }
}

int pq_young_child(int n) {

    int pq_young_child(int n) {
        return(2 * n);
        return(2 * n);
    }
}

return((int) n/2); /* implicitly take floor(n/2) */
```

This approach means that we can store any binary tree in an array without pointers. What is the catch? Suppose our height h tree was sparse, meaning that the number of nodes $n \ll 2^h - 1$. All missing

internal nodes still take up space in our structure, since we must represent a full binary tree to maintain the positional mapping between parents and children.

Space efficiency thus demands that we not allow holes in our tree - meaning that each level be packed as much as it can be. Then only the last level may be incomplete. By packing the elements of the last level as far left as possible, we can represent an n -key tree using the first n elements of the array. If we did not enforce these structural constraints, we might need an array of size $2^n - 1$ to store n elements: consider a right-going twig using positions 1, 3, 7, 15, 31 . . . With heaps all but the last level are filled, so the height h of an n element heap is logarithmic because:

$$\sum_{i=0}^{h-1} 2^i = 2^h - 1 \geq n$$

implying that $h = \lceil \lg(n+1) \rceil$.

This implicit representation of binary trees saves memory, but is less flexible than using pointers. We cannot store arbitrary tree topologies without wasting large amounts of space. We cannot move subtrees around by just changing a single pointer, only by explicitly moving all the elements in the subtree. This loss of flexibility explains why we cannot use this idea to represent binary search trees, but it works just fine for heaps.

0.72 Stop and Think: Who's Where in the Heap?

Problem: How can we efficiently search for a particular key k in a heap?

Solution: We can't. Binary search does not work because a heap is not a binary search tree. We know almost nothing about the relative order of the $n/2$ leaf elements in a heap-certainly nothing that lets us avoid doing linear search through them.

0.72.1 Constructing Heaps

Heaps can be constructed incrementally, by inserting each new element into the left-most open spot in the array, namely the $(n+1)$ st position of a previously n -element heap. This ensures the desired balanced shape of the heap-labeled tree, but does not maintain the dominance ordering of the keys. The new key might be less than its parent in a min-heap, or greater than its parent in a max-heap.

The solution is to swap any such dissatisfied element with its parent. The old parent is now happy, because it is properly dominated. The other child of the old parent is still happy, because it is now dominated by an element even more extreme than before. The new element is now happier, but may still dominate its new parent. So we recur at a higher level, bubbling up the new key to its proper position in the hierarchy. Since we replace the root of a subtree by a larger one at each step, we preserve the heap order elsewhere.

```
void pq_insert(priority_queue *q, item_type x) {
    if (q->n >= PQ_SIZE) {
        printf("Warning: priority queue overflow! \n");
    } else {
        q->n = (q->n) + 1;
        q->q[q->n] = x;
        bubble_up(q, q->n);
    }
}

void bubble_up(priority_queue *q, int p) {
    if (pq_parent(p) == -1) {
        return; /* at root of heap, no parent */
    }
    if (q->q[pq_parent(p)] > q->q[p]) {
        pq_swap(q, p, pq_parent(p));
        bubble_up(q, pq_parent(p));
    }
}
```

This swap process takes constant time at each level. Since the height of an n -element heap is $\lfloor \lg n \rfloor$, each insertion takes at most $O(\log n)$ time. A heap of n elements can thus be constructed in $O(n \log n)$ time through n such insertions:

```
void pq_init(priority_queue *q) {
    q->n = 0;
}

void make_heap(priority_queue *q, item_type s[], int n) {
    int i; /* counter */
    pq_init(q);
    for (i = 0; i < n; i++) {
        pq_insert(q, s[i]);
    }
}
```

0.72.2 Extracting the Minimum

The remaining priority queue operations are identifying and deleting the dominant element. Identification is easy, since the top of the heap sits in the first position of the array.

Removing the top element leaves a hole in the array. This can be filled by moving the element from the right-most leaf (sitting in the n th position of the array) into the first position.

The shape of the tree has been restored but (as after insertion) the labeling of the root may no longer satisfy the heap property. Indeed, this new root may be dominated by both of its children. The root of this min-heap should be the smallest of three elements, namely the current root and its two children. If the current root is dominant, the heap order has been restored. If not, the dominant child should be swapped with the root and the problem pushed down to the next level. This dissatisfied element bubbles down the heap until it dominates all its children, perhaps by becoming a leaf node and ceasing to have any. This percolatedown operation is also called *heapify*, because it merges two heaps (the subtrees below the original root) with a new key.

```

item_type extract_min(priority_queue *q) \{
    int $min = -1 ; \quad / *$ minimum value */
    if ( $ \mathrm{q}^{\{-\} \rightarrow \mathrm{n}} \leq 0$ ) \{
        printf("Warning: empty priority queue. \n");
    \} else \{
        min $ = $ q->q[1];
        $ \mathrm{q}^{\{-\} \rightarrow \mathrm{q}}[1] = \mathrm{q}^{\{-\} \rightarrow \mathrm{q}} \left[ \mathrm{q}^{\{-\} \rightarrow \mathrm{n}} \right]
        $ \mathrm{q}^{\{-\} \rightarrow \mathrm{n}} = \mathrm{q}^{\{-\} \rightarrow \mathrm{q}} - 1$;
        bubble_down(q, 1);
    \}
    return(min);
\}

void bubble_down(priority_queue q, int p) {
    int c; / child index /
    int i; / counter /
    int min_index; / index of lightest child */
    c = pq_young_child(p);
    min_index = p;
    for (i = 0; i <= 1; i++) {
        if ((c + i) <= q->n) {
            if (q->q[min_index] > q->q[c + i]) {
                min_index = c + i;
            }
        }
    }
}

```

```

        if (min_index != p) {
            pq_swap(q, p, min_index);
            bubble_down(q, min_index);
        }
    }
}

```

We will reach a leaf after $\lfloor \lg n \rfloor$ `bubble_down` steps, each constant time. Thus, root deletion is completed in $O(\log n)$ time.

Repeatedly exchanging the maximum element with the last element and calling `heapify` yields an $O(n \log n)$ sorting algorithm, named *heapsort*.

```

void heapsort_(item_type s[], int n) {
    int i; /* counters */
    priority_queue q; /* heap for heapsort */
    make_heap(&q, s, n);
    for (i = 0; i < n; i++) {
        s[i] = extract_min(&q);
    }
}

```

Heapsort is a great sorting algorithm. It is simple to program; indeed, the complete implementation has been presented above. It runs in worst-case $O(n \log n)$ time, which is the best that can be expected from any sorting algorithm. It is an in-place sort, meaning it uses no extra memory over the array containing the elements to be sorted. Admittedly, as implemented here, my heapsort is not in-place because it creates the priority queue in `q`, not `s`. But each newly extracted element fits perfectly in the slot freed up by the shrinking heap, leaving behind a sorted array. Although other algorithms prove slightly faster in practice, you won't go wrong using heapsort for sorting data that sits in the computer's main memory.

Priority queues are very useful data structures. Recall they were the hero of the war story described in Section 3.6 (page 89). A complete set of priority queue implementations is presented in the catalog, in Section 15.2 (page 445).

0.72.3 Faster Heap Construction (*)

As we have seen, a heap can be constructed on n elements by incremental insertion in $O(n \log n)$ time. Surprisingly, heaps can be constructed even faster, by using our `bubble_down` procedure and some clever analysis.

Suppose we pack the n keys destined for our heap into the first n elements of our priority-queue array. The shape of our heap will be right, but the dominance order will be all messed up. How can we restore it?

Consider the array in reverse order, starting from the last (n th) position. It represents a leaf of the tree and so dominates its non-existent children. The same is the case for the last $n/2$ positions in the array, because all are leaves. If we continue to walk backwards through the array we will eventually encounter an internal node with children. This element may not dominate its children, but its children represent well-formed (if small) heaps.

This is exactly the situation the `bubble_down` procedure was designed to handle, restoring the heap order of an arbitrary root element sitting on top of two sub-heaps. Thus, we can create a heap by performing $n/2$ non-trivial calls to the `bubble_down` procedure:

```
void make_heap_fast(priority_queue *q, item_type s[], int n) {
    int i; /* counter */
    q->n = n;
    for (i = 0; i < n; i++) {
        q->q[i + 1] = s[i];
    }
    for (i = q->n/2; i >= 1; i--) {
        bubble_down(q, i);
    }
}
```

Multiplying the number of calls to `bubble_down` (n) times an upper bound on the cost of each operation ($O(\log n)$) gives us a running time analysis of $O(n \log n)$. This would make it no faster than the incremental insertion algorithm described above.

But note that it is indeed an upper bound, because only the last insertion will actually take $\lceil \lg n \rceil$ steps. Recall that `bubble_down` takes time proportional to the height of the heaps it is merging. Most of these heaps are extremely small. In a full binary tree on n nodes, there are $n/2$ nodes that are leaves (i.e. height 0), $n/4$ nodes that are height 1, $n/8$ nodes that are height 2, and so on. In general, there are at most $\lceil n/2^{h+1} \rceil$ nodes of height h , so the cost of building a heap is:

$$\sum_{h=0}^{\lceil \lg n \rceil} \lceil n/2^{h+1} \rceil h \leq n \sum_{h=0}^{\lceil \lg n \rceil} h/2^h \leq 2n$$

Since this sum is not quite a geometric series, we can't apply the usual identity to get the sum, but rest assured that the puny contribution of the numerator (h) is crushed by the denominator (2^h). The series quickly converges to linear.

Does it matter that we can construct heaps in linear time instead of $O(n \log n)$? Not really. The construction time did not dominate the complexity of heapsort, so improving the construction time does not

improve its worst-case performance. Still, it is an impressive display of the power of careful analysis, and the free lunch that geometric series convergence can sometimes provide.

0.73 Stop and Think: Where in the Heap?

Problem: Given an array-based heap on n elements and a real number x , efficiently determine whether the k th smallest element in the heap is greater than or equal to x . Your algorithm should be $O(k)$ in the worst case, independent of the size of the heap. (Hint: you do not have to find the k th smallest element; you need only to determine its relationship to x .)

Solution: There are at least two different ideas that lead to correct but inefficient algorithms for this problem:

- * Call *extract-min* k times, and test whether all of these are less than x . This explicitly sorts the first k elements and so gives us more information than the desired answer, but it takes $O(k \log n)$ time to do so.
- * The k th smallest element cannot be deeper than the k th level of the heap, since the path from it to the root must go through elements of decreasing value. We can thus look at all the elements on the first k levels of the heap, and count how many of them are less than x , stopping when we either find k of them or run out of elements. This is correct, but takes $O(\min(n, 2^k))$ time, since the top k elements have $2^k - 1$ elements.

An $O(k)$ solution can look at only k elements smaller than x , plus at most $O(k)$ elements greater than x . Consider the following recursive procedure, called at the root with $i = 1$ and $\text{count} = k$:

```
int heap_compare(priority_queue *q, int i, int count, int x) {
    if ((count <= 0) || (i > q->n)) {
        return(count);
    }
    if (q->q[i] < x) {
        count = heap_compare(q, pq_young_child(i), count-1, x);
        count = heap_compare(q, pq_young_child(i)+1, count, x);
    }
    return(count);
}
```

If the root of the min-heap is $\geq x$, then no elements in the heap can be less than x , as by definition the root must be the smallest element. This procedure searches the children of all nodes of weight smaller than x until either (a) we have found k of them, when it returns 0,

or (b) they are exhausted, when it returns a value greater than zero. Thus, it will find enough small elements if they exist.

But how long does it take? The only nodes whose children we look at are those $< x$, and there are at most k of these in total. Each have visited at most two children, so we visit at most $2k + 1$ nodes, for a total time of $O(k)$.

0.73.1 Sorting by Incremental Insertion

Now consider a different approach to sorting via efficient data structures. Select the next element from the unsorted set, and put it into its proper position in the sorted set:

```
for (i = 1; i < n; i++) {
    j = i;
    while ((j > 0) && (s[j] < s[j - 1])) {
        swap(&s[j], &s[j - 1]);
        j = j - 1;
    }
}
```

Although insertion sort takes $O(n^2)$ in the worst case, it performs considerably better if the data is almost sorted, since few iterations of the inner loop suffice to sift it into the proper position.

Insertion sort is perhaps the simplest example of the incremental insertion technique, where we build up a complicated structure on n items by first building it on $n - 1$ items and then making the necessary changes to add the last item.

Note that faster sorting algorithms based on incremental insertion follow from more efficient data structures. Insertion into a balanced search tree takes

$O(\log n)$ per operation, or a total of $O(n \log n)$ to construct the tree. An inorder traversal reads through the elements in sorted order to complete the job in linear time.

0.73.2 War Story: Give me a Ticket on an Airplane

I came into this particular job seeking justice. I'd been retained by an air travel company to help design an algorithm to find the cheapest available airfare from city x to city y . Like most of you, I suspect, I'd been baffled at the crazy price fluctuations of ticket prices under modern "yield management." The price of flights seems to soar far more efficiently than the planes themselves. The problem, it seemed to me, was that airlines never wanted to show the true cheapest price.

If I did my job right, I could make damned sure they would show it to me next time.

"Look," I said at the start of the first meeting. "This can't be so hard. Construct a graph with vertices corresponding to airports, and add an edge between each airport pair (u, v) that shows a direct flight from u to v . Set the weight of this edge equal to the cost of the cheapest available ticket from u to v . Now the cheapest fair from x to y is given by the shortest $x - y$ path in this graph. This path/fare can be found using Dijkstra's shortest path algorithm. Problem solved!" I announced, waving my hand with a flourish.

The assembled cast of the meeting nodded thoughtfully, then burst out laughing. It was I who needed to learn something about the overwhelming complexity of air travel pricing. There are literally millions of different fares available at any time, with prices changing several times daily. Restrictions on the availability of a particular fare in a particular context are enforced by a vast set of pricing rules. These rules are an industry-wide kludge - a complicated structure with little in the way of consistent logical principles. My favorite rule exceptions applied only to the country of Malawi. With a population of only 18 million and per-capita income of \$1,234 (180 th in the world), they prove to be an unexpected powerhouse shaping world aviation price policy. Accurately pricing any air itinerary requires at least implicit checks to ensure the trip doesn't take us through Malawi.

The real problem is that there can easily be 100 different fares for the first flight leg, say from Los Angeles (LAX) to Chicago (ORD), and a similar number for each subsequent leg, say from Chicago to New York (JFK). The cheapest possible LAX-ORD fare (maybe an AARP children's price) might not be combinable with the cheapest ORD-JFK fare (perhaps a pre-Ramadan special that can only be used with subsequent connections to Mecca).

After being properly chastised for oversimplifying the problem, I got down to work. I started by reducing the problem to the simplest interesting case. "So, you need to find the cheapest two-hop fare that passes your rule tests. Is there a way to decide in advance which pairs will pass without explicitly testing them?"

"No, there is no way to tell," they assured me. "We can only consult a

		<u>X+Y</u>
		\$150(1, 1)
		<u>X</u>
		\$100
		\$160(2, 1)
\$110	\$50	
		\$130
	\$75	\$180(3, 1)
	\$125	\$185(2, 2)
		\$205(3, 2)
		\$235(2, 3)
		\$255(3, 3)

Figure 4.3: Sorting the pairwise sums of lists *X* and *Y*.
black box routine to decide whether a particular price is available for the given itinerary/travelers."
"So our goal is to call this black box on the fewest number of combinations. This means evaluating all possible fare combinations in order from cheapest to most expensive, and stopping as soon as we encounter the first legal combination."
"Right."
"Why not construct the $m \times n$ possible price pairs, sort them in terms of cost, and evaluate them in sorted order? Clearly this can be done in $O(nm \log(nm))$ time. ²
"That is basically what we do now, but it is quite expensive to construct the full set of $m \times n$ pairs, since the first one might be all we need."
I caught a whiff of an interesting problem. "So what you really want is an efficient data structure to repeatedly return the next most expensive pair without constructing all the pairs in advance."
This was indeed an interesting problem. Finding the largest element in a set under insertion and deletion is exactly what priority queues are good for. The catch here is that we could not seed the priority queue with all values in advance. We had to insert new pairs into the queue after each evaluation.
I constructed some examples, like the one in Figure 4.3. We could represent each fare by the list indexes of its two components. The cheapest single fare will certainly be constructed by adding up the cheapest component from both lists, described (1,1). The second cheapest fare would be made from the head of one list and the second element of another, and hence would be either (1, 2) or (2, 1). Then it gets more complicated. The third cheapest could either be the unused pair above or (1, 3) or (3, 1). Indeed it would have been (3, 1) in the example above if the third fare of *X* had been \$120.
"Tell me," I asked. "Do we have time to sort the two respective lists of fares

in increasing order?"

"Don't have to," the leader replied. "They come out in sorted order from the database."

That was good news! It meant there was a natural order to the pair values. We never need to evaluate the pairs $(i + 1, j)$ or $(i, j + 1)$ before (i, j) , because they clearly defined more expensive fares.

"Got it!," I said. "We will keep track of index pairs in a priority queue, with the sum of the fare costs as the key for the pair. Initially we put only the pair $(1, 1)$ in the queue. If it proves not to be feasible, we put in its two successors—namely $(1, 2)$ and $(2, 1)$. In general, we enqueue pairs $(i + 1, j)$ and $(i, j + 1)$ after evaluating/rejecting pair (i, j) . We will get through all the pairs in the right order if we do so."

The gang caught on quickly. "Sure. But what about duplicates? We will construct pair (x, y) two different ways, both when expanding $(x - 1, y)$ and $(x, y - 1)$."

"You are right. We need an extra data structure to guard against duplicates. The simplest might be a hash table to tell us whether a given pair exists in the priority queue before we insert a duplicate. In fact, we will never have more than n active pairs in our data structure, since there can only be one pair for each distinct value of the first coordinate."

And so it went. Our approach naturally generalizes to itineraries with more than two legs, with complexity that grows with the number of legs. The bestfirst evaluation inherent in our priority queue enabled the system to stop as soon as it found the provably cheapest fare. This proved to be fast enough to provide interactive response to the user. That said, I never noticed airline tickets getting cheaper as a result.

0.73.3 Mergesort: Sorting by Divide and Conquer

Recursive algorithms reduce large problems into smaller ones. A recursive approach to sorting involves partitioning the elements into two groups, sorting each of the smaller problems recursively, and then interleaving the two sorted lists to totally order the elements. This algorithm is called mergesort, recognizing the importance of the interleaving operation:

$$\text{Mergesort}(A[1, \dots, n])$$

$$\quad \text{Merge}(\text{MergeSort}(A[1, \dots, \lfloor n/2 \rfloor]), \text{MergeSort}(A[\lfloor n/2 \rfloor + 1, \dots, n]))$$

The basis case of the recursion occurs when the subarray to be sorted consists of at most one element, so no rearrangement is necessary.

² The question of whether all such sums can be sorted faster than nm arbitrary integers is a notorious open problem in algorithm theory. See Fre76 Lam92 for more on $X + Y$ sorting, as the problem is known.

A trace of the execution of mergesort is given in Figure 4.4. Picture the action as it happens during an in-order traversal of the tree, with each merge occurring after the two child calls return sorted subarrays. The efficiency of mergesort depends upon how efficiently we can combine the two sorted halves into a single sorted list. We could concatenate them into one

list and call heapsort or some other sorting algorithm to do it, but that would just destroy all the work spent sorting our component lists.

Instead we can merge the two lists together. Observe that the smallest overall item in two lists sorted in increasing order (as above) must sit at the top of one of the two lists. This smallest element can be removed, leaving two sorted lists behind - one slightly shorter than before. The second smallest item overall must now be at the top of one of these lists. Repeating this operation until both lists are empty will merge two sorted lists (with a total of n elements between them) into one, using at most $n - 1$ comparisons or $O(n)$ total work.

What is the total running time of mergesort? It helps to think about how much work is done at each level of the execution tree, as shown in Figure 4.4. If we assume for simplicity that n is a power of two, the k th level consists of all the 2^k calls to mergesort processing subranges of $n/2^k$ elements.

The work done on the zeroth level (the top) involves merging one pair of sorted lists, each of size $n/2$, for a total of at most $n - 1$ comparisons. The work done on the first level (one down) involves merging two pairs of sorted lists, each of size $n/4$, for a total of at most $n - 2$ comparisons. In general, the work done on the k th level involves merging 2^k pairs of sorted lists, each of size $n/2^{k+1}$, for a total of at most $n - 2^k$ comparisons. Linear work is done merging all the elements on each level. Each of the n elements appears in exactly one subproblem on each level. The most expensive case (in terms of comparisons) is actually the top level.

The number of elements in a subproblem gets halved at each level. The number of times we can halve n until we get to 1 is $\lceil \lg n \rceil$. Because the recursion goes $\lg n$ levels deep, and a linear amount of work is done per level, mergesort takes $O(n \lg n)$ time in the worst case.

Mergesort is a great algorithm for sorting linked lists, because it does not rely on random access to elements like heapsort and quicksort. Its primary disadvantage is the need for an auxiliary buffer when sorting arrays. It is easy to merge two sorted linked lists without using any extra space, just by rearranging the pointers. However, to merge two sorted arrays (or portions of an array), we need to use a third array to store the result of the merge to avoid stepping on the component arrays. Consider merging $\{4, 5, 6\}$ with $\{1, 2, 3\}$, packed from left to right in a single array. Without the buffer, we would overwrite the elements of the left half during merging and lose them.

Mergesort is a classic divide-and-conquer algorithm. We are ahead of the game whenever we can break one large problem into two smaller problems, because the smaller problems are easier to solve. The trick is taking advantage of the two partial solutions to construct a solution of the full problem, as we did with the merge operation. Divide and conquer is an important algorithm design paradigm, and will be the subject of Chapter 5

0.74 Implementation

The divide-and-conquer mergesort routine follows naturally from the pseudocode:

```
void merge_sort(item_type s[], int low, int high) {
    int middle; /* index of middle element */
    if (low < high) {
        middle = (low + high) / 2;
        merge_sort(s, low, middle);
        merge_sort(s, middle + 1, high);
        merge(s, low, middle, high);
    }
}
```

More challenging turns out to be the details of how the merging is done. The problem is that we must put our merged array somewhere. To avoid losing an element by overwriting it in the course of the merge, we first copy each subarray to a separate queue and merge these elements back into the array. In particular:

```
void merge(item_type s[], int low, int middle, int high) {
    int i; /* counter */
    queue buffer1, buffer2; /* buffers to hold elements for merging */
    init_queue(&buffer1);
    init_queue(&buffer2);
    for (i = low; i <= middle; i++) enqueue(&buffer1, s[i]);
    for (i = middle + 1; i <= high; i++) enqueue(&buffer2, s[i]);
    i = low;
    while (!(empty_queue(&buffer1) || empty_queue(&buffer2))) {
        if (headq(&buffer1) <= headq(&buffer2)) {
            s[i++] = dequeue(&buffer1);
        } else {
            s[i++] = dequeue(&buffer2);
        }
    }
    while (!empty_queue(&buffer1)) {
```

```

        s[i++] = dequeue(&buffer1);
    }
    while (!empty_queue(&buffer2)) {
        s[i++] = dequeue(&buffer2);
    }
}

```

0.74.1 Quicksort: Sorting by Randomization

Suppose we select an arbitrary item p from the n items we seek to sort. Quicksort (shown in action in Figure 4.5) separates the $n - 1$ other items into two piles: a low pile containing all the elements that are $< p$, and a high pile containing all the elements that are $\geq p$. Low and high denote the array positions into which we place the respective piles, leaving a single slot between them for p .

Such partitioning buys us two things. First, the pivot element p ends up in the exact array position it will occupy in the final sorted order. Second, after partitioning no element flips to the other side in the final sorted order. Thus, we can now sort the elements to the left and the right of the pivot independently! This gives us a recursive sorting algorithm, since we can use the partitioning approach to sort each subproblem. The algorithm must be correct, because each element ultimately ends up in the proper position:

```

void quicksort(item_type s[], int l, int h) {
    int p; /* index of partition */
    if (l < h) {
        p = partition(s, l, h);
        quicksort(s, l, p - 1);
        quicksort(s, p + 1, h);
    }
}

```

We can partition the array in one linear scan for a particular pivot element by maintaining three sections of the array: less than the pivot (to the left of *firsthigh*), greater than or equal to the pivot (between *firsthigh* and *i*), and unexplored (to the right of *i*), as implemented below:

```

int partition(item_type s[], int l, int h) {
    int i; /* counter */
    int p; /* pivot element index */
    int firsthigh; /* divider position for pivot element */
    p = h; /* select last element as pivot */
    firsthigh = l;
    for (i = l; i < h; i++) {
        if (s[i] < s[p]) {

```

```

        swap(&s[i], &s[firsthigh]);
        firsthigh++;
    }
}
swap(&s[p], &s[firsthigh]);
return(firsthigh);
}

```

Since the partitioning step consists of at most n swaps, it takes time linear in the number of keys. But how long does the entire quicksort take? As with mergesort, quicksort builds a recursion tree of nested subranges of the n element array. As with mergesort, quicksort spends linear time processing (now partitioning instead of mergeing) the elements in each subarray on each level. As with mergesort, quicksort runs in $O(n \cdot h)$ time, where h is the height of the recursion tree.

The difficulty is that the height of the tree depends upon where the pivot element ends up in each partition. If we get very lucky and happen to repeatedly pick the median element as our pivot, the subproblems are always half the size of those at the previous level. The height represents the number of times we

can halve n until we get down to 1, meaning $h = \lceil \lg n \rceil$. This happy situation is shown in Figure 4.6(left), and corresponds to the best case of quicksort.

Now suppose we consistently get unlucky, and our pivot element always splits the array as unequally as possible. This implies that the pivot element is always the biggest or smallest element in the subarray. After this pivot settles into its position, we will be left with one subproblem of size $n - 1$. After doing linear work we have reduced the size of our problem by just one measly element, as shown in Figure 4.6 (right). It takes a tree of height $n - 1$ to chop our array down to one element per level, for a worst case time of $\Theta(n^2)$.

Thus, the worst case for quicksort is worse than heapsort or mergesort. To justify its name, quicksort had better be good in the average case. Understanding why requires some intuition about random sampling.

0.74.2 Intuition: The Expected Case for Quicksort

The expected performance of quicksort depends upon the height of the partition tree constructed by pivot elements at each step. Mergesort splits the keys into two equal halves, sorts both of them recursively, and then merges the halves in linear time - and hence runs in $O(n \log n)$ time. Thus, whenever our pivot element is near the center of the sorted array (meaning the pivot is close to the median element), we get the same good split realizing the same running time as mergesort.

I will give an intuitive explanation of why quicksort runs in $O(n \log n)$ time in the average case. How likely is it that a randomly selected pivot is a good one? The best possible selection for the pivot would be the median key, because exactly half of elements would end up left, and half the elements right, of the pivot. However, we have only a probability of $1/n$ that a randomly selected pivot is the median, which is quite small.

Suppose we say a key is a good enough pivot if it lies in the center half of the sorted space of keys - those ranked from $n/4$ to $3n/4$ in the space of all keys to be sorted. Such good enough pivot elements are quite plentiful, since half the elements lie closer to the middle than to one of the two ends (see Figure 4.7). Thus, on each selection we will pick a good enough pivot with probability of $1/2$. We will make good progress towards sorting whenever we pick a good enough pivot.

The worst possible good enough pivot leaves the bigger of the two partitions with $3n/4$ items. This happens also to be the expected size of the larger partition left after picking a random pivot p , at the median between the worst possible pivot ($p = 1$ or $p = n$ leaving a partition of size $n - 1$) and the best possible pivot ($p = n/2$ leaving two partitions of size $n/2$). So what is the height h_g of a quicksort partition tree constructed repeatedly from the expected pivot value? The deepest path through this tree passes through partitions of size $n, (3/4)n, (3/4)^2n, \dots$, down to 1 . How many times can we multiply n by $3/4$ until it gets down to 1 ?

$$(3/4)^{h_g} n = 1 \implies n = (4/3)^{h_g}$$

so $h_g = \log_{4/3} n$.

On average, random quicksort partition trees (and by analogy, binary search trees under random insertion) are very good. More careful analysis shows the average height after n insertions is approximately $2 \ln n$. Since $2 \ln n \approx 1.386 \lg n$, this is only 39% taller than a perfectly balanced binary tree. Since quicksort does $O(n)$ work partitioning on each level, the average time is $O(n \log n)$. If we are extremely unlucky, and our randomly selected elements are always among the largest or smallest element in the array, quicksort turns into selection sort and runs in $O(n^2)$. But the odds against this are vanishingly small.

0.74.3 Randomized Algorithms

There is an important subtlety about the expected case $O(n \log n)$ running time for quicksort. Our quicksort implementation above selected the last element in each sub-array as the pivot. Suppose this program were given a sorted array as input. Then at each step it would pick the worst possible pivot, and run in quadratic time.

For any deterministic method of pivot selection, there exists a worst-case input instance which will doom us to quadratic time. The analysis presented above made no claim stronger than:

"Quicksort runs in $\Theta(n \log n)$ time, with high probability, if you give it randomly ordered data to sort."

But now suppose we add an initial step to our algorithm where we randomly permute the order of the n elements before we try to sort them. Such a permutation can be constructed in $O(n)$ time (see Section 16.7 for details).

This might seem like wasted effort, but it provides the guarantee that we can expect $\Theta(n \log n)$ running time whatever the initial input was. The worst case performance still can happen, but it now depends only upon how unlucky we are. There is no longer a well-defined "worst-case" input. We now can claim that:

"Randomized quicksort runs in $\Theta(n \log n)$ time on any input, with high probability."

Alternately, we could get the same guarantee by selecting a random element to be the pivot at each step.

Randomization is a powerful tool to improve algorithms with bad worstcase but good average-case complexity. It can be used to make algorithms more robust to boundary cases and more efficient on highly structured input instances that confound heuristic decisions (such as sorted input to quicksort). It often lends itself to simple algorithms that provide expected-time performance guarantees, which are otherwise obtainable only using complicated deterministic algorithms. Randomized algorithms will be the topic of Chapter 6

Proper analysis of randomized algorithms requires some knowledge of probability theory, and will be deferred to Chapter 6. However, some of the basic approaches to designing efficient randomized algorithms are readily explainable:

- * *Random sampling - Want to get an idea of the median value of n things, but don't have either the time or space to look at them all? Select a small random sample of the input and find the median of those. The result should be representative for the full set. This is the idea behind opinion polling, where we sample a small number of people as a proxy for the full population. Biases creep in unless you take a truly random sample, as opposed to the first x people you happen to see. To avoid bias, actual polling agencies typically dial random phone numbers and hope someone answers.*
- * *Randomized hashing - We have claimed that hashing can be used to implement dictionary search in $O(1)$ "expected time." However, for any hash function there is a given worst-case set of keys that all get hashed to the same bucket. But now suppose we randomly select our hash function from a large family of good ones as the*

first step of our algorithm. We get the same type of improved guarantee that we did with randomized quicksort.

- * *Randomized search* - Randomization can also be used to drive search techniques such as simulated annealing, as will be discussed in detail in Section 12.6.3 (page 406).

0.75 Stop and Think: Nuts and Bolts

Problem: The nuts and bolts problem is defined as follows. You are given a collection of n bolts of different widths, and n corresponding nuts. You can test

whether a given nut and bolt fit together, from which you learn whether the nut is too large, too small, or an exact match for the bolt. The differences in size between pairs of nuts or bolts are too small to see by eye, so you cannot compare the sizes of two nuts or two bolts directly. You are asked to match each bolt to each nut as efficiently as possible.

Give an $O(n^2)$ algorithm to solve the nuts and bolts problem. Then give a randomized $O(n \log n)$ expected-time algorithm for the same problem.

Solution: The brute force algorithm for matching nuts and bolts starts with the first bolt and compares it to each nut until a match is found. In the worst case, this will require n comparisons. Repeating this for each successive bolt on all remaining nuts yields an algorithm with a quadratic number of comparisons.

But what if we pick a random bolt and try it? On average, we would expect to get about halfway through the set of nuts before we found the match, so this randomized algorithm would do half the work on average as the worst case. That counts as some kind of improvement, although not an asymptotic one.

Randomized quicksort achieves the desired expected-case running time, so a natural idea is to emulate it on the nuts and bolts problem. The fundamental step in quicksort is partitioning elements around a pivot. Can we partition nuts and bolts around a randomly selected bolt b ?

Certainly we can partition the nuts into those of size less than b and greater than b . But decomposing the problem into two halves requires partitioning the bolts as well, and we cannot compare bolt against bolt. But once we find the matching nut to b , we can use it to partition the bolts accordingly. In $2n - 2$ comparisons, we partition the nuts and bolts, and the remaining analysis follows directly from randomized quicksort.

What is interesting about this problem is that no simple deterministic algorithm for nut and bolt sorting is known. It illustrates how ran-

domization makes the bad case go away, leaving behind a simple and beautiful algorithm.

0.75.1 Is Quicksort Really Quick?

There is a clear, asymptotic difference between a $\Theta(n \log n)$ algorithm and one that runs in $\Theta(n^2)$. Only the most obstinate reader would doubt my claim that mergesort, heapsort, and quicksort will all outperform insertion sort or selection sort on large enough instances.

But how can we compare two $\Theta(n \log n)$ algorithms to decide which is faster? How can we prove that quicksort is really quick? Unfortunately, the RAM model and Big Oh analysis provide too coarse a set of tools to make that type of distinction. When faced with algorithms of the same asymptotic complexity, implementation details and system quirks such as cache performance and memory size often prove to be the decisive factor.

What we can say is that experiments show that when quicksort is implemented well, it is typically two to three times faster than mergesort or heapsort. The primary reason is that the operations in the innermost loop are simpler.

But I can't argue if you don't believe me when I say quicksort is faster. It is a question whose solution lies outside the analytical tools we are using. The best way to tell is to implement both algorithms and experiment.

0.75.2 Distribution Sort: Sorting via Bucketing

To sort names for a class roster or the telephone book, we could first partition them according to the first letter of the last name. This will create twenty-six different piles, or buckets, of names. Observe that any name in the J pile must occur after all names in the I pile, and before any name in the K pile. Therefore, we can proceed to sort each pile individually and just concatenate the sorted piles together at the end.

Assuming the names are distributed evenly among the buckets, the resulting twenty-six sorting problems should each be substantially smaller than the original problem. By now further partitioning each pile based on the second letter of each name, we can generate smaller and smaller piles. The set of names will be completely sorted as soon as every bucket contains only a single name. Such an algorithm is commonly called bucketsort or distribution sort.

Bucketing is a very effective idea whenever we are confident that the distribution of data will be roughly uniform. It is the idea that underlies hash tables, kd-trees, and a variety of other practical data structures. The downside of such techniques is that the performance

can be terrible when the data distribution is not what we expected. Although data structures such as balanced binary trees offer guaranteed worst-case behavior for any input distribution, no such promise exists for heuristic data structures on unexpected input distributions.

Non-uniform distributions do occur in real life. Consider Americans with the uncommon last name of Shifflett. When last I looked, the Manhattan telephone directory (with over one million names) contained exactly five Shiffletts. So how many Shiffletts should there be in a small city of 50,000 people? Figure 4.8 shows a small portion of the two and a half pages of Shiffletts in the Charlottesville, Virginia telephone book. The Shifflett clan is a fixture of the region, but it would play havoc with any distribution sort program, as refining buckets from *S* to *Sh* to *Shi* to *Shif* to ... to *Shifflett* results in no significant partitioning.

Take-Home Lesson: Sorting can be used to illustrate many algorithm design paradigms. Data structure techniques, divide and conquer, randomization, and incremental construction all lead to efficient sorting algorithms.

0.75.3 Lower Bounds for Sorting

One last issue on the complexity of sorting. We have seen several sorting algorithms that run in worst-case $O(n \log n)$ time, but none that is linear. To sort n items certainly requires looking at all of them, so any sorting algorithm must be $\Omega(n)$ in the worst case. Might sorting be possible in linear time?

The answer is no, presuming that your algorithm is based on comparing pairs of elements. An $\Omega(n \log n)$ lower bound can be shown by observing that any sorting algorithm must behave differently during execution on each of the $n!$ possible permutations of n keys. If an algorithm did exactly the same thing with two different input permutations, there is no way that both of them could correctly come out sorted. The outcome of each pairwise comparison governs the runtime behavior of any comparison-based sorting algorithm. We can think of the set of all possible executions for such an algorithm as a tree with $n!$ leaves, each of which correspond to one input permutation, and each root-to-leaf path describes the comparisons performed to sort the given input. The minimum height tree corresponds to the fastest possible algorithm, and it happens that $\lg(n!) = \Theta(n \log n)$.

Figure 4.9 presents the decision tree for insertion sort on three elements. To interpret it, simulate what insertion sort does on the input $a = (3, 1, 2)$. Because $a_1 \geq a_2$, these elements must be swapped to produce a sorted order. Insertion sort then compares the end of the sorted array (the original input a_1) against a_3 . If $a_1 \geq a_3$, the final test of a_3 against the head of the sorted part (original input a_2) de-

cides whether to put a_2 first or second in sorted order.

This lower bound is important for several reasons. First, the idea can be

extended to give lower bounds for many applications of sorting, including element uniqueness, finding the mode, and constructing convex hulls. Sorting has one of the few non-trivial lower bounds among algorithmic problems. We will present a different approach to arguing that fast algorithms are unlikely to exist in Chapter 11 .

Note that hashing-based algorithms do not perform such element comparisons, putting them outside the scope of this lower bound. But hashing-based algorithms can get unlucky, and with worst-case luck the running time of any randomized algorithm for one of these problems will be $\Omega(n \log n)$.

0.75.4 War Story: Skiena for the Defense

I lead a quiet, reasonably honest life. One reward for this is that I don't often find myself on the business end of surprise calls from lawyers. Thus, I was astonished to get a call from a lawyer who not only wanted to talk with me, but wanted to talk to me about sorting algorithms.

*It turned out that her firm was working on a case involving high-performance programs for sorting, and needed an expert witness who could explain technical issues to the jury. They knew I knew something about algorithms, but before taking me on they demanded to see my teaching evaluations to prove that I could explain things to people*³³ *It promised to be an opportunity to learn about how fast sorting programs really worked. I figured I would learn which in-place sorting algorithm was fastest in practice. Was it heapsort or quicksort? What subtle, secret algorithmics made the difference to minimize the number of comparisons in practice?*

The answer was quite humbling. Nobody cared about in-place sorting. The name of the game was sorting huge files, much bigger than can fit in main memory. All the important action was in getting the data on and off a disk. Cute algorithms for doing internal (in-memory) sorting were not the bottleneck, because the real problem lies in sorting gigabytes at a time.

Recall that disks have relatively long seek times, reflecting how long it takes the desired part of the disk to rotate under the read/write head. Once the head is in the right place, the data moves relatively quickly, and it costs about the same to read a large data block as it does to read a single byte. Thus, the goal is minimizing the number of blocks read/written, and coordinating these operations so the sorting algorithm is never waiting to get the data it needs.

The disk-intensive nature of sorting is best revealed by the annual Minutesort competition. The goal is to sort as much data in one minute as possible. As of this writing, the current champion is Tencent Sort, which managed to sort 55 terabytes of data in under a minute on a little old 512 -node cluster, each with 20 cores and 512 GB RAM. You can check out the current records at <http://sortbenchmark.org/>.

That said, which algorithm is best for external sorting? It basically turns out to be a multiway mergesort, employing a lot of engineering and special tricks. You build a heap with members of the top block from each of k sorted lists. By repeatedly plucking the top element off this heap, you build a sorted list merging these k lists. Because this heap is sitting in main memory, these operations are fast. When you have a large enough sorted run, you write it to disk, and free up memory for more data. When you get close to emptying out the elements from the top block of one of the k sorted lists you are merging, load the next block.

It proves very hard to benchmark sorting programs/algorithms at this level and decide which really is fastest. Is it fair to compare a commercial program designed to handle general files with a stripped-down code optimized for integers? The Minutesort competition employs randomly generated 100-byte records. This is a different world than sorting names: Shiffletts are not randomly distributed. For example, one widely employed trick is to strip off a relatively short prefix of the key and initially sort only on that, just to avoid lugging all those extra bytes around.

What lessons did I learn from this? The most important, by far, is to do everything you can to avoid being involved in a lawsuit either as a plaintiff or defendant ⁴. Courts are not instruments for resolving disputes quickly. Legal battles have a lot in common with military battles: they escalate very quickly, become very expensive in time, money, and soul, and usually end only when both sides are exhausted and compromise. Wise are the parties who can work out their problems without going to court. Properly absorbing this lesson now could save you thousands of times the cost of this book.

On technical matters, it is important to worry about external memory performance whenever you combine very large datasets with low-complexity algorithms (say linear or $\Theta(n \log n)$). Constant factors of even 5 or 10 can make a big difference here between what is feasible and what is hopeless. Of course, quadratic-time algorithms are doomed to fail on large datasets, regardless of data access times.

³ One of my more cynical faculty colleagues said this was the first time anyone, anywhere, had ever actually looked at university teaching evaluations.

0.76 Chapter Notes

Several interesting sorting algorithms have not been discussed in this section including shellsort, a substantially more efficient version of insertion sort, and radix sort, an efficient algorithm for sorting strings. You can learn more about these and every other sorting algorithm by browsing through Knuth Knu98. This includes external sorting, the subject of this chapter's legal war story.

As implemented here, mergesort copies the merged elements into an auxiliary buffer, to avoid overwriting the original elements to be sorted. Through clever but complicated buffer manipulation, mergesort can be implemented in an array without using too much extra storage. Kronrod's algorithm for in-place merging is presented in Knu98.

Randomized algorithms are discussed in greater detail in the books by Motwani and Raghavan MR95] and Mitzenmacher and Upfal MU17. The problem of nut and bolt sorting was introduced by Rawlins Raw92. A complicated but deterministic $\Theta(n \log n)$ algorithm is due to Komlos, Ma, and Szemerédi KMS98.

0.77 Applications of Sorting: Numbers

4-1. [3] The Grinch is given the job of partitioning $2n$ players into two teams of n players each. Each player has a numerical rating that measures how good he or she is at the game. The Grinch seeks to divide the players as unfairly as possible, so as to create the biggest possible talent imbalance between the teams. Show how the Grinch can do the job in $O(n \log n)$ time.

4-2. [3] For each of the following problems, give an algorithm that finds the desired numbers within the given amount of time. To keep your answers brief, feel free to use algorithms from the book as sub-routines. For the example, $S = \{6, 13, 19, 3, 8\}$, $19 - 3$ maximizes the difference, while $8 - 6$ minimizes the difference.

(a) Let S be an unsorted array of n integers. Give an algorithm that finds the pair $x, y \in S$ that maximizes $|x - y|$. Your algorithm must run in $O(n)$ worst-case time.

(b) Let S be a sorted array of n integers. Give an algorithm that finds the pair $x, y \in S$ that maximizes $|x - y|$. Your algorithm must run in $O(1)$ worst-case time.

(c) Let S be an unsorted array of n integers. Give an algorithm that finds the pair $x, y \in S$ that minimizes $|x - y|$, for $x \neq y$. Your algorithm must run in $O(n \log n)$ worst-case time.

(d) Let S be a sorted array of n integers. Give an algorithm that finds the pair $x, y \in S$ that minimizes $|x - y|$, for $x \neq y$. Your algorithm

⁴ However, it is actually quite interesting serving as an expert witness.

must run in $O(n)$ worst-case time.

4-3. [3] Take a list of $2n$ real numbers as input. Design an $O(n \log n)$ algorithm that partitions the numbers into n pairs, with the property that the partition minimizes the maximum sum of a pair. For example, say we are given the numbers $(1, 3, 5, 9)$. The possible partitions are $((1, 3), (5, 9))$, $((1, 5), (3, 9))$, and $((1, 9), (3, 5))$. The pair sums for these partitions are $(4, 14)$, $(6, 12)$, and $(10, 8)$. Thus, the third partition has 10 as its maximum sum, which is the minimum over the three partitions.

4-4. [3] Assume that we are given n pairs of items as input, where the first item is a number and the second item is one of three colors (red, blue, or yellow). Further assume that the items are sorted by number. Give an $O(n)$ algorithm to sort the items by color (all reds before all blues before all yellows) such that the numbers for identical colors stay sorted.

For example: $(1, \text{blue}), (3, \text{red}), (4, \text{blue}), (6, \text{yellow}), (9, \text{red})$ should become $(3, \text{red}), (9, \text{red}), (1, \text{blue}), (4, \text{blue}), (6, \text{yellow})$.

4-5. [3] The mode of a bag of numbers is the number that occurs most frequently in the set. The set $\{4, 6, 2, 4, 3, 1\}$ has a mode of 4. Give an efficient and correct algorithm to compute the mode of a bag of n numbers.

4-6. [3] Given two sets S_1 and S_2 (each of size n), and a number x , describe an $O(n \log n)$ algorithm for finding whether there exists a pair of elements, one from S_1 and one from S_2 , that add up to x . (For partial credit, give a $\Theta(n^2)$ algorithm for this problem.)

4-7. [5] Give an efficient algorithm to take the array of citation counts (each count is a non-negative integer) of a researcher's papers, and compute the researcher's h -index. By definition, a scientist has index h if h of his or her n papers have been cited at least h times, while the other $n - h$ papers each have no more than h citations.

4-8. [3] Outline a reasonable method of solving each of the following problems. Give the order of the worst-case complexity of your methods.

(a) You are given a pile of thousands of telephone bills and thousands of checks sent in to pay the bills. Find out who did not pay.

(b) You are given a printed list containing the title, author, call number, and publisher of all the books in a school library and another list of thirty publishers. Find out how many of the books in the library were published by each company.

(c) You are given all the book checkout cards used in the campus library during the past year, each of which contains the name of the person who took out the book. Determine how many distinct people checked out at least one book.

4-9. [5] Given a set S of n integers and an integer T , give an $O(n^{k-1} \log n)$ algorithm to test whether k of the integers in S add

up to T .

4 – 10. [3] We are given a set of S containing n real numbers and a real number x , and seek efficient algorithms to determine whether two elements of S exist whose sum is exactly x .

(a) Assume that S is unsorted. Give an $O(n \log n)$ algorithm for the problem.

(b) Assume that S is sorted. Give an $O(n)$ algorithm for the problem.

4-11. [8] Design an $O(n)$ algorithm that, given a list of n elements, finds all the elements that appear more than $n/2$ times in the list. Then, design an $O(n)$ algorithm that, given a list of n elements, finds all the elements that appear more than $n/4$ times.

0.78 Applications of Sorting: Intervals and Sets

4-12. [3] Give an efficient algorithm to compute the union of sets A and B , where $n = \max(|A|, |B|)$. The output should be an array of distinct elements that form the union of the sets.

(a) Assume that A and B are unsorted arrays. Give an $O(n \log n)$ algorithm for the problem.

(b) Assume that A and B are sorted arrays. Give an $O(n)$ algorithm for the problem.

4-13. [5] A camera at the door tracks the entry time a_i and exit time b_i (assume $b_i > a_i$) for each of n persons p_i attending a party. Give an $O(n \log n)$ algorithm that analyzes this data to determine the time when the most people were simultaneously present at the party. You may assume that all entry and exit times are distinct (no ties).

4-14. [5] Given a list I of n intervals, specified as (x_i, y_i) pairs, return a list where the overlapping intervals are merged. For $I = \{(1, 3), (2, 6), (8, 10), (7, 18)\}$ the output should be $\{(1, 6), (7, 18)\}$. Your algorithm should run in worst-case $O(n \log n)$ time complexity.

4-15. [5] You are given a set S of n intervals on a line, with the i th interval described by its left and right endpoints (l_i, r_i) . Give an $O(n \log n)$ algorithm to identify a point p on the line that is in the largest number of intervals.

As an example, for $S = \{(10, 40), (20, 60), (50, 90), (15, 70)\}$ no point exists in all four intervals, but $p = 50$ is an example of a point in three intervals. You can assume an endpoint counts as being in its interval.

4-16. [5] You are given a set S of n segments on the line, where segment S_i ranges from l_i to r_i . Give an efficient algorithm to select the fewest number of segments whose union completely covers the interval from 0 to m .

0.79 Heaps

4-17. [3] Devise an algorithm for finding the k smallest elements of an unsorted set of n integers in $O(n + k \log n)$.

4-18. [5] Give an $O(n \log k)$ -time algorithm that merges k sorted lists with a total of n elements into one sorted list. (Hint: use a heap to speed up the obvious $O(kn)$ -time algorithm).

4-19. [5] You wish to store a set of n numbers in either a max-heap or a sorted array. For each application below, state which data structure is better, or if it does not matter. Explain your answers.

(a) Find the maximum element quickly.

(b) Delete an element quickly.

(c) Form the structure quickly.

(d) Find the minimum element quickly.

4-20. [5] (a) Give an efficient algorithm to find the second-largest key among n keys. You can do better than $2n - 3$ comparisons.

(b) Then, give an efficient algorithm to find the third-largest key among n keys. How many key comparisons does your algorithm do in the worst case? Must your algorithm determine which key is largest and second-largest in the process?

0.80 Quicksort

4-21. [3] Use the partitioning idea of quicksort to give an algorithm that finds the median element of an array of n integers in expected $O(n)$ time. (Hint: must you look at both sides of the partition?)

4-22. [3] The median of a set of n values is the $\lceil n/2 \rceil$ th smallest value.

(a) Suppose quicksort always pivoted on the median of the current sub-array. How many comparisons would quicksort make then in the worst case?

(b) Suppose quicksort always pivoted on the $\lceil n/3 \rceil$ th smallest value of the current sub-array. How many comparisons would be made then in the worst case?

4-23. [5] Suppose an array A consists of n elements, each of which is red, white, or blue. We seek to sort the elements so that all the reds come before all the whites, which come before all the blues. The only operations permitted on the keys are:

* $\text{Examine}(A, i)$ - report the color of the i th element of A .

* $\text{Swap}(A, i, j)$ - swap the i th element of A with the j th element.

Find a correct and efficient algorithm for red-white-blue sorting. There is a linear-time solution.

4-24. [3] Give an efficient algorithm to rearrange an array of n keys so that all the negative keys precede all the non-negative keys. Your

algorithm must be in-place, meaning you cannot allocate another array to temporarily hold the items. How fast is your algorithm?

4-25. [5] Consider a given pair of different elements in an input array to be sorted, say z_i and z_j . What is the most number of times z_i and z_j might be compared with each other during an execution of quicksort?

4-26. [5] Define the recursion depth of quicksort as the maximum number of successive recursive calls it makes before hitting the base case. What are the minimum and maximum possible recursion depths for randomized quicksort?

4-27. [8] Suppose you are given a permutation p of the integers 1 to n , and seek to sort them to be in increasing order $[1, \dots, n]$. The only operation at your disposal is $\text{reverse}(p, i, j)$, which reverses the elements of a subsequence $p_i, \dots, p_j$ in the permutation. For the permutation $[1, 4, 3, 2, 5]$ one reversal (of the second through fourth elements) suffices to sort.

* Show that it is possible to sort any permutation using $O(n)$ reversals.

* Now suppose that the cost of $\text{reverse}(p, i, j)$ is equal to its length, the number of elements in the range, $|j - i| + 1$. Design an algorithm that sorts p in $O(n \log^2 n)$ cost. Analyze the running time and cost of your algorithm and prove correctness.

0.81 Mergesort

4-28. [5] Consider the following modification to merge sort: divide the input array into thirds (rather than halves), recursively sort each third, and finally combine the results using a three-way merge subroutine. What is the worst-case running time of this modified merge sort?

4-29. [5] Suppose you are given k sorted arrays, each with n elements, and you want to combine them into a single sorted array of kn elements. One approach is to use the merge subroutine repeatedly, merging the first two arrays, then merging the result with the third array, then with the fourth array, and so on until you merge in the k th and final input array. What is the running time?

4-30. [5] Consider again the problem of merging k sorted length- n arrays into a single sorted length- kn array. Consider the algorithm that first divides the k arrays into $k/2$ pairs of arrays, and uses the merge subroutine to combine each pair, resulting in $k/2$ sorted length- $2n$ arrays. The algorithm repeats this step until there is only one length- kn sorted array. What is the running time as a function of n and k ?

0.82 Other Sorting Algorithms

4-31. [5] *Stable sorting algorithms leave equal-key items in the same relative order as in the original permutation. Explain what must be done to ensure that mergesort is a stable sorting algorithm.*

4-32. [5] *Wiggle sort: Given an unsorted array A , reorder it such that $A[0] < A[1] > A[2] < A[3] \dots$. For example, one possible answer for input $[3, 1, 4, 2, 6, 5]$ is $[1, 3, 2, 5, 4, 6]$. Can you do it in $O(n)$ time using only $O(1)$ space?*

4-33. [3] *Show that n positive integers in the range 1 to k can be sorted in $O(n \log k)$ time. The interesting case is when $k \ll n$.*

4-34. [5] *Consider a sequence S of n integers with many duplications, such that the number of distinct integers in S is $O(\log n)$. Give an $O(n \log \log n)$ worst-case time algorithm to sort such sequences.*

4-35. [5] *Let $A[1..n]$ be an array such that the first $n - \sqrt{n}$ elements are already sorted (though we know nothing about the remaining elements). Give an algorithm that sorts A in substantially better than $n \log n$ steps.*

4-36. [5] *Assume that the array $A[1..n]$ only has numbers from $\{1, \dots, n^2\}$ but that at most $\log \log n$ of these numbers ever appear. Devise an algorithm that sorts A in substantially less than $O(n \log n)$.*

4-37. [5] *Consider the problem of sorting a sequence of n 0's and 1's using comparisons. For each comparison of two values x and y , the algorithm learns which of $x < y$, $x = y$, or $x > y$ holds.*

(a) *Give an algorithm to sort in $n - 1$ comparisons in the worst case. Show that your algorithm is optimal.*

(b) *Give an algorithm to sort in $2n/3$ comparisons in the average case (assuming each of the n inputs is 0 or 1 with equal probability). Show that your algorithm is optimal.*

4-38. [6] *Let P be a simple, but not necessarily convex, n -sided polygon and q an arbitrary point not necessarily in P . Design an efficient algorithm to find a line segment originating from q that intersects the maximum number of edges of P . In other words, if standing at point q , in what direction should you aim a gun so the bullet will go through the largest number of walls. A bullet through a vertex of P gets credit for only one wall. An $O(n \log n)$ algorithm is possible.*

0.83 Lower Bounds

4-39. [5] *In one of my research papers [Ski88], I discovered a comparison-based sorting algorithm that runs in $O(n \log(\sqrt{n}))$. Given the existence of an $\Omega(n \log n)$ lower bound for sorting, how can this be possible?*

4-40. [5] *Mr. B. C. Dull claims to have developed a new data structure for priority queues that supports the operations *Insert*, *Maximum*,*

and Extract-Max-all in $O(1)$ worst-case time. Prove that he is mistaken. (Hint: the argument does not involve a lot of gory details—just think about what this would imply about the $\Omega(n \log n)$ lower bound for sorting.)

0.84 Searching

4-41. [3] A company database consists of 10,000 sorted names, 40% of whom are known as good customers and who together account for 60% of the accesses to the database. There are two data structure options to consider for representing the database:

- * Put all the names in a single array and use binary search.
- * Put the good customers in one array and the rest of them in a second array. Only if we do not find the query name on a binary search of the first array do we do a binary search of the second array.

Demonstrate which option gives better expected performance. Does this change if linear search on an unsorted array is used instead of binary search for both options?

4-42. [5] A Ramanujan number can be written two different ways as the sum of two cubes—meaning there exist distinct positive integers a, b, c , and d such that $a^3 + b^3 = c^3 + d^3$. For example, 1729 is a Ramanujan number because $1729 = 1^3 + 12^3 = 9^3 + 10^3$.

(a) Give an efficient algorithm to test whether a given single integer n is a Ramanujan number, with an analysis of the algorithm's complexity.

(b) Now give an efficient algorithm to generate all the Ramanujan numbers between 1 and n , with an analysis of its complexity.

0.85 Implementation Challenges

4-43. [5] Consider an $n \times n$ array A containing integer elements (positive, negative, and zero). Assume that the elements in each row of A are in strictly increasing order, and the elements of each column of A are in strictly decreasing order. (Hence there cannot be two zeros in the same row or the same column.) Describe an efficient algorithm that counts the number of occurrences of the element 0 in A . Analyze its running time.

4-44. [6] Implement versions of several different sorting algorithms, such as selection sort, insertion sort, heapsort, mergesort, and quicksort. Conduct experiments to assess the relative performance of these algorithms in a simple application that reads a large text file and reports exactly one instance of each word that appears within it. This

application can be efficiently implemented by sorting all the words that occur in the text and then passing through the sorted sequence to identify one instance of each distinct word. Write a brief report with your conclusions.

4-45. [5] *Implement an external sort, which uses intermediate files to sort files bigger than main memory. Mergesort is a good algorithm to base such an implementation on. Test your program both on files with small records and on files with large records.*

4-46. [8] *Design and implement a parallel sorting algorithm that distributes data across several processors. An appropriate variation of mergesort is a likely candidate. Measure the speedup of this algorithm as the number of processors increases. Then compare the execution time to that of a purely sequential mergesort implementation. What are your experiences?*

0.86 Interview Problems

4-47. [3] *If you are given a million integers to sort, what algorithm would you use to sort them? How much time and memory would that consume?*

4-48. [3] *Describe advantages and disadvantages of the most popular sorting algorithms.*

4-49. [3] *Implement an algorithm that takes an input array and returns only the unique elements in it.*

4-50. [5] *You have a computer with only 4 GB of main memory. How do you use it to sort a large file of 500 GB that is on disk?*

4-51. [5] *Design a stack that supports push, pop, and retrieving the minimum element in constant time.*

4-52. [5] *Given a search string of three words, find the smallest snippet of the document that contains all three of the search words - that is, the snippet with the smallest number of words in it. You are given the index positions where these words occur in the document, such as word1: (1, 4, 5), word2: (3, 9, 10), and word3: (2, 6, 15). Each of the lists are in sorted order, as above.*

4 – 53. [6] *You are given twelve coins. One of them is heavier or lighter than the rest. Identify this coin in just three weighings with a balance scale.*

0.87 LeetCode

4-1. <https://leetcode.com/problems/sort-list/>

4-2. <https://leetcode.com/problems/queue-reconstruction-by-height/>

4-3. <https://leetcode.com/problems/merge-k-sorted-lists/>

4-4. <https://leetcode.com/problems/find-k-pairs-with-smallest-sums/>

0.88 HackerRank

- 4-1. <https://www.hackerrank.com/challenges/quicksort3/>
- 4-2. <https://www.hackerrank.com/challenges/mark-and-toys/>
- 4-3. <https://www.hackerrank.com/challenges/organizing-containers-of-balls/>

0.89 Programming Challenges

These programming challenge problems with robot judging are available at <https://onlinejudge.org>.

- 4-1. "Vito's Family" - Chapter 4, problem 10041.
- 4-2. "Stacks of Flapjacks" - Chapter 4, problem 120.
- 4-3. "Bridge" - Chapter 4, problem 10037.
- 4-4. "ShoeMaker's Problem"-Chapter 4, problem 10026.
- 4-5. "ShellSort"-Chapter 4, problem 10152.

0.90 Divide and Conquer

One of the most powerful techniques for solving problems is to break them down into smaller, more easily solved pieces. Smaller problems are less overwhelming, and they permit us to focus on details that are lost when we are studying the whole thing. A recursive algorithm starts to become apparent whenever we can break the problem into smaller instances of the same type of problem. Multicore processors now sit in almost every computer, but effective parallel processing requires decomposing jobs into at least as many tasks as the number of processors.

Two important algorithm design paradigms are based on breaking problems down into smaller problems. In Chapter 10 we will see dynamic programming, which typically removes one element from the problem, solves the smaller problem, and then adds back the element to the solution of this smaller problem in the proper way. Divide and conquer instead splits the problem into (say) halves, solves each half, then stitches the pieces back together to form a full solution.

Thus, to use divide and conquer as an algorithm design technique, we must divide the problem into two smaller subproblems, solve each of them recursively, and then meld the two partial solutions into one solution to the full problem. Whenever the merging takes less time than solving the two subproblems, we get an efficient algorithm. Mergesort, discussed in Section 4.5 (page 127), is the classic example of a divide-and-conquer algorithm. It takes only linear time to merge two sorted lists of $n/2$ elements, each of which was obtained in $O(n \lg n)$ time.

Divide and conquer is a design technique with many important algorithms to its credit, including mergesort, the fast Fourier transform, and Strassen's matrix multiplication algorithm. Beyond binary search and its many variants, however, I find it to be a difficult design technique to apply in practice. Our ability to analyze divide and conquer algorithms rests on our proficiency in solving the recurrence relations governing the cost of such recursive algorithms, so we will introduce techniques for solving recurrences here.

0.90.1 Binary Search and Related Algorithms

The mother of all divide-and-conquer algorithms is binary search, which is a fast algorithm for searching in a sorted array of keys S . To search for key q , we compare q to the middle key $S[n/2]$. If q appears before $S[n/2]$, it must reside in the left half of S ; if not, it must reside in the right half of S . By repeating this process recursively on the correct half, we locate the key in a total of $\lceil \lg n \rceil$ comparisons—a big win over the $n/2$ comparisons expected using sequential search:

```
int binary_search(item_type s[], item_type key, int low, int high) {
    int middle; /* index of middle element */
    if (low > high) {
        return (-1); /* key not found */
    }
    middle = (low + high) / 2;
    if (s[middle] == key) {
        return(middle);
    }
    if (s[middle] > key) {
        return(binary_search(s, key, low, middle - 1));
    } else {
        return(binary_search(s, key, middle + 1, high));
    }
}
```

This much you probably know. What is important is to understand is just how fast binary search is. Twenty questions is a popular children's game where one player selects a word and the other repeatedly asks true/false questions until they guess it. If the word remains unidentified after twenty questions, the first party wins. But the second player has a winning strategy, based on binary search. Take a printed dictionary, open it in the middle, select a word (say "move"), and ask whether the unknown word is before "move" in alphabetical order. Standard dictionaries contain between 50,000 to 200,000 words, so we can be certain that the process will terminate within twenty questions.

0.90.2 Counting Occurrences

Several interesting algorithms are variants of binary search. Suppose that we want to count the number of times a given key k (say "Skiena") occurs in a

given sorted array. Because sorting groups all the copies of k into a contiguous block, the problem reduces to finding that block and then measuring its size.

The binary search routine presented above enables us to find the index of an element x of the correct block in $O(\lg n)$ time. A natural way to identify the boundaries of the block is to sequentially test elements to the left of x until we find one that differs from the search key, and then repeat this search to the right of x . The difference between the indices of these boundaries (plus one) gives the number of occurrences of k .

This algorithm runs in $O(\lg n + s)$, where s is the number of occurrences of the key. But this can be as bad as $\Theta(n)$ if the entire array consists of identical keys. A faster algorithm results by modifying binary search to find the boundary of the block containing k , instead of k itself. Suppose we delete the equality test

```
if (s[middle] == key) return(middle);
```

from the implementation above and return the index high instead of -1 on each unsuccessful search. All searches will now be unsuccessful, since there is no equality test. The search will proceed to the right half whenever the key is compared to an identical array element, eventually terminating at the right boundary. Repeating the search after reversing the direction of the binary comparison will lead us to the left boundary. Each search takes $O(\lg n)$ time, so we can count the occurrences in logarithmic time regardless of the size of the block.

By modifying our binary search routine to return $(\text{low} + \text{high})/2$ instead of -1 on an unsuccessful search, we obtain the location between two array elements where the key k should have been. This variant suggests another way to solve our length of run problem. We search for the positions of keys $k - \epsilon$ and $k + \epsilon$, where ϵ is a tiny enough constant that both searches are guaranteed to fail with no intervening keys. Again, doing two binary searches takes $O(\log n)$ time.

0.90.3 One-Sided Binary Search

Now suppose we have an array A consisting of a run of 0's, followed by an unbounded run of 1's, and would like to identify the exact point of transition between them. Binary search on the array would find the transition point in $\lceil \lg n \rceil$ tests, if we had a bound n on the number of elements in the array.

But in the absence of such a bound, we can test repeatedly at larger intervals ($A[1]$, $A[2]$, $A[4]$, $A[8]$, $A[16]$, ...) until we find a non-zero value. Now we have a window containing the target and can proceed with binary search. This one-sided binary search finds the transition point p using at most $2\lceil \lg p \rceil$ comparisons, regardless of how large the array actually is. One-sided binary search is useful whenever we are looking for a key that lies close to our current position.

0.90.4 Square and Other Roots

The square root of n is the positive number r such that $r^2 = n$. Square root computations are performed inside every pocket calculator, but it is instructive to develop an efficient algorithm to compute them.

First, observe that the square root of $n \geq 1$ must be at least 1 and at most n . Let $l = 1$ and $r = n$. Consider the midpoint of this interval, $m = (l + r)/2$. How does m^2 compare to n ? If $n \geq m^2$, then the square root must be greater than m , so the algorithm repeats with $l = m$. If $n < m^2$, then the square root must be less than m , so the algorithm repeats with $r = m$. Either way, we have halved the interval using only one comparison. Therefore, after $\lceil \lg n \rceil$ rounds we will have identified the square root to within $\pm 1/2$.

This bisection method, as it is called in numerical analysis, can also be applied to the more general problem of finding the roots of an equation. We say that x is a root of the function f if $f(x) = 0$. Suppose that we start with values l and r such that $f(l) > 0$ and $f(r) < 0$. If f is a continuous function, there must exist a root between l and r . Depending upon the sign of $f(m)$, where $m = (l + r)/2$, we can cut the window containing the root in half with each test, and stop as soon as our estimate becomes sufficiently accurate.

Root-finding algorithms converging faster than binary search are known for both of these problems. Instead of always testing the midpoint of the interval, these algorithms interpolate to find a test point closer to the actual root. Still, binary search is simple, robust, and works as well as possible without additional information on the nature of the function to be computed.

Take-Home Lesson: Binary search and its variants are the quintessential divide-and-conquer algorithms.

0.90.5 War Story: Finding the Bug in the Bug

Yutong stood up to announce the results of weeks of hard work. "Dead," he announced defiantly. Everybody in the room groaned.

I was part of a team developing a new approach to create vaccines: Synthetic Attenuated Virus Engineering or SAVE. Because of how the genetic code works, there are typically about 3^n different possible

genes that code for any given protein of length n . To a first approximation, all of these are the same, since they describe exactly the same protein. But each of the 3^n synonymous genes use the biological machinery in somewhat different ways, translating at somewhat different speeds.

By substituting a virus gene with a less dangerous replacement, we hoped to create a vaccine: a weaker version of the disease-causing agent that otherwise did the same thing. Your body could fight off the weak virus without you getting sick, along the way training your immune system to fight off tougher villains. But we needed weak viruses, not dead ones: you can't learn anything fighting off something that is already dead.

"Dead means that there must be one place in this 1,200-base region where the virus evolved a signal, a second meaning of the sequence it needs for survival," said our senior virologist. By changing the sequence at this point, we killed the virus. "We have to find this signal to bring it back to life."

"But there are 1,200 places to look! How can we find it?" Yutong asked.

I thought about this a bit. We had to debug a bug. This sounded similar to the problem of debugging a program. I recall many a lonesome night spent trying to figure out exactly which line number was causing my program to crash. I often stooped to commenting out chunks of the code, and then running it again to test if it still crashed. It was usually easy to figure out the problem after I got the commented-out region down to a small enough chunk. The best way to search for this region was...

"Binary search!" I announced. Suppose we replace the first half of the coding sequence of the viable gene (shown in green) with the coding sequence of the dead, critical signal-deficient strain (shown in red), as in design II in Figure 5.1. If this hybrid gene is viable, it means the critical signal must occur in the right half of the gene, whereas a dead virus implies the problem must occur in the left half. Through a binary search process the signal can be located to one of n regions in $\lceil \log_2 n \rceil$ sequential rounds of experiment.

"We can narrow the area containing the signal in a length- n gene to $n/16$ by doing only four experiments," I informed them. The senior virologist got excited. But Yutong turned pale.

"Four more rounds of experiments!" he complained. "It took me a full month to synthesize, clone, and try to grow the virus the last time. Now you want me to do it again, wait to learn which half the signal is in, and then repeat three more times? Forget about it!"

Yutong realized that the power of binary search came from interaction: the query that we make in round r depends upon the answers to the queries in rounds 1 through $r - 1$. Binary search is an inherently

sequential algorithm. When each individual comparison is a slow and laborious process, suddenly $\lg n$ comparisons doesn't look so good. But I had a very cute trick up my sleeve.

"Four successive rounds of this will be too much work for you, Yutong. But might you be able to do four different designs at the same time if we could give them to you all at once?" I asked.

"If I am doing the same things to four different sequences at the same time, it is no big deal," he said. "Not much harder than doing just one of them."

That settled, I proposed that they simultaneously synthesize the four virus designs labeled I, II, III, and IV in Figure 5.1. It turns out you can parallelize binary search, provided your queries can be arbitrary subsets instead of connected halves. Observe that each of the columns defined by these four designs consists of a distinct pattern of red and green. The pattern of living/dead among the four synthetic designs thus uniquely defines the position of the critical signal in one experimental round. In this example, virus I happened to be dead while the other three lived, pinpointing the location of the lethal signal to the fifth region from the right.

Yutong rose to the occasion, and after a month of toil (but not months) discovered a new signal in poliovirus SLW⁺12. He found the bug in the bug through the idea of divide and conquer, which works best when splitting the problem in half at each point. Note that all four of our designs consist of half red and half green, arranged so all sixteen regions have a distinct pattern of colors. With interactive binary search, the last test selects between just two remaining regions. By expanding each test to have half the sequence, we eliminated the need for sequential tests, making the entire process much faster.

0.90.6 Recurrence Relations

Many divide-and-conquer algorithms have time complexities that are naturally modeled by recurrence relations. The ability to solve such recurrences is important to understanding when divide-and-conquer algorithms perform well, and provides an important tool for analysis in general. The reader who balks at the very idea of analysis is free to skip this section, but important insights come from an understanding of the behavior of recurrence relations.

What is a recurrence relation? It is an equation in which a function is defined in terms of itself. The Fibonacci numbers are described by the recurrence relation

$$F_n = F_{n-1} + F_{n-2}$$

together with the initial values $F_0 = 0$ and $F_1 = 1$, as will be discussed in Section 10.1.1 Many other familiar functions are easily expressed as recurrences. Any polynomial can be represented by a recurrence, such as the linear function:

$$a_n = a_{n-1} + 1, a_1 = 1 \longrightarrow a_n = n$$

Any exponential can be represented by a recurrence:

$$a_n = 2a_{n-1}, a_1 = 1 \longrightarrow a_n = 2^{n-1}$$

Finally, lots of weird functions that cannot be easily described using conventional notation can be represented naturally by a recurrence, for example:

$$a_n = na_{n-1}, a_1 = 1 \longrightarrow a_n = n!$$

This shows that recurrence relations are a very versatile way to represent functions.

The self-reference property of recurrence relations is shared with recursive programs or algorithms, as the shared roots of both terms reflect. Essentially, recurrence relations provide a way to analyze recursive structures, such as algorithms.

0.90.7 Divide-and-Conquer Recurrences

A typical divide-and-conquer algorithm breaks a given problem into a smaller pieces, each of which is of size n/b . It then spends $f(n)$ time to combine these subproblem solutions into a complete result. Let $T(n)$ denote the worst-case time this algorithm takes to solve a problem of size n . Then $T(n)$ is given by the following recurrence relation:

$$T(n) = a \cdot T(n/b) + f(n)$$

Consider the following examples, based on algorithms we have previously seen:

- * *Mergesort* - The running time of mergesort is governed by the recurrence $T(n) = 2T(n/2) + O(n)$, since the algorithm divides the data into equalsized halves and then spends linear time merging the halves after they are sorted. In fact, this recurrence evaluates to $T(n) = O(n \lg n)$, just as we got by our previous analysis.
- * *Binary search* - The running time of binary search is governed by the recurrence $T(n) = T(n/2) + O(1)$, since at each step we spend constant time to reduce the problem to an instance half its size. This recurrence evaluates to $T(n) = O(\lg n)$, just as we got by our previous analysis.

* *Fast heap construction* - The `bubble_down` method of heap construction (described in Section 4.3.4) builds an n -element heap by constructing two $n/2$ element heaps and then merging them with the root in logarithmic time. The running time is thus governed by the recurrence relation $T(n) = 2T(n/2) + O(\lg n)$. This recurrence evaluates to $T(n) = O(n)$, just as we got by our previous analysis.

Solving a recurrence means finding a nice closed form describing or bounding the result. We can use the master theorem, discussed in Section 5.4, to solve the recurrence relations typically arising from divide-and-conquer algorithms.

0.90.8 Solving Divide-and-Conquer Recurrences

Divide-and-conquer recurrences of the form $T(n) = aT(n/b) + f(n)$ are generally easy to solve, because the solutions typically fall into one of three distinct cases:

1. If $f(n) = O(n^{\log_b a - \epsilon})$ for some constant $\epsilon > 0$, then $T(n) = \Theta(n^{\log_b a})$.
2. If $f(n) = \Theta(n^{\log_b a})$, then $T(n) = \Theta(n^{\log_b a} \lg n)$.
3. If $f(n) = \Omega(n^{\log_b a + \epsilon})$ for some constant $\epsilon > 0$, and if $af(n/b) \leq cf(n)$ for some $c < 1$, then $T(n) = \Theta(f(n))$.

Although this looks somewhat frightening, it really isn't difficult to apply. The issue is identifying which case of this so-called master theorem holds for your given recurrence. Case 1 holds for heap construction and matrix multiplication, while Case 2 holds for mergesort. Case 3 generally arises with chumsier algorithms, where the cost of combining the subproblems dominates everything.

The master theorem can be thought of as a black-box piece of machinery, invoked as needed and left with its mystery intact. However, after a little study it becomes apparent why the master theorem works. Figure 5.2 shows the recursion tree associated with a typical $T(n) = aT(n/b) + f(n)$ divide-and-conquer algorithm. Each problem of size n is decomposed into a problems of size n/b . Each subproblem of size k takes $O(f(k))$ time to deal with internally, between partitioning and merging. The total time for the algorithm is the sum of these internal evaluation costs, plus the overhead of building the recursion tree. The height of this tree is $h = \log_b n$ and the number of leaf nodes is $a^h = a^{\log_b n}$, which happens to simplify to $n^{\log_b a}$ with some algebraic manipulation.

The three cases of the master theorem correspond to three different costs, each of which might be dominant as a function of a , b , and $f(n)$:

- * *Case 1: Too many leaves* - If the number of leaf nodes outweighs the overall internal evaluation cost, the total running time is $O(n^{\log_b a})$.
- * *Case 2: Equal work per level* - As we move down the tree, each problem gets smaller but there are more of them to solve. If the sums of the internal evaluation costs at each level are equal, the total running time is the cost per level ($n^{\log_b a}$) times the number of levels ($\log_b n$), for a total running time of $O(n^{\log_b a} \lg n)$.
- * *Case 3: Too expensive a root* - If the internal evaluation cost grows very rapidly with n , then the cost of the root evaluation may dominate everything. Then the total running time is $O(f(n))$.

Once you accept the master theorem, you can easily analyze any divide-and-conquer algorithm, given only the recurrence associated with it. We use this approach on several algorithms below.

0.90.9 Fast Multiplication

You know at least two ways to multiply integers A and B to get $A \times B$. You first learned that $A \times B$ meant adding up B copies of A , which gives an $O(n \cdot 10^n)$ time algorithm to multiply two n -digit base-10 numbers. Then you learned to multiply long numbers on a digit-by-digit basis, like

$$9256 \times 5367 = 9256 \times 7 + 9256 \times 60 + 9256 \times 300 + 9256 \times 5000 = 13,787,823$$

Recall that those zeros we pad the digit-terms by are not really computed as products. We implement their effect by shifting the product digits to the correct place. Assuming we perform each real digit-by-digit product in constant time, by looking it up in a times table, this algorithm multiplies two n -digit numbers in $O(n^2)$ time.

In this section I will present an even faster algorithm for multiplying large numbers. It is a classic divide-and-conquer algorithm. Suppose each number has $n = 2m$ digits. Observe that we can split each number into two pieces each of m digits, such that the product of the full numbers can easily be constructed from the products of the pieces, as follows. Let $w = 10^{m+1}$, and represent $A = a_0 + a_1 w$ and $B = b_0 + b_1 w$, where a_i and b_i are the pieces of each respective number. Then:

$$A \times B = (a_0 + a_1 w) \times (b_0 + b_1 w) = a_0 b_0 + a_0 b_1 w + a_1 b_0 w + a_1 b_1 w^2$$

This procedure reduces the problem of multiplying two n -digit numbers to four products of $(n/2)$ -digit numbers. Recall that multiplication by w doesn't count: it is simply padding the product with zeros. We

also have to add together these four products once computed, which is $O(n)$ work.

Let $T(n)$ denote the amount of time it takes to multiply two n -digit numbers. Assuming we use the same algorithm recursively on each of the smaller products, the running time of this algorithm is given by the recurrence:

$$T(n) = 4T(n/2) + O(n)$$

Using the master theorem (case 1), we see that this algorithm runs in $O(n^2)$ time, exactly the same as the digit-by-digit method. We divided, but we did not conquer.

Karatsuba's algorithm is an alternative recurrence for multiplication, which yields a better running time. Suppose we compute the following three products:

$$\begin{aligned} q_0 &= a_0 b_0 \\ q_1 &= (a_0 + a_1)(b_0 + b_1) \\ q_2 &= a_1 b_1 \end{aligned}$$

Note that

$$\begin{aligned} A \times B &= (a_0 + a_1 w) \times (b_0 + b_1 w) = a_0 b_0 + a_0 b_1 w + a_1 b_0 w + a_1 b_1 w^2 \\ &= q_0 + (q_1 - q_0 - q_2) w + q_2 w^2 \end{aligned}$$

so now we have computed the full product with just three half-length multiplications and a constant number of additions. Again, the w terms don't count as multiplications: recall that they are really just zero shifts. The time complexity of this algorithm is therefore governed by the recurrence

$$T(n) = 3T(n/2) + O(n)$$

Since $n = O(n^{\log_2 3})$, this is solved by the first case of the master theorem, and $T(n) = \Theta(n^{\log_2 3}) = \Theta(n^{1.585})$. This is a substantial improvement over the quadratic algorithm for large numbers, and indeed beats the standard multiplication algorithm soundly for numbers of 500 digits or so.

This approach of defining a recurrence that uses fewer multiplications but more additions also lurks behind fast algorithms for matrix multiplication. The nested-loops algorithm for matrix multiplication discussed in Section 2.5.4 takes $O(n^3)$ for two $n \times n$ matrices, because we compute the dot product of n terms for each of the n^2 elements in the product matrix. However, Strassen [Str69] discovered a divide-and-conquer algorithm that manipulates the products of seven $n/2 \times n/2$

matrix products to yield the product of two $n \times n$ matrices. This yields a time-complexity recurrence

$$T(n) = 7 \cdot T(n/2) + O(n^2)$$

Because $\log_2 7 \approx 2.81$, $O(n^{\log_2 7})$ dominates $O(n^2)$, so Case 1 of the master theorem applies and $T(n) = \Theta(n^{2.81})$.

This algorithm has been repeatedly "improved" by increasingly complicated recurrences, and the current best is $O(n^{2.3727})$. See Section 16.3 (page 472 for more detail).

0.90.10 Largest Subrange and Closest Pair

Suppose you are tasked with writing the advertising copy for a hedge fund whose monthly performance this year was

$$[-17, 5, 3, -10, 6, 1, 4, -3, 8, 1, -13, 4]$$

You lost money for the year, but from May through October you had your greatest gains over any period, a net total of 17 units of gains. This gives you something to brag about.

The largest subrange problem takes an array A of n numbers, and asks for the index pair i and j that maximizes $S = \sum_{k=i}^j A[k]$. Summing the entire array does not necessarily maximize S because of negative numbers. Explicitly testing each possible interval start-end pair requires $\Omega(n^2)$ time. Here I present a divide-and-conquer algorithm that runs in $O(n \log n)$ time.

Suppose we divide the array A into left and right halves. Where can the largest subrange be? It is either in the left half or the right half, or includes the middle. A recursive program to find the largest subrange between $A[l]$ and $A[r]$ can easily call itself to work on the left and right subproblems. How can we find the largest subrange spanning the middle, that is, spanning positions m and $m + 1$?

The key is to observe that the largest subrange centered spanning the middle will be the union of the largest subrange on the left ending on m , and the largest subrange on the right starting from $m + 1$, as illustrated in Figure 5.3 The value V_l of the largest such subrange on the left can be found in linear time with a sweep:

```

LeftMidMaxRange (A, l, m)
    S = M = 0
    for i = m downto l
        S = S + A[i]
        if (S > M) then M = S
    return S

```

The corresponding value on the right can be found analogously. Dividing n into two halves, doing linear work, and recurring takes time $T(n)$, where

$$T(n) = 2 \cdot T(n/2) + \Theta(n)$$

Case 2 of the master theorem yields $T(n) = \Theta(n \log n)$. This general approach of "find the best on each side, and then check what is straddling the middle" can be applied to other problems as well. Consider the problem of finding the smallest distance between pairs among a set of n points.

In one dimension, this problem is easy: we saw in Section 4.1 (page 109) that after sorting the points, the closest pair must be neighbors. A linear-time sweep from left to right after sorting thus yields an $\Theta(n \log n)$ algorithm. But we can replace this sweep by a cute divide-and-conquer algorithm. The closest pair is defined by the left half of the points, the right half, or the pair in the middle, so the following algorithm must find it:

```

ClosestPair (A, l, r)
    mid = ⌊(l + r)/2⌋
    lmin = ClosestPair(A, l, mid)
    rmin = ClosestPair(A, mid + 1, r)
    return min(lmin, rmin, A[mid + 1] - A[mid])

```

Because this does constant work per call, its running time is given by the recurrence:

$$T(n) = 2 \cdot T(n/2) + O(1)$$

Case 1 of the master theorem tells us that $T(n) = \Theta(n)$. This is still linear time and so might not seem very impressive, but let's generalize the idea to points in two dimensions. After we sort

the $n(x, y)$ points according to their x -coordinates, the same property must be true: the closest pair is either two points on the left half or two points on the right, or it straddles left and right. As shown in Figure 5.4 these straddling points had better be close to the dividing line (distance $d < \min(l_{\min}, r_{\min})$) and also have very similar y -coordinates. With clever bookkeeping, the closest straddling pair can be found in linear time, yielding a running time of

$$T(n) = 2 \cdot T(n/2) + \Theta(n) = \Theta(n \log n)$$

as defined by Case 2 of the master theorem.

0.90.11 Parallel Algorithms

Two heads are better than one, and more generally, n heads better than $n - 1$. Parallel processing has become increasingly prevalent, with the advent of multicore processors and cluster computing.

0.90.12 Data Parallelism

Divide and conquer is the algorithm paradigm most suited to parallel computation. Typically, we seek to partition our problem of size n into p equal-sized parts, and simultaneously feed one to each processor. This reduces the time to completion (or makespan) from $T(n)$ to $T(n/p)$, plus the cost of combining the results together. If $T(n)$ is linear, this gives us a maximum possible speedup of p . If $T(n) = \Theta(n^2)$ it may look like we can do even better, but this is generally an illusion. Suppose we want to sweep through all pairs of n items. Sure we can partition the items into p independent chunks, but $n^2 - p(n/p)^2$ of the n^2 possible pairs will not ever have both elements on the same processor.

Multiple processors are typically best deployed to exploit data parallelism, running a single algorithm on different and independent data sets. For example, computer animation systems must render thirty frames per second for realistic animation. Assigning each frame to a distinct processor, or dividing each image into regions assigned to different processors, might be the best way to get the job done in time. Such tasks are often called embarrassingly parallel.

Generally speaking, such data parallel approaches are not algorithmically interesting, but they are simple and effective. There is a more advanced world of parallel algorithms where different processors synchronize their efforts so they can together solve a single problem quicker than one can. These algorithms are out of the scope of what we will cover in this book, but be aware of the

challenges involved in the design and implementation of sophisticated parallel algorithms.

0.90.13 Pitfalls of Parallelism

There are several potential pitfalls and complexities associated with parallel algorithms:

- * *There is often a small upper bound on the potential win - Suppose that you have access to a machine with 24 cores that can be devoted exclusively to your job. These can potentially be used to speed up the fastest sequential program by up to a factor of 24 . Sweet! But even greater performance gains can often result from developing more efficient sequential algorithms. Your time spent parallelizing a code might well be better spent enhancing the sequential version. Performance-tuning tools such as profilers are better developed for sequential machines/programs than for parallel models.*
- * *Speedup means nothing - Suppose my parallel program runs 24 times faster on a 24 -core machine than it does on a single processor. That's great, isn't it? If you get linear speedup and can increase the number of processors without bound, you will eventually beat any sequential algorithm. But the one-processor parallel version of your code is likely to be a crummy sequential algorithm, so measuring speedup typically provides an unfair test of the benefits of parallelism. And it is hard to buy machines with an unlimited number of cores.*

The classic example of this phenomenon occurs in the minimax game-tree search algorithm used in computer chess programs. A brute-force tree search is embarrassingly easy to parallelize: just put each subtree on a different processor. However, a lot of work gets wasted because the same positions get considered on different machines. Moving from a brute-force search to the more clever alpha-beta pruning algorithm can easily save 99.99% of the work, thus dwarfing any benefits of a parallel brute-force search. Alpha-beta can be parallelized, but not easily, and the speedups grow surprisingly slowly as a function of the number of processors you have.

- * *Parallel algorithms are tough to debug - Unless your problem can be decomposed into several independent jobs, the different processors must communicate with each other to end up with the correct final result. Unfortunately, the non-deterministic nature of this communication makes parallel programs notoriously difficult to debug, because you will get different results each time you run the code. Data parallel programs typically have no communica-*

tion except copying the results at the end, which makes things much simpler.

I recommend considering parallel processing only after attempts at solving a problem sequentially prove too slow. Even then, I would restrict attention to data parallel algorithms where no communication is needed between the processors, except to collect the final results. Such large-grain, naïve parallelism can be simple enough to be both implementable and debuggable, because it really reduces to producing a good sequential implementation. There can be pitfalls even in this approach, however, as shown by the following war story.

0.90.14 War Story: Going Nowhere Fast

In Section 2.9 (page 54), I related our efforts to build a fast program to test Waring's conjecture for pyramidal numbers. At that point, my code was fast enough that it could complete the job in a few weeks running in the background of a desktop workstation. This option did not appeal to my supercomputing colleague, however. "Why don't we do it in parallel?" he suggested. "After all, you have an outer loop doing the same calculation on each integer from 1 to 1,000,000,000. I can split this range of numbers into different intervals and run each range on a different processor. Divide and conquer. Watch, it will be easy."

He set to work trying to do our computations on an Intel IPSC-860 hypercube using 32 nodes with 16 megabytes of memory per node - very big iron for the time. However, instead of getting answers, over the next few weeks I was treated to a regular stream of e-mail about system reliability:

- * "Our code is running fine, except one processor died last night. I will rerun."*
- * "This time the machine was rebooted by accident, so our long-standing job was killed."*
- * "We have another problem. The policy on using our machine is that nobody can command the entire machine for more than 13 hours, under any condition."*

Still, eventually, he rose to the challenge. Waiting until the machine was stable, he locked out 16 processors (half the computer), divided the integers from 1 to 1,000,000,000 into 16 equal-sized intervals, and ran each interval on its own processor. He spent the next day fending off angry users who couldn't get their work done because of our rogue job. The instant the first processor completed analyzing the numbers from 1 to 62,500,000, he announced to all the people yelling at him that the rest of the processors would soon follow.

But they didn't. He failed to realize that the time to test each integer increased as the numbers got larger. After all, it would take longer to test whether 1,000,000,000 could be expressed as the sum of three pyramidal numbers than it would for 100. Thus, at longer and longer intervals, each new processor would announce its completion. Because of the architecture of the hypercube, he couldn't return any of the processors until our entire job was completed. Eventually, half the machine and most of its users were held hostage by one, final interval.

What conclusions can be drawn from this? If you are going to parallelize a problem, be sure to balance the load carefully among the processors. Proper load balancing, using either back-of-the-envelope calculations or the partition algorithm we will develop in Section 10.7 (page 333), would have significantly reduced the length of time we needed the machine, and his exposure to the wrath of his colleagues.

0.90.15 Convolution (*)

The convolution of two arrays (or vectors) A and B is a new vector C such that

$$C[k] = \sum_{j=0}^{m-1} A[j] \cdot B[k-j]$$

If we assume that A and B are of length m and n respectively, and indexed starting from 0, the natural range on C is from $C[0]$ to $C[n+m-2]$. The values of all out-of-range elements of A and B are interpreted as zero, so they do not contribute to any product. An example of convolution that you are familiar with is polynomial multiplication. Recall the problem of multiplying two polynomials, for example:

$$\begin{aligned} (3x^2 + 2x + 6) \times (4x^2 + 3x + 2) &= (3 \cdot 4)x^4 + (3 \cdot 3 + 2 \cdot 4)x^3 \\ &\quad + (3 \cdot 2 + 2 \cdot 3 + 6 \cdot 4)x^2 + (2 \cdot 2 + 6 \cdot 3)x^1 + (6 \cdot 2)x^0 \end{aligned}$$

Let $A[i]$ and $B[i]$ denote the coefficients of x^i in each of the polynomials. Then multiplication is a convolution, because the coefficient of the x^k term in the product polynomial is given by the convolution $C[k]$ above. This coefficient is the sum of the products of all terms which have exponent pairs adding to k : for example,

$$x^5 = x^4 \cdot x^1 = x^3 \cdot x^2.$$

The obvious way to implement convolution is by computing the m term dot product $C[k]$ for each $0 \leq k \leq n + m - 2$. This is two nested loops, running in $\Theta(nm)$ time. The inner loop does not always involve m iterations because of boundary conditions. Simpler loop bounds could have been employed if A and B were flanked by ranges of zeros.

```
for (i = 0; i < n+m-1; i++) {
    for (j = max(0,i-(n-1)); j <= min(m-1,i); j++) {
        c[i] = c[i] + a[j] * b[i-j];
    }
}
```

Convolution multiplies every possible pair of elements from A and B , and hence it seems like we should require quadratic time to get these $n + m - 1$ numbers. But in a miracle akin to sorting, there exists a clever divide-and-conquer algorithm that runs in $O(n \log n)$ time, assuming that $n \geq m$. And just like sorting, there are a large number of applications that take advantage of this enormous speedup for large sequences.

0.90.16 Applications of Convolution

Going from $O(n^2)$ to $O(n \log n)$ is as big a win for convolution as it was for sorting. Taking advantage of it requires recognizing when you are doing a convolution operation. Convolutions often arise when you are trying all possible ways of doing things that add up to k , for a large range of values of k , or when sliding a mask or pattern A over a sequence B and calculating at each position.

Important examples of convolution operations include:

- * *Integer multiplication: We can interpret integers as polynomials in any base b . For example, $632 = 6 \cdot b^2 + 3 \cdot b^1 + 2 \cdot b^0$, where $b = 10$. Polynomial multiplication behaves like integer multiplication without carrying.*

There are two different ways we can use fast polynomial multiplication to deal with integers. First, we can explicitly perform the carrying operation on the product polynomial, adding $\lfloor C[i]/b \rfloor$ to $C[i+1]$, and then replacing $C[i]$ with $C[i] \pmod{b}$. Alternatively, we could compute the product polynomial and then evaluate it at b to get the integer product $A \times B$.

With fast convolution, either way gives us an even faster multiplication algorithm than Karatsuba, running in $O(n \log n)$ time on a RAM model of computation.

- * *Cross-correlation: For two time series A and B , the cross-correlation function measures the similarity as a function of the shift or displacement of one relative to the other. Perhaps people buy a*

product on average k days after seeing an advertisement for it. Then there should be high correlation between sales and advertising expenditures lagged by k days. This cross-correlation function $C[k]$ can be computed:

$$C[k] = \sum_j A[j]B[j+k]$$

Note that the dot product here is computed over backward shifts of B instead of forward shifts, as in the original definition of a convolution. But we can still use fast convolution to compute this: simply input the reversed sequence B^R instead of B .

* *Moving average filters:* Often we are tasked with smoothing time series data by averaging over a window. Perhaps we want $C[i-1] = 0.25B[i-1] + 0.5B[i] + 0.25B[i+1]$ over all positions i . This is just another convolution, where A is the vector of weights within the window around $B[i]$.

* *String matching:* Recall the problem of substring pattern matching, first discussed in Section 2.5.3. We are given a text string S and a pattern string P , and seek to identify all locations in P where P may be found. For $S = \text{abaababa}$ and $P = \text{aba}$, we can find P in S starting at positions 0, 3, and 5.

The $O(mn)$ algorithm described in Section 2.5.3 works by sliding the length m pattern over each of the n possible starting points in the text. This sliding window approach is suggestive of being a convolution with the reversed pattern P^R , as shown in Figure 5.5 Can we solve string matching in $O(n \log n)$ by using fast convolution?

The answer is yes! Suppose our strings have an alphabet of size α . We can represent each character by a binary vector of length α having exactly one non-zero bit. Say $a = 10$ and $b = 01$ for the alphabet $\{a, b\}$. Then we can encode the strings S and P above as

$$S = 1001101001100110$$

$$P = 100110$$

The dot product over a window will be m on an even-numbered position of s iff p starts at that position in the text. So fast convolution can identify all locations of p in s in $O(n \log n)$ time.

Take-Home Lesson: Learn to recognize possible convolutions. A magical $\Theta(n \log n)$ algorithm instead of $O(n^2)$ is your reward for seeing this.

0.90.17 Fast Polynomial Multiplication (**)

The applications above should whet our interest in efficient ways to compute convolutions. The fast convolution algorithm uses divide and conquer, but a detailed proof of correctness relies on fairly sophisticated properties of complex numbers and linear algebra that are beyond the scope of what I want to do here. Feel free to skip ahead! But I will provide enough of an overview for you to understand the divide and conquer part.

We present convolution through a fast algorithm for multiplying polynomials. It is based on a series of observations:

- * Polynomials can be represented either as equations or sets of points: You know that every pair of points defines a line. More generally, any degree- n polynomial $P(x)$ is completely defined by $n + 1$ points on the polynomial. For example, the points $(-1, -2)$, $(0, -1)$, and $(1, 2)$ define (and are defined by) the quadratic equation $y = x^2 + 2x - 1$.*
- * We can find $n + 1$ such points on $P(x)$ by evaluation, but it looks expensive: Generating a point on a given polynomial is easy—simply pick an arbitrary value x and plug it into $P(x)$. The time it takes for one such x will be linear in the degree of $P(x)$, which means n for the problems we are interested in. But doing this $n + 1$ times for different values of x would take $O(n^2)$ time, which is more than we can afford if we want fast multiplication.*
- * Multiplying polynomials A and B in a points representation is easy, if they have both been evaluated on the same values of x : Suppose we want to compute the product of $(3x^2 + 2x + 6)(4x^2 + 3x + 2)$. The result will be a degree- 4 polynomial, so we need five points to define it. We can evaluate both factors on the same x values:*

$$A(x) = 3x^2 + 2x + 6 \longrightarrow (-2, 14), (-1, 7), (0, 6), (1, 11), (2, 22)$$

$$B(x) = 4x^2 + 3x + 2 \longrightarrow (-2, 12), (-1, 3), (0, 2), (1, 9), (2, 24)$$

Since $C(x) = A(x)B(x)$, we can now construct points on $C(x)$ by multiplying the corresponding y -values:

$$C(x) \longleftarrow (-2, 168), (-1, 21), (0, 12), (1, 99), (2, 528)$$

Thus, multiplying points in this representation takes only linear time.

- * We can evaluate a degree- n polynomial $A(x)$ as two degree- $(n/2)$ polynomials in x^2 : We can partition the terms of A into those of even and odd degree, for example:*

$$12x^4 + 17x^3 + 36x^2 + 22x + 12 = (12x^4 + 36x^2 + 12) + x(17x^2 + 22)$$

By replacing x^2 by x' , the right side gives us two smaller, lower degree polynomials as promised.

- * This suggests an efficient divide-and-conquer algorithm: We need to evaluate n points of a degree- d polynomial. We need $n \geq 2d+1$ points, since we will be using them to compute the product of two polynomials. We can decompose the problem into doing this evaluation on two polynomials of half the degree, plus a linear amount of work stitching the results together. This defines the recurrence $T(n) = 2T(n/2) + O(n)$, which evaluates to $O(n \log n)$.
- * Making this work correctly requires picking the right x values to evaluate on: The trick with the squares makes it desirable for our sample points to come in pairs of the form $\pm x$, since their evaluation requires half as much work because they are identical when squared.

However, this property does not hold recursively, unless the x values are carefully chosen complex numbers. The n th roots of unity are the set of solutions to the equation $x^n = 1$. In reals, we only get $x \in \{-1, 1\}$, but there are n solutions with complex numbers. The k th of these n roots is given by

$$w_k = \cos(2k\pi/n) + i \sin(2k\pi/n)$$

To appreciate the magic properties of these numbers, look at what happens when we raise them to powers:

$$\begin{aligned} w &= \left\{ 1, \frac{1+i}{\sqrt{2}}, i, -\frac{1-i}{\sqrt{2}}, -1, -\frac{1+i}{\sqrt{2}}, -i, \frac{1-i}{\sqrt{2}} \right\} \\ w^2 &= \{1, i, -1, -i, 1, i, -1, -i\} \\ w^4 &= \{1, -1, 1, -1, 1, -1, 1, -1\} \\ w^8 &= \{1, 1, 1, 1, 1, 1, 1, 1\} \end{aligned}$$

Observe that these terms come in positive/negative pairs, and the number of distinct terms gets halved with each squaring. These are the properties we need to make the divide and conquer work.

The best implementations of fast convolution generally compute the fast Fourier transform (FFT), so usually we seek to reduce our problems to FFTs to take advantage of existing libraries. FFTs are discussed in Section 16.11 (page 501).

Take-Home Lesson: Fast convolution solves many important problems in $O(n \log n)$. The first step is to recognize your problem is a convolution.

0.91 Chapter Notes

Several other algorithms texts provide more substantive coverage of divide-and-conquer algorithms, including Kleinberg and Tardos KT06 and Manber Man89. See Cormen et al. CLRS09] for an excellent overview of the master theorem.

See Skiena Ski12 for an accessible introduction to algorithmic design of vaccines. The bug searching sequences described in Section 5.2 is an example of a pooling design, enabling the identification of (say) one sick patient out of n using only $\lg n$ blood tests on pooled samples. The theory of these interesting designs is surveyed by Du and Hwang [DH00. The left-right order of the subsets on these designs reflects a Gray code, in which neighboring subsets differ in exactly one element. Gray codes are discussed in Section 17.5 Our parallel computations on pyramidal numbers were reported in Deng and Yang DY94. My treatment of convolutions and the FFT was based on Avrim Blum's 15-451/651 algorithm lecture notes.

0.92 Binary Search

5-1. [3] Suppose you are given a sorted array A of size n that has been circularly shifted k positions to the right. For example, $[35, 42, 5, 15, 27, 29]$ is a sorted array that has been circularly shifted $k = 2$ positions, while $[27, 29, 35, 42, 5, 15]$ has been shifted $k = 4$ positions.

* Suppose you know what k is. Give an $O(1)$ algorithm to find the largest number in A .

* Suppose you do not know what k is. Give an $O(\lg n)$ algorithm to find the largest number in A . For partial credit, you may give an $O(n)$ algorithm.

5 – 2. [3] A sorted array of size n contains distinct integers between 1 and $n + 1$, with one element missing. Give an $O(\log n)$ algorithm to find the missing integer, without using any extra space.

5-3. [3] Consider the numerical Twenty Questions game. In this game, the first player thinks of a number in the range 1 to n . The second player has to figure out this number by asking the fewest number of true/false questions. Assume that nobody cheats.

(a) What is an optimal strategy if n is known?

(b) What is a good strategy if n is not known?

5-4. [5] You are given a unimodal array of n distinct elements, meaning that its entries are in increasing order up until its maximum element, after which its elements are in decreasing order.

Give an algorithm to compute the maximum element of a unimodal array that runs in $O(\log n)$ time.

5-5. [5] Suppose that you are given a sorted sequence of distinct integers $[a_1, a_2, \dots, a_n]$. Give an $O(\lg n)$ algorithm to determine whether there exists an index i such that $a_i = i$. For example, in $[-10, -3, 3, 5, 7]$, $a_3 = 3$. In $[2, 3, 4, 5, 6, 7]$, there is no such i .

5-6. [5] Suppose that you are given a sorted sequence of distinct integers $a = [a_1, a_2, \dots, a_n]$, drawn from 1 to m where $n < m$. Give an $O(\lg n)$ algorithm to find an integer $\leq m$ that is not present in a . For full credit, find the smallest such integer x such that $1 \leq x \leq m$.

5-7. [5] Let M be an $n \times m$ integer matrix in which the entries of each row are sorted in increasing order (from left to right) and the entries in each column are in increasing order (from top to bottom). Give an efficient algorithm to find the position of an integer x in M , or to determine that x is not there. How many comparisons of x with matrix entries does your algorithm use in worst case?

0.93 Divide and Conquer Algorithms

5-8. [5] Given two sorted arrays A and B of size n and m respectively, find the median of the $n + m$ elements. The overall run time complexity should be $O(\log(m + n))$.

5-9. [8] The largest subrange problem, discussed in Section 5.6 takes an array A of n numbers, and asks for the index pair i and j that maximizes $S = \sum_{k=i}^j A[k]$. Give an $O(n)$ algorithm for largest subrange.

5-10. [8] We are given n wooden sticks, each of integer length, where the i th piece has length $L[i]$. We seek to cut them so that we end up with k pieces of exactly the same length, in addition to other fragments. Furthermore, we want these k pieces to be as large as possible.

(a) Given four wood sticks, of lengths $L = \{10, 6, 5, 3\}$, what are the largest sized pieces you can get for $k = 4$? (Hint: the answer is not 3).

(b) Give a correct and efficient algorithm that, for a given L and k , returns the maximum possible length of the k equal pieces cut from the initial n sticks.

5-11. [8] Extend the convolution-based string-matching algorithm described in the text to the case of pattern matching with wildcard characters `"`, which match any character. For example, `"sht"` should match both `"shot"` and `"shut"`.

0.94 Recurrence Relations

5-12. [5] In Section 5.3 it is asserted that any polynomial can be represented by a recurrence. Find a recurrence relation that represents the polynomial $a_n = n^2$.

5-13. [5] Suppose you are choosing between the following three algorithms:

- * Algorithm A solves problems by dividing them into five subproblems of half the size, recursively solving each subproblem, and then combining the solutions in linear time.
- * Algorithm B solves problems of size n by recursively solving two subproblems of size $n - 1$ and then combining the solutions in constant time.
- * Algorithm C solves problems of size n by dividing them into nine subproblems of size $n/3$, recursively solving each subproblem, and then combining the solutions in $\Theta(n^2)$ time.

What are the running times of each of these algorithms (in big O notation), and which would you choose?

5-14. [5] Solve the following recurrence relations and give a Θ bound for each of them:

(a) $T(n) = 2T(n/3) + 1$

(b) $T(n) = 5T(n/4) + n$

(c) $T(n) = 7T(n/7) + n$

(d) $T(n) = 9T(n/3) + n^2$

5-15. [3] Use the master theorem to solve the following recurrence relations:

(a) $T(n) = 64T(n/4) + n^4$

(b) $T(n) = 64T(n/4) + n^3$

(c) $T(n) = 64T(n/4) + 128$

5-16. [3] Give asymptotically tight upper (Big Oh) bounds for $T(n)$ in each of the following recurrences. Justify your solutions by naming the particular case of the master theorem, by iterating the recurrence, or by using the substitution method:

(a) $T(n) = T(n - 2) + 1$.

(b) $T(n) = 2T(n/2) + n \lg^2 n$.

(c) $T(n) = 9T(n/4) + n^2$.

0.95 LeetCode

5-1. <https://leetcode.com/problems/median-of-two-sorted-arrays/>

5-2. <https://leetcode.com/problems/count-of-range-sum/>

5-3. <https://leetcode.com/problems/maximum-subarray/>

0.96 HackerRank

5-1.

<https://www.hackerrank.com/challenges/unique-divide-and-conquer>

5-2. <https://www.hackerrank.com/challenges/kingdom-division/>

5-3. <https://www.hackerrank.com/challenges/repeat-k-sums/>

0.97 Programming Challenges

These programming challenge problems with robot judging are available at <https://onlinejudge.org>:

5-1. "Polynomial Coefficients"-Chapter 5, problem 10105.

5-2. "Counting"-Chapter 6, problem 10198.

5-3. "Closest Pair Problem"-Chapter 14, problem 10245.

0.98 Hashing and Randomized Algorithms

Most of the algorithms discussed in previous chapters were designed to optimize worst-case performance: they are guaranteed to return optimal solutions for every problem instance within a specified running time.

This is great, when we can do it. But relaxing the demand for either always correct or always efficient can lead to useful algorithms that still have performance guarantees. Randomized algorithms are not merely heuristics: any bad performance is due to getting unlucky on coin flips, rather than adversarial input data.

We classify randomized algorithms into two types, depending upon whether they guarantee correctness or efficiency:

- * *Las Vegas algorithms: These randomized algorithms guarantee correctness, and are usually (but not always) efficient. Quicksort is an excellent example of a Las Vegas algorithm.*
- * *Monte Carlo algorithms: These randomized algorithms are provably efficient, and usually (but not always) produce the correct answer or something close to it. Representative of this class are random sampling methods discussed in Section 12.6.1, where we return the best solution found in the course of (say) 1,000,000 random samples.*

We will see several examples of both types of algorithm in this chapter.

One blessing of randomized algorithms is that they tend to be very simple to describe and implement. Eliminating the need to worry

about rare or unlikely situations makes it possible to avoid complicated data structures and other contortions. These clean randomized algorithms are often intuitively appealing, and relatively easy to design.

However, randomized algorithms are frequently quite difficult to analyze rigorously. Probability theory is the mathematics we need for the analysis of randomized algorithms, and is of necessity both formal and subtle. Probabilistic analysis often involves algebraic manipulation of long chains of inequalities that looks frightening, and relies on tricks and experience.

This makes it difficult to provide satisfying analysis on the level of this book, which maintains a strict no-theorem/proof policy. But I will try to provide intuition where I can, so you can appreciate why these algorithms are usually correct or efficient.

We have had initial peeks at randomized algorithms through our discussions of hash tables (Section 3.7) and quicksort (Section 4.6). Review these now to give yourself the best chance of understanding what is to come.

0.99 Stop and Think: Quicksort City

Problem: Why is randomized quicksort a Las Vegas algorithm, as opposed to a Monte Carlo algorithm?

Solution: Recall that Monte Carlo algorithms are always fast and usually correct, while Las Vegas algorithms are always correct and usually fast.

Randomized quicksort always produces a sorted permutation, so we know it is always correct. Picking a very bad series of pivots might cause the running to exceed $O(n \log n)$, but we are always going to end up sorted. Thus, quicksort is a nice example of a Las Vegas-style algorithm.

0.99.1 Probability Review

I will resist the temptation to give a thorough review of probability theory here, as part of my objective to keep this book to a manageable size. My presumptions are: (1) you have had some previous exposure to probability theory, and (2) you know where to look if you feel you need more. I will therefore limit myself to a few basic definitions and properties we will use.

0.99.2 Probability

Probability theory provides a formal framework for reasoning about the likelihood of events. Because it is a formal discipline, there is a thicket of associated definitions to instantiate exactly what we are reasoning about:

- * *An experiment is a procedure that yields one of a set of possible outcomes. As our ongoing example, consider the experiment of tossing two six-sided dice, one red and one blue, with each face bearing a distinct integer $\{1, \dots, 6\}$.*
- * *A sample space S is the set of possible outcomes of an experiment. In our dice example, there are thirty-six possible outcomes, namely*

$$S = \{(1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), \\ (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6), \\ (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (3, 6), \\ (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (4, 6), \\ (5, 1), (5, 2), (5, 3), (5, 4), (5, 5), (5, 6), \\ (6, 1), (6, 2), (6, 3), (6, 4), (6, 5), (6, 6)\}.$$

- * *An event E is a specified subset of the outcomes of an experiment. The event that the sum of the dice equals 7 or 11 (the conditions to win at craps on the first roll) is the subset*

$$E = \{(1, 6), (2, 5), (3, 4), (4, 3), (5, 2), (6, 1), (5, 6), (6, 5)\}.$$

- * *The probability of an outcome s , denoted $p(s)$, is a number with the two properties:*
- * *For each outcome s in sample space S , $0 \leq p(s) \leq 1$.*
- * *The sum of probabilities of all outcomes adds to one: $\sum_{s \in S} p(s) = 1$.*

If we assume two distinct fair dice, the probability $p(s) = (1/6) \times (1/6) = 1/36$ for all outcomes $s \in S$.

- * *The probability of an event E is the sum of the probabilities of the outcomes of the event. Thus,*

$$P(E) = \sum_{s \in E} p(s)$$

An alternative formulation is in terms of the complement of the event $\bar{E}$, the case when E does not occur. Then

$$P(E) = 1 - P(\bar{E})$$

This is useful, because often it is easier to analyze $P(\bar{E})$ than $P(E)$ directly.

- * *A random variable V is a numerical function on the outcomes of a probability space. The function "sum the values of two dice" ($V((a, b)) = a + b$) produces an integer result between 2 and 12. This implies a probability distribution of the possible values of the random variable. The probability $P(V(s) = 7) = 1/6$, while $P(V(s) = 12) = 1/36$.*
- * *The expected value of a random variable V defined on a sample space S , $E(V)$, is defined*

$$E(V) = \sum_{s \in S} p(s) \cdot V(s)$$

0.99.3 Compound Events and Independence

We will be interested in complex events computed from simpler events A and B on the same set of outcomes. Perhaps event A is that at least one of two dice be an even number, while event B denotes rolling a total of either 7 or 11. Note that there exist outcomes of A that are not outcomes of B , specifically

$$A - B = \{(1, 2), (1, 4), (2, 1), (2, 2), (2, 3), (2, 4), (2, 6), (3, 2), (3, 6), (4, 1), (4, 2), (4, 4), (4, 5), (4, 6), (5, 4), (6, 2), (6, 3), (6, 4), (6, 6)\}$$

This is the set difference operation. Observe that here $B - A = \{\}$, because every pair adding to 7 or 11 must contain one odd and one even number.

The outcomes in common between both events A and B are called the intersection, denoted $A \cap B$. This can be written as

$$A \cap B = A - (S - B)$$

Outcomes that appear in either A or B are called the union, denoted $A \cup B$. The probability of the union and intersection are related by the formula

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

With the complement operation $\bar{A} = S - A$, we get a rich language for combining events, shown in Figure 6.1. We can readily compute the probability of any of these sets by summing the probabilities of the outcomes in the defined sets.

The events A and B are said to be independent if

$$P(A \cap B) = P(A) \times P(B)$$

This means that there is no special structure of outcomes shared between events A and B . Assuming that half of the students in my class are female, and half the students in my class are above average, we would expect that a quarter of my students are both female and above average if the events are independent.

Probability theorists love independent events, because it simplifies their calculations. For example, if A_i denotes the event of getting an even number on

the i th dice throw, then the probability of obtaining all evens in a throw of two dice is

$$P(A_1 \cap A_2) = P(A_1) P(A_2) = (1/2)(1/2) = 1/4. \text{ Then, the probability of } A, \text{ that at least one of two dice is even, is}$$

$$P(A) = P(A_1 \cup A_2) = P(A_1) + P(A_2) - P(A_1 \cap A_2) = 1/2 + 1/2 - 1/4 = 3/4$$

That independence often doesn't hold explains much of the subtlety and difficulty of probabilistic analysis. The probability of getting n heads when tossing n independent coins is $1/2^n$. But it would be $1/2$ if the coins were perfectly correlated, since the only possibilities would be all heads or all tails. This computation would become very hard if there were complex dependencies between the outcomes of the i th and j th coins.

Randomized algorithms are typically designed around samples drawn independently at random, so that we can safely multiply probabilities to understand compound events.

0.99.4 Conditional Probability

Presuming that $P(B) > 0$, the conditional probability of A given B , $P(A | B)$ is defined as follows

$$P(A | B) = \frac{P(A \cap B)}{P(B)}$$

In particular, if events A and B are independent, then

$$P(A | B) = \frac{P(A \cap B)}{P(B)} = \frac{P(A)P(B)}{P(B)} = P(A)$$

and B has absolutely no impact on the likelihood of A . Conditional probability becomes interesting only when the two events have dependence on each other.

Recall the dice-rolling events from Section 6.1.2 namely:

- * Event A : at least one of two dice is an even number.
- * Event B : the sum of the two dice is either 7 or 11 .

Observe that $P(A | B) = 1$, because any roll summing to an odd value must consist of one even and one odd number. Thus, $A \cap B = B$. For $P(B | A)$, note that $P(A \cap B) = P(B) = 8/36$ and $P(A) = 27/36$, so $P(B | A) = 8/27$.

Our primary tool to compute conditional probabilities will be Bayes' theorem, which reverses the direction of the dependencies:

$$P(B | A) = \frac{P(A | B)P(B)}{P(A)}$$

Often it proves easier to compute probabilities in one direction than another, as in this problem. By Bayes' theorem $P(B | A) = (1 \cdot 8/36)/(27/36) = 8/27$, exactly what we got before.

0.99.5 Probability Distributions

Random variables are numerical functions where the values are associated with probabilities of occurrence. In our example where $V(s)$ is the sum of two tossed dice, the function produces an integer between 2 and 12 . The probability of a particular value $V(s) = X$ is the sum of the probabilities of all the outcomes whose components add up to X .

Such random variables can be represented by their probability density function, or pdf. This is a graph where the x -axis represents the values the random variable can take on, and the y -axis denotes the probability of each given value. Figure 6.2 (left) presents the pdf of the sum of two fair dice. Observe that the peak at $X = 7$ corresponds to the most probable dice total, with a probability of $1/6$.

0.99.6 Mean and Variance

There are two main types of summary statistics, which together tell us an enormous amount about a probability distribution or a data set:

- * *Central tendency measures, which capture the center around which the random samples or data points are distributed.*
- * *Variation or variability measures, which describe the spread, that is, how far the random samples or data points can lie from the center.*

The primary centrality measure is the mean. The mean of a random variable V , denoted $E(V)$ and also known as the expected value, is given by

$$E(V) = \sum_{s \in S} V(s)p(s)$$

When the elementary events are all of equal probability, the mean or average, computed as

$$\bar{X} = \frac{1}{n} \sum_{i=1}^n x_i$$

The most common measure of variability is the standard deviation σ . The standard deviation of a random variable V is given by $\sigma = \sqrt{E((V - E(V))^2)}$. For a data set, the standard deviation is computed from the sum of squared differences between the individual elements and the mean:

$$\sigma = \sqrt{\frac{\sum_{i=1}^n (x_i - \bar{X})^2}{n - 1}}$$

A related statistic, the variance $V = \sigma^2$, is the square of the standard deviation. Sometimes it is more convenient to talk about variance than standard deviation, because the term is ten characters shorter. But they measure exactly the same thing.

0.99.7 Tossing Coins

You probably have a fair degree of intuition about the distribution of the number of heads and tails when you toss a fair coin 10,000 times. You know that the expected number of heads in n tosses, each with probability $p = 1/2$ of heads, is pn , or 5,000 for this example.

You likely know that the distribution for h heads out of n is a binomial distribution, where

$$P(X = h) = \frac{\binom{n}{h}}{\sum_{x=0}^n \binom{n}{x}} = \frac{\binom{n}{h}}{2^n}$$

and that it is a bell-shaped symmetrical distribution about the mean. But you may not appreciate just how narrow this distribution is, as shown in Figure 6.3. Sure, anywhere from 0 to n heads can result from n fair coin tosses. But they won't: the number of heads we get will almost always be within a few standard deviations of the mean, where the standard deviation σ for the binomial distribution is given by $\sigma = \sqrt{np(1-p)} = \Theta(\sqrt{n})$.

Indeed, for any probability distribution, at least $1 - (1/k^2)$ of the mass of the distribution lies within $\pm k\sigma$ of the mean μ . Typically σ is small relative to μ for the distributions arising in the analysis of randomized algorithms and processes.

Take-Home Lesson: Students often ask me "what happens" when randomized quicksort runs in $\Theta(n^2)$. The answer is that nothing happens, in exactly the same way nothing happens when you buy a lottery ticket: you almost certainly just lose. With a randomized quicksort you almost certainly just win: the probability distribution is so tight that you nearly always run in time very close to expectation.

0.100 Stop and Think: Random Walks on a Path

Problem: Random walks on graphs are important processes to understand. The expected covering time (the number of moves until we have visited all vertices) differs depending upon the topology of the graph (see Figure 6.4). What is it for a path?

Suppose we start at the left end of an m -vertex path. We repeatedly flip a fair coin, moving one step right on heads and one step left on tails (staying where we are if we were to fall off the path). How many coin flips do we expect it will take, as a function of m , until we get to the right end of the path?

Solution: To get to the right end of the path, we need $m - 1$ more heads than tails after n coin flips, assuming we don't bother to flip when on the left-most vertex where we can only move right. We expect about half of the flips to be heads, with a standard deviation of $\sigma = \Theta(\sqrt{n})$. This σ describes the spread of the difference in the number of the heads and tails we are likely to have. We must flip enough times for σ to be on the order of m , so

$$m = \Theta(\sqrt{n}) \rightarrow n = \Theta(m^2)$$

0.100.1 Understanding Balls and Bins

Ball and bin problems are classics of probability theory. We are given x identical balls to toss at random into y labeled bins. We are interested in the resulting distribution of balls. How many bins are expected to contain a given number of balls?

Hashing can be thought of as a ball and bin process. Suppose we hash n balls/keys into n bins/buckets. We expect an average of one ball per bin, but note that this will be true regardless of how good or bad the hash function is.

A good hash function should behave like a random number generator, selecting integers/bin IDs with equal probability from 1 to n . But what happens when we draw n such integers from a uniform distribution? The ideal would be for each of the n items (balls) to be assigned to a different bin, so that each bucket contains exactly one item to search. But is this really what happens?

To help develop your own intuition, I encourage you to code a little simulation and run your own experiment. I did, and got the following results, for hash table sizes from one million to one hundred million items:

k	Number of Buckets with k Items		
	$n = 10^6$	$n = 10^7$	$n = 10^8$
0	367,899	3,678,774	36,789,634
1	367,928	3,677,993	36,785,705
2	183,926	1,840,437	18,392,948
3	61,112	613,564	6,133,955
4	15,438	152,713	1,531,360
5	3130	30,517	306,819
6	499	5,133	51,238
7	56	754	7,269
8	12	107	972
9		8	89
10			10
11			1

We see that 36.78% of the buckets are empty in all three cases. That can't be a coincidence. The first bucket will be empty iff each of the n balls gets assigned to one of the other $n - 1$ buckets. The probability p of missing for each particular ball is $p = (n - 1)/n$, which approaches 1 as n gets large. But we must miss for all n balls, the probability of which is p^n . What happens when we multiply a large number of large probabilities? You actually saw the answer back when you studied limits:

$$P(|B_1| = 0) = \left(\frac{n-1}{n}\right)^n \rightarrow \frac{1}{e} = 0.367879$$

Thus, 36.78% of the buckets in a large hash table will be empty. And, as it turns out, exactly the same fraction of buckets is expected to contain one element.

If so many buckets are empty, others must be unusually full. The fullest bucket gets fuller in the table above as n increases, from 8 to 9 to 11. In fact, the expected value of the longest list is $O(\log n / \log \log n)$, which grows slowly but is not a constant. Thus, I was a little too glib when I said in Section 3.7.1

								18	
				32			16		
	24		29	31	19			15	
	21		12	25	9			11	27
30	20	14	10	23	3		26	4	22
28	13	8	5	17	1	33	7	2	6
1	2	3	4	5	6	7	8	9	10

Figure 6.5: Illustrating the coupon collectors problem through an experiment tossing balls at random into ten bins. It is not until the 33rd toss that all bins are non-empty.

that the worst-case access time for hashing is $O(1)$ ¹

Take-Home Lesson: Precise analysis of random process requires formal probability theory, algebraic skills, and careful asymptotics.

We will gloss over such issues in this chapter, but you should appreciate that they are out there.

0.100.2 The Coupon Collector's Problem

As a final hashing warmup, let's keep tossing balls into these n bins until none of them are empty, that is, until we have at least one ball in each bin. How many tosses do we expect this should take? As shown in Figure 6.5 it may require considerably more than n tosses until every bin is occupied.

We can split such a sequence of balls into n runs, where run r_i consists of the balls we toss after we have filled i buckets until the next time we hit an empty bucket. The expected number of balls to fill all n slots $E(n)$ will be the sum of the expected lengths of all runs. If you are flipping a coin with probability p of coming up heads, the expected number of flips until you get your first head is $1/p$; this is a property of the geometric distribution. After filling i buckets, the probability that our next toss will hit an empty bucket is $p = (n - i)/n$. Putting this together, we get the following

$$E(n) = \sum_{i=0}^{n-1} |r_i| = \sum_{i=0}^{n-1} \frac{n}{n-i} = n \sum_{i=0}^{n-1} \frac{1}{n-i} = nH_n \approx n \ln n$$

The trick here is to remember that the harmonic number
 $H_n = \sum_{i=1}^n 1/i$, *and that* $H_n \approx \ln n$.

0.101 Stop and Think: Covering Time for K_n

Problem: Suppose we start on vertex 1 of a complete n -vertex graph (see Figure 6.4. We take a random walk on this graph, at each step going to a randomly

selected neighbor of our current position. What is the expected number of steps until we have visited all vertices of the graph?

Solution: This is exactly the same question as the previous stop and think, but with a different graph and thus with a possibly different answer.

Indeed, the random process here of independently generating random integers from 1 to n looks essentially the same as the coupon collector's problem. This suggests that the expected length of the covering walk is $\Theta(n \log n)$.

The only hitch in this argument is that the random walk model does not permit us to stay at the same vertex for two successive steps, unless the graph has edges from a vertex to itself (self-loops). A graph without such self-loops should have a slightly faster covering time, since a repeat visit does not make progress in any way, but not enough to change the asymptotics. The probability of discovering one of $n - i$ untouched vertices in the next step changes from $(n - i)/n$ to $(n - i)/(n - 1)$, reducing the total covering time analysis from nH_n to $(n - 1)H_n$. But these are asymptotically the same. Covering the complete graph takes $\Theta(n \log n)$ steps, much faster than the covering time of the path.

0.101.1 Why is Hashing a Randomized Algorithm?

Recall that a hash function $h(s)$ maps keys s to integers in a range from 0 to $m - 1$, ideally uniformly over this interval. Because good hash functions scatter keys around this integer range in a manner similar to that of a uniform random number generator, we can analyze hashing by treating the values as drawn from tosses of an m -sided die.

But just because we can analyze hashing in terms of probabilities doesn't make it a randomized algorithm. As discussed so far,

¹ To be precise, the expected search time for hashing is $O(1)$ averaged over all n keys, but we also expect there will a few keys unlucky enough to require $\Theta(\log n / \log \log n)$ time.

hashing is completely deterministic, involving no random numbers.

Indeed, hashing must be deterministic, because we need $h(x)$ to produce exactly the same result whenever called with a given x , or else we can never hope to find x in a hash table.

One reason we like randomized algorithms is that they make the worst case input instance go away: bad performance should be a result of extremely bad luck, rather than some joker giving us data that makes us do bad things. But it is easy (in principle) to construct a worst case example for any hash function h . Suppose we take an arbitrary set S of nm distinct keys, and hash each $s \in S$. Because the range of this function has only m elements, there must be many collisions. Since the average number of items per bucket is $nm/m = n$, it follows from the pigeonhole principle that there must be a bucket with at least n items in it. The n items in this bucket, taken by themselves, will prove a nightmare for hash function h .

How can we make such a worst-case input go away? We are protected if we pick our hash function at random from a large set of possibilities, because we can only construct such a bad example by knowing the exact hash function we will be working with.

So how can we construct a family of random hash functions? Recall that typically $h(x) = f(x) \pmod{m}$, where $f(x)$ turns the key into a huge value, and taking the remainder mod m reduces it to the desired range. Our desired range is typically determined by application and memory constraints, so we would not want to select m at random. But what about first reducing with a larger integer p ? Observe that in general

$$f(x) \pmod{m} \neq (f(x) \pmod{p}) \pmod{m}$$

For example:

$$21347895537127 \pmod{17} = 8 \neq$$

$$(21347895537127 \pmod{2342343}) \pmod{17} = 12$$

Thus, we can select p at random to define the hash function

$$h(x) = ((f(x) \pmod{p}) \pmod{m})$$

and things will work out just fine provided (a) $f(x)$ is large relative to p , (b) p is large relative to m , and (c) m is relatively prime to p . This ability to select random hash functions means we can now use hashing to provide legitimate randomized guarantees, thus making the worst-case input go away. It also lets us build powerful algorithms involving multiple hash functions, such as Bloom filters, discussed in Section 6.4

0.101.2 Bloom Filters

Recall the problem of detecting duplicate documents faced by search engines like Google. They seek to build an index of all the unique documents on the web. Identical copies of the same document often exist on many different websites, including (unfortunately) pirated copies of my book. Whenever Google crawls a new link, they need to establish whether what they found is a not previously encountered document worth adding to the index.

Perhaps the most natural solution here is to build a hash table of the documents. Should a freshly crawled document hash to an empty bucket, we know it must be new. But when there is a collision, it does not necessarily mean we have seen this document before. To be sure, we must explicitly compare the new document against all other documents in the bucket, to detect spurious collisions between a and b, where $h(a) = s$ and $h(b) = s$, but $a \neq b$. This is what was discussed back in Section 3.7.2

But in this application, spurious collisions are not really a tragedy: they only mean that Google will fail to index a new document it has found. This can be an acceptable risk, provided the probability of it happening is low enough. Removing the need to explicitly resolve collisions has big benefits in making the table smaller. By reducing each bucket from a pointer link to a single bit (is this bucket occupied or not?), we reduce the space by a factor of 64 on typical machines. Some of this space can then be taken back to make the hash table larger, thus reducing the probability of collisions in the first place.

Now suppose we build such a bit-vector hash table, with a capacity of n bits. If we have distinct bits corresponding to m documents occupied, the probability that a new document will spuriously hash to one of these bits is $p = m/n$. Thus, even if the table is only 5% full, there is still a $p = 0.05$ probability that we will falsely discard a new discovery, which is much higher than is acceptable.

Much better is to employ a Bloom filter, which is also just a bit-vector hash table. But instead of each document corresponding to a single position in the table, a Bloom filter hashes each key k times, using k different hash functions. When we insert document s into our Bloom filter, we set all the bits corresponding to $h_1(s), h_2(s), \dots, h_k(s)$ to be 1, meaning occupied. To test whether a query document s is present in the data structure, we must test that all k of these bits equal 1. For a document to be falsely convicted of already being in the filter, it must be unlucky enough that all k of these bits were set in hashes of previous documents, as in the example of Figure 6.6

What are the chances of this? Hashes of m documents in such a

Bloom filter will occupy at most km bits, so the probability of a single collision rises to $p_1 = km/n$, which is k times greater than the single hash case. But all k bits must collide with those of our query document, which only happens with probability $p_k = (p_1)^k = (km/n)^k$. This is a peculiar expression, because a probability raised to the k th power quickly becomes smaller with increasing k , yet here the probability being raised simultaneously increases with k . To find the k that minimizes p_k , we could take the derivative and set it to zero.

Figure 6.7 graphs this error probability $((km/n)^k)$ as a function of load (m/n) , with a separate line for each k from 1 to 5. It is clear that using a large number of hash functions (increased k) reduces false positive error substantially over a conventional hash table (the blue line, $k = 1$), at least for small loads. But observe that the error rate associated with larger k increases rapidly with load, so for any given load there is always a point where adding more hash functions becomes counter-productive.

For a 5% load, the error rate for a simple hash table of $k = 1$ will be 51.2 times larger than a Bloom filter with $k = 5$ (9.77×10^{-4}), even though they use exactly the same amount of memory. A Bloom filter is an excellent data structure for maintaining an index, provided you can live with occasionally saying yes when the answer is no.

0.101.3 The Birthday Paradox and Perfect Hashing

Hash tables are an excellent data structure in practice for the standard dictionary operations of insert, delete, and search. However, the $\Theta(n)$ worst-case search time for hashing is an annoyance, no matter how rare it is. Is there a way we can guarantee worst-case constant time search?

Perfect hashing offers us this possibility for static dictionaries. Here we are given all possible keys in one batch, and are not allowed to later insert or delete items. We can thus build the data structure once and use it repeatedly for search/membership testing. This is a fairly common use case, so why pay for the flexibility of dynamic data structures when you don't need them?

One idea for how this might work would be to try a given hash function $h(x)$ on our set of n keys S and hope it creates a hash table with no collisions, that is, $h(x) \neq h(y)$ for all pairs of distinct $x, y \in S$. It should be clear that our chances of getting lucky improve as we increase the size of our table relative to n : the more empty slots there are available for the next key, the more likely we find one.

How large a hash table m do we need before we can expect zero collisions among n keys? Suppose we start from an empty table, and repeatedly insert keys. For the $(i + 1)$ th insertion, the probability that we hit one of the $m - i$ still-open slots in the table is $(m - i)/m$. For a perfect hash, all n inserts must succeed, so

$$P(\text{ no collision }) = \prod_{i=0}^{n-1} \left(\frac{m-i}{m} \right) = \frac{m!}{m^n((m-n)!)}$$

What happens when you evaluate this is famously called the birthday paradox. How many people do you need in a room before it is likely that at least two of them share the same birthday? Here the table size is $m = 365$. The

probability of no collisions drops below $1/2$ for $n = 23$ and is less than 3% when $n \geq 50$, as shown in Figure 6.8. In other words, odds are we have a collision when only 23 people are in the room.

Solving this asymptotically, we begin to expect collisions when $n = \Theta(\sqrt{m})$ or equivalently when $m = \Theta(n^2)$.

But quadratic space seems like an awful large penalty to pay for constant time access to n elements. Instead, we will create a two-level hash table. First, we hash the n keys of set S into a table with n slots. We expect collisions, but unless we are very unlucky all the lists will be short enough.

Let l_i be the length of the i th list in this table. Because of collisions, many lists will be of length longer than 1. Our definition of short enough is that n items are distributed around the table such that the sum of squares of the list lengths is linear, that is,

$$N = \sum_{i=1}^n l_i^2 = \Theta(n)$$

Suppose that it happened that all elements were in lists of length l , meaning that we have n/l non-empty lists. The sum of squares of the list lengths is $N = (n/l)l^2 = nl$, which is linear because l is a constant. We can even get away with a fixed number of lists of length $\sqrt{n}$ and still use linear space.

In fact, it can be shown that $N \leq 4n$ with high probability. So if this isn't true on S for the first hash function we try, we can just try another. Pretty soon we will find one with short-enough list lengths that we can use.

We will use an array of length N for our second-level table, allocating l_i^2 space for the elements of the i th bucket. Note that this is big enough relative to the number of elements to avoid the

birthday paradox-odds are we will have no collision in any given hash function. And if we do, simply try another hash function until all elements end up in unique places.

The complete scheme is illustrated in Figure 6.9 The contents of the i th entry in the first-level hash table include the starting and ending positions for the l_i^2 entries in the second-level table corresponding to this list. It also contains a description (or identifier) of the hash function that we will use for this region of the second-level table.

Lookup for an item s starts by calling hash function $h_1(s)$ to compute the right spot in the first table, where we will find the appropriate start/stop position and hash function parameters. From this we can compute $start + (h_2(s)(\text{mod}(stop - start)))$, the location where item s will appear in the second table. Thus, search can always be performed in $\Theta(1)$ time, using linear storage space between the two tables.

Perfect hashing is a very useful data structure in practice, ideal for whenever you will be making large numbers of queries to a static dictionary. There is a lot of fiddling you can do with this basic scheme to minimize space demands and construction/search cost, such as working harder to find second-level hash functions with fewer holes in the table. Indeed, minimum perfect hashing guarantees constant time access with zero empty hash table slots, resulting in an n -element second hash table for n keys.

0.101.4 Minwise Hashing

Hashing lets you quickly test whether a specific word w in document D_1 also occurs in document D_2 : build a hash table on the words of D_2 and then hunt for $h(w)$ in this table T . For simplicity and efficiency we can remove duplicate words from each document, so each contains only one entry for each vocabulary term used. By so looking up all the vocabulary words $w_i \in D_1$ in T , we can get a count of the intersection, and compute the Jaccard similarity $J(D_1, D_2)$ of the two documents, where

$$J(D_1, D_2) = \frac{|D_1 \cap D_2|}{|D_1 \cup D_2|}$$

This similarity measure ranges from 0 to 1 , sort of like a probability that the two documents are similar.

But what if you want to test whether two documents are similar without looking at all the words? If we are doing this repeatedly, on a web scale, effi-

<i>s:</i>	<i>The</i>	<i>cat</i>	<i>in</i>	<i>the</i>	<i>hat</i>	<i>Th</i>	<i>hat</i>	<i>in</i>	<i>the</i>	<i>store</i>
<i>h(s :</i>	17	128	56	17	(4)	17	(4)	56	17	96

Figure 6.10: The words associated with the minimum hash code from each of two documents are likely to be the same, if the documents are very similar.

ciency matters. Suppose we are allowed to look at only one word per document to make a decision. Which word should we pick?

A first thought might be to pick the most frequent word in the original document, but it is likely to be "the" and tell you very little about similarity. Picking the most representative word, perhaps according to the TD-IDF statistic, would be better. But it still makes assumptions about the distribution of words, which may be unwarranted.

The key idea is to synchronize, so we pick the same word out of the two documents while looking at the documents separately. Minwise hashing is a clever but simple idea to do this. We compute the hash code $h(w_i)$ of every word in D_1 , and select the code with smallest value among all the hash codes. Then we do the same thing with the words in D_2 , using the same hash function.

What is cool about this is that it gives a way to pick the same random word in both documents, as shown in Figure 6.10. Suppose the vocabularies of each document were identical. Then the word with minimum hash code will be the same in both D_1 and D_2 , and we get a match. In contrast, suppose we had picked completely random words from each document. Then the probability of picking the same word would be only $1/v$, where v is the vocabulary size.

Now suppose that D_1 and D_2 do not have identical vocabularies. The probability that the minhash word appears in both documents depends on the number of words in common, that is, the intersection of the vocabularies, and also on the total vocabulary size of the documents. In fact, this probability is exactly the Jaccard similarity described above.

Sampling a larger number of words, say, the k smallest hash values in each document, and reporting the size of intersection over k gives us a better estimate of Jaccard similarity. But the alert reader may wonder why we bother. It takes time linear in the size of D_1 and D_2 to compute all the hash values just to find the minhash values, yet this is the same running time that it would take to compute the exact size of intersection using hashing!

The value of minhash comes in building indexes for similarity search and clustering over large corpora of documents. Suppose we have N documents, each with an average of m vocabulary words in them.

We want to build an index to help us determine which of these is most similar to a new query document Q . Hashing all words in all

documents gives us a table of size $O(Nm)$. Storing $k \ll m$ minwise hash values from each document will be much smaller at $O(Nk)$, but the documents at the intersection of the buckets associated with the k minwise hashes of Q are likely to contain the most similar documents—particularly if the Jaccard similarity is high.

0.102 Stop and Think: Estimating Population Size

Problem: Suppose we will receive a stream S of n numbers one by one. This stream will contain many duplicates, possibly even a single number repeated n times. How can we estimate the number of distinct values in S using only a constant amount of memory?

Solution: If space was not an issue, the natural solution would be to build a dictionary data structure on the distinct elements from the stream, each with an associated count of how often it has occurred. For the next element we see in the stream, we add one to the count if it exists in the dictionary, or insert it if it is not found. But we only have enough space to store a constant number of elements.

What can we do?

Minwise hashing comes to the rescue. Suppose we hash each new element s of S as it comes in, and only save $h(s)$ if it is smaller than the previous minhash.

Why is this interesting? Suppose the range of possible hash values is between 0 and $M - 1$, and we select k values in this range uniformly at a random. What is the expected minimum of these k values? If $k = 1$, the expected value will (obviously) be $M/2$. For general k , we might hand wave and say that if our k values were equally spaced in the interval, the minhash should be $M/(k + 1)$.

In fact, this hand waving happens to produce the right answer.

Define X as the smallest of k samples. Then

$$P(X = i) = P(X \geq i) - P(X \geq i + 1) = \left(\frac{M - i}{M}\right)^k - \left(\frac{M - i - 1}{M}\right)^k$$

Taking the limit of the expected value as M gets large gives the result

$$E(X) = \sum_{i=0}^{M-1} i \left(\left(\frac{M - i}{M}\right)^k - \left(\frac{M - i - 1}{M}\right)^k \right) \rightarrow \frac{M}{k + 1}$$

The punch line is that M divided by the minhash value gives an excellent estimate of the number of distinct values we have seen.

This method will not be fooled by repeated values in the stream, since repeated occurrences will yield precisely the same value every time we evaluate the hash function.

0.102.1 Efficient String Matching

Strings are sequences of characters where the order of the characters matters: the string ALGORITHM is different than LOGARITHM.

Text strings are fundamental to a host of computing applications, from programming language parsing/compilation, to web search engines, to biological sequence analysis.

The primary data structure for representing strings is an array of characters. This allows us constant-time access to the i th character of the string. Some

$H(s, j)$			0	1	2	5	3	6	5
$\sum C_i + j$			0	1	1	2	2	2	2
	A	A	A	B	A	B	B	A	B

Figure 6.11: The Rabin-Karp hash function $H(s, j)$ gives distinctive codes to different substrings (in blue), while a less powerful hash function that just adds the character codes yields many collisions (shown in purple). Here the pattern string (BBA) has length $m = 3$, and the character codes are $A = 0$ and $B = 1$.

auxiliary information must be maintained to mark the end of the string: either a special end-of-string character or (perhaps more usefully) a count n of the characters in the string.

The most fundamental operation on text strings is substring search, namely:

Problem: Substring Pattern Matching

Input: A text string t and a pattern string p .

Output: Does t contain the pattern p as a substring, and if so where? The simplest algorithm to search for the presence of pattern string p in text t overlays the pattern string at every position in the text, and checks whether every pattern character matches the corresponding text character. As demonstrated in Section 2.5.3 (page 43), this runs in $O(nm)$ time, where $n = |t|$ and $m = |p|$.

This quadratic bound is worst case. More complicated, worst-case lineartime search algorithms do exist: see Section 21.3 (page 685 for a complete discussion. But here I give a linear expected-time algorithm for string matching, called the Rabin-Karp algorithm. It is based on hashing. Suppose we compute a given hash function on both the pattern string p and the m -character substring starting from the i th position of t . If these two strings are identical, clearly the resulting hash values must be the same. If the two strings are different, the hash values will almost certainly be different. These

false positives should be so rare that we can easily spend the $O(m)$ time it takes to explicitly check the identity of two strings whenever the hash values agree.

This reduces string matching to $n - m + 2$ hash value computations (the $n - m + 1$ windows of t , plus one hash of p), plus what should be a very small number of $O(m)$ time verification steps. The catch is that it takes $O(m)$ time to compute a hash function on an m -character string, and $O(n)$ such computations seems to leave us with an $O(mn)$ algorithm again.

But let's look more closely at our previously defined (in Section 3.7) hash function, applied to the m characters starting from the j th position of string S :

$$H(S, j) = \sum_{i=0}^{m-1} \alpha^{m-(i+1)} \times \text{char}(s_{i+j})$$

What changes if we now try to compute $H(S, j + 1)$ - the hash of the next window of m characters? Note that $m - 1$ characters are the same in both windows, although this differs by one in the number of times they are multiplied by α . A little algebra reveals that

$$H(S, j + 1) = \alpha (H(S, j) - \alpha^{m-1} \text{char}(s_j)) + \text{char}(s_{j+m})$$

This means that once we know the hash value from the j th position, we can find the hash value from the $(j + 1)$ th position for the cost of two multiplications, one addition, and one subtraction. This can be done in constant time (the value of α^{m-1} can be computed once and used for all hash value computations). This math works even if we compute $H(S, j) \bmod M$, where M is a reasonably large prime number. This keeps the size of our hash values small (at most M) even when the pattern string is long.

Rabin-Karp is a good example of a randomized algorithm (if we pick M in some random way). We get no guarantee the algorithm runs in $O(n + m)$ time, because we may get unlucky and have the hash values frequently collide with spurious matches. Still, the odds are heavily in our favor-if the hash function returns values uniformly from 0 to $M - 1$, the probability of a false collision should be $1/M$. This is quite reasonable: if $M \approx n$, there should only be one false collision per string, and if $M \approx n^k$ for $k \geq 2$, the odds are great we will never see any false collisions.

0.102.2 Primality Testing

One of the first programming assignments students get is to test whether an integer n is a prime number, meaning that its only

divisors are 1 and itself. The sequence of prime numbers starts with 2, 3, 5, 7, 11, 13, 17, . . . , and never ends.

That program you presumably wrote employed trial division as the algorithm: using a loop where i runs from 2 to $n - 1$, and check whether n/i is an integer. If so, then i is a factor of n , and so n must be composite. Any integer that survives this gauntlet of tests is prime. In fact, the loop only needs to run up to $\lceil \sqrt{n} \rceil$, since that is the largest possible value of the smallest non-trivial factor of n .

Still, such trial division is not cheap. If we assume that each division takes constant time this gives an $O(\sqrt{n})$ algorithm, but here n is the value of the integer being factored. A 1024-bit number (the size of a small RSA encryption key) encodes numbers up to $2^{1024} - 1$, with the security of RSA depending on factoring being hard. Observe that $\sqrt{2^{1024}} = 2^{512}$, which is greater than the number of atoms in the universe. So expect to spend some time waiting before you get the answer.

Randomized algorithms for primality testing (not factoring) turn out to be much faster. Fermat's little theorem states that if n is a prime number then

$$a^{n-1} = 1 \pmod{n} \text{ for all } a \text{ not divisible by } n$$

For example, when $n = 17$ and $a = 3$, observe that $(3^{17-1} - 1)/17 = 2,532,160$, so $3^{17-1} = 1 \pmod{17}$. But for $n = 16$, $3^{16-1} = 11 \pmod{16}$, which proves that 16 cannot be prime. What makes this interesting is that the mod of this big power always is 1 if n is prime. This is a pretty good trick, because the odds of it being 1 by chance should be very small—only $1/n$ if the residue was uniform in the range.

Let's say we can argue that the probability of a composite giving a residue of 1 is less than $1/2$. This suggests the following algorithm: Pick 100 random integers a_j , each between 1 and $n - 1$. Verify that none of them divide n . Then compute $(a_j)^{n-1} \pmod{n}$. If all hundred of these come out to be 1, then the probability that n is not prime must be less than $(1/2)^{100}$, which is vanishingly small.

Because the number of tests (100) is fixed, the running time is always fast, which makes this a Monte Carlo type of randomized algorithm.

There is a minor issue in our probability analysis, however. It turns out that a very small fraction of integers (roughly 1 in 50 billion up to 10^{21}) are not prime, yet also satisfy the Fermat congruence for all a . Such Carmichael numbers like 561 and 1105 are doomed to be always be misclassified as prime. Still, this randomized algorithm proves very effective at distinguishing likely primes from composite integers.

Take-Home Lesson: Monte Carlo algorithms are always fast, usually correct, and most of them are wrong in only one direction.

One issue that might concern you is the time complexity of computing $a^{n-1} \pmod n$. In fact, it can be done in $O(\log n)$ time.

Recall that we can compute a^{2^m} as $(a^m)^2$ by divide and conquer, meaning we only need a number of multiplications logarithmic in the size of the exponent. Further, we don't have to work with excessively large numbers to do it. Because of the properties of modular arithmetic,

$$(x \cdot y) \bmod n = ((x \bmod n) \cdot (y \bmod n)) \bmod n$$

so we never need multiply numbers larger than n over the course of the computation.

0.102.3 War Story: Giving Knuth the Middle Initial

The great Donald Knuth is the seminal figure in creating computer science as an intellectually distinct academic discipline. The first three volumes of his Art of Computer Programming series (now four), published between 1968 and 1973, revealed the mathematical beauty of algorithm design, and still make fun and exciting reading. Indeed, I give you my blessing to put my book aside to pick up one of his, at least for a little while.

Knuth is also a co-author of the textbook Concrete Mathematics, which focuses on mathematical analysis techniques for algorithms and discrete mathematics. Like his other books it contains open research questions in addition to homework problems. One problem that caught my eye concerned middle binomial coefficients, asking whether it is true that

$$\binom{2n}{n} \equiv (-1)^n \pmod{2n+1} \text{ iff } 2n+1 \text{ is prime}$$

This is suggestive of Fermat's little theorem, discussed in Section 6.8 (page 190).

The congruence is readily shown to hold whenever $2n+1$ is prime. By basic modular arithmetic,

$$(2n)(2n-1) \dots (n+1) = (-1)(-2) \dots (-n) = (-1)^n \cdot n! \pmod{2n+1}$$

Since $ad = bd \pmod{m}$ implies $a = b \pmod{m}$ if d is relatively prime to m and $n!$ divides $(2n)!/n!$, $n!$ can be divided from both sides, giving the result.

But does this formula hold only when $2n + 1$ is prime, as conjectured? That didn't sound right to me, for logic that is dual to the randomized primality testing algorithm. If we treat the residue $\text{mod } 2n + 1$ as a random integer, the probability that it would happen to be $(-1)^n$ is very small, only $1/n$. Thus, not seeing a counterexample over a small number of tests is not very impressive evidence, because chance counterexamples should be rare.

So I wrote a 16-line Mathematica program, and left it running for the weekend. When I got back, the program has stopped at $n = 2,953$. It turns out that $\binom{5906}{2953} \approx 7.93285 \times 10^{1775}$ is congruent to 5,906 when taken modulo 5,907. But since $5,907 = 3 \cdot 11 \cdot 179$, this shows that $2n + 1$ is not prime and the conjecture is refuted.

It was a big thrill sending this result to Knuth himself, who said he would put my name in the next edition of his book. A notorious stickler for detail, he asked me to give him my middle initial. I proudly replied "S", and asked him when he would send me my check. Knuth famously offered \$2.56 checks to anyone who found mistakes in one of his books² and I wanted one as a souvenir. But he nixed it, explaining that solving an open problem did not count as fixing an error in his book. I have always regretted that I did not send him my middle initial as "T", because then I would have had an error for him to correct in a future printing.

0.102.4 Where do Random Numbers Come From?

All the clever randomized algorithms discussed in this chapter raises a question: Where do we get random numbers? What happens when you call the random number generator associated with your favorite programming language?

We are used to employing physical processes to generate randomness, such as flipping coins, tossing dice, or even monitoring radioactive decay using a Geiger counter. We trust these events to be unpredictable, and hence indicative of true randomness.

But this is not what your random number generator does. Most likely it employs what is essentially a hash function, called a linear congruential generator. The n th random number R_n is a simple function of the previous random number R_{n-1} :

$$R_n = (aR_{n-1} + c) \bmod m$$

² I would go broke were I ever to make such an offer.

where a, c, m , and R_0 are large and carefully selected constants. Essentially, we hash the previous random number (R_{n-1}) to get the next one.

The alert reader may question exactly how random such numbers really are. Indeed, they are completely predictable, because knowing

R_{n-1} provides enough information to construct R_n . This predictability means that a sufficiently determined adversary could in principle construct a worst-case input to a randomized algorithm provided they know the current state of your random number generator.

Linear congruential generators are more accurately called pseudo-random number generators. The stream of numbers produced looks random, in that they have the same statistical properties as would be expected from a truly random source. This is generally good enough for randomized algorithms to work well in practice. However, there is a philosophical sense of randomness which has been lost that occasionally comes back to bite us, typically in cryptographic applications whose security guarantees rest on an assumption of true randomness.

Random number generation is a fascinating problem. Look ahead to section 16.7 in the *Hitchhiker's Guide* for a more detailed discussion of how random numbers should and should not be generated.

0.103 Chapter Notes

Readers interested in more formal and substantial treatments of randomized algorithms are referred to the book of Mitzenmacher and Upfal [MU17] and the older text by Motwani and Raghavan [MR95]. Minwise hashing was invented by Broder [Bro97].

0.104 Probability

6-1. [5] You are given n unbiased coins, and perform the following process to generate all heads. Toss all n coins independently at random onto a table. Each round consists of picking up all the tails-up coins and tossing them onto the table again. You repeat until all coins are heads.

- (a) What is the expected number of rounds performed by the process?
- (b) What is the expected number of coin tosses performed by the process?

6-2. [5] Suppose we flip n coins each of known bias, such that p_i is the probability of the i th coin being a head. Present an efficient algorithm to determine the exact probability of getting exactly k heads given $p_1, \dots, p_n \in [0, 1]$.

- 6-3. [5] An inversion of a permutation is a pair of elements that are out of order.
- (a) Show that a permutation of n items has at most $n(n-1)/2$ inversions. Which permutation(s) have exactly $n(n-1)/2$ inversions?
- (b) Let P be a permutation and P^r be the reversal of this permutation. Show that P and P^r have a total of exactly $n(n-1)/2$ inversions.
- (c) Use the previous result to argue that the expected number of inversions in a random permutation is $n(n-1)/4$.
- 6-4. [8] A derangement is a permutation p of $\{1, \dots, n\}$ such that no item is in its proper position, that is, $p_i \neq i$ for all $1 \leq i \leq n$. What is the probability that a random permutation is a derangement?

0.105 Hashing

- 6-5. [easy] An all-Beatles radio station plays nothing but recordings by the Beatles, selecting the next song at random (uniformly with replacement). They get through about ten songs per hour. I listened for 90 minutes before hearing a repeated song. Estimate how many songs the Beatles recorded.
- 6-6. [5] Given strings S and T of length n and m respectively, find the shortest window in S that contains all the characters in T in expected $O(n+m)$ time.
- 6-7. [8] Design and implement an efficient data structure to maintain a least recently used (LRU) cache of n integer elements. A LRU cache will discard the least recently accessed element once the cache has reached its capacity, supporting the following operations:
- * $\text{get}(k)$ — Return the value associated with the key k if it currently exists in the cache, otherwise return -1 .
 - * $\text{put}(k, v)$ - Set the value associated with key k to v , or insert if k is not already present. If there are already n items in the queue, delete the least recently used item before inserting (k, v) .
- Both operations should be done in $O(1)$ expected time.

0.106 Randomized Algorithms

- 6-8. [5] A pair of English words (w_1, w_2) is called a rotodrome if one can be circularly shifted (rotated) to create the other word. For example, the words (windup, upwind) are a rotodrome pair, because we can rotate "windup" two positions to the right to get "upwind." Give an efficient algorithm to find all rotodrome pairs among n words of length k , with a worst-case analysis. Also give a faster expected-time algorithm based on hashing.

- 6-9. [5] Given an array w of positive integers, where $w[i]$ describes the weight of index i , propose an algorithm that randomly picks an index in proportion to its weight.
- 6-10. [5] You are given a function `rand7`, which generates a uniform random integer in the range 1 to 7. Use it to produce a function `rand10`, which generates a uniform random integer in the range 1 to 10.
- 6-11. [5] Let $0 < \alpha < 1/2$ be some constant, independent of the input array length n . What is the probability that, with a randomly chosen pivot element, the partition subroutine from quicksort produces a split in which the size of both the resulting subproblems is at least α times the size of the original array?
- 6-12. [8] Show that for any given load m/n , the error probability of a Bloom filter is minimized when the number of hash functions is $k = \exp(-1)/(m/n)$.

0.107 LeetCode

- 6-1. <https://leetcode.com/problems/random-pick-with-blacklist/>
 6-2. <https://leetcode.com/problems/implement-strstr/>
 6-3. <https://leetcode.com/problems/random-point-in-non-overlapping-rectangles/>

0.108 HackerRank

- 6-1. <https://www.hackerrank.com/challenges/ctci-ransom-note/>
 6-2. <https://www.hackerrank.com/challenges/matchstick-experiment/>
 6-3. <https://www.hackerrank.com/challenges/palindromes/>

0.109 Programming Challenges

These programming challenge problems with robot judging are available at <https://onlinejudge.org/>;

- 6-1. "Carmichael Numbers"-Chapter 10, problem 10006.
 6-2. "Expressions" - Chapter 6, problem 10157.
 6-3. "Complete Tree Labeling" - Chapter 6, problem 10247.

0.110 Graph Traversal

Graphs are one of the unifying themes of computer science - an abstract representation that describes the organization of

transportation systems, human interactions, and telecommunication networks. That so many different structures can be modeled using a single formalism is a source of great power to the educated programmer.

More precisely, a graph $G = (V, E)$ consists of a set of vertices V together with a set E of vertex pairs or edges. Graphs are important because they can be used to represent essentially any relationship. For example, graphs can model a network of roads, with cities as vertices and roads between cities as edges, as shown in Figure 7.1. Electrical circuits can also be modeled as graphs, with junctions as vertices and components as edges (or alternately, electrical components as vertices and direct circuit connections as edges).

The key to solving many algorithmic problems is to think of them in terms of graphs. Graph theory provides a language for talking about the properties of relationships, and it is amazing how often messy applied problems have a simple description and solution in terms of classical graph properties.

Designing truly novel graph algorithms is a difficult task, but usually unnecessary. The key to using graph algorithms effectively in applications lies in correctly modeling your problem so you can take advantage of existing algorithms. Becoming familiar with many different algorithmic graph problems is

Figure 7.2: Important properties / flavors of graphs.

more important than understanding the details of particular graph algorithms, particularly since Part II of this book will point you to an implementation as soon as you know the name of your problem.

Here I present the basic data structures and traversal operations for graphs, which will enable you to cobble together solutions for elementary graph problems. Chapter 8 will present more advanced graph algorithms that find minimum spanning trees, shortest paths, and network flows, but I stress the primary importance of correctly modeling your problem. Time spent browsing through the catalog now will leave you better informed of your options when a real job arises.

0.110.1 Flavors of Graphs

A graph $G = (V, E)$ is defined on a set of vertices V , and contains a set of edges E of ordered or unordered pairs of vertices from V . In modeling a road network, the vertices may represent the cities or junctions, certain pairs of which are connected by roads/edges. In analyzing the source code of a computer program, the vertices may represent lines of code, with an edge connecting lines x and y if y is the next statement executed after x . In analyzing human interactions, the vertices typically represent people, with edges

connecting pairs of related souls.

Several fundamental properties of graphs impact the choice of the data structures used to represent them and algorithms available to analyze them. The first step in any graph problem is determining the flavors of the graphs that you will be dealing with (see Figure 7.2):

- * *Undirected vs. directed* - A graph $G = (V, E)$ is undirected if the presence of edge (x, y) in E implies that edge (y, x) is also in E . If not, we say that the graph is directed. Road networks between cities are typically undirected, since any large road has lanes going in both directions. Street networks within cities are almost always directed, because there are at least a few one-way streets lurking somewhere. Program-flow graphs are typically directed, because the execution flows from one line into the next and changes direction only at branches. Most graphs of graph-theoretic interest are undirected.
- * *Weighted vs. unweighted* - Each edge (or vertex) in a weighted graph G is assigned a numerical value, or weight. The edges of a road network graph might be weighted with their length, drive time, or speed limit, depending upon the application. In unweighted graphs, there is no cost distinction between various edges and vertices.

The difference between weighted and unweighted graphs becomes particularly apparent in finding the shortest path between two vertices. For unweighted graphs, a shortest path is one that has the fewest number of edges, and can be found using a breadth-first search (BFS) as discussed in this chapter. Shortest paths in weighted graphs requires more sophisticated algorithms, as discussed in Chapter 8

- * *Simple vs. non-simple* - Certain types of edges complicate the task of working with graphs. A self-loop is an edge (x, x) involving only one vertex. An edge (x, y) is a multiedge if it occurs more than once in the graph. Both of these structures require special care in implementing graph algorithms. Hence any graph that avoids them is called simple. I confess that all implementations in this book are designed to work only on simple graphs.
- * *Sparse vs. dense*: Graphs are sparse when only a small fraction of the possible vertex pairs actually have edges defined between them. Graphs where a large fraction of the vertex pairs define edges are called dense. A graph is complete if it contains all possible edges; for a simple undirected graph on n vertices that is $\binom{n}{2} = (n^2 - n) / 2$ edges. There is no official boundary between what is called sparse and what is called dense, but dense graphs typically have $\Theta(n^2)$ edges, while sparse graphs are linear in size.

Sparse graphs are usually sparse for application-specific reasons. Road networks must be sparse because of the complexity of road junctions. The ghastliest intersection I have ever managed to identify is the endpoint of just seven different roads. Junctions of electrical components are similarly limited to the number of wires that can meet at a point, perhaps except for power and ground.

- * Cyclic vs. acyclic - A cycle is a closed path of 3 or more vertices that has no repeating vertices except the start/end point. An acyclic graph does not contain any cycles. Trees are undirected graphs that are connected and acyclic. They are the simplest interesting graphs. Trees are inherently recursive structures, because cutting any edge leaves two smaller trees.*

Directed acyclic graphs are called DAGs. They arise naturally in scheduling problems, where a directed edge (x, y) indicates that activity x must occur before y . An operation called topological sorting orders the vertices of a DAG to respect these precedence constraints. Topological sorting is typically the first step of any algorithm on a DAG, as will be discussed in Section 7.10.1 (page 231).

- * Embedded vs. topological - The edge-vertex representation $G = (V, E)$ describes the purely topological aspects of a graph. We say a graph is embedded if the vertices and edges are assigned geometric positions. Thus, any drawing of a graph is an embedding, which may or may not have algorithmic significance.*

Occasionally, the structure of a graph is completely defined by the geometry of its embedding. For example, if we are given a collection of points in the plane, and seek the minimum cost tour visiting all of them (i.e., the traveling salesman problem), the underlying topology is the complete graph connecting each pair of vertices. The weights are typically defined by the Euclidean distance between each pair of points.

Grids of points are another example of topology from geometry.

Many problems on an $n \times m$ rectangular grid involve walking between neighboring points, so the edges are implicitly defined from the geometry.

- * Implicit vs. explicit - Certain graphs are not explicitly constructed and then traversed, but built as we use them. A good example is in backtrack search. The vertices of this implicit search graph are the states of the search vector, while edges link pairs of states that can be directly generated from each other. Web-scale analysis is another example, where you should try to dynamically crawl and analyze the small relevant portion of interest instead of initially downloading the entire web. The cartoon in Figure 7.2 tries to*

capture this distinction between the part of the graph you explicitly know from the fog that covers the rest, which dissipates as you explore it. It is often easier to work with an implicit graph than to explicitly construct and store the entire thing prior to analysis.

- * *Labeled vs. unlabeled - Each vertex is assigned a unique name or identifier in a labeled graph to distinguish it from all other vertices. In unlabeled graphs, no such distinctions have been made.*

Graphs arising in applications are often naturally and meaningfully labeled, such as city names in a transportation network. A common problem is that of isomorphism testing-determining whether the topological structures of two graphs are identical either respecting or ignoring any labels, as discussed in Section 19.9

0.110.2 The Friendship Graph

To demonstrate the importance of proper modeling, let us consider a graph where the vertices are people, and edge between two people indicates that they are friends. Such graphs are called social networks and are well defined on any set of people - be they the people in your neighborhood, at your school/business, or even spanning the entire world. An entire science analyzing social networks has sprung up in recent years, because many interesting aspects of people and their behavior are best understood as properties of this friendship graph.

We use this opportunity to demonstrate the graph theory terminology described above. "Talking the talk" proves to be an important part of "walking the walk":

- * *If I am your friend, does that mean you are my friend? - This question really asks whether the graph is directed. A graph is undirected if edge (x,y) always implies (y,x) . Otherwise, the graph is said to be directed. The "heard-of" graph is directed, since I have heard of many famous people who have never heard of me! The "had-sex-with" graph is presumably undirected, since the critical operation always requires a partner. I'd like to think that the "friendship" graph is also an undirected graph.*
- * *How close a friend are you? - In weighted graphs, each edge has an associated numerical attribute. We could model the strength of a friendship by associating each edge with an appropriate value, perhaps from -100 (enemies) to 100 (blood brothers). The edges of a road network graph might be weighted with their length, drive time, or speed limit, depending upon the application. A graph is said to be unweighted if all edges are assumed to be of equal weight.*

- * *Am I my own friend?* - This question addresses whether the graph is simple, meaning it contains no loops and no multiple edges. An edge of the form (x, x) is said to be a self-loop. Sometimes people are friends in several different ways. Perhaps x and y were college classmates that now work together at the same company. We can model such relationships using multiedges - multiple edges (x, y) perhaps distinguished by different labels.

Simple graphs really are simpler to work with in practice. Therefore, we are generally better off declaring that no one is their own friend.

- * *Who has the most friends?* - The degree of a vertex is the number of edges adjacent to it. The most popular person is identified by finding the vertex of highest degree in the friendship graph. Remote hermits are associated with degree-zero vertices.

Most of the graphs that one encounters in real life are sparse. The friendship graph is a good example. Even the most gregarious person on earth knows only an insignificant fraction of the world's population.

In dense graphs, most vertices have high degrees, as opposed to sparse graphs with relatively few edges. In a regular graph, each vertex has exactly the same degree. A regular friendship graph is truly the ultimate in social-ism.

- * *Do my friends live near me?* - Social networks are strongly influenced by geography. Many of your friends are your friends only because they happen to live near you (neighbors) or used to live near you (old college roommates).

Thus, a full understanding of social networks requires an embedded graph, where each vertex is associated with the point on this world where they live. This geographic information may not be explicitly encoded, but the fact that the graph is inherently embedded on the surface of a sphere shapes our interpretation of the network.

- * *Oh, you also know her?* - Social networking services such as Instagram and LinkedIn explicitly define friendship links between members. Such graphs consist of directed edges from person/vertex x professing his or her friendship with person/vertex y .

That said, the actual friendship graph of the world is represented implicitly. Each person knows who their friends are, but cannot find out about other people's friendships except by asking them. The "six degrees of separation" theory argues that there is a short path linking every two people in the world (e.g. Skiena and the President) but offers us no help in actually finding this path. The shortest such path I know of contains three hops:

Steven Skiena $\rightarrow$ Mark Fasciano $\rightarrow$ Michael Ashner $\rightarrow$ Donald Trump

but there could be a shorter one (say if Trump went to college with my dentist) $\uparrow$ The friendship graph is stored implicitly, so I have no way of easily checking.

	1	2	3	4		
1	0	1	0	0		
2	1	0	1	1		1
3	0	1	0	1		0
4	0	1	1	0		1
5	1	1	0			

* Are you truly an individual, or just one of the faceless crowd? - This question boils down to whether the friendship graph is labeled or unlabeled. Are the names or vertex IDs important for our analysis?

Much of the study of social networks is unconcerned with labels on graphs. Often the ID number given to a vertex in the graph data structure serves as its label, either for convenience or the need for anonymity. You may assert that you are a name, not a number - but try protesting to the fellow who implements the algorithm. Someone studying how rumors or infectious diseases spread through a friendship graph might examine network properties such as connectedness, the distribution of vertex degrees, or the distribution of path lengths. These properties aren't changed by a scrambling of the vertex IDs.

Take-Home Lesson: Graphs can be used to model a wide variety of structures and relationships. Graph-theoretic terminology gives us a language to talk about them.

0.110.3 Data Structures for Graphs

Selecting the right graph data structure can have an enormous impact on performance. Your two basic choices are adjacency matrices and adjacency lists, illustrated in Figure 7.4 We assume the graph $G = (V, E)$ contains n vertices and m edges.

* Adjacency matrix - We can represent G using an $n \times n$ matrix M , where element $M[i, j] = 1$ if (i, j) is an edge of G , and 0 if it isn't. This allows fast answers to the question "is (i, j) in G ?", and rapid updates for edge insertion and deletion. It may use excessive space for graphs with many vertices and relatively few edges, however.

Consider a graph that represents the street map of Manhattan in New York City. Every junction of two streets will be a vertex of

¹ There is also a path Steven Skiena $\rightarrow$ Steve Israel $\rightarrow$ Joe Biden, so I am covered regardless of the outcome of the 2020 election.

the graph. Neighboring junctions are connected by edges. How big is this graph? Manhattan is basically a grid of 15 avenues each crossing roughly 200

Comparison	Winner
Faster to test if (x, y) is in graph?	adjacency matrices
Faster to find the degree of a vertex?	adjacency lists
Less memory on sparse graphs?	adjacency lists $(m + n)$ vs. (n^2)
Less memory on dense graphs?	adjacency matrices (a small win)
Edge insertion or deletion?	adjacency matrices $O(1)$ vs. $O(d)$
Faster to traverse the graph?	adjacency lists $\Theta(m + n)$ vs. $\Theta(n^2)$
Better for most problems?	adjacency lists

Figure 7.5: Relative advantages of adjacency lists and matrices. streets. This gives us about 3,000 vertices and 6,000 edges, since almost all vertices neighbor four other vertices and each edge is shared between two vertices. This is a modest amount of data to store, yet an adjacency matrix would have $3,000 \times 3,000 = 9,000,000$ elements, almost all of them empty! There is some potential to save space by packing multiple bits per word or using a symmetric-matrix data structure (e.g. triangular matrix) for undirected graphs. But these methods lose the simplicity that makes adjacency matrices so appealing and, more critically, remain inherently quadratic even for sparse graphs.

* Adjacency lists - We can more efficiently represent sparse graphs by using linked lists to store the neighbors of each vertex. Adjacency lists require pointers, but are not frightening once you have experience with linked structures.

Adjacency lists make it harder to verify whether a given edge (i, j) is in G , since we must search through the appropriate list to find the edge. However, it is surprisingly easy to design graph algorithms that avoid any need for such queries. Typically, we sweep through all the edges of the graph in one pass via a breadth-first or depth-first traversal, and update the implications of the current edge as we visit it. Table 7.5 summarizes the tradeoffs between adjacency lists and matrices.

Take-Home Lesson: Adjacency lists are the right data structure for most applications of graphs.

We will use adjacency lists as our primary data structure to represent graphs. We represent a graph using the following data type. For each graph, we keep a count of the number of vertices, and assign each vertex a unique identification number from 1 to n vertices. We represent the edges using an array of linked lists:

```
#define MAXV 100 /* maximum number of vertices */
```

```

typedef struct edgenode {
    int y; /* adjacency info */
    int weight; /* edge weight, if any */
    struct edgenode *next; /* next edge in list */
} edgenode;
typedef struct {
    edgenode *edges[MAXV+1]; /* adjacency info */
    int degree[MAXV+1]; /* outdegree of each vertex */
    int nvertices; /* number of vertices in the graph */\index{discussion section}
    int nedges; /* number of edges in the graph */
    int directed; /* is the graph directed? */
} graph;

```

We represent directed edge (x, y) by an edgenode y in x 's adjacency list. The degree field of the graph counts the number of meaningful entries for the given vertex. An undirected edge (x, y) appears twice in any adjacency-based graph structure, once as y in x 's list, and the other as x in y 's list. The Boolean flag `directed` identifies whether the given graph is to be interpreted as directed or undirected. To demonstrate the use of this data structure, we show how to read a graph from a file. A typical graph file format consists of an initial line giving the number of vertices and edges in the graph, followed by a list of the edges, one vertex pair per line. We start by initializing the structure:

```

void initialize_graph(graph *g, bool directed) {
    int i; /* counter */
    g->nvertices = 0;
    g->nedges = 0;
    g->directed = directed;
    for (i = 1; i <= MAXV; i++) {\index{bipartite graph recognition}\index{completeness}}
        g->degree[i] = 0;
    }
    for (i = 1; i <= MAXV; i++) {
        g->edges[i] = NULL;
    }
}

```

Then we actually read the graph file, inserting each edge into this structure:

```

void read_graph(graph *g, bool directed) {
    int i; /* counter */
    int m; /* number of edges */
    int x, y; /* vertices in edge (x,y) */
    initialize_graph(g, directed);
    scanf("%d %d", &(g->nvertices), &m);
}

```



```

    for (i = 1; i <= m; i++) {
        scanf("%d %d", &x, &y);
        insert_edge(g, x, y, directed);
    }
}

```

The critical routine is `insert_edge`. The new `edgenode` is inserted at the beginning of the appropriate adjacency list, since order doesn't matter. We parameterize our insertion with the `directed` Boolean flag, to identify whether we need to insert two copies of each edge or only one. Note the use of recursion to insert the copy:

```

void insert_edge(graph *g, int x, int y, bool directed) {
    edgenode *p; /* temporary pointer */
    p = malloc(sizeof(edgenode)); /* allocate edgenode storage */
    p->weight = 0;
    p->y = y;
    p->next = g->edges[x];
    g->edges[x] = p; /* insert at head of list */
    g->degree [x] ++;
    if (!directed) {
        insert_edge(g, y, x, true);
    } else {
        g->nedges++;
    }
}

```

Printing the associated graph is just a matter of two nested loops: one through the vertices, and the second through adjacent edges:

```

void print_graph(graph *g) {
    int i; /* counter */
    edgenode *p; /* temporary pointer */
    for (i = 1; i <= g->nvertices; i++) {
        printf("%d: ", i);
        p = g->edges[i];
        while (p != NULL) {
            printf(" %d", p->y);
            p = p->next;
        }
        printf("\n");
    }
}

```

It is a good idea to use a well-designed graph data type as a model for building your own, or even better as the foundation for your application. I recommend LEDA (see Section 22.1.1 (page 713)) or Boost (see Section 22.1.3 (page 714)) as the best-designed

general-purpose graph data structures currently available. They may be more powerful (and hence somewhat slower/larger) than you need, but they do so many things right that you are likely to lose most of the potential do-it-yourself benefits through clumsiness.

0.110.4 War Story: I was a Victim of Moore's Law

I am the author of a popular library of graph algorithms called Combinatorica (www.combinatorica.com), which runs under the computer algebra system Mathematica. Efficiency is a great challenge in Mathematica, due to its applicative model of computation (it does not support constant-time write operations

command/machine	Sun-3	Sun-4	Sun-5	Ultra 5	Blade
PlanarQ[GridGraph[4,4]]	234.10	69.65	27.50	3.60	0.40
Length[Partitions[30]]	289.85	73.20	24.40	3.44	1.58
VertexConnectivity[GridGraph[3,3]]	239.67	47.76	14.70	2.00	0.91
RandomPartition[1000]	831.68	267.5	22.05	3.12	0.87

Table 7.1: Old Combinatorica benchmarks on five generations of workstations (running time in seconds).
to arrays) and the overhead of interpretation (as opposed to compilation). Mathematica code is typically 1,000 to 5,000 times slower than C code.

Such slowdowns can be a tremendous performance hit. Even worse, Mathematica is a memory hog, needing a then-outrageous 4 MB of main memory to run effectively when I completed Combinatorica in 1990. Any computation on large structures was doomed to thrash in virtual memory. In such an environment, my graph package could only hope to work effectively on very small graphs.

One design decision I made as a result was to use adjacency matrices as the basic Combinatorica graph data structure instead of lists. This may sound peculiar. If pressed for memory, wouldn't it pay to use adjacency lists and conserve every last byte? Yes, but the answer is not so simple for very small graphs. An adjacency list representation of a weighted n -vertex, m -edge directed graph should use about $n + 2m$ words to represent; the $2m$ comes from storing the endpoint and weight components of each edge. Thus, the space advantages of adjacency lists only kick in when $n + 2m$ is substantially smaller than n^2 . The adjacency matrix is still manageable in size for $n \leq 100$ and, of course, about half the size of adjacency lists on dense graphs.

My more immediate concern was dealing with the overhead of using a slow interpreted language. Check out the benchmarks reported in

Table 7.1 Two particularly complex but polynomial-time problems on 9 and 16 vertex graphs took several minutes to complete on my desktop machine in 1990! The quadratic-sized data structure certainly could not have had much impact on these running times, since 9×9 equals only 81. From experience, I knew the Mathematica programming language handled regular structures like adjacency matrices better than irregular-sized adjacency lists.

Still, Combinatorica proved to be a very good thing despite these performance problems. Thousands of people have used my package to do all kinds of interesting things with graphs. Combinatorica was never intended to be a highperformance algorithms library. Most users quickly realized that computations on large graphs were out of the question, but were eager to take advantage of Combinatorica as a mathematical research tool and prototyping environment.

Everyone was happy.

But over the years, my users started asking why it took so long to do a modest-sized graph computation. The mystery wasn't that my program was slow, because it had always been slow. The question was why did it take them so many years to figure this out?

The reason is that computers keep doubling in speed every two years or so. People's expectation of how long something should take moves in concert with these technology improvements. Partially because of

Combinatorica's dependence on a quadratic-size graph data structure, it didn't scale as well as it should on sparse graphs.

As the years rolled on, user demands became more insistent. Combinatorica needed to be updated. My collaborator, Sriram Pemmaraju, rose to the challenge. We (mostly he) completely rewrote Combinatorica to take advantage of faster graph data structures ten years after the initial version.

The new Combinatorica uses a list of edges data structure for graphs, largely motivated by increased efficiency. Edge lists are linear in the size of the graph (edges plus vertices), just like adjacency lists. This makes a huge difference on most graph-related functions-for large enough graphs. The improvement is most dramatic in "fast" graph algorithms - those that run in linear or nearlinear time, such as graph traversal, topological sort, and finding connected or biconnected components. The implications of this change are felt throughout the package in running time improvements and memory savings. Combinatorica can now work with graphs that are fifty to a hundred times larger than what the old package could deal with.

Figure 7.7(left) plots the running time of the MinimumSpanningTree functions for both Combinatorica versions. The test graphs were sparse (grid graphs), designed to highlight the difference between the two data structures. Yes, the new version is much faster, but note that the difference only becomes important for graphs larger than the

old Combinatorica was designed for. However, the relative difference in run time keeps growing with increasing n . Figure 7.7(right) plots the ratio of the running times as a function of graph size. The difference between linear size and quadratic size is asymptotic, so the consequences become ever more important as n gets larger.

What is the weird bump in running times that occurs around $n \approx 250$? This likely reflects a transition between levels of the memory hierarchy. Such bumps are not uncommon in today's complex computer systems. Cache performance in data structure design should be an important but not overriding consideration. The asymptotic gains due to adjacency lists more than trumped any impact of the cache.

Three main lessons can be taken away from our experience developing *Combinatorica*:

- * *To make a program run faster, just wait* - Sophisticated hardware eventually trickles down to everybody. We observe a speedup of more than 200 -fold for the original version of *Combinatorica* as a consequence of 15 years of hardware evolution. In this context, the further speedups we obtained from upgrading the package become particularly dramatic.
- * *Asymptotics eventually do matter* - It was my mistake not to anticipate future developments in technology. While no one has a crystal ball, it is fairly safe to say that future computers will have more memory and run faster than today's. This gives the edge to asymptotically more efficient algorithms/data structures, even if their performance is close on today's instances. If the implementation complexity is not substantially greater, play it safe and go with the better algorithm.
- * *Constant factors can matter* - With the growing importance of the study of networks, Wolfram Research has recently moved basic graph data structures into the core of *Mathematica*. This permits them to be written in a compiled instead of interpreted language, speeding all operations by about a factor of 10 over *Combinatorica*.

Speeding up a computation by a factor of 10 is often very important, taking it from a week down to a day, or a year down to a month. This book focuses largely on asymptotic complexity, because we seek to teach fundamental principles. But constants can matter in practice.

0.110.5 War Story: Getting the Graph

"It takes five minutes just to read the data. We will never have time to make it do something interesting."

The young graduate student was bright and eager, but green to the power of data structures. She would soon come to appreciate their power.

As described in a previous war story (see Section 3.6 (page 89), we were experimenting with algorithms to extract triangular strips for the fast rendering of triangulated surfaces. The task of finding a small number of strips that cover each triangle in a mesh can be modeled as a graph problem. The graph has a vertex for every triangle of the mesh, with an edge between every pair of vertices representing adjacent triangles. This dual graph representation (see Figure 7.8 captures all information needed to partition the triangulation into triangle strips.

The first step in crafting a program that constructs a good set of strips was to build the dual graph of the triangulation. This I sent the student off to do. A few days later, she came back and announced that it took her machine over five minutes to construct the dual graph of a few thousand triangles.

"Nonsense!" I proclaimed. "You must be doing something very wasteful in building the graph. What format is the data in?" "Well, it starts out with a list of the three-dimensional coordinates of the vertices used in the model and then follows with a list of triangles. Each triangle is described by a list of three indices into the vertex coordinates. Here is a small example,"

```
\index{connected component}\index{connectivity}
VERTICES 4
0.000000 240.000000 0.000000
204.000000 240.000000 0.000000
204.000000 0.000000 0.000000
0.000000 0.000000 0.000000
TRIANGLES 2
0 13
123
```

"I see. So the first triangle uses all but the third point, since all the indices start from zero. The two triangles must share an edge formed by points 1 and 3."

"Yeah, that's right," she confirmed.

"OK. Now tell me how you built your dual graph from this file."

"Well, the geometric position of the points doesn't affect the structure of the graph, so I can ignore it. My dual graph is going to have as many vertices as the number of triangles. I set up an adjacency list data structure with that many vertices. As I read in each triangle, I compare it to each of the others to check whether it has two end points in common. If it does, then I add an edge from the new triangle to this one."

I started to sputter. "But that's your problem right there! You are comparing each triangle against every other triangle, so that constructing the dual graph will be quadratic in the number of triangles. Reading the input graph should take linear time!"

"I'm not comparing every triangle against every other triangle. On average, it only tests against half or a third of the triangles."

"Swell. But that still leaves us with an $O(n^2)$ algorithm. That is much too slow."

She stood her ground. "Well, don't just complain. Help me fix it!" Fair enough. I started to think. We needed some quick method to screen away most of the triangles that would not be adjacent to the new triangle (i, j, k) . What we really needed was a separate list of all the triangles that go through each of the points i, j , and k . By Euler's formula for planar graphs, the average point is incident to fewer than six triangles. This would compare each new triangle against fewer than twenty others, instead of most of them.

"We are going to need a data structure consisting of an array with one element for every vertex in the original data set. This element is going to be a list of all the triangles that pass through that vertex. When we read in a new triangle, we will look up the three relevant lists in the array and compare each of these against the new triangle.

Actually, only two of the three lists need be tested, since any adjacent triangles will share two points in common. We will add an edge to our graph for every triangle pair sharing two vertices.

Finally, we will add our new triangle to each of the three affected lists, so they will be updated for the next triangle read."

She thought about this for a while and smiled. "Got it, Chief. I'll let you know what happens."

The next day she reported that the graph could be built in seconds, even for much larger models. From here, she went on to build a successful program for extracting triangle strips, as reported in Section 3.6 (page 89).

Take-Home Lesson: Even elementary problems like initializing data structures can prove to be bottlenecks in algorithm development. Programs working with large amounts of data must run in linear or near-linear time. Such tight performance demands leave no room to be sloppy. Once you focus on the need for linear-time performance, an appropriate algorithm or heuristic can usually be found to do the job.

0.110.6 Traversing a Graph

Perhaps the most fundamental graph problem is to visit every edge and vertex in a graph in a systematic way. Indeed, all the basic

bookkeeping operations on graphs (such as printing or copying graphs, and converting between alternative representations) are applications of graph traversal.

Mazes are naturally represented by graphs, where each graph vertex denotes a junction of the maze, and each graph edge denotes a passageway in the maze. Thus, any graph traversal algorithm must be powerful enough to get us out of an arbitrary maze. For efficiency, we must make sure we don't get trapped in the maze and visit the same place repeatedly. For correctness, we must do the traversal in a systematic way to guarantee that we find a way out of the maze. Our search must take us through every edge and vertex in the graph.

The key idea behind graph traversal is to mark each vertex when we first visit it and keep track of what we have not yet completely explored. Bread crumbs and unraveled threads have been used to mark visited places in fairy-tale mazes, but we will rely on Boolean flags or enumerated types.

Each vertex will exist in one of three states:

- * Undiscovered - the vertex is in its initial, virgin state.*
- * Discovered - the vertex has been found, but we have not yet checked out all its incident edges.*
- * Processed - the vertex after we have visited all of its incident edges.*

Obviously, a vertex cannot be processed until after we discover it, so the state of each vertex progresses from undiscovered to discovered to processed over the course of the traversal.

We must also maintain a structure containing the vertices that we have discovered but not yet completely processed. Initially, only the single start vertex is considered to be discovered. To completely explore a vertex v , we must evaluate each edge leaving v . If an edge goes to an undiscovered vertex x , we mark x discovered and add it to the list of work to do in the future. If an edge goes to a processed vertex, we ignore that vertex, because further contemplation will tell us nothing new about the graph. Similarly, we can ignore any edge going to a discovered but not processed vertex, because that destination already resides on the list of vertices to process.

Each undirected edge will be considered exactly twice, once when each of its endpoints is explored. Directed edges will be considered only once, when exploring the source vertex. Every edge and vertex in the connected component must eventually be visited. Why? Suppose that there exists a vertex u that remains unvisited, whose neighbor v was visited. This neighbor v will eventually be explored, after which we will certainly visit u . Thus, we must find everything that is there to be found.

I describe the mechanics of these traversal algorithms and the significance of the traversal order below.

0.110.7 Breadth-First Search

The basic breadth-first search algorithm is given below. At some point during the course of a traversal, every node in the graph changes state from undiscovered to discovered. In a breadth-first search of an undirected graph, we assign a direction to each edge, from the discoverer u to the discovered v . We thus denote u to be the parent of v . Since each node has exactly one parent, except for the root, this defines a tree on the vertices of the graph. This tree, illustrated in

Figure 7.9, defines a shortest path from the root to every other node in the tree. This property makes breadth-first search very useful in shortest path problems.

BFS(G, s)

Initialize each vertex $u \in V[G]$ so

state $[u] = \text{"undiscovered"}$

$p[u] = \text{nil}$, i.e. no parent is in the BFS tree

state $[s] = \text{"discovered"}$

$Q = \{s\}$

while $Q \neq \emptyset$ do

$u = \text{dequeue } [Q]$

process vertex u if desired

for each vertex v that is adjacent to u

process edge (u, v) if desired

if state $[v] = \text{"undiscovered"}$ then

state $[v] = \text{"discovered"}$

$p[v] = u$

enqueue $[Q, v]$

state $[u] = \text{"processed"}$

The graph edges that do not appear in the breadth-first search tree also have special properties. For undirected graphs, non-tree edges can point only to vertices on the same level as the parent vertex, or to vertices on the level directly below the parent. These properties follow easily from the fact that each path in the tree must be a shortest path in the graph. For a directed graph, a back-pointing edge (u, v) can exist whenever v lies closer to the root than u does.

0.111 Implementation

Our breadth-first search implementation bfs uses two Boolean arrays to maintain our knowledge about each vertex in the graph. A vertex is discovered the first time we visit it. A vertex is considered processed after we have traversed all outgoing edges from it. Thus, each vertex passes from undiscovered to discovered to processed over the course of the search. This information could have been maintained using one enumerated type variable, but we used two Boolean variables instead.

```
bool processed[MAXV+1]; /* which vertices have been processed */
bool discovered[MAXV+1]; /* which vertices have been found */
int parent[MAXV+1]; /* discovery relation */
```

Each vertex is initialized as undiscovered:

```
void initialize_search(graph *g) {
    int i; /* counter */
    time = 0;
    for (i = 0; i <= g->nvertices; i++) {
        processed[i] = false;
        discovered[i] = false;
        parent[i] = -1;
    }
}
```

Once a vertex is discovered, it is placed on a queue. Since we process these vertices in first-in, first-out (FIFO) order, the oldest vertices are expanded first, which are exactly those closest to the root:

```
void bfs(graph *g, int start) {
    queue q; /* queue of vertices to visit */
    int v; /* current vertex */
    int y; /* successor vertex */
    edgenode *p; /* temporary pointer */
    init_queue(&q);
    enqueue(&q, start);
    discovered[start] = true;
    while (!empty_queue(&q)) {
        v = dequeue(&q);
        process_vertex_early(v);
        processed[v] = true;
        p = g->edges[v];
        while (p != NULL) {
            y = p->y;
            if ((!processed[y]) || g->directed) {\index{vertex connectivity}
                process_edge(v, y);
            }
            p = p->next;
        }
    }
}
```

```

    }
    if (!discovered[y]) {
        enqueue(&q,y);
        discovered[y] = true;
        parent[y] = v;
    }
    p = p->next;
}
process_vertex_late(v);
}
}

```

0.111.1 Exploiting Traversal

The exact behavior of bfs depends upon the functions `process_vertex_early()`, `process_vertex_late()`, and `process_edge()`. Through these functions, we can customize what the traversal does as it makes its one official visit to each edge and each vertex.

Initially, we will do all vertex processing on entry, so `process_vertex_late()` returns without action:

```

void process_vertex_late(int v) {
}

```

By setting the active functions to

```

void process_vertex_early(int v) {
    printf("processed vertex %d\n", v);
}
void process_edge(int x, int y) {
    printf("processed edge (%d,%d)\n", x, y);
}

```

we print each vertex and edge exactly once. If we instead set `process_edge` to

```

void process_edge(int x, int y) {
    nedges = nedges + 1;
}

```

we get an accurate count of the number of edges. Different algorithms perform different actions on vertices or edges as they are encountered. These functions give us the freedom to easily customize these actions.

0.111.2 Finding Paths

The parent array that is filled over the course of `bfs()` is very useful for finding interesting paths through a graph. The vertex that first discovered vertex i is defined as the parent $[i]$. Every vertex is discovered once during the course of traversal, so every node has a parent, except for the start node. This parent relation defines a tree of discovery, with the start node as the root of the tree.

Because vertices are discovered in order of increasing distance from the root, this tree has a very important property. The unique tree path from the root to each node $x \in V$ uses the smallest number of edges (or equivalently, intermediate nodes) possible on any root-to- x path in the graph.

We can reconstruct this path by following the chain of ancestors from x to the root. Note that we have to work backward. We cannot find the path from the root to x , because this does not agree with the direction of the parent pointers. Instead, we must find the path from x to the root. Since this is the reverse of how we normally want the path, we can either (1) store it and then explicitly reverse it using a stack, or (2) let recursion reverse it for us, as follows:

```
void find_path(int start, int end, int parents[]) {
    if ((start == end) || (end == -1)) {
        printf("\n%d", start);
    } else {
        find_path(start, parents[end], parents);
        printf(" %d", end);
    }
}
```

On our breadth-first search graph example (Figure 7.9) our algorithm generated the following parent relation:

<i>vertex</i>	1	2	3	4	5	6	7	8
<i>parent</i>	-1	1	2	3	2	5	1	1

For the shortest path from 1 to 6, this parent relation yields the path $\{1, 2, 5, 6\}$.

There are two points to remember when using breadth-first search to find a shortest path from x to y : First, the shortest path tree is only useful if BFS was performed with x as the root of the search. Second, BFS gives the shortest path only if the graph is unweighted.

We will present algorithms for finding shortest paths in weighted graphs in Section 8.3.1 (page 258).

0.111.3 Applications of Breadth-First Search

Many elementary graph algorithms perform one or two traversals of the graph, while doing something along the way. Properly implemented using adjacency lists, any such algorithm is destined to be linear, since BFS runs in $O(n + m)$ time for both directed and undirected graphs. This is optimal, since this is as fast as one can ever hope to just read an n -vertex, m -edge graph.

The trick is seeing when such traversal approaches are destined to work. I present several examples below.

0.111.4 Connected Components

We say that a graph is connected if there is a path between any two vertices. Every person can reach every other person through a chain of links if the friendship graph is connected.

A connected component of an undirected graph is a maximal set of vertices such that there is a path between every pair of vertices. The components are separate "pieces" of the graph such that there is no connection between the pieces. If we envision tribes in remote parts of the world that have not yet been encountered, each such tribe would form a separate connected component in the friendship graph. A remote hermit, or extremely uncongenial fellow, would represent a connected component of one vertex.

An amazing number of seemingly complicated problems reduce to finding or counting connected components. For example, deciding whether a puzzle such as Rubik's cube or the 15 -puzzle can be solved from any position is really asking whether the graph of possible configurations is connected.

Connected components can be found using breadth-first search, since the vertex order does not matter. We begin by performing a search starting from an arbitrary vertex. Anything we discover during this search must be part of the same connected component. We then repeat the search from any undiscovered vertex (if one exists) to define the next component, and so on until all vertices have been found:

```
void connected_components(graph *g) {
    int c; /* component number */
    int i; /* counter */
    initialize_search(g);
    c = 0;
    for (i = 1; i <= g->nvertices; i++) {
        if (!discovered[i]) {
            c = c + 1;
```

```

        printf("Component %d:", c);
        bfs(g, i);
        printf("\n");
    }
}

void process_vertex_early(int v) { /* vertex to process */
    printf(" %d", v);
}

void process_edge(int x, int y) {
    }

```

Observe how we increment a counter c denoting the current component number with each call to `bfs`. Alternatively, we could have explicitly bound each vertex to its component number (instead of printing the vertices in each component) by changing the action of `process_vertex`.

There are two distinct notions of connectivity for directed graphs, leading to algorithms for finding both weakly connected and strongly connected components. Both of these can be found in $O(n + m)$ time, as discussed in Section 18.1 (page 542).

0.111.5 Two-Coloring Graphs

The vertex-coloring problem seeks to assign a label (or color) to each vertex of a graph such that no edge links any two vertices of the same color. We can easily avoid all conflicts by assigning each vertex a unique color. However, the goal is to use as few colors as possible. Vertex coloring problems often arise in scheduling applications, such as register allocation in compilers. See Section 19.7 (page 604) for a full treatment of vertex-coloring algorithms and applications.

A graph is bipartite if it can be colored without conflicts while using only two colors. Bipartite graphs are important because they arise naturally in many applications. Consider the "mutually interested-in" graph in a heterosexual world, where people consider only those of opposing gender. In this simple model, gender would define a two-coloring of the graph.

But how can we find an appropriate two-coloring of such a graph, thus separating men from women? Suppose we declare by fiat that the starting vertex is "male." All vertices adjacent to this man must be "female," provided the graph is indeed bipartite.

We can augment breadth-first search so that whenever we discover a new vertex, we color it the opposite of its parent. We check whether any non-tree edge links two vertices of the same color. Such a

conflict means that the graph cannot be two-colored. If the process terminates without conflicts, we have constructed a proper two-coloring.

```

void twocolor(graph *g) {
    int i; /* counter */
    for (i = 1; i <= (g->nvertices); i++) {
        color[i] = UNCOLORED;
    }
    bipartite = true;
    initialize_search(g);
    for (i = 1; i <= (g->nvertices); i++) {
        if (!discovered[i]) {
            color[i] = WHITE;
            bfs(g, i);
        }
    }
}

void process_edge(int x, int y) {
    if (color[x] == color [y]) {
        bipartite = false;
        printf("Warning: not bipartite, due to (%d,%d)\n", x, y);
    }
    color [y] = complement(color[x]);
}

int complement(int color) {
    if (color == WHITE) {
        return(BLACK);
    }
    if (color == BLACK) {
        return(WHITE);
    }
    return(UNCOLORED);
}

```

We can assign the first vertex in any connected component to be whatever color/gender we wish. BFS can separate men from women, but we can't tell which gender corresponds to which color just by using the graph structure. Also, bipartite graphs require distinct and binary categorical attributes, so they don't model the real-world variation in sexual preferences and gender identity.

Take-Home Lesson: Breadth-first and depth-first search provide mechanisms to visit each edge and vertex of the graph. They prove the basis of most simple, efficient graph algorithms.

0.111.6 Depth-First Search

There are two primary graph traversal algorithms: breadth-first search (BFS) and depth-first search (DFS). For certain problems, it makes absolutely no difference which you use, but in others the distinction is crucial.

The difference between BFS and DFS lies in the order in which they explore vertices. This order depends completely upon the container data structure used to store the discovered but not processed vertices.

- * Queue - By storing the vertices in a first-in, first-out (FIFO) queue, we explore the oldest unexplored vertices first. Our explorations thus radiate out slowly from the starting vertex, defining a breadth-first search.*
- * Stack - By storing the vertices in a last-in, first-out (LIFO) stack, we explore the vertices by forging steadily along along a path, visiting a new neighbor if one is available, and backing up only when we are surrounded by previously discovered vertices. Our explorations thus quickly wander away from the starting point, defining a depth-first search.*

Our implementation of dfs maintains a notion of traversal time for each vertex. Our time clock ticks each time we enter or exit a vertex. We keep track of the entry and exit times for each vertex.

Depth-first search has a neat recursive implementation, which eliminates the need to explicitly use a stack:

```

$\operatorname{DFS}(G, u)$
  state $[u]=$ "discovered"
  process vertex $u$ if desired
  time $=$ time +1
  entry $[u]=$ time
  for each vertex $v$ that is adjacent to $u$
    process edge $(u, v)$ if desired
    if state $[v]=$ "undiscovered" then
      $p[v]=u$
      $\operatorname{DFS}(G, v)$
  state $[u]=$ "processed"
  $\operatorname{exit}[u]=$ time
  time $=$ time +1

```

The time intervals have interesting and useful properties with respect to depth-first search:

- * Who is an ancestor? - Suppose that x is an ancestor of y in the DFS tree. This implies that we must enter x before y , since there is no way we can be born before our own parent or grandparent! We also must exit y before we exit x , because the mechanics of*

DFS ensure we cannot exit x until after we have backed up from the search of all its descendants. Thus, the time interval of y must be properly nested within the interval of ancestor x .

- * How many descendants? - The difference between the exit and entry times for v tells us how many descendants v has in the DFS tree. The clock gets incremented on each vertex entry and vertex exit, so half the time difference denotes the number of descendants of v .*

We will use these entry and exit times in several applications of depthfirst search, particularly topological sorting and biconnected/strongly connected components. We may need to take separate actions on each entry and exit, thus motivating distinct `process_vertex_early` and `process_vertex_late` routines called from `dfs`. For the DFS tree example presented in Figure 7.10, the parent of each vertex with its entry and exit times are:

<i>vertex</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>	<i>8</i>
<i>parent</i>	-1	1	2	3	4	5	2	1
<i>entry</i>	1	2	3	4	5	6	11	14
<i>exit</i>	16	13	10	9	8	7	12	15

The other important property of a depth-first search is that it partitions the edges of an undirected graph into exactly two classes: tree edges and back edges. The tree edges discover new vertices, and are those encoded in the parent relation. Back edges are those whose other endpoint is an ancestor of the vertex being expanded, so they point back into the tree.

An amazing property of depth-first search is that all edges fall into one of these two classes. Why can't an edge go to a sibling or cousin node, instead of an ancestor? All nodes reachable from a given vertex v are expanded before we finish with the traversal from v , so such topologies are impossible for undirected graphs. This edge classification proves fundamental to the correctness of DFSbased algorithms.

0.112 Implementation

Depth-first search can be thought of as breadth-first search, but using a stack instead of a queue to store unfinished vertices. The beauty of implementing `dfs` recursively is that recursion eliminates the need to keep an explicit stack:

```
void dfs(graph *g, int v) {
    edgenode *p; /* temporary pointer */
    int y; /* successor vertex */
```



```

    if (finished) {
        return; /* allow for search termination */
    }
    discovered[v] = true;
    time = time + 1;
    entry_time[v] = time;
    process_vertex_early(v);
    p = g->edges[v];
    while (p != NULL) {
        y = p->y;
        if (!discovered[y]) {
            parent[y] = v;
            process_edge(v, y);
            dfs(g, y);
        } else if (((!processed[y]) && (parent[v] != y)) || (g->directed)) {
            process_edge(v, y);
        }
        if (finished) {
            return;
        }
        p = p->next;
    }
    process_vertex_late(v);
    time = time + 1;
    exit_time[v] = time;
    processed[v] = true;
}

```

Depth-first search uses essentially the same idea as backtracking, which we study in Section 9.1 (page 281). Both involve exhaustively searching all possibilities by advancing if it is possible, and backing up only when there is no remaining unexplored possibility for further advance. Both are most easily understood as recursive algorithms. Take-Home Lesson: DFS organizes vertices by entry/exit times, and edges into tree and back edges. This organization is what gives DFS its real power.

0.112.1 Applications of Depth-First Search

As algorithm design paradigms go, depth-first search isn't particularly intimidating. It is surprisingly subtle, however, meaning that its correctness requires getting details right. The correctness of a DFS-based algorithm depends upon specifics of exactly when we process the edges and vertices. We can process vertex v either before we have traversed any outgoing edge from v (`process_vertex_early()`), or after we have finished processing all of

them (process_vertex_late()). Sometimes we will take special actions at both times, say process_vertex_early() to initialize a vertex-specific data structure, which will be modified on edge-processing operations and then analyzed afterwards using process_vertex_late().

In undirected graphs, each edge (x, y) sits in the adjacency lists of vertex x and y . There are thus two potential times to process each edge (x, y) , namely when exploring x and when exploring y . The labeling of edges as tree edges or back edges occurs the first time the edge is explored. This first time we see an edge is usually a logical time to do edge-specific processing. Sometimes, we may want to take different action the second time we see an edge.

But when we encounter edge (x, y) from x , how can we tell if we have previously traversed the edge from y ? The issue is easy if vertex y is undiscovered: (x, y) becomes a tree edge so this must be the first time. The issue is also easy if y has been completely processed: we explored the edge when we explored y so this must be the second time. But what if y is an ancestor of x , and thus in a discovered state? Careful reflection will convince you that this must be our first traversal unless y is the immediate ancestor of x -that is, (y, x) is a tree edge. This can be established by testing if $y == \text{parent}[x]$.

I find that the subtlety of depth-first search-based algorithms kicks me in the head whenever I try to implement one ² I encourage you to analyze these implementations carefully to see where the problematic cases arise and why.

0.112.2 Finding Cycles

Back edges are the key to finding a cycle in an undirected graph. If there is no back edge, all edges are tree edges, and no cycle exists in a tree. But any back

edge going from x to an ancestor y creates a cycle with the tree path from y to x . Such a cycle is easy to find using dfs:

```
void process_edge(int x, int y) {
    if (parent[y] != x) { /* found back edge! */
        printf("Cycle from %d to %d:", y, x);
        find_path(y, x, parent);
        finished = true;
    }
}
```

² Indeed, the most horrifying errors in the previous edition of this book came in this section.

The correctness of this cycle detection algorithm depends upon processing each undirected edge exactly once. Otherwise, a spurious two-vertex cycle (x, y, x) could be composed from the two traversals of any single undirected edge. We use the finished flag to terminate after finding the first cycle. Without it we would waste time discovering a new cycle with every back edge before stopping; a complete graph has $\Theta(n^2)$ such cycles.

0.112.3 Articulation Vertices

Suppose you are a vandal seeking to disrupt the telephone trunk line network. Which station in Figure 7.11 should you blow up to cause the maximum amount of damage? Observe that there is a single point of failure - a single vertex whose deletion disconnects a connected component of the graph. Such a vertex v is called an articulation vertex or cut-node. Any graph that contains an articulation vertex is inherently fragile, because deleting v causes a loss of connectivity between other nodes.

I presented a breadth-first search-based connected components algorithm in Section 7.7.1 (page 218). In general, the connectivity of a graph is the smallest number of vertices whose deletion will disconnect the graph. The connectivity is 1 if the graph has an articulation vertex. More robust graphs without such a vertex are said to be biconnected. Connectivity will be further discussed in Section 18.8 (page 568).

Testing for articulation vertices by brute force is easy. Temporarily delete each candidate vertex v , and then do a BFS or DFS traversal of the remaining graph to establish whether it is still connected. The total time for n such traversals is $O(n(m + n))$. There is a clever linear-time algorithm, however, that tests all the vertices of a connected graph using a single depth-first search.

What might the depth-first search tree tell us about articulation vertices? This tree connects all the vertices of a connected component of the graph. If the DFS tree represented the entirety of the graph, all internal (non-leaf) nodes would be articulation vertices, since deleting any one of them would separate a leaf from the root. But blowing up a leaf (shown in green in Figure 7.12) would not disconnect the tree, because it connects no one but itself to the main trunk.

The root of the search tree is a special case. If it has only one child, it functions as a leaf. But if the root has two or more children, its deletion disconnects them, making the root an articulation vertex.

General graphs are more complex than trees. But a depth-first search of a general graph partitions the edges into tree edges and back edges. Think of these back edges as security cables linking a

vertex back to one of its ancestors. The security cable from x back to y ensures that none of the vertices on the tree path between x and y can be articulation vertices. Delete any of these vertices, and the security cable will still hold all of them to the rest of the tree.

Finding articulation vertices requires keeping track of the extent to which back edges (i.e., security cables) link chunks of the DFS tree back to ancestor nodes. Let `reachable_ancestor[v]` denote the earliest reachable ancestor of vertex v , meaning the oldest ancestor of v that we can reach from a descendant of v by using a back edge.

Initially, `reachable_ancestor[v] = v` :

```
int reachable_ancestor[MAXV+1]; /* earliest reachable ancestor of v */
int tree_out_degree[MAXV+1]; /* DFS tree outdegree of v */

void process_vertex_early(int v) {
    reachable_ancestor[v] = v;
}
```

We update `reachable_ancestor[v]` whenever we encounter a back edge that takes us to an earlier ancestor than we have previously seen. The relative age/rank of our ancestors can be determined from their `entry_time`'s:

```
void process_edge(int x, int y) {
    int class; /* edge class */
    class = edge_classification(x, y);
    if (class == TREE) {
        tree_out_degree[x] = tree_out_degree[x] + 1;
    }
    if ((class == BACK) && (parent[x] != y)) {
        if (entry_time[y] < entry_time[reachable_ancestor[x]]) {
            reachable_ancestor[x] = y;
        }
    }
}
```

The key issue is determining how the reachability relation impacts whether vertex v is an articulation vertex. There are three cases, illustrated in Figure 7.13 and discussed below. Note that these cases are not mutually exclusive. A single vertex v might be an articulation vertex for multiple reasons:

- * *Root cut-nodes* - If the root of the DFS tree has two or more children, it must be an articulation vertex. No edges from the subtree of the second child can possibly connect to the subtree of the first child.
- * *Bridge cut-nodes* - If the earliest reachable vertex from v is v , then deleting the single edge $(parent[v], v)$ disconnects the graph.

Clearly $\text{parent}[v]$ must be an articulation vertex, since it cuts v from the graph. Vertex v is also an articulation vertex unless it is a leaf of the DFS tree. For any leaf, nothing falls off when you cut it.

- * *Parent cut-nodes* - If the earliest reachable vertex from v is the parent of v , then deleting the parent must sever v from the tree unless the parent is the root. This is always the case for the deeper vertex of a bridge, unless it is a leaf.

The routine below systematically evaluates each of these three conditions as we back up from the vertex after traversing all outgoing edges. We use $\text{entry_time}[v]$ to represent the age of vertex v . The reachability time time_v calculated below denotes the oldest vertex that can be reached using back edges. Getting back to an ancestor above v rules out the possibility of v being a cutnode:

```
void process_vertex_late(int v) {
    bool root; /* is parent[v] the root of the DFS tree? */
    int time_v; /* earliest reachable time for v */
    int time_parent; /* earliest reachable time for parent[v] */
    if (parent[v] == -1) { /* test if v is the root */
        if (tree_out_degree[v] > 1) {
            printf("root articulation vertex: %d \n", v);
        }
        return;
    }
    root = (parent[parent[v]] == -1); /* is parent[v] the root? */
    if (!root) {
        if (reachable_ancestor[v] == parent[v]) {
            printf("parent articulation vertex: %d \n", parent[v]);
        }
        if (reachable_ancestor[v] == v) {
            printf("bridge articulation vertex: %d \n", parent[v]);
            if (tree_out_degree[v] > 0) { /* is v is not a leaf? */
                printf("bridge articulation vertex: %d \n", v);
            }
        }
    }
    time_v = entry_time[reachable_ancestor[v]];
    time_parent = entry_time[reachable_ancestor[parent[v]]];
    if (time_v < time_parent) { reachable_ancestor[parent[v]] =
        reachable_ancestor[v];
    }
}
```

Tree Edges
Forward Edge
Back Edge

}
}
}

```
time_v = entry_time[reachable_ancestor[v]];
time_parent = entry_time[reachable_ancestor[parent[v]]];
if (time_v < time_parent) { reachable_ancestor[parent[v]] =
    reachable_ancestor[v];
}
```



Figure 58: The possible edge cases for cross edges can occur in DFS only

}

The last lines of this routine govern when we back up from a node's highest reachable ancestor to its parent, namely whenever it is higher than the parent's earliest ancestor to date.

We can alternatively talk about vulnerability in terms of edge failures instead of vertex failures. Perhaps our vandal would find it easier to cut a cable instead of blowing up a switching station. A single edge whose deletion disconnects the graph is called a bridge; any graph without such an edge is said to be edgebiconnected.

Identifying whether a given edge (x, y) is a bridge is easily done in linear time, by deleting the edge and testing whether the resulting graph is connected. In fact all bridges can be identified in the same $O(n + m)$ time using DFS. Edge (x, y) is a bridge if (1) it is a tree edge, and (2) no back edge connects from y or below to x or above.

This can be computed with a appropriate modification to the `process_late_vertex` function.

0.112.4 Depth-First Search on Directed Graphs

Depth-first search on an undirected graph proves useful because it organizes the edges of the graph in a very precise way. Over the course of a DFS from a given source vertex, each edge will be assigned one of potentially four labels, as shown in Figure 7.14

When traversing undirected graphs, every edge is either in the depth-first search tree or will be a back edge to an ancestor in the tree. It is important to understand why. Might we encounter a "forward edge" (x, y) , directed toward a descendant vertex? No, because in this case, we would have first traversed (x, y) while exploring y , making it a back edge. Might we encounter a "cross edge" (x, y) , linking two unrelated vertices? Again no, because we would have first discovered this edge when we explored y , making it a tree edge.

But for directed graphs, depth-first search labelings can take on a wider range of possibilities. Indeed, all four of the edge cases in

Figure 7.14 can occur in traversing directed graphs. This classification still proves useful in organizing algorithms on directed graphs, because we typically take a different action on edges from each different class.

The correct labeling of each edge can be readily determined from the state, discovery time, and parent of each vertex, as encoded in the following function:

```
int edge_classification(int x, int y) {
    if (parent[y] == x) {
        return(TREE);
    }
```

```

    }
    if (discovered[y] && !processed[y]) {
        return(BACK);
    }
    if (processed[y] && (entry_time[y]>entry_time[x])) {
        return(FORWARD);
    }
    if (processed[y] && (entry_time[y]<entry_time[x])) {
        return(CROSS);
    }
    printf("Warning: self loop (%d,%d)\n", x, y);
    return -1;
}

```

Just as with BFS, this implementation of the depth-first search algorithm includes places to optionally process each vertex and edge - say to copy them, print them, or count them. Both DFS and BFS will traverse all edges in the same

connected component as the starting point. Both must start with a vertex in each component to traverse a disconnected graph. The only important difference between them is the way they organize and label the edges.

I encourage the reader to convince themselves of the correctness of the four conditions above. What I said earlier about the subtlety of depth-first search goes double for directed graphs.

0.112.5 Topological Sorting

Topological sorting is the most important operation on directed acyclic graphs (DAGs). It orders the vertices on a line such that all directed edges go from left to right. Such an ordering cannot exist if the graph contains a directed cycle, because there is no way you can keep moving right on a line and still return back to where you started from!

Each DAG has at least one topological sort. The importance of topological sorting is that it gives us an ordering so we can process each vertex before any of its successors. Suppose the directed edges represented precedence constraints, such that edge (x, y) means job x must be done before job y . Any topological sort then defines a feasible schedule. Indeed, there can be many such orderings for a given DAG.

But the applications go deeper. Suppose we seek the shortest (or longest) path from x to y in a DAG. No vertex v appearing after y in the topological order can possibly contribute to any such path, because there will be no way to get from v back to y . We can appropriately process all the vertices from left to right in topological order, considering the impact of their outgoing edges, and know that we will have looked at everything we need before we need it.

Topological sorting proves very useful in essentially any algorithmic problem on DAGs, as discussed in the catalog in Section 18.2 (page 546 .)

Topological sorting can be performed efficiently using depth-first search. A directed graph is a DAG iff no back edges are encountered.

Labeling the vertices in the reverse order that they are marked processed defines a topological sort of a DAG. Why? Consider what happens to each directed edge (x, y) as we encounter it exploring

```

void construct_candidates(int a[], int k, int n, int c[], int nc) {
    int i; / counter /
    bool in_perm[NMAX]; / what is now in the permutation? */
    for (i = 1; i < NMAX; i++) {
        in_perm[i] = false;
    }
    for (i = 1; i < k; i++) {
        in_perm[a[i]] = true;
    }
    *nc = 0;
    for (i = 1; i <= n; i++) {
        if (!in_perm[i]) {
            c[ *nc ] = i;
            *nc = *nc + 1;
        }
    }
}

```

Testing whether \$i\$ is a candidate for the \$k\$ th slot in the permutation could

%---- Page End Break Here ---- Page : 300

Completing the job requires specifying process_solution and is_a_solution, as

```

void process_solution(int a[], int k, int input) {
    int i; /* counter */
    for (i = 1; i <= k; i++) {
        printf(" %d", a[i]);
    }
    printf("\n");
}

```

```

int is_a_solution(int $a[]$, int $k$, int $n$ ) \{
    return (k == n);
}

```

```

void generate_permutations(int n) \{
    int a[NMAX]; /* solution vector */
    backtrack(a, 0, n);
}

```

As a consequence of the candidate order, these routines generate permutations

\subsection{Constructing All Paths in a Graph}

In a simple path no vertex appears more than once. Enumerating all the simple

The input data we must pass to backtrack to construct the paths consists of the input graph

```
typedef struct {
    int s; /* source vertex /
    int t; /* destination vertex /
    graph g; /* graph to find paths in */
} paths_data;
```

The starting point of any path from s to t is always s . Thus, s is the only candidate

```
void construct_candidates(int a[], int k, paths_data *g, int c[],
                        int nc) {
    int i; /* counters /
    bool in_sol[NMAX+1]; /* what's already in the solution? */
    edgenode p; /* temporary pointer /
    int last; /* last vertex on current path /
    for (i = 1; i <= g->nvertices; i++) {
        in_sol[i] = false;
    }
    for (i = 0; i < k; i++) {
        in_sol[a[i]] = true;
    }
    if (k == 1) {
        c[0] = g->s; /* always start from vertex s */
        *nc = 1;
    } else {
        *nc = 0;
        last = a[k-1];
        p = g->edges[last];
        while (p != NULL) {
            if (!in_sol[p->y]) {
                c[*nc] = p->y;
                *nc = *nc + 1;
            }
            p = p->next;
        }
    }
}
```

We report a successful path whenever $a[k]=t$.

```
int is_a_solution(int a[], int k, paths_data *g) {
    return (a[k] == g->t);
}
```

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-303.jpg?height=487&

Figure 9.2: Search tree (right) enumerating all simple s - t paths in the given graph.

The number of paths discovered can be counted in `process_solution` by incrementing `solution_count`.

```
void process_solution(int a[], int k, paths_data input) {
    int i; / counter */
    solution_count++;
    printf("{");
    for (i = 1; i <= k; i++) {
        printf(" %d", a[i]);
    }
    printf(" }\n");
}
```

This solution vector must have room for all n vertices, although most paths will not use all vertices.

\subsection{Search Pruning}

Backtracking ensures correctness by enumerating all possibilities. A correct algorithm must check all possibilities.

However, it is wasteful to construct all the permutations first and then analyze them. We can prune the search if we know that vertex-pair (v_1, v_2) was not an edge in G . The $(n-1)!$ permutations of V can be generated by a simple loop.

%---- Page End Break Here ---- Page : 303

Pruning is the technique of abandoning a search direction the instant we can establish that it cannot lead to a solution.

Exploiting symmetry is another avenue for reducing combinatorial search. Pruning can be used to reduce the search space.

Take-Home Lesson: Combinatorial search, when augmented with tree-pruning techniques, can be very efficient.

\subsection{Sudoku}

A Sudoku craze has swept the world. Many newspapers publish daily Sudoku puzzles. The puzzle is a 9x9 grid of numbers.

What is Sudoku? In its most common form, it consists of a 9×9 grid filled with the digits 1 through 9.

Backtracking lends itself nicely to the task of solving Sudoku puzzles. We will use a recursive backtracking algorithm.


```
\begin{tabular}{|l|l|l|l|l|l|l|l|l|}
\hline 6 & 7 & 3 & 8 & 9 & 4 & 5 & 1 & 2 \\
\hline 9 & 1 & 2 & 7 & 3 & 5 & 4 & 8 & 6 \\
\hline 8 & 4 & 5 & 6 & 1 & 2 & 9 & 7 & 3 \\
\hline\end{tabular}
```

```
\hline 6 & 7 & 3 & 8 & 9 & 4 & 5 & 1 & 2 \\
```

%---- Page End Break Here ---- Page : 304

```
\hline 9 & 1 & 2 & 7 & 3 & 5 & 4 & 8 & 6 \\
```

```
\hline 8 & 4 & 5 & 6 & 1 & 2 & 9 & 7 & 3 \\
```

```

\hline 7 & 9 & 8 & 2 & 6 & 1 & 3 & 5 & 4 \\
\hline 5 & 2 & 6 & 4 & 7 & 3 & 8 & 9 & 1 \\
\hline 1 & 3 & 4 & 5 & 8 & 9 & 2 & 6 & 7 \\
\hline 4 & 6 & 9 & 1 & 2 & 8 & 7 & 3 & 5 \\
\hline 2 & 8 & 7 & 3 & 5 & 6 & 1 & 4 & 9 \\
\hline 3 & 5 & 1 & 9 & 4 & 7 & 6 & 2 & 8 \\
\hline
\end{tabular}

```

Figure 9.3: A challenging Sudoku puzzle (left) with its completed solution (right).
 use Sudoku here to illustrate pruning techniques for combinatorial search. Our state space

The solution vector `a` supported by backtrack only accepts a single integer per position.

```

#define DIMENSION 9 /* 99 board /
#define NCELLS DIMENSIONDIMENSION / 81 cells in
    9-by-9-board /
#define MAXCANDIDATES DIMENSION+1 / max digit choices
    per cell /
    bool finished = false;
    typedef struct {
        int x, y; / row and column coordinates of square */
    } point;

    typedef struct {

typedef struct {
    int m[DIMENSION+1] [DIMENSION+1]; /* board contents */
    int m[DIMENSION+1] [DIMENSION+1]; /* board contents */
    int freecount; /* open square count */
    int freecount; /* open square count */
    point move[NCELLS+1]; /* which cells have we filled? */
    point move[NCELLS+1]; /* which cells have we filled? */
} boardtype;

    } boardtype;

```

Constructing the move candidates for the next position requires first picking which open

```

void construct_candidates(int a[], int k, boardtype *board, int c[],
    int nc) {
    int i; / counter /
    bool possible[DIMENSION+1]; / which digits fit in this square /
    next_square(&(board->move[k]), board); / pick square to fill next */
    nc = 0;

```



```

\hline \multicolumn{2}{|c|}{ Pruning condition } & \multicolumn{3}{c|}{ Puzzle complexity } \\
%---- Page End Break Here ---- Page : 307

next_square & possible_values & Easy & Medium & Hard \\
\hline arbitrary & local count & $1,904,832$ & 863,305 & never finished \\
arbitrary & look ahead & 127 & 142 & $12,507,212$ \\
most constrained & local count & 48 & 84 & $1,243,838$ \\
most constrained & look ahead & 48 & 65 & 10,374 \\
\hline
\end{tabular}

```

Figure 9.4: Sudoku run times (in number of steps) for different pruning strategies.

Our final decision concerns the possible_values we allow for each square. We have two possibilities:

- Local count - Our backtrack search works correctly if the routine that generates candidates is correct.
- Look ahead - But what if our current partial solution has some other open square where a conflict exists?

We will discover this obstruction eventually, when we pick this square for expansion, discovering a conflict.

Successful pruning requires looking ahead to see when a partial solution is doomed to go wrong.

Figure 9.4 presents the number of calls to is_a_solution for all four backtracking variations.

- The Easy board was intended to be easy for a human player. Indeed, my program solved it in less than a second.
- The Medium board stumped all the contestants at the finals of the World Sudoku Championship.

```

\footnotetext{
${ }^{\{1\}}$ This look-ahead condition might have naturally followed from the most-constrained condition.
}
![] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-309.jpg?height=401&

```

```

%---- Page End Break Here ---- Page : 308

```

Figure 9.5: Configurations covering 63 but not 64 squares.

- The Hard problem is the board displayed in Figure 9.3 which initially contains only 17 pre-filled squares.

What is considered to be a "hard" problem instance depends upon the given heuristic. Some problems are harder than others.

What can we learn from these experiments? Looking ahead to eliminate dead positions as squares are selected for expansion.

Smart square selection had a similar impact, even though it nominally just rearranges the order in which squares are selected.


It took the better part of an hour (48:44) to solve the puzzle in Figure 9.3 when I selected squares in the order they appeared.

This is the power of search pruning. Even simple pruning strategies can suffice to reduce the number of steps required to solve a puzzle.

```

\subsection{War Story: Covering Chessboards}

```

Every researcher dreams of solving a classical problem - one that has remained
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-310.jpg?1

%---- Page End Break Here ---- Page : 309

Figure 9.6: The ten unique positions for the queen, with respect to rotational
 pleasant sense of smugness that comes from figuring out how to do something th

There are several possible reasons why a problem might stay open for such a lo

Chess is a game that has fascinated people for thousands of years. In addition

In 1849, Kling posed the question of whether all 64 squares on the board could

How many ways can the eight main chess pieces be positioned on a chessboard? 7

%---- Page End Break Here ---- Page : 310

Getting the job done would require significant pruning. Our first idea was to

Once the queen is placed, there remain $32 \cdot 31$ distinct positions for th


We could use backtracking to construct all possible chess boards, but we had t

This pruning strategy required carefully ordering the evaluation of the pieces

When we implemented a backtrack search using this pruning strategy, it elimin

Effective pruning means eliminating large numbers of positions at a single str

So in our final version, the nodes of our search tree corresponded to chessboa

Our algorithm consisted of two passes. The first pass listed boards where ever
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-312.jpg?1

%---- Page End Break Here ---- Page : 311

Figure 9.7: Weakly covering 64 squares.


 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-312.jpg?1

Figure 9.8: Seven pieces suffice when superimposing queen and knight (shown as
 to worry about), and any strong attack set is always a subset of a weak attack

This program was efficient enough to complete the search in under a day. It d

Take-Home Lesson: Clever pruning can make short work of surprisingly hard combinatorial

\subsection{Best-First Search}\index{binomial coecients}

An important idea to speed up search is to explore your best options before the less pro

The examples so far in this chapter have focused on existential search problems, where w

%---- Page End Break Here ---- Page : 312

Best-first search, also called branch and bound, assigns a cost to every partial solution

```
void branch_and_bound (tsp_solution *s, tsp_instance t) {
  int c[MAXCANDIDATES]; / candidates for next position /
      int nc; / next position candidate count /
      int i; / counter */
  first_solution(&best_solution,t);
  best_cost = solution_cost(&best_solution, t);
  initialize_solution(s,t);
  extend_solution(s,t,1);
  pq_init(&q);
  pq_insert(&q,s);
  while (top_pq(&q).cost < best_cost) {
    *s = extract_min(&q);
    if (is_a_solution(s, s->n, t)) {
      process_solution(s, s->n, t);
    }
    else {
      construct_candidates(s, (s->n)+1, t, c, &nc);
      for (i=0; i<nc; i++) {
        extend_solution(s,t,c[i]);
        pq_insert(&q,s);
        contract_solution(s,t);
      }
    }
  }
}
```

The extend_solution and contract_solution routines handle the bookkeeping of creating an

```
void extend_solution(tsp_solution *s, tsp_instance *t, int v) {
  s->n++;
  s->p[s->n] = v;
  s->cost = partial_solution_lb(s,t);
}
void contract_solution(tsp_solution *s, tsp_instance *t) {
```

```

s->n-;
s->cost = partial_solution_lb(s,t);
}

```

What should be the cost of a partial solution? There are $(n-1)!$ circular permutations of the nodes.

But does the first full solution from a best-first search have to be an optimal solution?

Thus, to get the global optimal, we must continue to explore the partial solutions.

\subsection{The A* Heuristic}

Best-first search can take a while, even if our partial cost function is a lower bound.

```

\begin{tabular}{c|rrr|cc}
& \multicolumn{3}{|c|}{ Backtracking } & \multicolumn{2}{|c|}{ Branch and Bound } \\
\hline
\end{tabular}
%---- Page End Break Here ---- Page : 314

```

```

$n$ & all & cost < $ best & $1 b < $ best & cost < $ best & $1 b < $ best \\
\hline
5 & 24 & 22 & 17 & 11 & 7 \\
6 & 120 & 86 & 62 & 28 & 20 \\
7 & 720 & 217 & 153 & 51 & 42 \\
8 & 5,040 & 669 & 443 & 111 & 85 \\
9 & 40,320 & 2,509 & 1,619 & 354 & 264 \\
10 & 362,880 & 5,042 & 3,025 & 655 & 475 \\
11 & 3,628,800 & 12,695 & 6,391 & 848 & 705
\end{tabular}

```

Figure 9.9: Number of complete TSP solutions evaluated by different search variants to find the optimal solution on all n nodes, meaning that we must expand all partial solutions.

The A^* heuristic (pronounced "A-star") is an elaboration on the branch-and-bound algorithm.

How can we lower bound the cost of the full tour, which contains n edges, from a partial solution?

```

double partial_solution_cost(tsp_solution *s, tsp_instance t) {
    int i; / counter /
    double cost = 0.0; / cost of solution */
    for (i = 1; i < (s->n); i++) {
        cost = cost + distance(s, i, i + 1, t);
    }
    return(cost);
}

double partial_solution_lb(tsp_solution *s, tsp_instance *t) {
    return(partial_solution_cost(s,t) + (t->n - s->n + 1) * minlb);
}

```


Figure 9.9 presents the number of full solution cost evaluations in finding the optimal solution. Note that the number of full solutions encountered is a gross underestimate of the total number of solutions. Best-first search is sort of like breadth-first search. A disadvantage of BFS over DFS is that the resulting size of the priority queue for best-first search is a real problem. Consider the following Take-Home Lesson: The promise of a given partial solution is not just its cost, but also the number of solutions that can be reached from it. The A* heuristic proves useful in a variety of different problems, most notably finding the shortest path in a graph. But that means that half the growth is in a direction away from the goal, thus moving farther from the goal.

\section{Chapter Notes}

My treatment of backtracking here is partially based on my book *Programming Challenges* which contains a chapter on the problem of eight mutually non-attacking queens on an 8×8 board. More details on our combinatorial search for optimal chessboard-covering positions appear in the book.

%---- Page End Break Here ---- Page : 316
 \section{Permutations}

9-1. [3] A derangement is a permutation p of $\{1, \dots, n\}$ such that no item is in its original position.
 9-2. [4] Multisets are allowed to have repeated elements. A multiset of n items may thus be represented by a sequence of n integers.
 9-3. [5] For a given a positive integer n , find all permutations of the n elements.
 9-4. [5] Design and implement an algorithm for testing whether two graphs are isomorphic.
 9-5. [5] The set $\{1, 2, 3, \dots, n\}$ contains a total of $n!$ distinct permutations.
 \$\$
 [123, 132, 213, 231, 312, 321]
 \$\$

Give an efficient algorithm that returns the k th of $n!$ permutations in this sequence.

\section{Backtracking}

9-6. [5] Generate all structurally distinct binary search trees that store values $1 \dots n$.
 9-7. [5] Implement an algorithm to print all valid (meaning properly opened and closed) parentheses strings of length $2n$.
 9-8. [5] Generate all possible topological orderings of a given DAG.
 9-9. [5] Given a specified total t and a multiset S of n integers, find all distinct subsets of S that sum to t .

%---- Page End Break Here ---- Page : 317

- 9-10. [8] Design and implement an algorithm for solving the subgraph isomorphism problem.
- 9-11. [5] A team assignment of $n=2k$ players is a partitioning of them into two teams of size k .
- 9-12. [5] Given an alphabet Σ , a set of forbidden strings S , and a target string t , determine if t can be formed by concatenating strings from Σ without using any string from S .
- 9-13. [5] In the k -partition problem, we need to partition a multiset of positive integers into k subsets with equal sum.
- 9-14. [5] You are given a weighted directed graph G with n vertices and m edges. Determine if there is a path from s to t with total weight at most W .
- 9-15. [8] In the turnpike reconstruction problem, you are given a multiset D of distances between points on a line. Determine if there is a set of points that realizes D .

\section{Games and Puzzles}

- 9-16. [5] Anagrams are rearrangements of the letters of a word or phrase into another word or phrase.
- 9-17. [5] Construct all sequences of moves that a knight on an $n \times n$ chessboard can make to visit every square exactly once.
- 9-18. [5] A Boggle board is an $n \times m$ grid of characters. For a given board, determine if there is a path of adjacent cells that spells out a given word.

```
\begin{tabular}{cccc}
```

```
e & t & h & t \\\
```

```
n & d & t & i \\\
```

```
a & i & h & n \\\
```

```
r & h & u & b
```

```
\end{tabular}
```

contains words like tide, dent, raid, and hide. Design an algorithm to construct all such words.

%---- Page End Break Here ---- Page : 318

- 9-19. [5] A Babbage square is a grid of words that reads the same across as it does down.

```
\begin{tabular}{cccc|cccc}
```

```
h & a & i & r & h & a & i & r \\\
```

```
a & i & d & e & a & l & t & o \\\
```

```
i & d & l & e & i & t & e & m \\\
```

```
r & e & e & f & r & o & m & b
```

```
\end{tabular}
```

- 9-20. [5] Show that you can solve any given Sudoku puzzle by finding the minimum number of clues.

\section{Combinatorial Optimization}

For problems 9-21 to 9-27 implement a combinatorial search program to solve the problem.

- 9-21. [5] Design and implement an algorithm for solving the bandwidth minimization problem.
- 9-22. [5] Design and implement an algorithm for solving the maximum satisfiability problem.
- 9-23. [5] Design and implement an algorithm for solving the maximum clique problem.
- 9-24. [5] Design and implement an algorithm for solving the minimum vertex cover problem.
- 9-25. [5] Design and implement an algorithm for solving the minimum edge coloring problem.
- 9-26. [5] Design and implement an algorithm for solving the minimum feedback vertex set problem.
- 9-27. [5] Design and implement an algorithm for solving the set cover problem.

\section{Interview Problems}

- 9-28. [4] Write a function to find all permutations of the letters in a given string.

- 9-29. [4] Implement an efficient algorithm for listing all k -element subsets of n items.
- 9-30. [5] An anagram is a rearrangement of the letters in a given string into a sequence.
- 9-31. [5] Telephone keypads have letters on each numerical key. Write a program that generates all possible words from a given sequence of numbers.
- 9-32. [7] You start with an empty room and a group of n people waiting outside. At each step, you can either let a person enter the room or let a person leave the room.

%---- Page End Break Here ---- Page : 319

- 9-33. [4] Use a random number generator (rng04) that generates numbers from $\{0,1,2,3,4\}$.

\section{LeetCode}

- 9-1. <https://leetcode.com/problems/subsets/>
 9-2. <https://leetcode.com/problems/remove-invalid-parentheses/>
 9-3. <https://leetcode.com/problems/word-search/>

\section{HackerRank}

- 9-1. <https://www.hackerrank.com/challenges/sudoku/>
 9-2. <https://www.hackerrank.com/challenges/crossword-puzzle/>

\section{Programming Challenges}

These programming challenge problems with robot judging are available at <https://onlinejudge.org/>

- 9-1. "Little Bishops" - Chapter 8, problem 861.
 9-2. "15-Puzzle Problem" - Chapter 8, problem 10181.
 9-3. "Tug of War" - Chapter 8, problem 10032.
 9-4. "Color Hash" - Chapter 8, problem 704.

%---- Page End Break Here ---- Page : 320

\section{Dynamic Programming}

The most challenging algorithmic problems involve optimization, where we seek to find a solution that is optimal in some sense.

Algorithms for optimization problems require proof that they always return the best possible solution.

Dynamic programming combines the best of both worlds. It gives us a way to design custom algorithms for optimization problems.

After you understand it, dynamic programming is probably the easiest algorithm design technique to learn.

Dynamic programming is a technique for efficiently implementing a recursive algorithm by storing the results of subproblems.

Dynamic programming is generally the right method for optimization problems.

lems on combinatorial objects that have an inherent left-to-right order among

\subsection{Caching vs. Computation}

Dynamic programming is essentially a tradeoff of space for time. Repeatedly co

The tradeoff between space and time exploited in dynamic programming is best

\subsection{Fibonacci Numbers by Recursion}

The Fibonacci numbers were defined by the Italian mathematician Fibonacci in t

\$\$

$F_{\{n\}} = F_{\{n-1\}} + F_{\{n-2\}}$

\$\$

with basis cases $F_{\{0\}} = 0$ and $F_{\{1\}} = 1$. Thus, $F_{\{2\}} = 1$, $F_{\{3\}} = 2$, and the s

That they are defined by a recursive formula makes it easy to write a recursi

```

long fib_r(int n) {
    if (n == 0) {
        return(0);
    }
    if (n == 1) {
        return(1);
    }
    return(fib_r(n-1) + fib_r(n-2));
}

```

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-323.jpg?1)

Figure 10.1: The recursion tree for computing Fibonacci numbers.

The course of execution for this recursive algorithm is illustrated by its re

Note that $F(4)$ is computed on both sides of the recursion tree, and $F(2)$

How much time does the recursive algorithm take to compute $F(n)$? Since $F_{\{n\}}$

\subsection{Fibonacci Numbers by Caching}

In fact, we can do much better. We can explicitly store (or cache) the results

```

#define MAXN 92 /* largest n for which F(n) fits in a long /
#define UNKNOWN -1 / contents denote an empty cell /
long f[MAXN+1]; / array for caching fib values */

```

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-324.jpg?1)

%---- Page End Break Here ---- Page : 323

Figure 10.2: The recursion tree for computing Fibonacci numbers with caching.

```

    long fib_c(int n) {
        if (f[n] == UNKNOWN) {
            f[n] = fib_c(n-1) + fib_c(n-2);
        }
        return(f[n]);
    }
    long fib_c_driver(int n) {
        int i; /* counter */
        f[0] = 0;
        f[1] = 1;
        for (i = 2; i <= n; i++) {
            f[i] = UNKNOWN;
        }
        return(fib_c(n));
    }

```

To compute $F(n)$, we call `fib_c_driver` (n) . This initializes our cache to th

This cached version runs instantly up to the largest value that can fit in a long integer and then returns.

What is the running time of this algorithm? The recursion tree provides more of a clue to

%---- Page End Break Here ---- Page : 324

This general method of explicitly caching (or tabling) results from recursive calls to a

Caching makes sense only when the space of distinct parameter values is modest enough th

Take-Home Lesson: Explicit caching of the results of recursive calls provides most of th

`\subsection{Fibonacci Numbers by Dynamic Programming}`

We can calculate F_n in linear time more easily by explicitly specifying the order o

```

    long fib_dp(int n) {
        int i; /* counter */
        long f[MAXN+1]; /* array for caching values */
        f[0] = 0;
        f[1] = 1;
        for (i = 2; i <= n; i++) {
            f[i] = f[i-1] + f[i-2];
        }
    }

```

```

    }
    return(f[n]);
}

```

Observe that we have removed all recursive calls! We evaluate the Fibonacci numbers sequentially. We have F_{i-1} and F_{i-2} ready whenever we need to compute F_i . The 1.

%---- Page End Break Here ---- Page : 325

More careful study shows that we do not need to store all the intermediate values.

```

long fib_ultimate(int n)
{
    int i; /* counter /
    long back2=0, back1=1; / last two values of f[n] /
    long next; / placeholder for sum */
    if (n == 0) return (0);
    for (i=2; i<n; i++) {
        next = back1+back2;
        back2 = back1;
        back1 = next;
    }
    return(back1+back2);
}

```

This analysis reduces the storage demands to constant space with no asymptotic overhead.

\subsection{Binomial Coefficients}

We now show how to compute binomial coefficients as another example of how to use recursion.

How do you compute binomial coefficients? First, $\binom{n}{k} = \frac{n!}{k!(n-k)!}$.

A more stable way to compute binomial coefficients is using the recurrence relation:

[https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-326.jpg?](https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-326.jpg?w=1000&h=1000&from_page=1)

```

\begin{tabular}{c|ccccc}

```

```

n / k & 0 & 1 & 2 & 3 & 4 & 5 \\

```

%---- Page End Break Here ---- Page : 326

```

\hline 0 & A & B & C & D & E & \\

```

```

1 & B & G & H & I & J & \\

```

```

2 & C & 1 & H & & & \\

```

```

3 & D & 2 & 3 & I & & \\

```

```

4 & E & 4 & 5 & 6 & J & \\

```

```

5 & F & 7 & 8 & 9 & 10 & K

```

```

\end{tabular}
\begin{tabular}{c|ccccc}
$n / k$ & 0 & 1 & 2 & 3 & 4 & 5 \\
\hline
0 & 1 & & & & & \\
1 & 1 & 1 & & & & \\
2 & 1 & 2 & 1 & & & \\
3 & 1 & 3 & 3 & 1 & & \\
4 & 1 & 4 & 6 & 4 & 1 & \\
5 & 1 & 5 & 10 & 10 & 5 & 1
\end{tabular}

```

Figure 10.3: Evaluation order for `binomial_coefficient` at $M[5,4]$ (left). The initialized

Each number is the sum of the two numbers directly above it. The recurrence relation imp

\$\$

$\text{binom}\{n\}\{k\} = \text{binom}\{n-1\}\{k-1\} + \text{binom}\{n-1\}\{k\}$

\$\$

Why does this work? Consider whether the n th element appears in one of the $\text{binom}\{n\}\{k\}$

No recurrence is complete without basis cases. What binomial coefficient values do we kn

Figure 10.3 demonstrates a proper evaluation order for the recurrence. The initialized o

```

long binomial_coefficient(int n, int k) {
    int i, j; /* counters */
    long bc[MAXN+1][MAXN+1]; /* binomial coefficient table */
    for (i = 0; i <= n; i++) {
        bc[i][0] = 1;
    }

    for (j = 0; j <= n; j++) {
        bc[j][j] = 1;
    }

    for (i = 2; i <= n; i++) {
        for (j = 1; j < i; j++) {
            bc[i][j] = bc[i-1][j-1] + bc[i-1][j];
        }
    }

    return(bc[n][k]);
}

```

Study this function carefully to make sure you see how we did it. The rest of this chap

\subsection{Approximate String Matching}

Searching for patterns in text strings is a problem of unquestionable importance.

How can we search for the substring closest to a given pattern, to compensate for errors?

- Substitution - Replace a single character in pattern PP with a different character
- Insertion - Insert a single character into pattern PP to help it match text
- Deletion - Delete a single character from pattern PP to help it match text

Properly posing the question of string similarity requires us to set the cost of each operation.

)

%---- Page End Break Here ---- Page : 328

Figure 10.4: In a single string edit operation, the last character must be either inserted, deleted, or substituted.

Approximate string matching seems like a difficult problem, because we must deal with all three operations.

\subsection{Edit Distance by Recursion}

We can define a recursive algorithm using the observation that the last character of the strings must be either matched, inserted, or deleted.

More precisely, let $D[i, j]$ be the minimum number of differences between the strings $P[1..i]$ and $T[1..j]$.

- If $P[i] = T[j]$, then $D[i-1, j-1]$, else $D[i-1, j-1] + 1$. This means that the last characters match, so we just need to find the minimum number of differences for the rest of the strings.
- $D[i, j-1] + 1$. This means that there is an extra character in the text to account for, so we delete it.
- $D[i-1, j] + 1$. This means that there is an extra character in the pattern to account for, so we insert it.

```

#define MATCH 0 /* enumerated type symbol for match
                #define INSERT 1 //
                #define INSERT 1 / enumerated type symbol for insert /
                #define DELETE 2 / enumerated type symbol for delete */

int string_compare_r(char *s, char *t, int i, int j) \{
    int k; /* counter */
    int opt[3]; /* cost of the three options */
    int lowest_cost; /* lowest cost */
    if (i == 0) \{ \quad / *$ indel is the cost of an insertion or deletion */
        return(j * indel(' '));
    \}
    if (j == 0) \{
        return(i * indel(' '));
    \}

    /* match is the cost of a match/substitution */
    opt[MATCH] = string_compare_r(s, t, i-1, j-1) + match(s[i], t[j]);
    opt[INSERT] = string_compare_r(s, t, i, j-1) + indel(t[j]);
    opt[DELETE] = string_compare_r(s, t, i-1, j) + indel(s[i]);

```



```

    lowest_cost = opt[MATCH];
    for (  $\mathrm{k}$  = INSERT;  $\mathrm{k}$  <= DELETE;  $\mathrm{k}$ ++) \{
        if (opt[k] < lowest_cost) \{
            lowest_cost = opt[k];
        \}
    \}
    return(lowest_cost);
\}

```

This program is absolutely correct—convince yourself. It also turns out to be impossibly

Why is the algorithm so slow? It takes exponential time because it recomputes values aga

```

%---- Page End Break Here ---- Page : 330
\subsection{Edit Distance by Dynamic Programming}

```

So, how can we make this algorithm practical? The important observation is that most of

A table-based, dynamic programming implementation of this algorithm is given below. The

```

    typedef struct {
        int cost; /* cost of reaching this cell /
        int parent; / parent cell /
    } cell;
    cell m[MAXLEN+1][MAXLEN+1]; / dynamic programming table
    */

```

Our dynamic programming implementation has three differences from the recursive version.

Be aware that we adhere to special string and index conventions in the routine below. In

```

    int string_compare(char *s, char t, cell m[MAXLEN+1]
        [MAXLEN+1]) {
        int i, j, k; / counters /
        int opt[3]; / cost of the three options */
        for (i = 0; i <= MAXLEN; i++) {
            row_init(i, m);
            column_init(i, m);
        }
    }

```

```

for (i = 1; i < strlen(s); i++) {
for (j = 1; j < strlen(t); j++) {
    opt[MATCH] = m[i-1][j-1].cost + match(s[i], t[j]);
    opt[INSERT] = m[i][j-1].cost + indel(t[j]);

```

```

    opt[DELETE] = m[i-1][j].cost + indel(s[i]);
    m[i][j].cost = opt[MATCH];
    m[i][j].parent = MATCH;
    for (k = INSERT; k <= DELETE; k++) {
        if (opt[k] < m[i][j].cost) {
            m[i][j].cost = opt[k];
            m[i][j].parent = k;
        }
    }
}
}
goal_cell(s, t, &i, &j);
return(m[i][j].cost);
}

```

To determine the value of cell (i, j) , we need to have three values sitting

As an example, we show the cost matrix for turning $P = \text{"thou shalt"}$ into $T = \text{"I am a pirate"}$

\subsection{Reconstructing the Path}

The string comparison function returns the cost of the optimal alignment, but

The possible solutions to a given dynamic programming problem are described by

```

\footnotetext{
\{ }^{\{1\}} Suppose we create a graph with a vertex for every matrix cell, and a
}
\begin{tabular}{cr|rrrrrrrrrr}
& T & & y & o & u & - & s & h & o & u & l & d \\
%---- Page End Break Here ---- Page : 332

P & pos & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\
\hline
t: & 1 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\
\mathrm{-h}: & 2 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\
\mathrm{o}: & 3 & 3 & 3 & 4 & 5 & 6 & 5 & 6 & 7 & 8 & 9 \\
\mathrm{u}: & 4 & 4 & 4 & 3 & 4 & 5 & 6 & 5 & 6 & 7 & 8 \\
-: & 5 & 5 & 5 & 4 & 3 & 4 & 5 & 6 & 6 & 7 & 8 \\
\mathrm{-s}: & 6 & 6 & 6 & 5 & 4 & 3 & 4 & 5 & 6 & 7 & 8 \\
\mathrm{-h}: & 7 & 7 & 7 & 6 & 5 & 4 & 3 & 4 & 5 & 6 & 7 \\
\mathrm{a}: & 8 & 8 & 8 & 7 & 6 & 5 & 4 & 3 & 4 & 5 & 6 \\
\mathrm{l}: & 9 & 9 & 9 & 8 & 7 & 6 & 5 & 4 & 4 & 4 & 5 \\
\mathrm{t}: & 10 & 10 & 10 & 9 & 8 & 7 & 6 & 5 & 5 & 5 & 5 \\
\end{tabular}

```

Figure 10.5: Example of a dynamic programming matrix for editing distance computation, with initial configuration (the pair of empty strings $(0,0)$) down to the final goal state

Reconstructing these decisions is done by walking backward from the goal state, following

Walking backward reconstructs the solution in reverse order. However, clever use of recursion

```
void reconstruct_path(char *s, char *t, int i, int j,
    cell m[MAXLEN+1][MAXLEN+1]) {
    if (m[i][j].parent == -1) {
        return;
    }
    if (m[i][j].parent == MATCH) {
        reconstruct_path(s, t, i-1, j-1, m);
    }
}
```

```
\begin{tabular}{lr|rrrrrrrrrrrr}
& T & y & o & u & - & s & h & o & u & l & d & \\
P & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 & \\
\hline
0 & \mathbf{-1} & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & \\
t & 1 & \underline{\mathbf{2}} & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \\
h & 2 & 2 & \mathbf{0} & 0 & 0 & 0 & 0 & 0 & 1 & 1 & 1 & \\
o & 3 & 2 & 0 & \underline{\mathbf{0}} & 0 & 0 & 0 & 0 & 1 & 1 & 1 & \\
u & 4 & 2 & 0 & 2 & \underline{\mathbf{0}} & 1 & 1 & 1 & 1 & 0 & 1 & \\
- & 5 & 2 & 0 & 2 & 2 & \underline{\mathbf{0}} & 1 & 1 & 1 & 1 & 0 & \\
s & 6 & 2 & 0 & 2 & 2 & 2 & \underline{\mathbf{0}} & 1 & 1 & 1 & 1 & 0 & \\
h & 7 & 2 & 0 & 2 & 2 & 2 & 2 & \underline{\mathbf{0}} & \underline{\mathbf{0}} & \underline{\mathbf{0}} & \underline{\mathbf{0}} & \\
a & 8 & 2 & 0 & 2 & 2 & 2 & 2 & 2 & \underline{\mathbf{0}} & 0 & 0 & \\
l & 9 & 2 & 0 & 2 & 2 & 2 & 2 & 2 & 2 & \underline{\mathbf{0}} & 1 & \\
t & 10 & 2 & 0 & 2 & 2 & 2 & 2 & 2 & 2 & 0 & 0 & \underline{\mathbf{0}} & \\
\end{tabular}
```

Figure 10.6: Parent matrix for edit distance computation, with the optimal alignment path

```
match_out(s, t, i, j);
return;
}
if (m[i][j].parent == INSERT) {
    reconstruct_path(s, t, i, j-1, m);
    insert_out(t, j);
    return;
}
if (m[i][j].parent == DELETE) {
    reconstruct_path(s, t, i-1, j, m);
    delete_out(s, i);
    return;
}
```

}

For many problems, including edit distance, the solution can be reconstructed

```
%---- Page End Break Here ---- Page : 334
\subsection{Varieties of Edit Distance}
```

The `string_compare` and path reconstruction routines reference several functions

- Table initialization - The functions `row_init` and `column_init` initialize the

```
row_init(int i)
{
    m[0][i].cost = i;
    if (i>0)
        m[0][i].parent = INSERT;
    else
        m[0][i].parent = - 1;
}
```

```
column_init(int i)
{
    m[i][0].cost = i;
    if (i>0)
        m[i][0].parent = DELETE;
    else
        m[i][0].parent = -1;
}
```

- Penalty costs - The functions `match (c,d)` and `indel (c)` present the costs for

```
int match(char c, char d)
{
    if (c == d) return(0);
    else return(1);
}
```

- Goal cell identification - The function `goal_cell` returns the indices of the

```
void goal_cell(char *s, char *t, int *i, int *j) {
    *i = strlen(s) - 1;
    *j = strlen(t) - 1;
}
```

- Traceback actions - The functions `match_out`, `insert_out`, and `delete_out` perform

%---- Page End Break Here ---- Page : 335

For edit distance, this might mean printing out the name of the operation or character i

```

insert_out(char *t, int j)
{
    printf("I");
}
delete_out(char *s, int i)
{
    printf("D");
}

```

All of these functions are quite simple for edit distance computation. However, we must

This may seem like a lot of infrastructure to develop for such a simple algorithm. However,

- Substring matching - Suppose we want to find where a short pattern \$P\$ best occurs with

We want an edit distance search where the cost of starting the match is independent of t

```

void row_init(int i, cell m[MAXLEN+1][MAXLEN+1]) {
    m[0][i].cost = 0; /* NOTE CHANGE /
    m[0][i].parent = -1; /* NOTE CHANGE */
}

```

```

void goal_cell(char *s, char *t, int *i, int j) {
    int k; /* counter */
    *i = strlen(s) - 1;
    *j = 0;
    for (k = 1; k < strlen(t); k++) {
        if (m[*i][k].cost < m[*i][*j].cost) {
            *j = k;
        }
    }
}

```

- Longest common subsequence - Perhaps we are interested in finding the longest scattered

A common subsequence is defined by all the identical-character matches in an edit trace.

```

int match(char c, char d) {
    if (c == d) {
        return(0);
    }
    return(MAXLEN);
}

```

Actually, it suffices to make the substitution penalty greater than that of a
 - Maximum monotone subsequence - A numerical sequence is monotonically increasing

%---- Page End Break Here ---- Page : 337

In fact, this is just a longest common subsequence problem, where the second sequence is

As you can see, our edit distance routine can be made to do many amazing things

The alert reader may notice that it is unnecessary to keep all $O(mn)$ cells

Saving space in dynamic programming is very important. Since memory on any computer is

`\subsection{Longest Increasing Subsequence}`

There are three steps involved in solving a problem by dynamic programming:

1. Formulate the answer you want as a recurrence relation or recursive algorithm
2. Show that the number of different parameter values taken on by your recurrence is finite
3. Specify an evaluation order for the recurrence so the partial results you need are available

To see how this is done, let's see how we would develop an algorithm to find the longest increasing subsequence

We distinguish an increasing sequence from a run, where the elements must be positive

\$\$

$S=(2,4,3,5,1,7,6,9,8)$

\$\$

%---- Page End Break Here ---- Page : 338

The longest increasing subsequence of S is of length 5 : for example, $(2,3,5,7,9)$

Finding the longest increasing run in a numerical sequence is straightforward

To apply dynamic programming, we need to design a recurrence relation for the length of the longest increasing subsequence

- The length L_i of the longest increasing sequence in $\{s_1, s_2, \dots, s_i\}$
- Unfortunately, this length L_i is not enough information to complete the full recurrence
- We need to know the length of the longest sequence that s_n will extend

This provides the idea around which to build a recurrence. Define L_i to be the length of the longest increasing subsequence in $\{s_1, s_2, \dots, s_i\}$

`\begin{aligned}`

$L_i = 1 + \max_{\substack{0 \leq j < i \\ s_j < s_i}} L_j$

$L_0 = 0$

`\end{aligned}`

\$\$

These values define the length of the longest increasing sequence ending at each sequence

$$\begin{array}{r|cccccccc} \text{Index } i & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ \text{Sequence } s_i & 2 & 4 & 3 & 5 & 1 & 7 & 6 & 9 & 8 \\ \text{Length } L_i & 1 & 2 & 2 & 3 & 1 & 4 & 4 & 5 & 5 \\ \text{Predecessor } p_i & - & 1 & 1 & 2 & - & 4 & 4 & 6 & 6 \end{array}$$

What auxiliary information will we need to store to reconstruct the actual sequence inst

%---- Page End Break Here ---- Page : 339

What is the time complexity of this algorithm? Each one of the s_i values of L_i is

Take-Home Lesson: Once you understand dynamic programming, it can be easier to work out

\subsection{War Story: Text Compression for Bar Codes}

Ynjiun waved his laser wand over the torn and crumpled fragments of a bar code label. Th

I was visiting the research laboratories of Symbol Technologies (now Zebra), the world's

The ten-digit capacity of conventional bar code labels provides room enough to only stor

"PDF-417 is our new, two-dimensional bar code symbology," Ynjiun explained. A sample lab

"How much data can you fit in a typical 1-inch label?" I asked him.

"It depends upon the level of error correction we use, but about 1,000 bytes. That's eno

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-341.jpg?height=299&

%---- Page End Break Here ---- Page : 340

Figure 10.7: A two-dimensional barcode label of the Gettysburg Address using PDF-417.

"Interesting. You should use some data compression technique to maximize the amount of t

"We do incorporate a data compaction method," he explained. "We understand the different

"I see. So you designed the mode character sets to minimize the number of mode switch op

"Right. We put all the digits in one mode and all the punctuation characters in another.

"Wow!" I said. "With all of this mode switching going on, there must be many different w

"We use a greedy algorithm. We look a few characters ahead and then decide which mode we

I pressed him on this. "How do you know it works fairly well? There might be significant

"I guess I don't know. But it's probably NP-complete to find the optimal coding." Ynjiun

I started to think. Every encoding starts in a given mode and consists of a sequence of

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-342.jpg?height=508&

%---- Page End Break Here ---- Page : 341

Figure 10.8: Mode switching in PDF-417.

pair, we would have been interested in the cheapest way of getting there, over

My eyes lit up so bright they cast shadows on the walls.

"The optimal encoding for any given text in PDF-417 can be found using dynamic

Basically,

\$\$

$M[i, j] = \min_{1 \leq m \leq 4} (M[i-1, m] + c(S_i, m, j))$

\$\$

where $c(S_i, m, j)$ is the cost of encoding character S_i and

Ynjiun was skeptical, but he encouraged us to implement an optimal encoder. A

Our observed impact of replacing a heuristic solution with the global optimum

heuristic, you should get a decent solution. Replacing it with an optimal res

%---- Page End Break Here ---- Page : 342

\subsection{Unordered Partition or Subset Sum}

The knapsack or subset sum problem asks whether there exists a subset $S \subseteq \{1, \dots, n\}$

Dynamic programming works best on linearly ordered items, so we can consider t

Here is the idea. Either the n th integer s_n is part of a subset adding

\$\$

$T_{n, k} = T_{n-1, k} \vee T_{n-1, k-s_n}$

\$\$

This gives an $O(nk)$ algorithm to decide whether target k is realizable:

```
bool sum[MAXN+1][MAXSUM+1]; /* table of realizable sums /
int parent[MAXN+1][MAXSUM+1]; / table of parent pointers /
bool subset_sum(int s[], int n, int k) {
    int i, j; / counters /
    sum[0][0] = true;
    parent[0][0] = NIL;
    for (i = 1; i <= k; i++) {
        sum[0][i] = false;
        parent[0][i] = NIL;
    }
    for (i = 1; i <= n; i++) { / build table */
        for (j = 0; j <= k; j++) {
```



```

1 & 1 & -1 & 0 & -1 & -1 & -1 & -1 & -1 & -1 & -1 & -1 & -1 \\
2 & 2 & -1 & -1 & 0 & 1 & -1 & -1 & -1 & -1 & -1 & -1 & -1 \\
3 & 4 & -1 & -1 & -1 & -1 & 0 & 1 & 2 & 3 & -1 & -1 & -1 & -1 \\
4 & 8 & -1 & -1 & -1 & -1 & -1 & -1 & -1 & -1 & 0 & 1 & 2 & 3
\end{tabular}

```

The alert reader might wonder how we can have an $O(n \log k)$ algorithm for subsets.

Unfortunately, no. Note that the target number k can be specified using $O(\log k)$.

Another way to see the problem is to consider what happens to the algorithm when k is large.

`\subsection{War Story: The Balance of Power}`

One of the many (presumably too many) uncharitable suspicions I hold is that my

Thus, it was a relief when an EE professor and his students came to me with an
 "Alternating current (AC) power systems transmit electricity on each of three
 "I guess loads are the machines needing power, right?" I asked insightfully.
 "Yeah, think of every house on the street as being a load. Each house will get
 "Presumably they connect every third house A, B, C, A, B, C as they wire up
 "Something like that," the EE professor confirmed. "But not all houses use the
 company might just turn on the lights when another runs an arc furnace. After

%---- Page End Break Here ---- Page : 345

Now I saw the algorithmic problem. "So given a set of numbers representing the

"Yeah. Can you give me a fast algorithm to do this?," he asked.

This seemed clear enough to me. It smelled like an integer partition problem,

The generalization of the problem to partition into three subsets instead of two

I broke the bad news gently. "Integer partition is an NP-complete problem, and

They got up and started to leave. But then I remembered the dynamic programming
 $C[n, w_A, w_B] = C[n-1, w_A - s_n, w_B] \vee C[n-1, w_A, w_B - s_n]$
 This took constant time per cell to update, but there were n^2 cells to

This pleased them immensely, and they set to work to implement the algorithm.

"Uh, maybe impedance matching and, uh, complex numbers?" he fumbled. His adv

But that computer engineering student could code, and that was what mattered

Our dynamic programming algorithm always produced at least as good a solution
 could be a problem, but binning the loads by (say) $\lfloor s_i / 10 \rfloor$

%---- Page End Break Here ---- Page : 346

Dynamic programming really proved its worth when our electrical engineers got interested

\$\$

\begin{gathered}

$C\left[n, w_{\{A\}}, w_{\{B\}}\right] = \min \left(C\left[n-1, w_{\{A\}} - s_{\{n\}}, w_{\{B\}}\right] + 1, \right.$

$C\left[n-1, w_{\{A\}}, w_{\{B\}} - s_{\{n\}}\right] + 1, \backslash$

$\left. \left. C\left[n-1, w_{\{A\}}, w_{\{B\}}\right] \right) \right)$

\end{gathered}

\$\$

They then got greedy, and wanted the lowest cost solution that never got seriously unbal

That is the power of dynamic programming. Once you can reduce your state space to a small

\subsection{The Ordered Partition Problem}

Suppose that three workers are given the task of scanning through a shelf of books in se

But what is the fairest way to divide up the shelf? If all books are the same length, th

\$\$

100100100 \text{ { | } } 100100100 \text{ { | } } 100100100

\$\$

so that everyone has 300 pages to deal with.

But what if the books are not the same length? Suppose we used the same partition when t

\$\$

100200300|400500600| 700800900

\$\$

I would volunteer to take the first section, with only 600 pages to scan, instead of the
where the largest job is only 1,700 pages.

In general, we have the following problem:

Problem: Integer Partition without Rearrangement

Input: An arrangement \$\$\$ of non-negative numbers $s_{\{1\}}, \ldots, s_{\{n\}}$ and an integer

%---- Page End Break Here ---- Page : 347

This so-called ordered partition problem arises often in parallel processing. We seek to

Stop for a few minutes and try to find an algorithm to solve the linear partition proble

A novice algorist might suggest a heuristic as the most natural approach to solving the

Instead, consider a recursive, exhaustive search approach to solving this problem. Notice

- the cost of the last partition $\sum_{j=i+1}^n s_{\{j\}}$, and

- the cost of the largest partition formed to the left of the last divider.

What is the size of this left partition? To minimize our total, we must use the

Therefore, define $M[n, k]$ to be the minimum possible cost over all partitions

$M[n, k] = \min_{1 \leq i \leq n} \left(\max \left(M[i, k-1], \sum_{j=i+1}^n s_j \right) \right)$

We also need to specify the boundary conditions of the recurrence relation. The

```
\begin{tabular}{|l|l|l|l|l|l|l|}
\hline
M$ & \multicolumn{3}{|c|}{k$} & & D$ & & k$ \\
\hline
s$ & 1 & 2 & 3 & & s$ & 1 & 2 & 3 \\
1 & 1 & 1 & 1 & & 1 & - & - & - \\
1 & 2 & 1 & 1 & & 1 & - & 1 & 1 \\
1 & 3 & 2 & 1 & & 1 & - & 1 & 2 \\
1 & 4 & 2 & 2 & & 1 & - & 2 & 2 \\
1 & 5 & 3 & 2 & & 1 & - & 2 & 3 \\
1 & 6 & 3 & 2 & & 1 & - & \mathbf{3} & 4 \\
1 & 7 & 4 & 3 & & 1 & - & 3 & 4 \\
1 & 8 & 4 & 3 & & 1 & - & 4 & 5 \\
1 & 9 & 5 & 3 & & 1 & - & 4 & \mathbf{6} \\
\hline
\end{tabular}

\begin{tabular}{|l|l|l|l|l|l|l|}
\hline
M$ & \multicolumn{3}{|c|}{k$} & & D$ & & k$ \\
\hline
s$ & 1 & 2 & 3 & & s$ & 1 & 2 & 3 \\
1 & 1 & 1 & 1 & & 1 & - & - & - \\
2 & 3 & 2 & 2 & & 2 & - & 1 & 1 \\
3 & 6 & 3 & 3 & & 3 & - & 2 & 2 \\
4 & 10 & 6 & 4 & & 4 & - & 3 & 3 \\
5 & 15 & 9 & 6 & & 5 & - & 3 & 4 \\
6 & 21 & 11 & 9 & & 6 & - & 4 & 5 \\
7 & 28 & 15 & 11 & & 7 & - & \mathbf{5} & 6 \\
8 & 36 & 21 & 15 & & 8 & - & 5 & 6 \\
9 & 45 & 24 & 17 & & 9 & - & 6 & \mathbf{7} \\
\hline
\end{tabular}
```

Figure 10.9: Dynamic programming matrices M and D for two instances of the many dividers are used. The smallest reasonable value of the second argument

```
\begin{aligned}
& M[1, k] = s_1, \text{ for all } k > 0 \\
\%---- Page End Break Here ---- Page : 348

& M[n, 1] = \sum_{i=1}^n s_i
\end{aligned}
```

```
\end{aligned}
$$
```

How long does it take to compute this when we store the partial results? There are a tot

The evaluation order computes the smaller values before the bigger values, so that each

```
void partition(int s[], int n, int k) {
    int p[MAXN+1]; /* prefix sums array /
    int m[MAXN+1][MAXK+1]; /* DP table for values /
    int d[MAXN+1][MAXK+1]; /* DP table for dividers /
    int cost; /* test split cost /
    int i,j,x; /* counters /
    p[0] = 0; /* construct prefix sums */
    for (i = 1; i <= n; i++) {
        p[i] = p[i-1] + s[i];
    }

    for (i = 1; i <= n; i++) {
        m[i][1] = p[i]; /* initialize boundaries */
    }
    for (j = 1; j <= k; j++) {
        m[1][j] = s[1];
    }
    for (i = 2; i <= n; i++) { /* evaluate main recurrence */
        for (j = 2; j <= k; j++) {
            m[i][j] = MAXINT;
            for (x = 1; x <= (i-1); x++) {
                cost = max(m[x][j-1], p[i]-p[x]);
                if (m[i][j] > cost) {
                    m[i][j] = cost;
                    d[i][j] = x;
                }
            }
        }
    }

    }

    }
    reconstruct_partition(s, d, n, k); /* print book partition */
}
```

This implementation above, in fact, runs faster than advertised. Our original analysis a

By studying the recurrence relation and the dynamic programming matrices of these two ex

The second matrix, \$D\$, is used to reconstruct the optimal partition. Whenever we update

```

void reconstruct_partition(int s[],int d[MAXN+1][MAXK+1], int n,
                           int k) {
    if (k == 1) {
        print_books(s, 1, n);
    } else {
        reconstruct_partition(s, d, d[n][k], k-1);
        print_books(s, d[n][k]+1, n);
    }
}

void print_books(int s[], int start, int end) \{
    int i; /* counter */
    printf("\{");
    for (i = start; i <= end; i++) \{
        printf(" \%d ", s[i]);
    }
    printf("\}\n");
\}

```

\subsection{Parsing Context-Free Grammars}

Compilers identify whether a particular program is a legal expression in a par

Parsing a given text sequence \$\$\$ as per a given context-free grammar \$G\$ is t

Parsing seemed like a horribly complicated subject when I took a compilers co

We assume that the sequence \$\$\$ has length \$n\$ while the grammar \$G\$ itself is

Further, we assume that the definitions of each rule are in Chomsky normal fo

```

sentence ::= noun-phrase
           verb-phrase
noun-phrase ::= article noun
verb-phrase ::= verb noun-phrase
article ::= the, a
noun ::= cat, milk
verb ::= drank

```

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-352.jpg?1)

Figure 10.10: A context-free grammar (on left) with an associated parse tree (on right). (a) exactly one terminal symbol, $X \rightarrow \alpha$. Any context-free gram

So how can we efficiently parse \$\$\$ using a context-free grammar where each in

This suggests a dynamic programming algorithm, where we keep track of all non

\$\$

$M[i, j, X] = \bigvee_{(X \rightarrow YZ) \in G} \left(\bigvee_{k=i}^{j-1} M[i, k, Y] \wedge M[k+1, j, Z] \right)$

\$\$

where $\vee$ denotes the logical or over all productions and split positions, and $\wedge$ denotes the logical and.

The terminal symbols define the boundary conditions of the recurrence. In particular, $M[i, j, \epsilon] = 0$ if $i = j$.

What is the complexity of this algorithm? The size of our state-space is $O(n^3)$.

Stop and Think: Parsimonious Parserization

%---- Page End Break Here ---- Page : 352

Problem: Programs often contain trivial syntax errors that prevent them from compiling.

Solution: This problem seemed extremely difficult when I first encountered it. But on re-reading the book, I realized the solution was simple.

Define $M'[i, j, X]$ to be an integer function that reports the minimum number of productions needed to derive X from i to j .

\$\$

$M'[i, j, X] = \min_{(X \rightarrow YZ) \in G} \left(\min_{k=i}^{j-1} M'[i, k, Y] + M'[k+1, j, Z] \right)$

\$\$

The boundary conditions also change mildly. If there exists a production $X \rightarrow YZ$, then $M'[i, j, X] = 0$ if $i = j$.

Take-Home Lesson: For optimization problems on left-to-right objects, such as characters in a string, dynamic programming works.

Limitations of Dynamic Programming: TSP

Dynamic programming doesn't always work. It is important to see why it can fail, to help us choose when to use it.

Our algorithmic poster child will once again be the traveling salesman problem, where we are given a set of cities and a cost matrix.

Problem: Longest Simple Path

Input: A weighted graph $G=(V, E)$, with specified start and end vertices s and t .

Output: What is the most expensive path from s to t that does not visit any vertex more than once?

This problem differs from TSP in two quite unimportant ways. First, it asks for a path instead of a cycle.

%---- Page End Break Here ---- Page : 353

For unweighted graphs (where each edge has cost 1), the longest possible simple path from s to t is $|V|-1$.

When is Dynamic Programming Correct?

Dynamic programming algorithms are only as correct as the recurrence relations they are based on.

\$\$

$$L P[i, j] = \max_{x \in V \setminus \{x, j\} \in E} L P[i, x] + c(x, j)$$

This idea seems reasonable, but can you see the problem? I see at least two of them.

First, this recurrence does nothing to enforce simplicity. How do we know that the path is simple?

The second problem concerns evaluation order. What can you evaluate first? Because of the way the recurrence is written, you can't evaluate $L P[i, j]$ until you've evaluated $L P[i, x]$ for all x such that $(x, j) \in E$.

Dynamic programming can be applied to any problem that obeys the principle of optimality.

%---- Page End Break Here ---- Page : 354

Problems do not satisfy the principle of optimality when the specifics of the problem matter.

When is Dynamic Programming Efficient?

The running time of any dynamic programming algorithm is a function of two things: the number of subproblems and the time to solve each subproblem.

In all of the examples we have seen, the partial solutions are completely described by the subproblem itself.

When the objects are not firmly ordered, however, we likely have an exponential number of subproblems.

$$L P_{\text{left}}[i, j, P_{\text{left}}[i, j]] = \max_{j \notin P_{\text{left}}[i, j] \in E} L P_{\text{left}}[i, x, P_{\text{left}}[i, j] \cup \{x\}] + c(x, j)$$

This formulation is correct, but how efficient is it? The path $P_{\text{left}}[i, j]$ consists of a sequence of vertices.

We can do something better with this idea, however. Let $L P^{\text{prime}}_{\text{left}}[i, j]$ denote the longest simple path from i to j that does not contain any vertex from $P_{\text{left}}[i, j]$.

$$L P^{\text{prime}}_{\text{left}}[i, j, S_{\text{left}}[i, j]] = \max_{j \notin S_{\text{left}}[i, j] \in E} L P^{\text{prime}}_{\text{left}}[i, x, S_{\text{left}}[i, j] \cup \{x\}] + c(x, j)$$

where $S_{\text{left}}[i, j]$ denotes unioning $S_{\text{left}}[i, j]$ with x .

The longest simple path from i to j can then be found by maximizing over all possible $S_{\text{left}}[i, j]$.

$$L P[i, j] = \max_S L P^{\text{prime}}_{\text{left}}[i, j, S]$$

%---- Page End Break Here ---- Page : 355

There are only 2^n subsets of n vertices, so this is a big improvement over the previous formulation.

Take-Home Lesson: Without an inherent left-to-right ordering on the objects, dynamic programming is not efficient.

War Story: What's Past is Prologue

"But our heuristic works very, very well in practice." My colleague was simulating a war game.

Unification is the basic computational mechanism in logic programming languages like Prolog.

An execution of a Prolog program starts by specifying a goal, say $p(a, X, Y)$, where a is a constant and X, Y are variables.

```

\begin{aligned}
& \& p(a, a, a) := h(a) ; \backslash \backslash \\
& \& p(b, a, a) := h(a) * h(b) ; \backslash \backslash \\
& \& p(c, b, b) := h(b) + h(c) ; \backslash \backslash \\
& \& p(d, b, b) := h(d) + h(b) ; \\
\end{aligned}

```

"In order to speed up unification, we want to preprocess the set of rule heads so that we can build a trie.

Tries are extremely useful data structures in working with strings, as discussed in Section 10.1.1. https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-357.jpg?height=471&width=1000&from_page=1

%---- Page End Break Here ---- Page : 356

Figure 10.11: Two different tries for the same set of Prolog rule heads, where the trie is built on a set of rule heads. "I agree. A trie is a natural way to represent your rule heads. Building a trie on a set of rule heads is a natural way to represent your rule heads. The efficiency of our unification algorithm depends very much on minimizing the number of nodes in the trie.

He showed me the example in Figure 10.11. A trie constructed according to the original set of rule heads. "Interesting. . ." I started to reply before he cut me off again.

"There's one other constraint. We must keep the leaves of the trie ordered, so that the trie can be used to find the next rule head in the set of rule heads.

Then came my mission.

"We have a greedy heuristic for building good, but not optimal, tries that picks as the next rule head the rule head that has the smallest number of children.

I agreed to try to prove the hardness of the problem, and chased him from my office. The problem was to find a complete problem that had such a left-to-right ordering constraint. After all, if a given set of rule heads can be ordered in a left-to-right manner, then the problem is solvable.

%---- Page End Break Here ---- Page : 357

Bingo! That settled it.

The next day I went back to my colleague and told him. "I can't prove that your problem is solvable, but I can prove that it is not solvable if the rule heads are not ordered in a left-to-right manner.

My recurrence looked something like this. Suppose that we are given n ordered rule heads $p_1, p_2, \dots, p_n$. Let $C[i, j]$ be the cost of the trie built on the rule heads $p_i, p_{i+1}, \dots, p_j$. Then the recurrence is:

$$C[i, j] = \min_{1 \leq p \leq m} \left(\sum_{k=1}^r \left(C[\text{left}[i_{\{k\}}, j_{\{k\}}] + 1, \text{right}[i_{\{k\}}, j_{\{k\}}]] \right) \right) + 1$$

A graduate student immediately set to work implementing this algorithm to compare with the greedy heuristic.

The fact that the rules had to remain ordered was the crucial property that we exploited to prove the hardness of the problem.

Take-Home Lesson: The global optimum (found perhaps using dynamic programming)

%---- Page End Break Here ---- Page : 358
 \section{Chapter Notes}

Bellman Bel58 is credited with inventing the technique of dynamic programming

Techniques such as dynamic programming and backtracking can be used to generate

More details about the war stories in this chapter are available in published

The dynamic programming algorithm presented for parsing is known as the CKY al

\section{Elementary Recurrences}

- 10-1. [3] Up to k steps in a single bound! A child is running up a staircase
- 10-2. [3] Imagine you are a professional thief who plans to rob houses along a
- 10-3. [5] Basketball games are a sequence of 2-point shots, 3-point shots, and
- 10-4. [5] Basketball games are a sequence of 2-point shots, 3-point shots, and
- 10-5. [5] Given an $s \times t$ grid filled with non-negative numbers, find a
 - (a) Give a solution based on Dijkstra's algorithm. What is its time complexity?
 - (b) Give a solution based on dynamic programming. What is its time complexity?

%---- Page End Break Here ---- Page : 359
 \section{Edit Distance}

- 10-6. [3] Typists often make transposition errors exchanging neighboring characters. Incorporate a swap operation into our edit distance function, so that such neighbors can be swapped.
- 10-7. [4] Suppose you are given three strings of characters: X , Y , and Z ,
 - (a) Show that cchocohilaptes is a shuffle of chocolate and chips, but chocochips is not.
 - (b) Give an efficient dynamic programming algorithm that determines whether Z is a shuffle of X and Y .
- 10-8. [4] The longest common substring (not subsequence) of two strings X and Y is the longest string that appears in both X and Y as a contiguous substring.
 - (a) Let $n = |X|$ and $m = |Y|$. Give a $\Theta(nm)$ dynamic programming algorithm to compute the longest common substring of X and Y .
 - (b) Give a simpler $\Theta(nm)$ algorithm that does not rely on dynamic programming.
- 10-9. [6] The longest common subsequence (LCS) of two sequences T and P is the longest sequence that appears in both T and P as a subsequence.
 - (a) Give efficient algorithms to find the LCS and SCS of two given sequences.
 - (b) Let $d(T, P)$ be the minimum edit distance between T and P when no substitution is allowed. Show that $d(T, P) = |T| + |P| - 2 \times \text{LCS}(T, P)$.
- 10-10. [5] Suppose you are given n poker chips stacked in two stacks, where each chip is either red or green. For example, consider the stacks $(R R G G, G B B B)$. Playing red, green, and blue

%---- Page End Break Here ---- Page : 360

\section{Greedy Algorithms}

10-11. [4] Let $P_1, P_2, \dots, P_n$ be n programs to be stored on a disk with
 (a) Does a greedy algorithm that selects programs in order of non-decreasing s_i maximize the total size?
 (b) Does a greedy algorithm that selects programs in order of non-increasing s_i maximize the total size?

10-12. [5] Coins in the United States are minted with denominations of \$1, 5, 10, 25\$, and
 (a) The greedy algorithm repeatedly selects the biggest coin no bigger than the amount to be made.
 (b) Give an efficient algorithm that correctly determines the minimum number of coins needed to make a given amount.

10-13. [5] In the United States, coins are minted with denominations of 1, 5, 10, 25, and
 (a) How many ways are there to make change of 20 units from $\{1, 5, 10\}$?
 (b) Give an efficient algorithm to compute $C(n)$, and analyze its complexity. (Hint: the recurrence relation is $C(n) = C(n-1) + C(n-5) + C(n-10)$.)

10-14. [6] In the single-processor scheduling problem, we are given a set of n jobs $J_1, J_2, \dots, J_n$ with processing times $p_1, p_2, \dots, p_n$.

Show that if a feasible schedule exists, then the schedule produced by this greedy algorithm is optimal.

%---- Page End Break Here ---- Page : 361

\section{Number Problems}

10-15. [3] You are given a rod of length n inches and a table of prices obtainable for each length i (1 ≤ i ≤ n).

\begin{tabular}{l|rrrrrrrr}

length & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & \dots & n \\

\hline price & 1 & 5 & 8 & 9 & 10 & 17 & 17 & 20 & \dots & C(n) \\

\end{tabular}

then the maximum obtainable value is 22, by cutting into pieces of lengths 2 and 6.

10-16. [5] Your boss has written an arithmetic expression of n terms to compute your salary. The expression is

$6 + 2 \times 0 - 4$

where

there exist parenthesizations with values ranging from -32 to 2.

10-17. [5] Given a positive integer n , find an efficient algorithm to compute the smallest number of perfect squares that sum to n .

10-18. [5] Given an array A of n integers, find an efficient algorithm to compute the maximum sum of a subsequence of A .

10-19. [5] Two drivers have to divide up m suitcases between them, where the weight of each suitcase is at most w .

10-20. [6] The knapsack problem is as follows: given a set of integers $S = \{s_1, s_2, \dots, s_n\}$ and a target integer T , determine whether there is a subset of S that sums to T . Give a dynamic programming algorithm for knapsack that runs in $O(nT)$ time.

10-21. [6] The integer partition takes a set of positive integers $S = \{s_1, s_2, \dots, s_n\}$ and a target integer T , determine whether there is a subset of S that sums to T .

$\sum_{i \in I} s_i = \sum_{i \notin I} s_i$

where

Let $\sum_{i \in S} s_i = M$. Give an $O(nM)$ dynamic programming algorithm.
 10-22. [5] Assume that there are n numbers (some possibly negative) on a circle.

10-23. [5] A certain string processing language allows the programmer to break a 20-character string after characters 3, 8, and 10. If the breaks are made, Give a dynamic programming algorithm that takes a list of character positions

%---- Page End Break Here ---- Page : 362

10-24. [5] Consider the following data compression technique. We have a table

10-25. [5] The traditional world chess championship is a match of 24 games. The
 (a) Write a recurrence for the probability that the champion retains the title.
 (b) Based on your recurrence, give a dynamic programming algorithm to calculate
 (c) Analyze its running time for an n game match.

10-26. [8] Eggs break when dropped from great enough height. Specifically, the
 You seek to find the critical floor f using an n -floor building. The only
 (a) Show that $E(1, n) = n$.
 (b) Show that $E(k, n) = \Theta(n^{\frac{1}{k}})$.
 (c) Find a recurrence for $E(k, n)$. What is the running time of the dynamic p

\section{Graph Problems}

%---- Page End Break Here ---- Page : 363

10-27. [4] Consider a city whose streets are defined by an $X \times Y$ grid. Unfortunately, the city has bad neighborhoods, whose intersections we do not visit.
 (a) Give an example of the contents of bad such that there is no path across the grid.
 (b) Give an $O(XY)$ algorithm to find a path across the grid that avoids bad neighborhoods.
 (c) Give an $O(XY)$ algorithm to find the shortest path across the grid that avoids bad neighborhoods.
 10-28. [5] Consider the same situation as the previous problem. We have a city with bad neighborhoods. If there were no bad neighborhoods to contend with, the shortest path across the grid would be the shortest path. Give an algorithm that takes the array bad and returns the number of safe paths from the start to the end.
 10-29. [5] You seek to create a stack out of n boxes, where box i has width w_i .

\section{Design Problems}

10-30. [4] Consider the problem of storing n books on shelves in a library. Suppose all the books have the same height h (i.e., $h = h_i$ for all i).
 10-31. [6] This is a generalization of the previous problem. Now consider the problem of storing books on shelves.
 - Give an example to show that the greedy algorithm of stuffing each shelf as full as possible is not optimal.
 - Give an algorithm for this problem, and analyze its time complexity. (Hint: Use dynamic programming.)

%---- Page End Break Here ---- Page : 364

10-32. [5] Consider a linear keyboard of lowercase letters and numbers, where the leftmost character is the 'a' key. Give a dynamic programming algorithm that finds the most efficient way to type a given text T .

10-33. [5] You have come back from the future with an array G , where $G[i]$ tells you the number of times you can type the character $G[i]$ before you run out of it.

10-34. [8] You are given a string of n characters $S = s_1 \dots s_n$, which you believe is a document. (a) You seek to reconstruct the document using a dictionary, which is available in the form of an array of words. (b) Now assume you are given the dictionary as a set of m words each of length at most k .

10-35. [8] Consider the following two-player game, where you seek to get the biggest score. You are given an array of n real numbers, consider the problem of finding the maximum score.

10-36. [6] Given an array of n real numbers, consider the problem of finding the maximum score.

\$\$

[31,-41,59,26,-53,58,97,-93,-23,84]

\$\$

the maximum is achieved by summing the third through seventh elements, where $59+26+(-53)+58+97=137$.

- Give a simple and clear $\Theta(n^2)$ -time algorithm to find the maximum score.

- Now give a $\Theta(n)$ -time dynamic programming algorithm for this problem. To get partial credit, you must give a correct algorithm.

%---- Page End Break Here ---- Page : 365

10-37. [7] Consider the problem of examining a string $x = x_1 x_2 \dots x_n$ from a set of characters $\{a, b, c\}$.

a	b	c
a	b	c
b	a	b
c	c	a

For example, consider the above multiplication table and the string $b b b b a$. Parenthesis is used to denote the order of operations. Give an algorithm, with time polynomial in n and k , to decide whether such a parenthesis exists.

10-38. [6] Let α and β be constants. Assume that it costs α to go left and β to go right. Give an algorithm to find the minimum cost to go from s to t .

\section{Interview Problems}

10-39. [5] Given a set of coin denominations, find the minimum number of coins to make a given amount.

10-40. [5] You are given an array of n numbers, each of which may be positive, negative, or zero. Find the maximum sum of a contiguous subarray.

10-41. [7] Observe that when you cut a character out of a magazine, the character on the left and right of the cut are now adjacent. Give an algorithm to find the minimum number of characters to cut out of a magazine so that the remaining characters are in order.

\section{LeetCode}

10-1. <https://leetcode.com/problems/binary-tree-cameras/>

10-2. <https://leetcode.com/problems/edit-distance/>

10-3. <https://leetcode.com/problems/maximum-product-of-splitted-binary-tree/>

%---- Page End Break Here ---- Page : 366

\section{HackerRank}

- 10-1. <https://www.hackerrank.com/challenges/ctci-recursive-staircase/>
- 10-2. <https://www.hackerrank.com/challenges/coin-change/>
- 10-3. <https://www.hackerrank.com/challenges/longest-increasing-subsequent/>

\section{Programming Challenges}

These programming challenge problems with robot judging are available at <http://www.hackerrank.com>

- 10-1. "Is Bigger Smarter?"-Chapter 11, problem 10131.
- 10-2. "Weights and Measures"-Chapter 11, problem 10154.
- 10-3. "Unidirectional TSP"-Chapter 11, problem 116.
- 10-4. "Cutting Sticks"-Chapter 11, problem 10003.
- 10-5. "Ferry Loading" - Chapter 11, problem 10261.

%---- Page End Break Here ---- Page : 367

\section{NP-Completeness}

I will now introduce techniques for proving that no efficient algorithm can exist for a problem.

The truth is that the theory of NP-completeness is an immensely useful tool for proving that a problem is hard.

The theory of NP-completeness also enables us to identify which properties make a problem hard.

The fundamental concept we will use here is reduction, showing that two problems are equally hard.

\subsection{Problems and Reductions}

We have encountered several problems in this book where we couldn't find any efficient algorithm.

The key idea to demonstrating the hardness of a problem is that of a reduction, or translation, between two problems. The following allegory of NP-completeness illustrates this idea.

Reductions are algorithms that convert one problem into another. To describe this process, we use the following terminology.

Problem: The Traveling Salesman Problem (TSP)

Input: A weighted graph G .

Output: Which tour $\left(v_1, v_2, \dots, v_n\right)$ minimizes $\sum_{i=1}^{n-1} w(v_i, v_{i+1})$?

Any weighted graph defines an instance of TSP. Each particular instance has a specific graph G .

\subsection{1 The Key Idea}

Now consider two algorithmic problems, called Bandersnatch and Bo-billy. Suppose we have the following definitions.

Bandersnatch G

Translate the input G to an instance Y of the Bo-billy problem. Call the subroutine. Return the answer of Bo-billy Y as the answer to Bandersnatch G .

This algorithm will correctly solve the Bandersnatch problem provided that the translation is correct.

$$\text{Bandersnatch}(G) = \text{Bo-billy}(Y)$$

A translation of instances from one type of problem to instances of another such that the answers are identical.

Now suppose this reduction translates instance G to Y in $O(P(n))$ time. There are two cases:

- If my Bo-billy subroutine ran in $O(P'(n))$, this yields an algorithm for Bandersnatch in $O(P'(n))$.
- If I know that $\Omega(P'(n))$ is a lower bound on computing Bandersnatch, then this reduction is optimal.

%---- Page End Break Here ---- Page : 369

Essentially, this reduction shows that Bo-billy is no easier than Bandersnatch. Therefore, Bandersnatch is at least as hard as Bo-billy.

Take-Home Lesson: Reductions are a way to show that two problems are essentially identical.

Decision Problems

Reductions translate between problems so that their answers are identical in every problem.

The simplest interesting class of problems have answers restricted to true and false. These are decision problems.

Fortunately, most interesting optimization problems can be phrased as decision problems.

Problem: The Traveling Salesman Decision Problem (TSDP)

Input: A weighted graph G and integer k .

Output: Does there exist a TSP tour with cost $\leq k$?

This decision version captures the heart of the traveling salesman problem, in that if you can solve this, you can solve the optimization version.

From now on I will generally talk about decision problems, because they prove easier to work with.

%---- Page End Break Here ---- Page : 370

Reductions for Algorithms

Reductions are an honorable way to generate new algorithms from old ones. Whenever we can reduce a new problem to an old one, we can solve the new problem by solving the old one.

In this section, we look at several reductions that lead to efficient algorithms. To solve a new problem, we reduce it to a problem we already know how to solve.

Closest Pair

The closest-pair problem asks to find the pair of numbers within a set S that have the minimum distance between them.

Input: A set S of n numbers, and threshold t .

Output: Is there a pair $s_i, s_j \in S$ such that $|s_i - s_j| \leq t$?

Finding the closest pair is a simple application of sorting, since the closest

CloseEnoughPair (S, t)

Sort S .

$\$$

$\text{Is } \min_{1 \leq i < n} |s_{i+1} - s_i| \leq t$?

$\$$

There are several things to note about this simple reduction:

- The decision version captured what is interesting about the general problem
- The complexity of this algorithm depends upon the complexity of sorting. Use
- This reduction and the fact that there is an $\Omega(n \log n)$ lower bound
- On the other hand, if we knew that a close-enough pair required $\Omega(n \log n)$

%---- Page End Break Here ---- Page : 371

\subsection{Longest Increasing Subsequence}

Recall Chapter 10 where dynamic programming was used to solve a variety of problems.

Problem: Edit Distance

Input: Integer or character sequences S and T ; penalty costs for each insertion, deletion, or substitution.

Output: What is the cost of the least expensive sequence of operations that transform S into T ?

It was shown that many other problems can be solved using edit distance. But the most interesting one is the Longest Increasing Subsequence problem.

Problem: Longest Increasing Subsequence (LIS)

Input: An integer or character sequence S .

Output: What is the length of the longest sequence of positions $p_1, \dots, p_k$ such that $p_1 < p_2 < \dots < p_k$ and $S[p_1] < S[p_2] < \dots < S[p_k]$?

In Section 10.3 (page 324) I demonstrated that longest increasing subsequence can be solved in $O(n \log n)$ time.

$\$$

\begin{aligned}

& \text{ { LongestIncreasingSubsequence } (S) \\\

& \quad T = \text{Sort}(S) \\\

& c_{\text{ins}} = c_{\text{del}} = 1 \\\

& c_{\text{sub}} = \infty \\\

& \text{ Return } |S| - \text{EditDistance}(S, T, c_{\text{ins}}, c_{\text{del}}, c_{\text{sub}}) \\\

\end{aligned}

$\$$

Why does this work? By constructing the second sequence T as the elements of S in sorted order.

What are the implications of this reduction? The reduction takes $O(n \log n)$ time because

`\subsection{Least Common Multiple}`

The least common multiple (lcm) and greatest common divisor (gcd) problems arise often in

`\section{Problem: Least Common Multiple (lcm)}`

%---- Page End Break Here ---- Page : 372

Input: Two positive integers x and y .

Output: Return the smallest positive integer m such that m is a multiple of x and

Problem: Greatest Common Divisor (gcd)

Input: Two positive integers x and y .

Output: Return the largest integer d such that d divides both x and y .

For example, $\text{lcm}(24, 36) = 72$ and $\text{gcd}(24, 36) = 12$. Both problems can be solved in $O(\log \min(x, y))$ time.

`\text { if } (b \mid a) \text { then } \text{gcd}(a, b)=b`

`$$`

This should be pretty clear. if b divides a , then $a = bk$ for some integer k , and

If $a = bt + r$ for integers t and r , then $\text{gcd}(a, b) = \text{gcd}(b, r)$.

Then, for $a \geq b$, Euclid's algorithm repeatedly replaces (a, b) by $(b, a \bmod b)$.

Since $x \cdot y$ is a multiple of both x and y , $\text{lcm}(x, y) \leq x \cdot y$.

`> LeastCommonMultiple (x, y)`

`> Return (x y / gcd(x, y)).`

This reduction gives us a nice way to reuse Euclid's efforts for lcm .

`\subsection{Convex Hull (*)}`

My final example of a reduction from an "easy" problem (meaning one that can be solved in $O(n^2)$ time)

`\section{Problem: Convex Hull}`

Input: A set S of n points in the plane.

Output: Find the smallest convex polygon containing all the points of S .

)

%---- Page End Break Here ---- Page : 373

Figure 11.1: Reducing sorting to convex hull by mapping points to a parabola

I will now show how to transform an instance of sorting (say $\{13, 5, 11, 17\}$)

Sort(S)

For each $i \in S$, create point $\left(i, i^2\right)$.

Call subroutine convex-hull on this point set.

From the left-most point in the hull, read off the points from left to right.

What does this mean? Recall the sorting lower bound of $\Omega(n \log n)$. If

`\subsection{Elementary Hardness Reductions}`

The reductions in Section 11.2 (page 358) demonstrate transformations between

For now, I want you to trust me when I say that Hamiltonian cycle and vertex c

)

%---- Page End Break Here ---- Page : 374

Figure 11.2: A portion of the reduction tree for NP-complete problems. Blue 1

`\subsection{Hamiltonian Cycle}`

The Hamiltonian cycle problem is one of the most famous in graph theory. It s

`\section{Problem: Hamiltonian Cycle}`

Input: An unweighted graph G .

Output: Does there exist a simple tour that visits each vertex of G without

Hamiltonian cycle has some obvious similarity to the traveling salesman probl

$\text{operatorname{HamiltonianCycle}}(G=(V, E))$

Construct a complete weighted graph $G^{\prime}=\left(V^{\prime}, E^{\prime}\right)$

$n=|V|$

for $i=1$ to n do

for $j=1$ to n do

if $(i, j) \in E$ then $w(i, j)=1$ else $w(i, j)=2$

Return the answer to Traveling-Salesman-Decision-Problem $\left(G^{\prime}, n\right)$

)

%---- Page End Break Here ---- Page : 375

Figure 11.3: Graphs with (left) and without (right) a Hamiltonian cycle.

The actual reduction is quite simple, with the translation from unweighted to

This reduction is truth preserving and fast, running in $\Theta(n^2)$ time.

`\subsection{Independent Set and Vertex Cover}`

The vertex cover problem, discussed more thoroughly in Section 19.3 (page 591), asks for

`\section{Problem: Vertex Cover}`

Input: A graph $G=(V, E)$ and integer $k \leq |V|$.

Output: Is there a subset S of at most k vertices such that every $e \in E$ contains

It is trivial to find a vertex cover of a graph: consider the cover that consists of a

A set of vertices S of graph G is independent if there are no edges (x, y) where b

Problem: Independent Set

Input: A graph G and integer $k \leq |V|$.

Output: Does there exist a set of k independent vertices in G ?

)

%---- Page End Break Here ---- Page : 376

Figure 11.4: Red vertices form a vertex cover of G , so the blue vertices must define a

Both vertex cover and independent set are problems that revolve around finding special s
 S

```
\begin{gathered}
\text{ { VertexCover }(G, k) \\\
\begin{array}{l}
G^{\prime}=G \\\
k^{\prime}=|V|-k
\end{array}
\end{gathered}
\mathbb{S}
```

Return the answer to IndependentSet $\left(G^{\prime}, k^{\prime}\right)$

Again, a simple reduction shows that one problem is at least as hard as the other. Notice

`\section{Stop and Think: Hardness of General Movie Scheduling}`

Problem: Recall the movie scheduling problem, discussed in Section 1.2 (page 8). There,

The general problem allows movie projects to have discontinuous schedules. For example,

Prove that the general movie scheduling problem is NP-complete, with a reduction from in

)

%---- Page End Break Here ---- Page : 377

Figure 11.5: Reduction from independent set to generalized movie scheduling, v

\section{Problem: General Movie Scheduling Decision Problem}

Input: A set $I = \{I_1, \dots, I_n\}$ of n sets of intervals

Output: Can a subset of at least k mutually non-overlapping interval sets be

Solution: To prove a problem hard, we first need to establish which is Banders

What is the correspondence between the two problems? Both problems involve sel

My construction is as follows. Create an interval on the line for each of the

\$\$

\begin{aligned}

& \text{ { IndependentSet }(G, k) \\\

& \quad I = \emptyset \\\

& \text{ { For the } i \text{ th edge } (x, y), 1 \leq i \leq m \\\

& \quad \text{ { Add interval } [i, i+0.5] \text{ to movie } x \text{ 's inter

& \text{ { Add interval } [i, i+0.5] \text{ to movie } y \text{ 's interval se

& \text{ { Return the answer to GeneralMovieScheduling }(I, k)

\end{aligned}

\$\$

Each pair of vertices sharing an edge (forbidden to be in an independent set)

)

%---- Page End Break Here ---- Page : 378

Figure 11.6: A small graph with a four-vertex clique (left), with the correspo

\subsection{Clique}

A social clique is a group of mutual friends who all hang around together. Eve

Problem: Maximum Clique

Input: A graph $G = (V, E)$ and integer $k \leq |V|$.

Output: Does the graph contain a clique of k vertices, meaning is there a s

The graph in Figure 11.6 contains a clique of four blue vertices. Within the 1

In the independent set problem, we looked for a subset S with no edges betw

IndependentSet (G, k)

Construct a graph $G' = (V', E')$ where $V' = V$, and
 For all $(i, j) \notin E$, add (i, j) to E'
 Return Clique (G', k)

These last two reductions provide a chain linking three different problems together. The

\subsection{Satisfiability}

%---- Page End Break Here ---- Page : 379\index{P}

To demonstrate the hardness of problems by using reductions, we must start from a single

Problem: Satisfiability (SAT)

Input: A set of Boolean variables V and a set of logic clauses C over V .

Output: Does there exist a satisfying truth assignment for C -in other words, a way to

This can be made clear with two examples. Consider $C = \{\left\{v_1, \bar{v}_2\right\}, \left\{v_1 \vee \bar{v}_2\right\}\}$

$\left\{v_1 \vee \bar{v}_2\right\}$ and can be satisfied either by setting $v_1 = v_2 = \text{true}$ or $v_1 = v_2 = \text{false}$.

However, consider the set of clauses $C = \{\left\{v_1, v_2\right\}, \left\{\bar{v}_1, \bar{v}_2\right\}\}$

For a combination of social and technical reasons, it is well accepted that satisfiability

\subsection{3-Satisfiability}

Satisfiability's role as the first NP-complete problem implies that the problem is hard
 that directly contradict each other, such as $C = \{\left\{v_1\right\}, \left\{\bar{v}_1\right\}\}$

%---- Page End Break Here ---- Page : 380

Since it is so easy to determine whether clause sets with exactly one literal per clause

Problem: 3-Satisfiability (3-SAT)

Input: A collection of clauses C where each clause contains exactly 3 literals, over a

Output: Is there a truth assignment to V such that each clause is satisfied?

Since 3-SAT is a restricted case of satisfiability, the hardness of 3-SAT would imply th

This reduction transforms each clause independently based on its length, by adding new c
 - $k=1$, say $C_i = \{z_1\}$ - We create two new variables v_1, v_2 a
 - $k=2$, say $C_i = \{z_1, z_2\}$ - We create one new variable v_1 a
 - $k=3$, say $C_i = \{z_1, z_2, z_3\}$ - We copy C_i into the 3-SAT
 - $k>3$, say $C_i = \{z_1, z_2, \dots, z_k\}$ - Here we create $k-3$ n
 \$\$

$C_i = \{z_1, z_2, z_3, z_4, z_5, z_6\}$

\$\$

gets transformed into the following set of four 3-literal clauses with three

\$\$

$\{z_1, z_2, \neg v_{i,1}\}, \{v_{i,1}, z_3, \neg v_{i,2}\}, \{v_{i,2}, z_4, \neg v_{i,3}\}, \{v_{i,3}, z_5, \neg v_{i,4}\}$

\$\$

The most complicated case is that of the large clauses. If none of the original clauses is satisfied, then we can satisfy all the new subclauses. You can satisfy C_i by setting $v_{i,1}, v_{i,2}, v_{i,3}, v_{i,4}$ to true.

%---- Page End Break Here ---- Page : 381

This transform takes $O(n+c)$ time if there were c clauses and n total literals.

Note that a slight modification to this construction would serve to prove that 3-SAT is NP-complete.

Subsection: Creative Reductions from SAT

Since both satisfiability and 3-SAT are known to be hard, we can use either one to reduce to the other.

One perpetual point of confusion is getting the direction of the reduction right.

Subsection: Vertex Cover

Algorithmic graph theory proves to be a fertile ground for hard problems. The first example is Vertex Cover.

Problem: Vertex Cover

Input: A graph $G=(V, E)$ and integer $k \leq |V|$.

Output: Is there a subset S of at most k vertices such that every $e \in E$ has at least one endpoint in S ?

Demonstrating the hardness of vertex cover proves more difficult than the previous examples.

%---- Page End Break Here ---- Page : 382

Figure 11.7: Reducing 3-SAT instance $\{z_1, \overline{z_3}, z_4, \overline{z_5}, z_6\}$ to a vertex cover problem. To construct a graph G and bound k from the variables and clauses of the SAT instance.

Here is a way to do it. First, we translate the variables of the 3-SAT problem into vertices of a graph.

Second, we translate the clauses of the 3-SAT problem. For each of the c clauses, we create a vertex.

Finally, we will connect these two sets of components together. Each literal in a clause is connected to its corresponding vertex.

This graph has been very carefully designed to have a vertex cover of size $n+2c$.

- Every satisfying truth assignment gives a vertex cover of size $n+2c$. Given a vertex cover of size $n+2c$, we can extract a satisfying truth assignment.

- Every vertex cover of size $n+2$ gives a satisfying truth assignment - In any vertex cover, for otherwise a clause-gadget edge would go uncovered. These clause-gadget vertices can cover

%---- Page End Break Here ---- Page : 383

This proof of the hardness of vertex cover, chained with the clique and independent set

Take-Home Lesson: A small set of NP-complete problems (3-SAT, vertex cover, integer part

\subsection{Integer Programming}

As discussed in Section 16.6 (page 482), integer programming is a fundamental combinato

Problem: Integer Programming (IP)

Input: A set of integer variables V , a set of linear inequalities over V , a linear m

Output: Does there exist an assignment of integers to V such that all inequalities are

Consider the following two examples. Suppose

$$\begin{aligned} &V_1 \geq 1, \quad V_2 \geq 0 \\ &V_1 + V_2 \leq 3 \\ &f(V) = 2V_2, \quad B = 3 \end{aligned}$$

A solution to this would be $V_1 = 1, V_2 = 2$. Note that this respects integrality, and

$$\begin{aligned} &V_1 \geq 1, \quad V_2 \geq 0 \\ &V_1 + V_2 \leq 3 \\ &f(V) = 2V_2, \quad B = 5 \end{aligned}$$

the maximum possible value of $f(V)$ given the constraints is $2 \times 2 = 4$, so there c

We show that integer programming is hard using a reduction from general satisfiability.

%---- Page End Break Here ---- Page : 384

In which direction must the reduction go? We want to prove integer programming is hard,

What should the translation look like? Every satisfiability instance contains Boolean (t

Our translated integer programming problem will have twice as many variables as the SAT

- We restrict each integer programming variable V_i to values of either 0 or 1 , by

- We ensure that exactly one of the two integer programming variables associated

For each clause $C_i = \{z_1, \dots, z_k\}$, construct the constraint

$$Z_1 + \dots + Z_k \geq 1$$

To satisfy this constraint, at least one literal per clause must be set to 1

The maximization function and bound prove relatively unimportant here, because

- Every SAT solution gives a solution to the IP problem - In any SAT solution
- Every IP solution gives a solution to the original SAT problem - All variables

This reduction works both ways, so integer programming must be hard. Notice that

- This reduction preserved the structure of the problem. It did not solve the problem
- The possible IP instances resulting from this transformation represent only a subset
- The transformation captures the essence of why IP is hard. It has nothing to do with

%---- Page End Break Here ---- Page : 385
 \subsection{The Art of Proving Hardness}

Proving that problems are hard is a skill. But once you get the hang of it, reducing

It takes experience to judge which problems are likely to be hard. The quickest way

The first place to look when you suspect a problem might be NP-complete is Garey and Johnson

Otherwise I offer the following advice to those seeking to prove the hardness of a problem

- Make your source problem as simple (meaning restricted) as possible Never try to reduce to a problem that is already known to be hard

As another example, never try to use full satisfiability to prove hardness. Start with 3-satisfiability. Instead, you can use planar 3-satisfiability, where there must be a planar embedding of the clause graph

- Make your target problem as hard as possible - Don't be afraid to add extra constraints
 - Select the right source problem for the right reason - Selecting the right source problem is often the hardest part
- I use four (and only four) problems as candidates for my hard source problem.
- 3-SAT: The old reliable. When none of the three problems below seem appropriate
 - Integer partition: This is the one and only choice for problems whose hardness depends on the sum of a set of numbers
 - Vertex cover: This is the answer for any graph problem whose hardness depends on the number of vertices
 - Hamiltonian path: This is my choice for any graph problem whose hardness depends on the number of edges
 - Amplify the penalties for making the undesired selection - Many people are too afraid to make the consequences for doing what is undesired, the easier it is to prove hardness
 - Think strategically at a high level, then build gadgets to enforce tactics
1. How can I force that A or B is chosen but not both?
 2. How can I force that A is taken before B ?
 3. How can I clean up the things I did not select?

%---- Page End Break Here ---- Page : 386

%---- Page End Break Here ---- Page : 387

Once you know what you want your gadgets to do, you can then worry about how to actually
 - When you get stuck, switch between looking for an algorithm and a reduction - Sometime

\subsection{War Story: Hard Against the Clock}

My class's attention span was running down like sand through an hourglass. Eyes were sta

There were twenty minutes left to go in my lecture on NP-completeness, and I couldn't re

I reached for my trusty copy of Garey and Johnson's book [GJ79, which contains a list of
 "Enough of this!" I announced loudly enough to startle those in the back row. "NP-comple

A few students in the front held up their hands. A few students in the back held up their
 "Select a problem at random from the back of this book. I can prove the hardness of any

I had definitely gotten their attention. But I could have done that by offering to juggl

%---- Page End Break Here ---- Page : 388

The student picked out a problem. "OK, prove that Inequivalence of Programs with Assignm
 "Huh? I've never heard of that problem before. What is it? Read me the entire problem de

\section{Problem: Inequivalence of Programs with Assignments}

Input: A finite set X of variables, two programs P_1 and P_2 , each a sequence
 $\$$

$x_0 \rightarrow \text{if } (x_1 = x_2) \text{ then } x_3 \text{ else } \$$
 $\$$

where the x_i are in X ; and a value set V .

Output: Is there an initial assignment of a value from V to each variable in X such

I looked at my watch. Fifteen minutes to go. But everything was now on the table. I was
 "First things first. We need to select a source problem for our reduction. Do we start w

Since I had an audience, I tried thinking out loud. "Our target is not a graph problem c

My watch said fourteen minutes left. "So, class, which way does the reduction go? 3-SAT

The front row correctly murmured, " 3 -SAT to program."

"Right. So we have to translate our set of clauses into two programs. How can we do that

Instead, let's try something else. We can translate all the clauses into one p

I was still talking out loud to myself, which wasn't that unusual. But I had p
 "Now, how can we turn a set of clauses into a program? We want to know whether

It took me a few minutes of scratching before I found the right program to sin
 \$\$

```
\begin{aligned}
& C_{1}=\text{ if }\left(x_{1}=\text{ true }\right) \text{ then true else }
\%---- Page End Break Here ---- Page : 389
```

```
& C_{1}=\text{ if }\left(x_{2}=\text{ false }\right) \text{ then true else }
& C_{1}=\text{ if }\left(x_{3}=\text{ true }\right) \text{ then true else }
\end{aligned}
$$
```

"Great. Now I have a way to evaluate the truth of each clause. I can do the s

$$\begin{aligned}
 sat &= \text{if } (C) \text{ then } \text{true} \text{ else } \\
 &\quad \text{false} \\
 sat &= \text{if } (C_2 = \text{true}) \text{ then } sat \text{ else } \text{false} \\
 &\quad \vdots \\
 sat &= \text{if } (C) \text{ then } sat \text{ else } \\
 &\quad \text{false}
 \end{aligned}$$

Now the back of the classroom was getting excited. They were starting to see a

"Great. So now we have a program that can evaluate to be true if and only if t

I lifted my arms in triumph. "And so, the problem is neat, sweet, and NP-comp

\subsection{War Story: And Then I Failed}

This exercise of picking a random NP-complete problem from Garey and Johnson's

The class had voted to see a reduction from the graph theory section of the ca

Problem: Unconnected Subgraph

Input: A directed graph $G=(V, A)$, positive integer $k \leq |A|$.


Output: Is there a subset of arcs $A' \subseteq A$ with $|A'| \geq k$ such that

It took a while for me to grok this problem. An undirected version of this wo
 any pair of vertices. Adding even a single edge (x, y) to this tree would cr

%---- Page End Break Here ---- Page : 390

Any form of directed tree would also be unconnected. But this problem asks f

"It is a selection problem," I realized after grokking. After all, we had to s

I worked through how the two problems stacked up. Both sought subsets, although vertex cover was NP-complete. I had to do something to direct the edges of the vertex cover graph. I could try to replace each undirected edge with two directed edges. I realized I could direct the edges so the resulting graph was a DAG. But then, so what? Alternately, I could try to replace each undirected edge (x, y) with two arcs, from x to y and from y to x . Meanwhile, the clock was running and I knew it. A sense of panic set in during the last 15 minutes. There is no feeling worse for a professor than botching up a lecture. You stand up there and realize you have no idea what you are doing. I promised them a solution for the next class, but somehow I kept getting stuck in the same loop. I dreaded returning to give my next class, the last lecture of the semester. But the night before, I found a solution. 

%---- Page End Break Here ---- Page : 391

Figure 11.8: Reducing vertex cover to undirected subgraph, by dividing edges and adding a sink node.

I sat up in bed and scratched out the proof. Suppose I replace each undirected edge (x, y) with two directed edges (x, y) and (y, x) . But now add a sink node s with edges from all the original vertices. There are exactly n edges from the original vertices to s . Presenting this proof in class provided some personal vindication, because it validates the reduction.

\subsection{P vs. NP}

The theory of NP-completeness rests on a foundation of rigorous but subtle definitions and technical foundations. These details are not really essential to the practical aspects of designing algorithms.

%---- Page End Break Here ---- Page : 392

\subsection{Verification vs. Discovery}

The primary issue in P vs. NP is whether verification is really an easier task than initialization.

For the NP-complete decision problems we have studied here, the answer seems obvious:

- Can you verify that a proposed TSP tour has weight of at most k in a given graph? Sure.
- Can you verify that a given truth assignment represents a solution to a given satisfiability problem? Sure.
- Can you verify that a given k -vertex subset S is a vertex cover of graph G ? Sure.

At first glance, this seems obvious. The given solutions can be verified in linear time.

\subsection{The Classes P and NP}

Every well-defined algorithmic problem must have an asymptotically fastest possible algorithm.

We can think of the class P as an exclusive club for algorithmic problems whose solutions can be found in polynomial time.

%---- Page End Break Here ---- Page : 393

A less exclusive club welcomes all the algorithmic problems whose solutions can be found in polynomial time.

We call this less-exclusive club NP. You can think of this as standing for Non-deterministic Polynomial time.

The $\$1,000,000$ question is whether there are problems in NP that are not in P.

\subsection{Why Satisfiability is Hard}

An enormous tree of NP-completeness reductions has been established that entitles us to believe that P = NP.

This may seem like a fragile foundation. What would it mean if someone did find a polynomial time algorithm for SAT?

Fear not. There exists an extraordinary super-reduction called Cook's theorem.

Cook's theorem proves that satisfiability is as hard as any problem in NP. Furthermore, it shows that SAT is NP-complete.

\footnotetext{

$\{ \}^1$ In fact, it stands for non-deterministic polynomial time. This is in contrast to the deterministic polynomial time of P.

%---- Page End Break Here ---- Page : 394

\subsection{NP-hard vs. NP-complete?}

The final technicality we will discuss is the difference between a problem being NP-hard and NP-complete.

We say that a problem is NP-hard if, like satisfiability, it is at least as hard as the hardest problem in NP.

That said, there are some problems that appear to be NP-hard yet are not in NP.

\section{Chapter Notes}

The notion of NP-completeness was first developed by Cook [Coo71]. Satisfiability was the first problem shown to be NP-complete.

Karp [Kar72] showed the importance of Cook's result by providing reductions from 21 other problems to SAT.

The best introduction to the theory of NP-completeness remains Garey and Johnson [GJ79].

Factor Man Gin18 is an exciting novel about a man who discovers a polynomial-time algorithm for satisfiability, and must dodge government agents and assassins for his

%---- Page End Break Here ---- Page : 395

A few catalog problems exist in a limbo state where it is not yet known whether the problem

For an alternative and inspiring view of NP-completeness, check out the videos of Erik D

\section{Transformations and Satisfiability}

11-1. [2] Give the 3-SAT formula that results from applying the reduction of satisfiability

$(x \vee y \vee \bar{z} \vee w \vee u \vee \bar{v}) \wedge (\bar{x} \vee \bar{y} \vee z \vee \bar{w} \vee \bar{u} \vee v)$

11-2. [3] Draw the graph that results from the reduction of 3-SAT to vertex cover for the

\$\$

$(x \vee \bar{y} \vee z) \wedge (\bar{x} \vee y \vee \bar{z}) \wedge (\bar{x} \vee y \vee z)$

\$\$

11-3. [3] Prove that 4-SAT is NP-hard.

11-4. [3] Stingy SAT is the following problem: given a set of clauses (each a disjunction

11-5. [3] The Double SAT problem asks whether a given satisfiability problem has at least

11-6. [4] Suppose we are given a subroutine that can solve the traveling salesman decision

11-7. [7] Implement a SAT to 3-SAT reduction that translates satisfiability instances in

%---- Page End Break Here ---- Page : 396

11-8. [7] Design and implement a backtracking algorithm to test whether a set of clause

11-9. [8] Implement the vertex cover to satisfiability reduction, and run the resulting

\section{Basic Reductions}

11-10. [4] An instance of the set cover problem consists of a set X of n elements, a

For example, if $X = \{1, 2, 3, 4\}$ and $F = \{\{1, 2\}, \{2, 3\}, \{4\}, \{2, 4\}\}$, there does not

Prove that set cover is NP-hard with a reduction from vertex cover.

11-11. [4] The baseball card collector problem is as follows. Given packets $P_1, \dots, P_n$

For example, if the players are $\{ \text{Aaron}, \text{Mays}, \text{Ruth}, \text{Skiena} \}$ and the packets are

\$\$

$\{\{\text{Aaron}, \text{Mays}\}, \{\text{Mays}, \text{Ruth}\}, \{\text{Skiena}\}, \{\text{Mays}, \text{Ruth}\}\}$

\$\$

there does not exist a solution for $k=2$, but there does for $k=3$, such as

\$\$

$\{\{\text{Aaron}, \text{Mays}\}, \{\text{Mays}, \text{Ruth}\}, \{\text{Skiena}\}\}$

\$\$

Prove that the baseball card collector problem is NP-hard using a reduction from

- 11-12. [4] The low-degree spanning tree problem is as follows. Given a graph G with n vertices and m edges, where $m \leq n$, decide if G has a spanning tree with at most k vertices of degree greater than 1. (a) Prove that the low-degree spanning tree problem is NP-hard with a reduction from the Hamiltonian cycle problem. (b) Now consider the high-degree spanning tree problem, which is as follows. Given a graph G with n vertices and m edges, where $m \geq n$, decide if G has a spanning tree with at most k vertices of degree greater than 1.

%---- Page End Break Here ---- Page : 397

- 11-13. [5] In the minimum element set cover problem, we seek a set cover S of S with minimum size. 11-14. [3] The half-Hamiltonian cycle problem is, given a graph G with n vertices and m edges, decide if G has a cycle that visits every vertex exactly once. 11-15. [5] The 3-phase power balance problem asks for a way to partition a set of n vertices into three sets S_1, S_2, S_3 such that $|S_1| = |S_2| = |S_3| = n/3$ and $|S_1 \cap S_2| = |S_2 \cap S_3| = |S_3 \cap S_1| = n/3$. 11-16. [4] Show that the following problem is NP-hard:

Problem: Dense Subgraph

Input: A graph G , and integers k and y .

Output: Does G contain a subgraph of exactly k vertices and at least y edges?

- 11-17. [4] Show that the following problem is NP-hard:

Problem: Clique, No-clique

Input: An undirected graph $G=(V, E)$ and an integer k .

Output: Does G contain both a clique of size k and an independent set of size k ?

- 11-18. [5] An Eulerian cycle is a tour that visits every edge in a graph exactly once.

- 11-19. [5] Show that the following problem is NP-hard:

Problem: Maximum Common Subgraph

Input: Two graphs $G_1=(V_1, E_1)$ and $G_2=(V_2, E_2)$.

Output: Two sets of nodes $S_1 \subseteq V_1$ and $S_2 \subseteq V_2$ such that $|S_1| = |S_2|$ and $|E_1[S_1]| = |E_2[S_2]|$.

- 11-20. [5] A strongly independent set is a subset of vertices S in a graph G such that $|S \cap N(v)| \leq 1$ for every vertex v in G .

- 11-21. [5] A kite is a graph on an even number of vertices, say $2n$, in which the vertices can be partitioned into two sets S and T of size n each, such that $|S \cap N(v)| \leq 1$ for every vertex v in G .

%---- Page End Break Here ---- Page : 398

\section{Creative Reductions}

- 11-22. [5] Prove that the following problem is NP-hard:

Problem: Hitting Set

Input: A collection C of subsets of a set S , positive integer k .

Output: Does S contain a subset $S' \subseteq S$ such that $|S' \cap C_i| \geq k$ for every $C_i \in C$?

- 11-23. [5] Prove that the following problem is NP-hard:

Problem: Knapsack

Input: A set S of n items, such that the i th item has value v_i and weight w_i .

Output: Does there exist a subset $S' \subseteq S$ such that $\sum_{i \in S'} w_i \leq W$ and $\sum_{i \in S'} v_i$ is maximized?

11-24. [5] Prove that the following problem is NP-hard:

Problem: Hamiltonian Path

Input: A graph G , and vertices s and t .

Output: Does G contain a path that starts from s , ends at t , and visits all vertices?

11-25. [5] Prove that the following problem is NP-hard: \index{heuristics}

Problem: Longest Path

Input: A graph G and positive integer k .

Output: Does G contain a path that visits at least k different vertices without revisiting any?

11-26. [6] Prove that the following problem is NP-hard:

Problem: Dominating Set

Input: A graph $G=(V, E)$ and positive integer k .

Output: Is there a subset $V' \subseteq V$ such that $|V'| \leq k$ and every vertex in V is either in V' or adjacent to a vertex in V' ?

11-27. [7] Prove that the vertex cover problem (does there exist a subset S of V of size k such that every edge has at least one endpoint in S) is NP-hard.

11-28. [7] Prove that the following problem is NP-hard:

Problem: Set Packing

Input: A collection C of subsets of a set S , positive integer k .

Output: Does C contain at least k disjoint subsets (i.e., such that no pair of subsets has a non-empty intersection)?

%---- Page End Break Here ---- Page : 399

11-29. [7] Prove that the following problem is NP-hard:

Problem: Feedback Vertex Set

Input: A directed graph $G=(V, A)$ and positive integer k .

Output: Is there a subset $V' \subseteq V$ such that $|V'| \leq k$ and removing V' from G results in an acyclic graph?

11-30. [8] Give a reduction from Sudoku to the vertex coloring problem in graphs. Specify the reduction.

\section{Algorithms for Special Cases}

11-31. [5] A Hamiltonian path P is a path that visits each vertex exactly once. The problem is to determine whether a given graph contains a Hamiltonian path.

Give an $O(n+m)$ -time algorithm to test whether a directed acyclic graph G (a DAG) contains a Hamiltonian path.

11-32. [3] Consider the k -clique problem, which is the general clique problem restricted to graphs with n vertices.

11-33. [8] The 2-SAT problem is, given a Boolean formula in 2-conjunctive normal form (CNF), determine whether the formula is satisfiable.

For example, the formula $(x_1 \vee x_2) \wedge (\neg x_2 \vee x_3) \wedge (x_1 \vee \neg x_3)$ is satisfiable, but the formula $(x_1 \vee x_2) \wedge (\neg x_2 \vee x_3) \wedge (x_1 \vee \neg x_3) \wedge (x_2 \vee \neg x_1)$ is not.

Give a polynomial-time algorithm to solve 2-SAT.

$P=NP$?

11-34. [4] Show that the following problems are in NP:

- Does graph G have a simple path (i.e., with no vertex repeated) of length n ?
- Is integer n composite (i.e., not prime)?
- Does graph G have a vertex cover of size k ?

11-35. [7] Until 2002, it was an open question whether the decision problem "Is G Hamiltonian?" is in P .

```

\begin{aligned}
& \text{\texttt{\textbackslash text { PrimalityTesting }(n) \textbackslash\textbackslash}} \\
& \text{\texttt{\textbackslash text { composite }=\textbackslash text { false } \textbackslash\textbackslash}} \\
& \text{\texttt{\textbackslash text { for } \textbackslashmathrm{i}:=2 \textbackslash text { to } n-1 \textbackslash text { do } \textbackslash\textbackslash}} \\
& \text{\texttt{\textbackslash text { if }(n \textbackslash\bmod i)=0 \textbackslash text { then } \textbackslash\textbackslash}} \\
& \text{\texttt{\textbackslash quad \textbackslash text { composite }=\textbackslash text { true } \textbackslash\textbackslash}} \\
& \text{\texttt{\textbackslash end{aligned}}}
\end{pre>

```

`\section{LeetCode}`

- 11-1. <https://leetcode.com/problems/target-sum/>
- 11-2. <https://leetcode.com/problems/word-break-ii/>
- 11-3. <https://leetcode.com/problems/number-of-squareful-arrays/>

`\section{HackerRank}`

- 11-1. <https://www.hackerrank.com/challenges/spies-revised>
- 11-2. <https://www.hackerrank.com/challenges/brick-tiling/>
- 11-3. <https://www.hackerrank.com/challenges/tbsp/>

`\section{Programming Challenges}`

These programming challenge problems with robot judging are available at <http://www.hackerrank.com>

- 11-1. "The Monocycle" - Chapter 12, problem 10047.
- 11-2. "Dog and Gopher"-Chapter 13, problem 111301.
- 11-3. "Chocolate Chip Cookies"-Chapter 13, problem 10136.
- 11-4. "Birthday Cake"-Chapter 13, problem 10167.

These are not particularly relevant to NP-completeness, but are added for completeness.

%---- Page End Break Here ---- Page : 401

`\section{Dealing with Hard Problems}`

For the practical person, demonstrating that a problem is NP-complete is never enough.

- Algorithms fast in the average case - Examples of such algorithms include backtracking, branch and bound, etc.
- Heuristics - Heuristic methods like simulated annealing or greedy approaches.
- Approximation algorithms - The theory of NP-completeness stipulates that it is unlikely that there is a polynomial time algorithm for NP-complete problems.

This chapter will investigate these possibilities deeper. I include a brief introduction to each of these topics.

\subsection{Approximation Algorithms}

Approximation algorithms produce solutions with a guarantee attached, namely that the qu
)

Figure 12.1: Failing to pick the center vertex leads to a terrible vertex cover.
 correct answer. Furthermore, provably good approximation algorithms are often conceptual

One thing that is usually not clear, however, is how well the solution from an approxima

One way to get the best of approximation algorithms and unwashed heuristics is to run bo

\subsection{Approximating Vertex Cover}

Recall the vertex cover problem, where we seek a small subset \$\$\$ of the vertices of a g
 \$\$

```
\begin{aligned}
& \& \text{ \text{ { VertexCover }(G=(V, E)) \\\
& \& \text{ { While }(E \neq \emptyset) \text{ { do: } \\\
& \& \text{ { Select an arbitrary edge }(u, v) \in E \\\
& \& \text{ { Add both } u \text{ { and } v \text{ { to the vertex cover } \\\
& \& \text{ { Delete all edges from } E \text{ { that are incident to either } u \text{ { or } } } } } } } } } \\
& \end{aligned}
```

\$\$

It should be apparent that this procedure always produces a vertex cover, since each edge
)

%---- Page End Break Here ---- Page : 403

Figure 12.2: A bad example for the greedy heuristic for vertex cover. The optimal cover
 include at least one vertex per edge, which makes it at least half the size of this \$2 k

There are several interesting things to notice about this algorithm:

- Although the procedure is simple, it is not stupid - Many seemingly smarter heuristics
 - Greedy isn't always the answer - Perhaps the most natural heuristic for vertex cover w
 - Making a heuristic more complicated does not necessarily make it better It is easy to
 - A post-processing cleanup step can't hurt - The flip side of designing simple heuristi
- solutions without weakening the approximation bound. For example, a post-processing step

%---- Page End Break Here ---- Page : 404

The important property of approximation algorithms is relating the size of the solution

\section{Stop and Think: Leaving Behind a Vertex Cover}


Problem: Suppose we do a depth-first search of graph G , naturally building a

Solution: Why must the set of all non-leaf nodes in the DFS tree T form a vertex cover?

But why is the set of non-leaves at most twice the size of the optimal cover?

`\subsection{A Randomized Vertex Cover Heuristic}`

Although we proved that our original vertex cover heuristic of selecting arbitrary

Such a horrible performance requires making the wrong decision $n-1$ times in a row.


%---- Page End Break Here ---- Page : 405

Figure 12.3: The triangle inequality, that $d(u, w) \leq d(u, v) + d(v, w)$, holds for any three vertices u, v, w in a metric space.

```

\begin{aligned}
& \text{\texttt{\text{VertexCover}}}(G=(V, E)) \text{\texttt{\text{While}}}(E \neq \emptyset) \text{\texttt{\text{do}}} \text{\texttt{\text{do}}} \\
& \text{\texttt{\text{Select}}} \text{\texttt{\text{an arbitrary edge}}}(u, v) \text{\texttt{\text{in}}} E \text{\texttt{\text{do}}} \\
& \text{\texttt{\text{Randomly}}} \text{\texttt{\text{pick}}} \text{\texttt{\text{either}}} u \text{\texttt{\text{or}}} v \text{\texttt{\text{and}}} \text{\texttt{\text{add}}} \text{\texttt{\text{it}}} \text{\texttt{\text{to}}} \text{\texttt{\text{the}}} \text{\texttt{\text{cover}}} \\
& \text{\texttt{\text{Delete}}} \text{\texttt{\text{all}}} \text{\texttt{\text{edges}}} \text{\texttt{\text{from}}} E \text{\texttt{\text{that}}} \text{\texttt{\text{are}}} \text{\texttt{\text{incident}}} \text{\texttt{\text{to}}} \text{\texttt{\text{the}}} \text{\texttt{\text{selected}}} \text{\texttt{\text{vertex}}} \\
& \text{\texttt{\text{end}}} \text{\texttt{\text{do}}}
\end{aligned}

```


At the end of this procedure, we will end up with a vertex cover, but how well?

Randomization is a very powerful tool for developing approximation algorithms.

`\subsection{Euclidean TSP}`

In most natural applications of the traveling salesman problem (TSP), direct

The edge weights induced by Euclidean geometry satisfy the triangle inequality.

The traveling salesman problem remains hard when the edge weights are defined by a metric.


%---- Page End Break Here ---- Page : 406

Figure 12.4: A depth-first traversal of a spanning tree, with the shortcut tour, is an optimal traveling salesman tour on such graphs that obey the triangle inequality.

Consider now what happens when performing a depth-first traversal of a spanning

\$\$
 1,2,1,3,5,8,5,9,5,3,6,3,1,4,7,10,7,11,7,4,1
 \$\$

This circuit travels along each edge of the minimum spanning tree twice, and hence costs

However, many vertices will be repeated on this depth-first search circuit. To remove the

\$\$
 1,2,3,5,8,9,6,4,7,10,11,1
 \$\$

Because we have replaced a chain of edges by a single direct edge, the triangle inequality

\subsection{The Christofides Heuristic}

There is another way of looking at this minimum spanning tree doubling idea, which will
 an Eulerian cycle in graph G is a circuit traversing each edge of G exactly once

%---- Page End Break Here ---- Page : 407

We can reinterpret the minimum spanning tree heuristic for TSP in terms of Eulerian cycles

This suggests that we might find an even better approximation for TSP if we could find a

So let's start by identifying the odd-degree vertices in the minimum spanning tree of G

The Christofides heuristic constructs a multigraph M consisting of the minimum spanning

Note that the cost of this matching of just the odd-degree vertices must be a lower bound

Observe in Figure 12.5 that the alternating edges of any TSP tour must define a matching

In conclusion, the total weight of M must be at most $(1 + (1/2)) = (3/2)$ times that

\footnotetext{

$\{ \}^{\{1\}}$ Or, if you don't recall this, tour Section 18.7 (page 565 for a refresher.
 }

)

%---- Page End Break Here ---- Page : 408

Figure 12.5: Any TSP tour in a graph with an even number of vertices that observes the triangle inequality constructs a tour of weight at most $3/2$ times that of the optimal tour. As with the minimum spanning tree heuristic,

\subsection{When Average is Good Enough}

In the mythical land of Lake Wobegon, all the children are above average. For

`\subsection{Maximum  $k$ -SAT}`

Recall the problem of 3-SAT discussed in Section 11.4.1 (page 367), where we a
 $\$$

$v_{\{3\}}$ \text { or } $\bar{v}_{\{17\}}$ \text { or } $v_{\{24\}}$

$\$$

and asked to find an assignment of either true or false to each variable $v_{\{i\}}$

A more general problem is maximum 3-SAT, where we seek the Boolean variable as

What happens when we flip a coin to decide the value of each variable $v_{\{i\}}$

%---- Page End Break Here ---- Page : 409

That seems pretty good for a mindless approach to an NP-complete problem. For

`\subsection{Maximum Acyclic Subgraph}`

Directed acyclic graphs (DAGs) are easier to work with than general directed g

Here we consider an interesting problem in this class, where we seek to retain

Problem: Maximum Directed Acyclic Subgraph

Input: A directed graph $G=(V, E)$.

Output: Find the largest possible subset $E^{\prime} \subseteq E$ such that $G^{\prime}=(V, E^{\prime})$

In fact, there is a very simple algorithm that guarantees you a solution with

Problem: Construct any permutation of the vertices, and interpret it as a left

One of these two edge subsets must be at least as large as the other. This mea

This approximation algorithm is simple almost to the point of being stupid. Bu

`\subsection{Set Cover}`

The previous sections may encourage a false belief that every problem can be a

Set cover occupies a middle ground between these extremes, having a factor $\frac{1}{\epsilon}$

`\begin{tabular}{r|c|c|cccccccc|c}`

milestone class & 6 & \multicolumn{8}{|c|}{5} & \multicolumn{5}{c|}{4} & & 3 &

%---- Page End Break Here ---- Page : 410

`\hline` uncovered elements & 64 & 51 & 40 & 30 & 25 & 22 & 19 & 16 & 13 & 10 &

```

2 & 1 \\
selected subset size & 13 & 11 & 10 & 5 & 3 & 3 & 3 & 3 & 3 & 3 & 2
\end{tabular} 1

```

Figure 12.6: The coverage process for the greedy heuristic on a particular instance of s

Problem: Set Cover

Input: A collection of subsets $S = \{S_1, \dots, S_m\}$ of the universal

Output: What is the smallest subset T of S whose union equals the universal set-i.e.

The natural heuristic is greedy. Repeatedly select the subset that covers the largest co
 S

```

\begin{aligned}
& \operatorname{SetCover}(S) \\
& \text{While } (U \neq \emptyset) \text{ do: } \\
& \quad \text{Identify the subset } S_i \text{ with the largest intersection with } U \\
& \quad \text{Select } S_i \text{ for the set cover } \\
& \quad U = U - S_i \\
& \text{end}
\end{aligned}

```

One consequence of this selection process is that the number of freshly covered elements

Thus we can view this heuristic as reducing the number of uncovered elements from n do

Let w_i denote the number of subsets that were selected by the heuristic to cover el

Since there are at most $\lg n$ such milestones, the solution produced by the greedy heu

Why? Consider the average number of new elements covered as we move between milestones μ_i
subsets can cover at most μ_i subsets. Thus, no subset exists in S that can cover

%---- Page End Break Here ---- Page : 411

The surprising thing here is that there are set cover instances where the greedy heuristic

Take-Home Lesson: Approximation algorithms guarantee answers that are always close to th

\subsection{Heuristic Search Methods}

Backtracking gave us a method to find the best of all possible solutions, as scored by a

In this section, I will discuss approaches to heuristic search. The bulk of our attentio

In particular, we will look at three different heuristic search methods: random sampling

- Solution candidate representation - This is a complete yet concise description of poss

- Cost function - Search methods need a cost or evaluation function to assess

%---- Page End Break Here ---- Page : 412
 \subsection{Random Sampling}

The simplest approach to search in a solution space uses random sampling, also

True random sampling requires that we select elements from the solution space

```
void random_sampling(tsp_instance *t, int nsamples, tsp_solution
                    s) {
    tsp_solution s_now; / current tsp solution /
    double best_cost; / best cost so far /
    double cost_now; / current cost /
    int i; / counter */
    initialize_solution(t->n, &s_now);
    best_cost = solution_cost(&s_now, t);
    copy_solution(&s_now, s);
    for (i = 1; i <= nsamples; i++) {
        random_solution(&s_now);
        cost_now = solution_cost(&s_now, t);
        if (cost_now < best_cost) {
            best_cost = cost_now;
            copy_solution(&s_now, s);
        }
        solution_count_update(&s_now, t);
    }
}
```

When might random sampling do well?

- When there is a large proportion of acceptable solutions - Finding a piece of
 Finding prime numbers is a domain where a random search proves successful. Gen
 ! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-414.jpg?1)

%---- Page End Break Here ---- Page : 413

Figure 12.7: Search time/quality tradeoffs for TSP using random sampling. Prog

- When there is no coherence in the solution space - Random sampling is the r

Consider again the problem of hunting for a large prime number. Primes are sca

How does random sampling do on TSP? Pretty lousy. The best solution I found a

Most problems we encounter, like TSP, have relatively few good solutions and a

\section{Stop and Think: Picking the Pair}

Problem: We need an efficient and unbiased way to generate random pairs of vertices to pick from to generate elements from the $\binom{n}{2}$ unordered pairs on $\{1, \dots, n\}$ uniformly.

%---- Page End Break Here ---- Page : 414

Solution: Uniformly generating random structures is a surprisingly subtle problem. Consider

$$\begin{aligned} i &= \text{random_int}(1, n-1); \\ j &= \text{random_int}(i+1, n); \end{aligned}$$

It is clear that this indeed generates unordered pairs, since $i < j$. Further, it is clear that


But are they uniform? The answer is no. What is the probability that pair $(1, 2)$ is generated?

The problem is that fewer pairs start with big numbers than little numbers. We could solve this by

But instead of working through the math, let's exploit the fact that randomly generating

$$\begin{aligned} & \text{do } \{ \\ & \quad i = \text{random_int}(1, n); \\ & \quad j = \text{random_int}(1, n); \\ & \quad \text{if } (i > j) \text{ swap}(i, j); \\ & \quad \} \text{ while } (i \neq j); \end{aligned}$$

\subsection{Local Search}

Now suppose you want to hire an algorithms expert as a consultant to solve your problem.  (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-416.jpg?height=471&w=1000)

%---- Page End Break Here ---- Page : 415

Figure 12.8: Improving a candidate TSP tour by swapping vertices 3 and 7 replaces four calls to the consultant on the phone for someone more likely to be an algorithms expert, and call them up instead.

A local search scans the neighborhood around elements in the solution space. Think of each element as a

We certainly do not want to explicitly construct this neighborhood graph for any sizable problem.

Instead, we want a general transition mechanism that takes us to a nearby solution by small changes.

A reasonable transition mechanism for TSP would be to swap the current tour positions of two vertices.

Local search heuristics start from an arbitrary element of the solution space, and then iteratively improve it.

that leads in the direction we want to travel. We repeat until we have reached

%---- Page End Break Here ---- Page : 416

But unfortunately, we are probably not King of the Mountain. Suppose you wake

```
void hill_climbing(tsp_instance *t, tsp_solution s) {
    double cost; / best cost so far /
    double delta; / swap cost /
    int i, j; / counters /
    bool stuck; / did I get a better solution? */
    initialize_solution(t->n, s);
    random_solution(s);
    cost = solution_cost(s, t);
    do {
        stuck = true;
        for (i = 1; i < t->n; i++) {
            for (j = i + 1; j <= t->n; j++) {
                delta = transition(s, t, i, j);
                if (delta < 0) {
                    stuck = false;
                    cost = cost + delta;
                } else {
                    transition(s, t, j, i);
                }
            }
        }
        solution_count_update(s, t);
    } while (stuck);
}
```

When does local search do well?

- When there is great coherence in the solution space - Hill climbing is at it

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-418.jpg?1)

%---- Page End Break Here ---- Page : 417

Figure 12.9: Search time/quality tradeoffs for TSP using hill climbing.

Many natural problems have this property. We can think of a binary search as s

- Whenever the cost of incremental evaluation is much cheaper than global eval

If we are given a very large value of n and a very small budget of how much

The primary drawback of a local search is that there isn't anything more for u

How does local search do on TSP? Much better than random sampling for a simil

This is good, but not great. You would not be happy to learn you are paying twice the ta

```
\footnotetext{
$^{2}$ This is still more than double the optimal solution cost of 6,828 , so the min
}
fairly similar quality. We need more powerful methods to get closer to the optimal solut
```

```
%---- Page End Break Here ---- Page : 418
\subsection{Simulated Annealing}
```

Simulated annealing is a heuristic search procedure that allows occasional transitions l

The inspiration for simulated annealing comes from the physical process of cooling molten

$$P(e_i, e_j, T) = e^{-\frac{E_i - E_j}{k_B T}}$$

Here k_B is a positive constant-called Boltzmann's constant, used to tune the desire

What does this formula mean? Transitioning from a low energy state to higher energy stat

$$P(e_i, e_j, T) = e^{-\frac{E_i - E_j}{k_B T}}$$

```
\begin{aligned}
& \text{Simulated-Annealing }() \\\
& \text{Create initial solution } s \\\
& \text{Initialize temperature } T \\\
& \text{repeat } \\\
& \quad \text{for } i=1 \text{ to iteration-length do } \\\
& \quad \text{Randomly select a neighbor of } s \text{ to be } s_i \\\
& \quad \text{If } C(s) \geq C(s_i) \text{ then } s = s_i \\\
& \quad \text{else if } e^{-\frac{C(s) - C(s_i)}{k_B T}} > \text{rand}() \text{ then } s = s_i \\\
& \quad \text{Reduce temperature } T \\\
& \quad \text{until (no change in } C(s)) \\\
& \text{Return } s
\end{aligned}
```

What relevance does this have for combinatorial optimization? A physical system, as it c

```
%---- Page End Break Here ---- Page : 419
```

Through random transitions generated according to the given probability distribution, we

Take-Home Lesson: Don't worry about this molten metal business. Simulated annealing is e

As with a local search, the problem representation includes both a representation

At the beginning of the search, we are eager to use randomness to explore the

- Initial system temperature - Typically $T_{\{1\}}=1$.

- Temperature decrement function - Typically $T_{\{i\}}=\alpha \cdot T_{\{i-1\}}$, where

- Number of iterations between temperature change - Typically, 1,000 iterations

- Acceptance criteria - A typical criterion is to accept any good transition,

\$\$

$$e^{-\frac{C\left(s_{\{i-1\}}\right)-C\left(s_{\{i\}}\right)}{k_{\{B\}} T}} > r$$

\$\$

where r is a random number $0 \leq r < 1$. The "Boltzmann" constant $k_{\{B\}}$ is

- Stop criteria - Typically, when the value of the current solution has not changed

Creating the proper cooling schedule is a trial-and-error process of mucking with

)

%---- Page End Break Here ---- Page : 420

Figure 12.10: Search time/quality tradeoffs for TSP using simulated annealing

Compare the time/quality profiles of our three heuristics. Simulated annealing

After ten million iterations simulated annealing gave us a solution of cost 7

In expert hands, the best problem-specific heuristics for TSP will slightly outperform

`\section{Implementation}`

The implementation follows the pseudocode quite closely:

```
void anneal(tsp_instance *t, tsp_solution s) {
    int x, y; / pair of items to swap /
    int i, j; / counters /
    bool accept_win, accept_loss; / conditions to accept transition /
    double temperature; / the current system temp /
    double current_value; / value of current state /
    double start_value; / value at start of loop /
    double delta; / value after swap /
    double exponent; / exponent for energy function */
    temperature = INITIAL_TEMPERATURE;
    initialize_solution(t->n, s);
    current_value = solution_cost(s, t);
    for (i = 1; i <= COOLING_STEPS; i++) {
        temperature = COOLING_FRACTION;
        start_value = current_value;
        for (j = 1; j <= STEPS_PER_TEMP; j++) {
```

```

        / pick indices of elements to swap /
        x = random_int(1, t->n);
        y = random_int(1, t->n);
        delta = transition(s, t, x, y);
        accept_win = (delta < 0); / did swap reduce cost? /
        exponent = (-delta / current_value) / (K * temperature);
        accept_loss = (exp(exponent) > random_float(0,1));
        if (accept_win || accept_loss) {
            current_value += delta;
        } else {
            transition(s, t, x, y); / reverse transition /
        }
        solution_count_update(s, t);
    }
    if (current_value < start_value) { / rerun at this temp */
        temperature /= COOLING_FRACTION;
    }
}
}
}

```

\subsection{Applications of Simulated Annealing}

We provide several examples to demonstrate how careful modeling of the state representation

\section{Maximum Cut}

The maximum cut problem seeks to partition the vertices of a weighted graph G into sets

How can we formulate maximum cut for simulated annealing? The solution space consists of

This kind of simple, natural modeling represents the right type of heuristic to seek in

\section{Independent Set}

An independent set of a graph G is a subset of vertices S such that there is no edge

The natural state space for a simulated annealing solution would consist of all 2^n

One natural objective function for subset S might be 0 if the S -induced subgraph contains no edges, and the dependence of $C(S)$ on T ensures that the search will eventually drive

%---- Page End Break Here ---- Page : 423

\section{Circuit Board Placement}

In designing printed circuit boards, we are faced with the problem of position

Formally, we are given a collection of rectangular modules $r_1, \dots, r_n$.

The state space for this problem must describe the positions of each rectangle.

$$C(S) = \lambda_{\text{area}} \left(S_{\text{height}} \cdot S_{\text{width}} \right)$$

where λ_{area} , λ_{wire} , and λ_{width}

Take-Home Lesson: Simulated annealing is a simple but effective technique for

War Story: Only it is Not a Radio

"Think of it as a radio," he chuckled. "Only it is not a radio."

I'd been whisked by corporate jet to the research center of a large but very s

The issue concerned a manufacturing technique known as selective assembly. EL

)

%---- Page End Break Here ---- Page : 424

Figure 12.11: Part assignments for three not-radios, such that each had at most one
 any legal cog-widget could be used to replace any other legal cog-widget. This

Unfortunately, it also resulted in large piles of cog-widgets that were slight

"Each not-radio is made up of n different types of not-radio parts," he tol

The situation is illustrated in Figure 12.11. Each not-radio consists of three

I thought about the problem. The simplest procedure would take the best part

The goal was to match up good parts and bad parts so the total amount of badne

"I can solve your problem using bipartite matching," I announced, "provided no

%---- Page End Break Here ---- Page : 425

There was silence. Then they all started laughing at me. "Everyone knows not-

That spelled the end of this algorithmic approach. Extending to more than two

I went back to the drawing board. They wanted to put parts into assemblies so

It wasn't pure bin packing, however, because parts came in different types, an

Bin packing is NP-complete, but is a natural candidate for a heuristic search

The local neighborhood operation involves moving parts around from one bin to another. W

The key decision was the cost function to use. They supplied the hard limit k on the t

My final cost function was as follows. I gave one point for every working

```
\footnotetext{
 $\{ \}^3$  A hypergraph is made up of edges that can contain more than two vertices each.
}
assembly, and a significantly smaller credit for each non-working assembly based on how
```

```
%---- Page End Break Here ---- Page : 426
```

I implemented this algorithm, and then ran the search on the test case they provided. It

I watched as simulated annealing chugged and bubbled on this problem instance. The numbe

I called and tried to admit defeat, but they wouldn't hear of it. It turned out that the

```
\subsection{War Story: Annealing Arrays}
```

The war story of Section 3.9 (page 98 reported how we used advanced data structures to s

A biochemist at Oxford University got interested in our technique, and moreover he had i

However, we had to provide the proper programming. Fabricating complicated arrays requir

```
\begin{tabular}{c|cccc}
& \multicolumn{4}{|c}{ suffix } \\
%---- Page End Break Here ---- Page : 427
```

```
prefix & $A A$ & $A G$ & $G A$ & $G G$ \\
\hline \hline $A A$ & $A A A A$ & $A A A G$ & $A A G A$ & $A A G G$ \\
$A G$ & $A G A A$ & $A G A G$ & $A G G A$ & $A G G G$ \\
$G A$ & $G A A A$ & $G A A G$ & $G A G A$ & $G A G G$ \\
$G G$ & $G G A A$ & $G G A G$ & $G G G A$ & $G G G G$ \\
\end{tabular}
```

Figure 12.12: A prefix-suffix array of all purine 4-mers.

"We are going to have to use a heuristic," I told him. "So how can we model this problem

"Well, each string can be partitioned into prefix and suffix pairs that realize it. For

"Good. This gives us a natural representation for simulated annealing. The state space w


"What's a good cost function?" he asked.

"Well, we need as small an array as possible that covers all the strings. How about taki

Ricky went off and implemented a simulated annealing program along these lines. It print

"The program doesn't seem to recognize when it is making progress. The evaluation functi

Ricky changed the evaluation function, and we tried again. This time, the program said "OK. Let's add another term to the evaluation function to give it points for having a small number of insertion moves."

Ricky tried again. Now the arrays were the right shape, and progress was in the air. "Too many of the insertion moves don't affect many strings. Maybe we should subtract points for having a large number of insertion moves."  (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-429.jpg?1)

%---- Page End Break Here ---- Page : 428

Figure 12.13: Compression of the HIV array by simulated annealing—after 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1400, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1409, 1410, 1411, 1412, 1413, 1414, 1415, 1416, 1417, 1418, 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1426, 1427, 1428, 1429, 1430, 1431, 1432, 1433, 1434, 1435, 1436, 1437, 1438, 1439, 1440, 1441, 1442, 1443, 1444, 1445, 1446, 1447, 1448, 1449, 1450, 1451, 1452, 1453, 1454, 1455, 1456, 1457, 1458, 1459, 1460, 1461, 1462, 1463, 1464, 1465, 1466, 1467, 1468, 1469, 1470, 1471, 1472, 1473, 1474, 1475, 1476, 1477, 1478, 1479, 1480, 1481, 1482, 1483, 1484, 1485, 1486, 1487, 1488, 1489, 1490, 1491, 1492, 1493, 1494, 1495, 1496, 1497, 1498, 1499, 1500, 1501, 1502, 1503, 1504, 1505, 1506, 1507, 1508, 1509, 1510, 1511, 1512, 1513, 1514, 1515, 1516, 1517, 1518, 1519, 1520, 1521, 1522, 1523, 1524, 1525, 1526, 1527, 1528, 1529, 1530, 1531, 1532, 1533, 1534, 1535, 1536, 1537, 1538, 1539, 1540, 1541, 1542, 1543, 1544, 1545, 1546, 1547, 1548, 1549, 1550, 1551, 1552, 1553, 1554, 1555, 1556, 1557, 1558, 1559, 1560, 1561, 1562, 1563, 1564, 1565, 1566, 1567, 1568, 1569, 1570, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1578, 1579, 1580, 1581, 1582, 1583, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593, 1594, 1595, 1596, 1597, 1598, 1599, 1600, 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1614, 1615, 1616, 1617, 1618, 1619, 1620, 1621, 1622, 1623, 1624, 1625, 1626, 1627, 1628, 1629, 1630, 1631, 1632, 1633, 1634, 1635, 1636, 1637, 1638, 1639, 1640, 1641, 1642, 1643, 1644, 1645, 1646, 1647, 1648, 1649, 1650, 1651, 1652, 1653, 1654, 1655, 1656, 1657, 1658, 1659, 1660, 1661, 1662, 1663, 1664, 1665, 1666, 1667, 1668, 1669, 1670, 1671, 1672, 1673, 1674, 1675, 1676, 1677, 1678, 1679, 1680, 1681, 1682, 1683, 1684, 1685, 1686, 1687, 1688, 1689, 1690, 1691, 1692, 1693, 1694, 1695, 1696, 1697, 1698, 1699, 1700, 1701, 1702, 1703, 1704, 1705, 1706, 1707, 1708, 1709, 1710, 1711, 1712, 1713, 1714, 1715, 1716, 1717, 1718, 1719, 1720, 1721, 1722, 1723, 1724, 1725, 1726, 1727, 1728, 1729, 1730, 1731, 1732, 1733, 1734, 1735, 1736, 1737, 1738, 1739, 1740, 1741, 1742, 1743, 1744, 1745, 1746, 1747, 1748, 1749, 1750, 1751, 1752, 1753, 1754, 1755, 1756, 1757, 1758, 1759, 1760, 1761, 1762, 1763, 1764, 1765, 1766, 1767, 1768, 1769, 1770, 1771, 1772, 1773, 1774, 1775, 1776, 1777, 1778, 1779, 1780, 1781, 1782, 1783, 1784, 1785, 1786, 1787, 1788, 1789, 1790, 1791, 1792, 1793, 1794, 1795, 1796, 1797, 1798, 1799, 1800, 1801, 1802, 1803, 1804, 1805, 1806, 1807, 1808, 1809, 1810, 1811, 1812, 1813, 1814, 1815, 1816, 1817, 1818, 1819, 1820, 1821, 1822, 1823, 1824, 1825, 1826, 1827, 1828, 1829, 1830, 1831, 1832, 1833, 1834, 1835, 1836, 1837, 1838, 1839, 1840, 1841, 1842, 1843, 1844, 1845, 1846, 1847, 1848, 1849, 1850, 1851, 1852, 1853, 1854, 1855, 1856, 1857, 1858, 1859, 1860, 1861, 1862, 1863, 1864, 1865, 1866, 1867, 1868, 1869, 1870, 1871, 1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, 1890, 1891, 1892, 1893, 1894, 1895, 1896, 1897, 1898, 1899, 1900, 1901, 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178,

Genetic algorithms draw their inspiration from evolution and natural selection. Through Genetic algorithms maintain a "population" of solution candidates for the given problem.

%---- Page End Break Here ---- Page : 430

The idea behind genetic algorithms is extremely appealing. However, they just don't seem

I will not discuss genetic algorithms further, except to discourage you from considering

Take-Home Lesson: I have never encountered any problem where genetic algorithms seemed t

\subsection{Quantum Computing}

We live in an era where the random access machine (RAM) model of computation introduced

Quantum mechanics is well known for being so completely unintuitive that no one really u

I presume that you the reader may well never have taken a physics course, and are likely exciting. I provide a taste of how three of the most famous quantum algorithms work. Fin

%---- Page End Break Here ---- Page : 431

\subsection{Properties of "Quantum" Computers}

Consider a conventional deterministic computer with n bits of memory labeled $b_0, \dots, b_{n-1}$.

We can think of a conventional deterministic computer as maintaining a probability distr

Quantum computers come with n qubits of memory, $q_0, \dots, q_{n-1}$. Thus, there "Quantum" computers support the following operations:

- Initialize-state (Q, n, D) - Initialize the probability distribution of the n qubits
 - Quantum-gate (Q, c) - Change the probability distribution of machine Q according to
 - $\text{Jack}(Q, c)$ - Increase the probabilities of all states defined by condition
-)

%---- Page End Break Here ---- Page : 432

Figure 12.14: Jacking the probability of all states where qubit $q_2=1$.

where $c = \text{"qubit } q_2=1\text{"}$, as shown in Figure 12.14 This takes time proportional to n . That this can be done in constant time should be recognized as surprising. Even if the c

- Sample (Q) - Select exactly one of the 2^n states at random as per the current

"Quantum" algorithms are sequences of these powerful operations, perhaps augmented with

\subsection{Grover's Algorithm for Database Search}

The first algorithm we will consider is for database search, or more generally,

We can create such a system Q using the Initialize-state (Q, n, D) instr

The instruction set described above does not give us a print statement, other must jack up the probability of all strings with the right value qubits. This

Search(Q,S)
Repeat
Jack(Q, "all strings where $S = q_n \dots q_{n+m-1}$ ")
Until probability of success is high enough
Return the first n bits of Sample(Q)

Each such Jack operation takes constant time, which is fast. But it increases

`\section{Solving Satisfiability?}`

An interesting application of Grover's database searching algorithm is an algo

Now let's add an $(n+1)$ st qubit to the system, to store whether the i th s

Now suppose we perform a $\text{\operatorname{Search}}\left(Q, \left(q_{\{n\}}==1\right)\right)$

Grover's search algorithm runs in $O(\sqrt{N})$ time, where $N=2^n$. Since

Take-Home Lesson: Despite their powers, quantum computers cannot solve NP-comp
 ! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-435.jpg?1)

%---- Page End Break Here ---- Page : 434

Figure 12.15: Transforming the integers from the frequency to the time domain

`\subsection{The Faster "Fourier Transform"}`

The fast Fourier Transform (FFT) is the most important algorithm in signal pro

Computing Fourier transforms is most simply done using an $O(N^2)$

It happens that each of these stages of the FFT circuit can be implemented us

But there is a catch. We now have an n -qubit quantum system Q , where the

This is a very restricted type of "Fourier transform," returning just the ind

`\subsection{Shor's Algorithm for Integer Factorization}`

There is an interesting connection between periodic functions (meaning they repeat at fixed intervals) and the discrete Fourier transform (DFT). The DFT is a mathematical operation that takes a sequence of numbers and produces another sequence of numbers. The DFT is used in many applications, including signal processing, image processing, and data analysis. For example, the DFT is used to convert a signal from the time domain to the frequency domain, which makes it easier to analyze the signal's components. The DFT is also used in image processing to convert an image from the spatial domain to the frequency domain, which makes it easier to filter out unwanted components. The DFT is a powerful tool that has many applications in many different fields.

%---- Page End Break Here ---- Page : 435

Figure 12.16: Sampling from multiples of the factors of M (here 21) is unlikely to directly reveal the factors of M . What are the integers that have 7 as factor?

The FFT enables us to convert a series in the "time domain" (here consisting of all multiples of M) to the "frequency domain" (here consisting of the factors of M).

Now suppose we are interested in factoring a given integer $M < N$. Through quantum magic we can find the factors of M in time $O(\sqrt{N})$.

The greatest common divisor $\text{gcd}(x, y)$ is the largest integer d such that d divides both x and y .

The complete Shor's algorithm for factoring, in pseudocode, is as follows:

`\section{Factor  $M$ }`

Set up an n -qubit quantum system Q , where $N = 2^n$ and $M < N$.

Initialize Q so that $p(i) = 1 / 2^n$ for all $0 \leq i \leq N-1$.

Repeat

$\{$

`\operatorname{Jack}(Q, " \text{ all } i \text{ such that } \text{gcd}(i, M) > 1 "`

$\}$

Until the probabilities of all terms relatively prime to M are very small. `FFT(Q).`

For $j = 1$ to n

$\{$

`$S_j = \text{Sample}(Q)$`

$\{$

$\{$

`\text{ If } \left( \left( \left( d = \text{gcd}(S_j, S_k) \right) > 1 \right) \text{ then } \right.`

$\{$

`Return(  $d$  ) as a factor of  $M$`

Otherwise report no factor was found

Each of these operations takes time proportional to n , not $M = \Theta(2^n)$.

so this is an exponential-time improvement over divide-and-test factoring. No polynomial-time algorithm is known for factoring.

`\subsection{Prospects for Quantum Computing}`

What are the prospects for quantum computing? I write this in the year of normal vision.

- Quantum computing is a real thing, and is gonna happen-One develops a reasonably trustworthy prediction.

- Quantum computing is unlikely to impact the problems considered in this book - The value of quantum computing is not clear.

The fastest technology does not necessarily take over the world. The highest achievable speed is limited by the speed of light.

- The big wins are likely to be in problems computer scientists don't really

We shall see. I look forward to writing the fourth edition of this book, perhaps

You should be aware that the "quantum" computing model I describe here differs

- The role of probabilities are played by complex numbers - Probabilities are

- Reading the state of a quantum system destroys it - When we randomly sample

%---- Page End Break Here ---- Page : 437

The key hurdle of quantum computing is how to extract the answer we want, because

- Real quantum systems breakdown (or decohere) easily - Manipulating individual

- Initializing quantum states and the powers of quantum gates are somewhat difficult

\section{Chapter Notes}

Kirkpatrick et al.'s original paper on simulated annealing KGV83 included an algorithm

The heuristic TSP solutions presented here employ vertex-swap as the local neighborhood

edges with a vertex-swap. This improves the possibility of a local improvement

%---- Page End Break Here ---- Page : 438

The different heuristic search techniques are ably presented in Aarts and Lenstra

Our work using simulated annealing to compress DNA arrays was reported in Brackley

If my introduction to quantum computing whetted your interest, I would encourage

\section{Special Cases of Hard Problems}

12-1. [5] Dominos are tiles represented by integer pairs $\left(x_i, y_i\right)$

(a) Prove that finding the longest domino chain is NP-complete.

(b) Give an efficient algorithm to find the longest domino chain where the number

12-2. [5] Let $G=(V, E)$ be a graph and x and y be two distinct vertices of

(a) Prove that it is NP-complete to find the path from x to y where you cannot

(b) Give an efficient algorithm if G is a directed acyclic graph (DAG).

12-3. [8] The Hamiltonian completion problem takes a given graph G and seeks

an efficient algorithm if G is a tree. Give an efficient and provably correct

%---- Page End Break Here ---- Page : 439

\section{Approximation Algorithms}

12-4. [4] In the maximum satisfiability problem, we seek a truth assignment that

- 12-5. [5] Consider the following heuristic for vertex cover. Construct a DFS tree of the graph.
- 12-6. [5] The maximum cut problem for a graph $G=(V, E)$ seeks to partition the vertices into two sets S and T such that the number of edges between S and T is maximized.
- 12-7. [5] In the bin-packing problem, we are given n objects with weights $w_1, w_2, \dots, w_n$. The first-fit heuristic considers the objects in the order in which they are given. For each object, it places it in the first bin that has enough remaining space to hold it. If no such bin exists, a new bin is created.
- 12-8. [5] For the first-fit heuristic described just above, give an example where the number of bins used is more than twice the optimal number of bins.
- 12-9. [5] Given an undirected graph $G=(V, E)$ in which each node has degree $\leq d$, show that the number of edges is at most $d|V|/2$.
- 12-10. [5] A vertex coloring of graph $G=(V, E)$ is an assignment of colors to vertices such that no two adjacent vertices have the same color. The chromatic number of G is the minimum number of colors needed for a vertex coloring of G .
- 12-11. [5] Show that you can solve any given Sudoku puzzle by finding the minimum vertex cover of a certain graph.

\section{Combinatorial Optimization}

For each of the problems below, design and implement a simulated annealing heuristic to solve it.

- 12-12. [5] Design and implement a heuristic for the bandwidth minimization problem discussed in Section 12.1.
- 12-13. [5] Design and implement a heuristic for the maximum satisfiability problem discussed in Section 12.2.
- 12-14. [5] Design and implement a heuristic for the maximum clique problem discussed in Section 12.3.
- 12-15. [5] Design and implement a heuristic for the minimum vertex coloring problem discussed in Section 12.4.
- 12-16. [5] Design and implement a heuristic for the minimum edge coloring problem discussed in Section 12.5.
- 12-17. [5] Design and implement a heuristic for the minimum feedback vertex set problem discussed in Section 12.6.
- 12-18. [5] Design and implement a heuristic for the set cover problem discussed in Section 12.7.

%---- Page End Break Here ---- Page : 440

\section{"Quantum" Computing}

- 12-19. [5] Consider an n qubit "quantum" system Q , where each of the $N=2^n$ states is represented by a vector in $\mathbb{C}^N$.
- 12-20. [5] For the satisfiability problem, construct (a) an instance on n variables that is satisfiable and (b) an instance that is not satisfiable.
- 12-21. [3] Consider the first ten multiples of 11, namely 11, 22, ..., 110. Pick two numbers from this set such that their sum is a multiple of 11.
- 12-22. [8] IBM quantum computing (<https://www.ibm.com/quantum-computing/>) offers the opportunity to run quantum circuits on real quantum hardware.

\section{LeetCode}

- 12-1. <https://leetcode.com/problems/split-array-with-same-average/>
- 12-2. <https://leetcode.com/problems/smallest-sufficient-team/>
- 12-3. <https://leetcode.com/problems/longest-palindromic-substring/>

\section{HackerRank}

- 12-1. <https://www.hackerrank.com/challenges/mancala6/>
- 12-2. <https://www.hackerrank.com/challenges/sams-puzzle/>
- 12-3. <https://www.hackerrank.com/challenges/walking-the-approximate-longest-path/>

\section{Programming Challenges}

These programming challenge problems with robot judging are available at <http://www.robotjudging.org>

- 12-1. "Euclid Problem" - Chapter 7, problem 10104.
- 12-2. "Chainsaw Massacre"-Chapter 14, problem 10043.
- 12-3. "Hotter Colder"-Chapter 14, problem 10084.
- 12-4. "Useless Tile Packers"-Chapter 14, problem 10065.

%---- Page End Break Here ---- Page : 441

\section{How to Design Algorithms}

Designing the right algorithm for a given application is a major creative act.

This book has been designed to make you a better algorithm designer. The technique

The key to algorithm design (or any other problem-solving task) is to proceed

Towards this end, I provide a sequence of questions designed to guide your search.

The distinction between strategy and tactics is important to keep aware of during the search. To win the minor battles we must fight along the way. In problem-solving, it is

Too many people freeze up in their thinking when faced with a design problem.

Obviously, the more experience you have with algorithm design techniques such

This list of questions was inspired by a passage in The Right Stuff [Wol79-a] where

I hope this book has provided you with the right stuff to be a successful algorithm

1. Do I really understand the problem?
 - (a) What exactly does the input consist of?
 - (b) What exactly are the desired results or output?
 - (c) Can I construct an input example small enough to solve by hand? What happens if I change the input?
 - (d) How important is it to my application that I always find the optimal answer?
 - (e) How large is a typical instance of my problem? Will I be working on 10 instances?
 - (f) How important is speed in my application? Must the problem be solved within a certain time?
 - (g) How much time and effort can I invest in implementation? Will I be limited by time or resources?
 - (h) Am I trying to solve a numerical problem? A graph problem? A geometric problem?
2. Can I find a simple algorithm or heuristic for my problem?
 - (a) Will brute force solve my problem correctly by searching through all subproblems?
 - i. If so, why am I sure that this algorithm always gives the correct answer?
 - ii. How do I measure the quality of a solution once I construct it?
 - iii. Does this simple, slow solution run in polynomial or exponential time? Is there a faster solution?
 - iv. Am I certain that my problem is sufficiently well defined to actually have a solution?
 - (b) Can I solve my problem by repeatedly trying some simple rule, like picking the best of a few?

- i. If so, on what types of inputs does this heuristic work well? Do these correspond to
- ii. On what inputs does this heuristic work badly? If no such examples can be found, can
- iii. How fast does my heuristic come up with an answer? Does it have a simple implementation?
3. Is my problem in the catalog of algorithmic problems in the back of this book?
 - (a) What is known about the problem? Is there an available implementation that I can use?
 - (b) Did I look in the right place for my problem? Did I browse through all the pictures?
 - (c) Are there relevant resources available on the World Wide Web? Did I do a Google Scholar search?
4. Are there special cases of the problem that I know how to solve?
 - (a) Can I solve the problem efficiently when I ignore some of the input parameters?
 - (b) Does the problem become easier to solve when some of the input parameters are set to specific values?
 - (c) How can I simplify the problem to the point where I can solve it efficiently? Why can't I solve the general case?
 - (d) Is my problem a special case of a more general problem in the catalog?
5. Which of the standard algorithm design paradigms are most relevant to my problem?
 - (a) Is there a set of items that can be sorted by size or some key? Does this sorted order help?
 - (b) Is there a way to split the problem into two smaller problems, perhaps by doing a binary search?
 - (c) Does the set of input objects have a natural left-to-right order among its components?
 - (d) Are there certain operations being done repeatedly, such as searching, or finding the minimum?
 - (e) Can I use random sampling to select which object to pick next? What about constructing a heuristic?
 - (f) Can I formulate my problem as a linear program? How about an integer program?
 - (g) Does my problem resemble satisfiability, the traveling salesman problem, or some other NP-complete problem?
6. Am I still stumped?
 - (a) Am I willing to spend money to hire an expert (like the author) to tell me what to do?
 - (b) Go back to the beginning and work through these questions again. Did any of my answers make sense?

%---- Page End Break Here ---- Page : 443

%---- Page End Break Here ---- Page : 444\index{Kruskals algorithm}

%---- Page End Break Here ---- Page : 445

Problem-solving is not a science, but part art and part skill. It is one of the skills most

\subsection{Preparing for Tech Company Interviews}

I gather that many of you reading this book have been inspired more by a fear of technical

First, with respect to algorithm design people know what they know, and hence cramming the

Algorithm design problems tend to creep into the interview process in two ways: preliminary

That said, performance on these programming challenge problems improves with practice. I

For self-study, I recommend solving some coding problems on judging sites like HackerRank.

After you get past the preliminary screening, you will be granted a video or on-site interview. It will generally be like the exercises at the end of each chapter. Some have been designated in

%---- Page End Break Here ---- Page : 446

What should you do at the whiteboard to look like you know what you are talking

Students of mine who take these interviews often report that they are given in

Finally, I have a confession to make. For several years, I served as Chief Sc

Of course I strongly encourage that other companies continue to base their sc

Good luck to you on your job quest, and may what you learn from this book help

%---- Page End Break Here ---- Page : 447

\section{The Hitchhiker's Guide to Algorithms}\index{string data structures}\

%---- Page End Break Here ---- Page : 448

\section{A Catalog of Algorithmic Problems}

This is a catalog of algorithmic problems that arise commonly in practice. It

What is the best way to use this catalog? First, think about your problem. If

The catalog entries contain a variety of different types of information that v

To make this catalog more accessible, I introduce each problem with a pair of

Once you have identified your problem, the discussion section tells you what y

Available software implementations are discussed in the implementation field o

Finally, in deliberately smaller print, the history of each problem will be d

\section{Caveats}

This is a catalog of algorithmic problems. It is not a cookbook. It cannot be

- For each problem, I suggest algorithms and directions to attack it. These r

- The implementations I recommend are not necessarily complete solutions to y

- Please respect the licensing conditions for any implementations you use com

- I would be interested in hearing about your experiences with my recommendat

%---- Page End Break Here ---- Page : 450

\section{Data Structures}

Data structures are not so much algorithms as they are the fundamental constructs around

This puts data structures slightly out of sync with the rest of the catalog. Perhaps the

There are a large number of books on elementary data structures available. My favorites

- Sedgewick [SW11 - This comprehensive introduction to algorithms and data structures st
- Weiss Wei11 - A nice text, emphasizing data structures more than algorithms. It comes
- Goodrich and Tamassia GTG14 - The Java edition makes particularly good use of the auth
- Brass [Bra08 - This is a good treatment of more advanced data structures than those co

The Handbook of Data Structures and Applications MS18 provides a comprehensive and up-to
)

\subsection{Dictionaries}

Input description: A set of n records, each identified by one or more keys.

Problem description: Build and maintain a data structure to efficiently locate, insert,

Discussion: The abstract data type "dictionary" is one of the most important structures

An essential piece of advice is to carefully isolate the implementation of your dictionary

To choose the right data structure for your dictionary, answer the following questions:

- How many items will you have in your data structure? - Will you know this number in ad
- Do you know the relative frequencies of insert, delete, and search operations? - Stati
- Will the access pattern for keys be uniform and random? - Search queries exhibit a ske
- Is it critical that each individual operation be fast, or only that the total amount o

%---- Page End Break Here ---- Page : 452

An object-oriented generation has emerged that is no more likely to write their own cont

- Unsorted linked lists or arrays - For small data sets, an unsorted array is probably t

A particularly interesting and useful variant is the self-organizing list. Whenever a ke

- Sorted linked lists or arrays - Maintaining a sorted linked list is usually not worth
 - Hash tables - For applications involving a moderate-to-large number of keys, a hash ta
- A well-tuned hash table will outperform a sorted array in most applications. However, se
- How do I deal with collisions? Open addressing can lead to more concise tables with be
 - How big should the table be? With bucketing, m should be about the same as the maxim
 - What hash function should I use? For strings, something like

\$\$

$H(S) = \alpha^{|S|} + \sum_{i=0}^{|S|-1} \alpha^{|S|-(i+1)} \times \text{operatorname{char}} \leftarrow$

\$\$

should work, where α is the size of the alphabet and $\text{operatorname{char}}(x)$ is

%---- Page End Break Here ---- Page : 453

When evaluating a hash function/table implementation, print statistics on the

- Binary search trees - Binary search trees are elegant data structures that s
Balanced search trees use local rotation operations for restructuring, moving

%---- Page End Break Here ---- Page : 454

Bottom line: Which tree is best for your application? Probably the one of whic

- B-trees - For data sets so large that they will not fit in main memory your

The idea behind a B-tree is to collapse several levels of a binary search tree

Even for modest-sized data sets, unexpectedly poor performance of a data struc

- Skip lists - These are somewhat of a cult data structure. A hierarchy of sor
total expected $O(\lg n)$ query time. The primary benefits of skip lists are c

%---- Page End Break Here ---- Page : 455

Implementations: Modern programming languages provide libraries offering comp

LEDA (see Section 22.1.1 (page 713) provides a complete collection of dictiona

Notes: Knuth Knu97a provides the most detailed analysis and exposition on func

The Handbook of Data Structures and Applications MS18 provides up-to-date sur

The 1996 DIMACS implementation challenge focused on elementary data structures

The cost of transferring data back and forth between levels of the memory hier

Splay trees and other modern data structures have been studied using amortized

Related problems: Sorting (see page 506), searching (see page 510).

%---- Page End Break Here ---- Page : 456

October 30

December 7

July 4

January 1

February 2

December 25

January 30

! [] ([https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-457.jpg?](https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-457.jpg?1)

Input
Output

\subsection{Priority Queues}

Input description: A set of records with totally ordered keys.

Problem description: Build and maintain a data structure for providing quick access to t

Discussion: Priority queues are useful data structures in simulations, particularly for

If your application will perform no insertions after the initial query, there is no need

However, you will need a real priority queue when mixing queries with insertions and del

- What other operations do you need? - Will you be searching for arbitrary keys, or just
- Do you know the maximum data structure size in advance? - The issue here is whether yo
- Might you raise or lower the priority of elements already in the queue? - Changing the

%---- Page End Break Here ---- Page : 457

Your choices are between the following basic priority queue implementations:

- Sorted array or list - A sorted array is very efficient to both identify the smallest
 - Binary heaps - This simple, elegant data structure supports both insertion and extract
 - Binary heaps are the right answer when you know an upper bound on the number of items in
 - Bounded-height priority queue - This array-based data structure permits constant-time
 - Bounded-height priority queues are very useful to maintain the vertices of a graph sorte
 - Binary search trees - Binary search trees make effective priority queues, since the sm
 - Fibonacci and pairing heaps - These complicated priority queues are designed to speed
- \$v\$ than previously established. Properly implemented and used, they lead to better perf

%---- Page End Break Here ---- Page : 458

Implementations: Modern programming languages provide libraries offering complete and ef

LEDA (see Section 22.1.1 (page 713) provides a complete collection of priority queues in

Notes: The Handbook of Data Structures and Applications MS18 provides several up-to-date

Double-ended priority queues extend the basic heap operations to simultaneously support

Bounded-height priority queues are useful data structures in practice, but do not promis

Fibonacci heaps [FT87 BLT12 support insert and decrease-key operations in constant amort

Heaps define a partial order that can be built using a linear number of comparisons. The

Related problems: Dictionaries (see page 440), sorting (see page 506, shortest path (see

)

%---- Page End Break Here ---- Page : 459
\subsection{Suffix Trees and Arrays}

Input description: A reference string SS .

Problem description: Build a data structure for quickly finding all places where

Discussion: Suffix trees and arrays are phenomenally useful data structures for

In its simplest instantiation, a suffix tree is simply a trie of the n suffixes of

Tries are useful in testing whether a given query string q is in the set of

A suffix tree is simply a trie of all proper suffixes of SS . The suffix tree is

)

%---- Page End Break Here ---- Page : 460

Figure 15.1: A trie on strings the, their, there, was, and when (on left). The
you to test whether q is a substring of SS , because any substring of SS is

The catch is that constructing a full suffix tree in this manner can require $O(n^2)$

Even better, there exist $O(n)$ algorithms to construct this collapsed tree, known as

But what can you do with suffix trees? Consider the following applications:

- Find all occurrences of q as a substring of SS - Just as with a trie, we can
- Longest substring common to a set of strings - Build a single collapsed suffix tree
- Find the longest palindrome in SS - A palindrome is a string that reads the same

%---- Page End Break Here ---- Page : 461

Since linear-time suffix tree construction algorithms are non-trivial, I recommend

A suffix array is in principle just an array that contains all the n suffixes of

In practice, suffix arrays are typically as fast or faster to search than suffix trees

Some care must be taken to construct suffix arrays efficiently, because there are

Implementations: There now exist a wealth of suffix array implementations available

No less than eight different $\mathrm{C} / \mathrm{C}++$ implementations of compressed suffix arrays

Suffix tree implementations are also readily available. A SuffixTree class is provided in the `suffix` module, which is an implementation of suffix trees. It is available at <https://web.cs.ucdavis.edu/~gusfi>

%---- Page End Break Here ---- Page : 462

Notes: Tries were first proposed by Fredkin Fre62, the name coming from the central letter.

Efficient algorithms for suffix tree construction are due to Weiner Wei73, McCreight McCreight73, and Ukkonen Ukk93.

Suffix arrays were invented by Manber and Myers [MM93], although an equivalent idea called *suffix buckets* was used earlier.

Recent work has resulted in the development of compressed full text indexes that offer efficient storage and fast access.

The power of suffix trees can be further augmented by using a data structure to compute the lowest common ancestor (LCA) of two nodes.

Related problems: String matching (see page 685), text compression (see page 693), longest common substring (see page 693), and longest common subsequence (see page 693).
)

%---- Page End Break Here ---- Page : 463

\subsection{Graph Data Structures}

Input description: A graph G .

Problem description: Represent the graph G using a flexible, efficient data structure.

Discussion: The two basic data structures for representing graphs are adjacency matrices and adjacency lists.

The issues in deciding which data structure to use include:

- How big will your graph be? - How many vertices will it have, both typically and in the worst case?
- How dense will your graph be? - If your graph is very dense, meaning that a large fraction of the possible edges are present, then an adjacency matrix is more natural.
- Which algorithms will you be implementing? - Certain algorithms are more natural on adjacency lists.
- Will you modify the graph over the course of the computation? - Efficient static graph structures are simpler than dynamic ones.
- Will your graph be a persistent, online structure? - Data structures and databases are designed for this.

%---- Page End Break Here ---- Page : 464

Building a good general purpose graph type is a substantial project. I thus suggest that you build one.

Planar graphs are those that can be drawn in the plane so no two edges cross. Graphs arising in many applications are planar.

Hypergraphs are generalized graphs where each edge may link subsets of more than two vertices.

Two basic data structures for hypergraphs are:

- Incidence matrices, which are analogous to adjacency matrices. They require $\mathcal{O}(n \times m)$ space, where n is the number of vertices and m is the number of hyperedges.
- Bipartite incidence structures, which are analogous to adjacency lists, and thus suitable for dynamic updates. To add an edge (i, j) in the incidence structure whenever vertex i of the hypergraph appears in hyperedge j .

%---- Page End Break Here ---- Page : 465

Special efforts must be taken to represent very large graphs efficiently. How

If your graph is extremely large, it may become necessary to switch to a hiera

Implementations: LEDA (see Section 22.1.1 (page 713) is a commercial product t

The C++ Boost Graph Library SLL02 (<http://www.boost.org/libs/graph>) is more r

Neo4j (<https://neo4j.com/>) is a widely used graph database, where the J stands

The Stanford Graphbase (see Section 22.1.7 (page 715) provides a simple but f

%---- Page End Break Here ---- Page : 466

My (biased) preferences in C language graph types include the libraries from t

Notes: The advantages of adjacency list data structures for graphs became app

The improved efficiency of static graph types was revealed by Naher and Zlotov

Matrix representations of graphs can exploit the power of linear algebra in pr

Dynamic graph algorithms EGI98 are data structures that maintain quick access

Hierarchically defined graphs often arise in VLSI design problems, because des

Related problems: Set data structures (see page 456), graph partition (see pag

)

%---- Page End Break Here ---- Page : 467

\subsection{Set Data Structures}

Input description: A universe of items $U = \{u_1, \dots, u_n\}$

Problem description: Represent each subset so as to efficiently (1) test whetl

Discussion: In mathematical terms, a set is an unordered collection of objects.

We distinguish sets from two other types of objects: dictionaries and strings

Multisets permit elements to have more than one occurrence. Data structures f

When every subset contains exactly two elements, they can be thought of as edges in a graph. Connected components or shortest path in a graph/hypergraph.

Your primary alternatives for representing arbitrary subsets are:

- Bit vectors - An n -bit vector or array can represent any subset S on a universal set U .
- Containers or dictionaries - A subset S can also be represented using a linked list, where each element of S is a node in the list.
- Bloom filters - We can emulate a bit vector in the absence of a fixed universal set by using a Bloom filter. A Bloom filter uses several (say k) different hash functions $H_1, \dots, H_k$, and an element x is in S if and only if $H_i(x) \in S$ for all i . This hashing-based data structure is much more space-efficient than dictionaries, for sets that are sparse.

%---- Page End Break Here ---- Page : 468

Many applications involve collections of subsets that are pairwise disjoint, meaning that no two subsets share any elements.

The primary issue with set partition data structures is maintaining changes over time, particularly when the sets are dynamic.

- Collection of containers - Representing each subset in its own container or dictionary.
- Generalized bit vector - Let the i th element of an array denote the number/name of the container for subset i .
- Dictionary with a subset attribute - Similarly, each item in a binary tree can be associated with a subset.
- Union-find data structure - We represent a subset using a rooted tree where each node represents an element, and the root represents the subset.

%---- Page End Break Here ---- Page : 469

Implementation details have a big impact on asymptotic performance here. Always select the data structure that best fits the problem.

Implementations: Modern programming languages provide libraries offering complete and efficient implementations of set operations.

An implementation of union-find underlies any implementation of Kruskal's minimum spanning tree algorithm.

%---- Page End Break Here ---- Page : 470


The computer algebra system REDUCE (<http://www.reduce-algebra.com/>) contains SETS, a package for set operations.

Notes: Optimal algorithms for set operations such as intersection and union were presented in the 1970s.

Certain balanced tree data structures support merge/meld/link/cut operations, which permit efficient set operations.

Galil and Italiano GI91 survey data structures for disjoint set union. The upper bound on the time for disjoint set union is $O(n \alpha(n))$.

The power set of a set S is the collection of all $2^{|S|}$ subsets of S . Explicit manipulation of the power set is often infeasible.

Related problems: Generating subsets (see page 521), generating partitions (see page 524).  (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-472.jpg?height=704&w=1000)

%---- Page End Break Here ---- Page : 471

\subsection{Kd-Trees}

Input description: A set \$\$\$ of \$n\$ points (or more complicated geometric objects)

Problem description: Construct a tree that partitions space by half-planes successively

Discussion: Kd-trees and related spatial data structures hierarchically decompose space

Typical algorithms construct kd-trees by partitioning point sets. Each node in the tree

The cutting planes along any path from the root to another node defines a union of

Flavors of kd-trees differ in exactly how the splitting plane is selected, but they all

- Cycling through the dimensions - partition first on $d_{\{1\}}$, then $d_{\{2\}}$, $\dots$
- Cutting along the largest dimension - select the partition dimension that maximizes the
- Quadtrees or octrees - Instead of partitioning with single planes, use all axis-aligned
- Random projection trees - Here the cutting plane for a node is defined by a random
- BSP-trees - Binary space partitions use general (i.e. not just axis-parallel) planes
- Ball trees - A ball tree is a hierarchical data structure on points, where each node

%---- Page End Break Here ---- Page : 472

Ideally, our partitions will split both the space (ensuring fat, regular regions)

- Point location - To identify which cell a query point q lies in, start at the root
- Nearest-neighbor search - To find the point in \$\$\$ closest to a given query point

%---- Page End Break Here ---- Page : 473

Point p is likely close to q , but it might not be the absolute closest neighbor

- Range search - Which points lie within a query box or region? Starting from the root
- Partial key search - Suppose we want to find a point p in \$\$\$, but we do not know

Kd-trees are most useful for a small to moderate number of dimensions, say from 2 to 10

The bottom line is you should try to avoid working in high-dimensional spaces

Implementations: KDTree 2 contains C++ and Fortran 95 implementations of kd-trees

Samet's spatial index demos (<http://donar.umiacs.umd.edu/quadtree/>) provide a good

The 1999 DIMACS implementation challenge focused on data structures for nearest neighbor

%---- Page End Break Here ---- Page : 474

Notes: Samet Sam06 is the best reference on kd-trees and other spatial data structures

The performance of spatial data structures degrades with high dimensionality.

Projecting high-dimensional spaces onto a random lower-dimensional hyperplane has recent
 Algorithms that quickly produce a point provably close to the query point are an important
 Related problems: Nearest-neighbor search (see page 637), point location (see page 644,

%---- Page End Break Here ---- Page : 475
 \section{Numerical Problems}

If most problems you encounter are numerical in nature, there is an excellent chance that

Numerical computation has been of increasing importance because of machine learning, which
 - Issues of precision and error - Numerical algorithms typically perform repeated floating-point
 A simple and dependable way to test for round-off errors in numerical programs is to run
 - Extensive libraries of codes - Large, high-quality libraries of numerical algorithms have

Regardless of why, you should exploit this software base. There is probably
 no reason to implement algorithms for any of the problems in this section, as opposed to

Many scientists and engineers have ideas about algorithms that culturally derive from the

There is a vast literature on numerical algorithms. In addition to Numerical Recipes, re
 - Chapra and Canale CC16 - The contemporary market leader in numerical analysis texts.
 - Mak Mak02 - This enjoyable text introduces Java to the world of numerical computation.
 - Hamming Ham87 - This oldie but goodie provides a clear and lucid treatment of fundamen
 - Skeel and Keiper SK00 - A readable and interesting treatment of basic numerical method
 - Cheney and Kincaid CK12 - A traditional Fortran-based numerical analysis text, with di
 - Buchanan and Turner BT92 - Thorough language-independent treatment of all standard top

%---- Page End Break Here ---- Page : 477
 \subsection{Solving Linear Equations}

Input description: An $m \times n$ matrix A and an $m \times 1$ vector b , together with

Problem description: What is the vector x such that $A \cdot x = b$?

Discussion: The need to solve linear systems arises in an estimated 75 % of all scientific

Not all systems of equations have solutions. Just try to solve $x + 3y = 5$ and $x + 3y =$

Solving linear systems is a problem of such scientific and commercial importance that ex

Gaussian elimination is based on the observation that the solution to a system of linear

The time complexity of Gaussian elimination on an $n \times n$ system of equations is $O(n^3)$. To solve other equations to clear the i th (of n) variable. But on this problem, $O(n^3)$

%---- Page End Break Here ---- Page : 478

Issues to worry about include:

- Are round-off errors and numerical stability affecting my solution? Gaussian elimination is sensitive to round-off errors. To eliminate the danger of numerical errors, it pays to substitute the solution into the original equations.

The key to minimizing round-off errors in Gaussian elimination is selecting the pivot element.

- Which routine in the library should I use? - Selecting the right code is also important.
- Is my system sparse? - A key to recognizing that you have a special-case linear system is to recognize the structure of the coefficient matrix.
- Will I be solving many systems using the same coefficient matrix? - In applications, it is often the case that you will be solving many systems using the same coefficient matrix.

\$\$

$A \cdot x = (L \cdot U) \cdot x = L \cdot (U \cdot x) = b$

\$\$

This is efficient because back substitution solves a triangular system of equations.

%---- Page End Break Here ---- Page : 479

The problem of solving linear systems is equivalent to that of matrix inversion.

Implementations: The library of choice for solving linear systems is apparently LAPACK.

JSMath provides an extensive linear algebra package (including determinants, matrix inversion, etc.).

Numerical Recipes PFTV07 (<http://numerical.recipes/>) provides guidance and routines for solving linear systems.

Notes: Golub and van Loan [GL96] is the standard reference on algorithms for linear systems.

Parallel algorithms for linear systems are discussed in Gal90 G014 HNP91 KSV91.

Matrix inversion and (hence) linear systems solving can be done in matrix multiplication.

The HHL quantum computing algorithm has been proposed to solve $n \times n$ linear systems.

Related problems: Matrix multiplication (see page 472), determinant/permanent (see page 473), and matrix inversion (see page 474).
)

%---- Page End Break Here ---- Page : 480

\subsection{Bandwidth Reduction}

Input description: A graph $G=(V, E)$, representing an $n \times n$ matrix M with $M_{ij} = 1$ if $(i, j) \in E$ and $M_{ij} = 0$ otherwise.

Problem description: Which permutation p of the vertices minimizes the length of the 1

Discussion: Bandwidth reduction lurks as a hidden but important problem for both graphs

Bandwidth minimization on graphs arises in more subtle ways. Arranging n circuit compo

The bandwidth problem seeks a linear ordering of the vertices, which minimizes the lengt

Unfortunately, all these variants of bandwidth minimization are NP-complete. It stays NP

Fortunately, ad hoc heuristics have been well studied and production-quality implementat
left-most point of the ordering. All of the vertices that are distance 1 from v are pl

%---- Page End Break Here ---- Page : 481

Implementations of the most popular heuristics-the Cuthill-McKee and Gibbs-Poole-Stockme

Brute-force search programs can find the exact minimum bandwidth, by backtracking throug

Implementations: Del Corso and Manzini's CM99 code for exact solutions to bandwidth prob

Fortran language implementations of both the Cuthill-McKee algorithm CM69 and the Gibbs-

Notes: Diaz et al. DPS02 provide an excellent survey on algorithms for bandwidth and rel

The hardness of the bandwidth problem was first established by Papadimitriou Pap76b, and

Related problems: Solving linear equations (see page 467), topological sorting (see page

%---- Page End Break Here ---- Page : 482

\subsection{Matrix Multiplication}

Input description: An $x \times y$ matrix A and a $y \times z$ matrix B .

Problem description: Compute the $x \times z$ matrix $A \times B$.

Discussion: Matrix multiplication is a fundamental problem in linear algebra. Its main s

Matrix multiplication is often used for data rearrangement problems instead of hard-code

The following tight algorithm computes the product of $x \times y$ matrix A and $y \times z$ matrix B .

```
\begin{aligned}
& \text{for } i=1 \text{ to } x \text{ do } \backslash
& \quad \begin{array}{l}
\text{for } j=1 \text{ to } z \backslash
```

```

\quad \text { for } k=1 \text { to } y \backslash \backslash
\quad M[i, j]=M[i, j]+A[i, k] \cdot B[k, j]
\end{array}
\end{aligned}
$$

```

An implementation in C appears in Section 2.5.4 (page 45). This straightforward answer. Such a permutation will change the memory access patterns and thus how

%---- Page End Break Here ---- Page : 483

When multiplying two bandwidth- b matrices, a speedup to $O(n \log n)$ is possible.

Asymptotically faster algorithms for matrix multiplication exist, using clever

There is a better way to save computation when you are multiplying a chain of

Matrix multiplication has a particularly interesting interpretation in counting

Implementations: D'Alberto and Nicolau DN07 have engineered a very efficient n

An $O(n^3)$ algorithm will likely be your best bet unless your machine

%---- Page End Break Here ---- Page : 484

Notes: Winograd's algorithm Win68 for fast matrix multiplication reduces the n

In my opinion, the history of theoretical algorithm design began when Strassen


The problem of Boolean matrix multiplication can be reduced to that of general

Engineering efficient matrix multiplication algorithms requires careful manage

The inverse of multiplying matrices is factoring them, reducing MM to AA and

The interest in the squares of graphs goes beyond counting paths. Fleischner

Good expositions of the matrix-chain algorithm include BvG99 CLRS09, where it

Related problems: Solving linear equations (see page 467), shortest path (see

https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-486.jpg?1

%---- Page End Break Here ---- Page : 485

\subsection{Determinants and Permanents}

Input description: An $n \times n$ matrix M .

Problem description: What is the determinant $|M|$ or permanent $\text{perm}(M)$?

Discussion: Determinants of matrices provide a clean and useful abstraction that can be

- Testing whether a matrix is singular, meaning that the matrix does not have an inverse
- Testing whether a set of d points lies on a plane in fewer than d dimensions. If so
- Testing whether a point lies to the left or right of a line or plane. This problem reduces to testing whether a point lies to the left or right of a line or plane. This problem reduces to
- Computing the area or volume of a triangle, tetrahedron, or other simplicial complex.

The determinant of a matrix M is defined as a sum over all $n!$ possible permutations

\$\$

$$|M| = \sum_{i=1}^{n!} (-1)^{\text{sign}(\pi_i)} \prod_{j=1}^n M_{\pi_j, j}$$

\$\$

where $\text{sign}(\pi_i)$ denotes the number of pairs of elements

Directly implementing this definition yields an $O(n!)$ algorithm, as does the cofactor

%---- Page End Break Here ---- Page : 486

The permanent is a closely related function that arises in combinatorial problems. For e

\$\$

$$\text{perm}(M) = \sum_{i=1}^{n!} \prod_{j=1}^n M_{\pi_j, j}$$

\$\$

differing from the determinant only in that all products are positive.

Surprisingly, it is NP-hard to compute the permanent, even though the determinant can ea

Implementations: The linear algebra package LINPACK contains a variety of Fortran routines

Nijenhuis and Wilf NW78 provide an efficient Fortran routine to compute the permanent of

Two different codes for approximating the permanent are provided by Barvinok. The first,

Notes: Cramer's rule reduces the problems of matrix inversion and solving linear systems

Determinants can be computed in $O(n^3)$ time using fast matrix multiplication

The problem of computing the permanent was shown to be $\#P$ -complete by Valiant Val79, wh
mial time. A counting machine returns the number of distinct solutions to a problem. Cou

%---- Page End Break Here ---- Page : 487

Minc Min78 is the primary reference on permanents. A variant of an $O(n^2 2^n)$ r

Probabilistic algorithms have been developed for estimating the permanent, culminating i

Related problems: Solving linear systems (see page 467), matching (see page 562 , geomet

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-489.jpg?1)

%---- Page End Break Here ---- Page : 488

\subsection{Constrained/Unconstrained Optimization}

Input description: A function $f(x_1, \dots, x_n)$.

Problem description: Which point $p = (p_1, \dots, p_n)$ maximizes

Discussion: Of the seventy-five problems in this catalog, this is the one whose

Optimization arises whenever you have an objective function that must be tuned

\$\$

\text { stock-goodness }(t)=c_1 \times \operatorname{price}(t)+c_2 \times

\$\$

We seek the numerical values c_1, c_2, c_3 whose stock-goodness function

Unconstrained optimization problems also arise in scientific computation. Physicists

Global optimization problems tend to be hard, and there are many ways to go about

- Am I doing constrained or unconstrained optimization? - In unconstrained optimization

- Is the function I am trying to optimize described by a formula? - Sometimes

- Is your function convex? The main difficulty of global optimization is getting

Convex functions have exactly one maxima (or minima), corresponding to a world

%---- Page End Break Here ---- Page : 489

How do you know whether your function is convex? This is beyond the scope of this

- How continuous or smooth is my function? - Even if your function is non-convex

- Is it expensive to compute the function at a given point? - Sometimes we are

%---- Page End Break Here ---- Page : 490

Our freedom to search in such a situation depends upon how efficiently we can

Such a situation arises in tuning evaluation functions for games. Suppose that

The most efficient algorithms for convex optimization use derivatives and partial

For constrained optimization, finding a point that satisfies all the constraints

%---- Page End Break Here ---- Page : 491

At the end, the penalties should be very high to ensure that all constraints are

Simulated annealing is a fairly robust approach to constrained optimization, particularly

It is a good idea to try several different methods on any given optimization problem. For

Implementations: The world of constrained/unconstrained optimization is sufficiently complex

NEOS (Network-Enabled Optimization System) provides a unique service the opportunity to solve

General purpose simulated annealing implementations are available, and are likely the best

Notes: Bertsekas Ber15, Boyd and Vandenberghe BV04, and Nesterov Nes13 provide comprehensive

The full objective functions associated with machine learning problems are often linear

Simulated annealing was devised by Kirkpatrick et al. [KGV83] as a modern variation of the

Genetic algorithms were developed and popularized by Holland Hol75 Hol92. Books more popular

Related problems: Linear programming (see page 482), satisfiability (see page 537).

)

%---- Page End Break Here ---- Page : 492

\subsection{Linear Programming}

Input description: A set S of n linear inequalities on m variables

S

$S_i = \sum_{j=1}^m c_{ij} x_j \geq b_i, 1 \leq i \leq n$

S

and a linear optimization function $f(X) = \sum_{j=1}^m c_j x_j$.

Problem description: Which variable assignment X' maximizes the objective function

Discussion: Linear programming is the most important problem in mathematical optimization

- Resource allocation - We seek to invest a given amount of money to maximize our return

- Approximating the solution of inconsistent equations - A set of n linear equations

- Graph algorithms - Many graph problems described in this book, including shortest path

special cases of linear programming. Most of the rest, including traveling salesman, set

%---- Page End Break Here ---- Page : 493

The simplex method is the standard algorithm for linear programming. Each constraint in

While the basic simplex algorithm is not particularly complex, there is considerable art

The bottom line on linear programming is that you are much better off using an existing

Issues that arise in linear programming include:

- Do any variables have integrality constraints? - It is impossible to send 6
 Unfortunately, it is NP-complete to solve integer or mixed programs to optimal
 - Do I have more variables or constraints? - Any linear program with m variables
 program with n variables and m inequalities. This is important to know, be
 - What if my optimization function or constraints are not linear? - In least-s
 There are three possible courses of action when you must solve a nonlinear pro
 - What if my model does not match the input format of my LP solver? Many line
 Do not fear. There exist standard transformations to map arbitrary LP models

%---- Page End Break Here ---- Page : 494

Implementations: There are at least three reasonable choices in free LPsolvers

Benchmark studies GAD^{+} 13, MT12] agree that commercial solvers p

%---- Page End Break Here ---- Page : 495

NEOS (Network-Enabled Optimization System) provides a unique servicethe opport

Notes: The need for optimization via linear programming arose in logistics pro

Smoothed analysis measures the complexity of algorithms assuming that their in

Khachian's ellipsoid algorithm [Kha79] first proved that linear programming w

Semidefinite programming deals with optimization problems over symmetric posi

Linear programming is P-complete under log-space reductions DLR79. This makes

Related problems: Constrained and unconstrained optimization (see page 478, ne
 ! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-497.jpg?1)

%---- Page End Break Here ---- Page : 496

\subsection{Random Number Generation}

Input description: Nothing, or perhaps a seed.

Problem description: Generate a sequence of random integers.

Discussion: Random numbers have a surprising variety of interesting and import

Unfortunately, generating random numbers looks much easier than it really is.

There can be serious consequences to using a bad random-number generator. In c

- Should my program produce the same "random" numbers each time it runs? - A p
 you play quickly loses interest. One common solution uses the lower-order bits

%---- Page End Break Here ---- Page : 497

Such methods are adequate for games, but not for serious simulations. There are liable to be
 - How good is my compiler's built-in random number generator? - If you need uniformly generated

If you are going to bet the farm on the results of your simulation, you had better test it
 - What if I must implement my own random-number generator? - The standard algorithm of choice
 \$\$

$$R_{\{n\}} = \left(a R_{\{n-1\}} + c \right) \bmod m$$

 \$\$

Linear congruential generators work the same way roulette wheels do. The long path of the ball

A substantial theory has been developed to properly select the constants a , c , m , and

%---- Page End Break Here ---- Page : 498

Note that the stream of numbers produced by a linear congruential generator starts to cycle
 - What if I don't want such large random numbers? - The linear congruential generator \$R_n\$
 - What if I need non-uniformly distributed random numbers? - Generating random numbers a

This method is correct, but can be slow. When the volume of the region of interest is small

Be cautious about inventing your own technique, because it can be tricky to obtain the results
 - How long should I run my Monte Carlo simulation? - The longer you run a simulation, the more
 Instead of jacking up the length of a simulation run to the max, it is usually more informative
 results are repeatable. This exercise corrects the natural tendency to see a simulation

%---- Page End Break Here ---- Page : 499

Implementations: See <https://www.agner.org/random> for an excellent website on random-number

Parallel simulations make special demands on random-number generators. How can we ensure

The National Institute of Standards [$\left. \mathrm{BRS}^{+} \right|_{10}$] has prepared a

True random-number generators extract random bits by observing physical processes. The w

Notes: Knuth Knu97b provides a thorough treatment of random-number generation, which I h

That said, see Gen06 L'E12 for more recent developments in random number generation. The

Tables of random numbers appear in most mathematical handbooks as relics from the days b

The deep relationship between randomness and information is explored within the theory o

Mechanical sieving devices provided the fastest way to factor integers surprisingly far.

The integer RSA-129 was factored in eight months using over 1,600 computers. This was pa

Related problems: Cryptography (see page 697), high precision arithmetic (see page 493).

%---- Page End Break Here ---- Page : 503

```
\author{
49578291287491495151508905425869578
}
```

74367436931237242727263358138804367

```
\section{$2 / 3$}
```

Input
Output

```
\subsection{Arbitrary-Precision Arithmetic}
```

Input description: Two very large integers, x and y .

Problem description: What is $x+y$, $x-y$, $x \times y$, and x / y ?

Discussion: Every programming language rising above basic assembler supports single- and

Other applications require much larger integers. The RSA algorithm for public-key crypto

What should you do when you need large integers?

- Am I solving a problem instance requiring large integers, or do I have an embedded app
- If you have an embedded application requiring high-precision arithmetic instead, you sho
- Do I need high- or arbitrary-precision arithmetic? - Is there an upper bound on how bi
- What base should I do arithmetic in? - It is perhaps simplest to implement your own hi
- Why? The higher the base, the fewer digits we need to represent a number. Compare 64 dec
- The primary complication of using a larger base is that integers must be converted to an
- How low-level are you willing to go for fast computation? - Hardware addition is much

%---- Page End Break Here ---- Page : 504

The algorithms of choice for the basic arithmetic operations are as follows:

- Addition - The basic schoolhouse method of lining up the decimal points and then addin
- Subtraction - By fooling with the sign bits of the numbers, subtraction can be a speci
- Multiplication - The repeated addition method takes exponential time on large integers
- method is reasonable to program and runs in $O(n^2)$ time to multiply two n -digit numbers.
- Division - Repeated subtraction takes exponential time, so the easiest reasonable algo

%---- Page End Break Here ---- Page : 505

In fact, integer division can be reduced to integer multiplication, although

- Exponentiation - We can evaluate a^n using $n-1$ multiplications, by con

```

function power(a, n)
  if (n = 0) return(1)
  x = power(a, [n/2])
  if ( n is even) then return (x^2)
  else return (a × x^2)

```

High- but not arbitrary-precision arithmetic can be conveniently performed us

Many algorithms on long integers can be directly applied to computations on p

Implementations: Python plus commercial computer algebra systems like Maple are
best option for a quick, non-embedded application if you have access. The rest

%---- Page End Break Here ---- Page : 506

The premier C/C++ library for fast, arbitrary-precision is the GNU Multiple Pr

The java.math BigInteger class provides arbitrary-precision analogues to all o

A lower-performance, less well-tested but more personal implementation of high

Several general systems for computational number theory are available. Each o

Notes: Knuth Knu97b is the primary reference on algorithms for all basic arith

Expositions on the $O(n^{1.59})$ -time divide-and-conquer algorithm

Good expositions of algorithms for modular arithmetic and the Chinese remainde

Euclid's algorithm for computing the greatest common divisor of two numbers is

Related problems: Factoring integers (see page 490), cryptography (see page 68
)

%---- Page End Break Here ---- Page : 507

\subsection{Knapsack Problem}

Input description: A set of items $S = \{1, \dots, n\}$, where item i has siz

Problem description: Find the subset S' of S that maximizes the v

Discussion: The knapsack problem arises in resource allocation with financial constraint

The most common formulation is the $0/1$ knapsack problem, where each item must either

Issues that arise in selecting the best algorithm include:

- Does every item have the same cost, or perhaps the same size? - When all items are wor
-)

%---- Page End Break Here ---- Page : 508

Figure 16.1: Integer partition is a special case of the knapsack problem.

- have the same size. Sort by cost, and take the most valuable elements first. These are t
- Do all items have the same "price per pound"? - If so, our problem is equivalent to ig

An important special case of a constant "price-per-pound" knapsack is the integer partiti

The constant "price-per-pound" knapsack problem is often called the subset sum problem,

- Are all the sizes relatively small integers? - When the sizes of the items and the kna

The algorithm works as follows: Let $S^{\{\prime\}}$ be a set of items, and let $C\left[i, S^{\{\prime\}}$
 $\$ \$$

$C\left[i, S^{\{\prime\}} \cup s_{\{j\}}\right] = \text{true iff } \left(C\left[i, S^{\{\prime\}}\right] \text{ and } s_{\{j\}} \leq C\left[i, S^{\{\prime\}}\right]\right)$
 $\$ \$$

because we either use $s_{\{j\}}$ in realizing the sum or we don't. We identify all sums tha

solution is given by the index of the true element of largest realizable size. To recons

This dynamic programming formulation ignores the values of the items. To generalize the

- What if I have multiple knapsacks? - When there are multiple knapsacks, your problem m

%---- Page End Break Here ---- Page : 509

Exact solutions for large capacity knapsacks can be found using integer programming or b

Heuristics must be used when exact solutions prove too costly to compute. The simple gre

Another heuristic is based on scaling. Dynamic programming works well if the knapsack ca

Implementations: Martello and Toth's collection of Fortran implementations of algorithms

David Pisinger maintains a well-organized collection of C-language codes for knapsack pr

Algorithm 632 MT85 of the Collected Algorithms of the ACM is a Fortran code for the $0/1$

%---- Page End Break Here ---- Page : 510

Notes: Keller, Pferschy, and Pisinger [KPP04] is the most current reference on the knaps

A polynomial-time approximation scheme (PTAS) is an algorithm that approximates the opti

An interesting special variant of the knapsack problem is the 3-sum problem, v

Vector bin packing is a generalization of knapsack where the knapsack has cap

The first algorithm for generalized public key encryption by Merkle and Hellma

Related problems: Bin packing (see page 652), integer programming (see page 4

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-512.jpg?1)

%---- Page End Break Here ---- Page : 511

\subsection{Discrete Fourier Transform}

Input description: A sequence of n real or complex values h_i , $0 \leq i < n$

Problem description: The discrete Fourier transform $H_m = \sum_{k=0}^{n-1} h_k e^{2\pi i k m / n}$

Discussion: Although computer scientists tend to be fairly ignorant about Four

- Filtering - Taking the Fourier transform of a function is equivalent to rep

- Image compression - A smoothed, filtered image contains less information tha

- Convolution and deconvolution - Fourier transforms can efficiently compute c

n -variable polynomials f and g or comparing two character strings. Imple

Another example comes from image processing. Because a scanner measures the in

- Computing the correlation of functions - The correlation function of two fun

\$\$

$$z(t) = \int_{-\infty}^{\infty} f(\tau) g(t+\tau) d\tau$$

\$\$

and can be easily computed using Fourier transforms. When functions $f(t)$ and

%---- Page End Break Here ---- Page : 512

The discrete Fourier transform takes as input n complex numbers h_k , $0 \leq k < n$

\$\$

$$H_m = \sum_{k=0}^{n-1} h_k \cdot e^{-2\pi i k m / n} = \sum_{k=0}^{n-1} h_k \cdot e^{2\pi i k m / n}$$

\$\$

and the inverse Fourier transform is defined by

\$\$

$$h_m = \frac{1}{n} \sum_{k=0}^{n-1} H_k \cdot e^{2\pi i k m / n} = \frac{1}{n} \sum_{k=0}^{n-1} H_k \cdot e^{-2\pi i k m / n}$$

\$\$

which enables us to move easily between h and H .

Since the output of the discrete Fourier transform consists of n numbers, ea

The FFT usually assumes that n is a power of two. If this is not the case, y

%---- Page End Break Here ---- Page : 513

Many signal-processing systems have strong real-time constraints, so FFTs are often implemented in hardware.

Implementations: FFTW is a C subroutine library for computing the discrete Fourier transform in a variety of dimensions. It is the most widely used FFT library in the world.

FFTPACK is a package of Fortran subprograms for the fast Fourier transform of periodic data.

Notes: Bracewell [Bra99] and Brigham [Bri88] are excellent introductions to Fourier transforms.

A cache-oblivious algorithm for the fast Fourier transform is given in [FLPR99]. This paper shows that the FFT can be computed in $O(N \log N)$ time on a cache-oblivious architecture.

An interesting divide-and-conquer algorithm for polynomial multiplication [K063] does the FFT in $O(N \log N)$ time.

The quantum Fourier transform provides an exponential speedup over the classical FFT, with applications in quantum computing.

It is an open question of whether complex variables are really fundamental to fast algorithms for the FFT.

In recent years, wavelets have been proposed to replace Fourier transforms in filtering and image processing.

Related problems: Data compression (see page 693), high-precision arithmetic (see page 400).

%---- Page End Break Here ---- Page : 514
 \section{Combinatorial Problems}

We will now consider several algorithmic problems of a purely combinatorial nature. These problems are often the most difficult to solve, and they are the most interesting to study.

The rest of this section deals with combinatorial objects, such as permutations, partitions, and graphs.

I conclude with the problem of generating graphs. Graph algorithms are more fully presented in the next section.

Books on general combinatorial algorithms, in this restricted sense, include:

- Knuth - The standard reference on sorting and searching [Knu98]. New material on the generation of combinatorial objects.
 - Ruskey [Rus03] - He never officially completed it, but this manuscript is a standard reference on combinatorial algorithms.
 - Kreher and Stinson [KS99] - This book on combinatorial generation algorithms, with additional material on combinatorial design.
 - Pemmaraju and Skiena [PS03] - This description of Combinatorica, a library of over 400 combinatorial algorithms.
-)

\subsection{Sorting}

Input description: A set of n items.

Problem description: Arrange the items in increasing order.

Discussion: Sorting is the most fundamental algorithmic problem in computer science. Learning to sort is the first step in learning to program.

Sorting also illustrates most of the standard paradigms of algorithm design. Programmers should be able to sort data efficiently.

- How many keys will you be sorting? - For small amounts of data (say $n \leq 100$), it is easy to sort.
- But if you have more than one hundred items to sort, it becomes important to use an efficient sorting algorithm.

Once you get past (say) 100,000,000 items, it is important to start thinking about sorting. Here are some questions to ask:

- Will there be duplicate keys? - The sorted order is completely defined if all keys are distinct.
- Are there many keys? - If so, the sorted order matters. Ties are often broken by sorting on a secondary key, like the first item in the list.

%---- Page End Break Here ---- Page : 516

Ties sometimes get broken by their initial position in the data set. Suppose that you have a list of items, each with a key and a value. Here are some questions to ask:

- What do you know about your data? - Perhaps you can exploit special knowledge about the data.
- Has the data already been partially sorted? If so, certain algorithms like insertion sort might be faster.
- Do you know the distribution of the keys? If the keys are randomly or uniformly distributed, then a different algorithm might be better.
- Are your keys very long or hard to compare? When sorting long text strings, a different algorithm might be better.

Another idea might be to use radix sort. This always takes time linear in the number of items, but it can be very fast if the keys are not too long. Here are some questions to ask:

- Is the range of possible keys very small? If you want to sort a subset of all possible keys, then radix sort might be better.
- Should I worry about disk accesses? - In massive sorting problems, it is not enough to have a fast algorithm; you also need to be able to access the data efficiently.

describes a variety of intricate algorithms for efficiently merging data from multiple sources. The simplest approach to external sorting loads the data into a B-tree, and then sorts it.

%---- Page End Break Here ---- Page : 517

The best general-purpose internal sorting algorithm is quicksort (see Section 17.2). Here are some questions to ask:

- Use randomization - By randomly permuting (see Section 17.4 (page 517)) the elements, you can avoid the worst-case performance of quicksort.
- Median of three - For your pivot element, use the median of the first, last, and middle elements.
- Leave small subarrays for insertion sort - Terminating the quicksort recursion when the subarray is small enough can be faster.
- Do the smaller partition first - You can minimize run-time memory by processing the smaller partition first.

Before you get started, see Bentley's article on building a faster quicksort [Bent92].

Implementations: The best freely available sort program is presumably GNU sort [GNU98].

%---- Page End Break Here ---- Page : 518

Modern programming languages provide libraries so you should never need to implement a sorting algorithm yourself.

High-performance sorting systems distribute the work over many machines. MapReduce [Map03] is a good example.

Numerous websites provide animations of all the basic sorting algorithms, many of which are available in the public domain.

Notes: Knuth [Knu98] is the best book that will ever be written on sorting. It is a masterpiece.

Expositions on the basic internal sorting algorithms appear in every algorithms textbook.

The primary competitive forum for high-performance sorting is an annual competition [Comp03].

Sorting has a well-known $\Omega(n \lg n)$ lower bound under the algebraic decision tree model.

This lower-bound does not hold under different models of computation. Fredman [Fre86] shows that it is possible to sort in $O(n \lg \lg n)$ time using a different model.

Related problems: Dictionaries (see page 440), searching (see page 510, topological sort
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-520.jpg?height=583&width=583&crop=x=121,y=121,w=583,h=583)

%---- Page End Break Here ---- Page : 519
 \subsection{Searching}

Input description: A set of n keys SS , and a query key qq .

Problem description: Where is qq in SS ?

Discussion: "Searching" is a word that means different things to different people. Search

But here we consider the task of searching for a key in a list, array, or tree. Dictiona

I treat searching as a problem distinct from dictionaries because simpler and more effici

The two basic approaches we consider are sequential search and binary search. Both are s
 big win over the $n / 2$ comparisons we expect with sequential search. See Section 5.1 (

%---- Page End Break Here ---- Page : 520

A sequential search is the simplest algorithm, and likely to be fastest on up to about t

- How much time can you spend programming? - A binary search is a notoriously tricky alg
- Are certain items accessed more often than other ones? - Certain English words (such a

Knowledge of access frequencies is easy to exploit with sequential search. But the issue

- Might access frequencies change over time? - Reordering a list or tree to exploit a sk
- accesses to any given key are likely to occur in clusters. A hot key will be maintained

%---- Page End Break Here ---- Page : 521

Self-organization can extend the useful size range of sequential search, although you sh

- Is the key close by? - Suppose we know that the target key is to the right of position

Such a one-sided binary search finds the target at position $p+1$ using at most $2\lceil \log n \rceil$

- Is my data structure sitting on external memory? - Once the number of keys grows too l
- Can I guess where the key should be? - In interpolation search, we exploit our underst

Although an interpolation search is an appealing idea, I caution against it for three re

%---- Page End Break Here ---- Page : 522

Implementations: The basic sequential and binary search algorithms are simple enough tha

Many data structure textbooks provide extensive and illustrative implementations. Sedgew

Notes: The Handbook of Data Structures and Applications MS18 provides up-to-da

The next position probed in linear interpolation search on an array of sorted

\$\$

$\text{next} = (\text{low} - 1) + \left\lceil \frac{q - S[\text{low} - 1]}{S[\text{high}] - S[\text{low} - 1]} \right\rceil$

\$\$

where q is the query numerical key and S the sorted numerical array. If th

Non-uniform access patterns can be exploited in binary search trees by structur

The van Emde Boas layout of a binary tree (or sorted array) offers better exte

Grover's algorithm permits searching in an unsorted database in $O(\sqrt{n})$

Related problems: Dictionaries (see page 440), sorting (see page 506).

)

%---- Page End Break Here ---- Page : 523

\subsection{Median and Selection}

Input description: A set of n numbers or keys, and an integer k .

Problem description: Find the key greater than or equal to exactly k of the

Discussion: Median finding is an essential problem in statistics, where it pro

Median finding is a special case of the more general selection problem, which

- Filtering outlying elements - When dealing with noisy data, it is often a g
- Identifying the most promising candidates - A computer chess program might c
- Deciles and related divisions - A useful way to present income distribution
- Order statistics - Particularly interesting special cases of selection inclu

The mean of n numbers can be computed in linear time by summing the elements.

- How fast does it have to be? - The most elementary median-finding algorithm

%---- Page End Break Here ---- Page : 524

In particular, quick-select is an $O(n)$ expected-time algorithm based on quic

More complicated algorithms can find the median in worst-case linear time. How

- What if you only get to see each element once? - Selection and median findin
- One solution to such a problem is random sampling. Flip a coin for each value
- How fast can you find the mode? - Beyond mean and median lies a third notion
- the length of the longest run and hence compute the mode in a total of $O(n \log n)$
- The mode can also be found in expected linear time using hashing, but no such

%---- Page End Break Here ---- Page : 525

Implementations: The C++ Standard Template Library (STL) provides a general selection me

Notes: The linear expected-time algorithm for median and selection is due to Hoare Hoa61

Streaming algorithms have extensive applications to large data sets, and are well survey

A sport of considerable theoretical interest is determining exactly how many comparisons

Tight combinatorial bounds for selection problems are presented in Aigner Aig88. An opti

Related problems: Priority queues (see page 445), sorting (see page 506).

)

%---- Page End Break Here ---- Page : 526

\subsection{Generating Permutations}

Input description: An integer n .

Problem description: Generate (1) all, or (2) a random, or (3) the next permutation of 1

Discussion: A permutation describes an arrangement or ordering of items. Many algorithmi

There are $n!$ permutations of n items. This grows so quickly that you can't generate

Fundamental to any permutation-generation algorithm is the notion of order, the sequence

There are two different paradigms for constructing permutations: ranking/unranking and i
but ranking and unranking can be applied to solve a much wider class of problems. The ke

- $\text{Rank}(p)$ - What is the position of $p = \left\{ p_1, \dots, p_n \right\}$ right
\$

$\text{Rank}(p) = \left(p_1 - 1 \right) \cdot (n - 1)! + \text{Rank} \left(p_2 \dots p_n \right)$
\$

%---- Page End Break Here ---- Page : 527

We assume that any permutation p is an arrangement of distinct integers 1 through n .
\$

$\text{Rank}(\{2, 1, 3\}) = (2 - 1) \cdot 2! + \text{Rank}(\{1, 2\}) = 2 + (1 - 1) \cdot 1! = 2$
\$

- Unrank (m, n) - Which permutation is in position m of the $n!$ permutations of n

What the rank and unrank functions actually do does not matter so long as they are inver

- Sequencing permutations - To determine the next permutation that occurs in order after

- Generating random permutations - Selecting a random integer from 0 to $n! - 1$ and then

- Keep track of a set of permutations - Suppose we are generating random perm

%---- Page End Break Here ---- Page : 528

This rank/unrank method is best suited for small values of n , since $n!$ qu

Incremental change algorithms for sequencing permutations are elegant but tri

Throughout this discussion, we have assumed that the items we are permuting ar

Generating random permutations is an important little problem that people ofte

\$\$

\begin{aligned}

& \text { for } i=1 \text { to } n \text { do } a[i]=i \backslash \backslash

& \text { for } i=1 \text { to } n-1 \text { do } \operatorname{swap}[a[i], a

\end{aligned}

\$\$

That this algorithm generates all permutations uniformly at random is not obv

\$\$

\begin{aligned}

& \text { for } i=1 \text { to } n \text { do } a[i]=i \backslash \backslash

& \text { for } i=1 \text { to } n-1 \text { do } \operatorname{swap}[a[i], a

\end{aligned}

\$\$

Such subtleties demonstrate why you must be very careful with random generati

Implementations: The C++ Standard Template Library (STL) provides two function
of combinatorial objects, including permutations and cyclic permutations, are

%---- Page End Break Here ---- Page : 529

The Combinatorial Object Server (<http://combos.org/>) developed by Frank Ruskey

Nijenhuis and Wilf NW78 is a venerable but still valuable reference on generat

Combinatorica [PS03] provides Mathematica implementations of algorithms that c

Notes: The best recent reference on permutation generation is Knuth Knu11. See

Fast permutation generation methods make only a single swap between successiv

Markov chain generation methods construct random objects through random trans

In the days before ready access to computers, books with tables of random perm

Related problems: Random-number generation (see page 486, generating subsets (see page 530)
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-531.jpg?height=453&width=453&from_page=1)

%---- Page End Break Here ---- Page : 530
 Output

\subsection{Generating Subsets}

Input description: An integer n .

Problem description: Generate (1) all, or (2) a random, or (3) the next subset of the integers 1 through n .

Discussion: A subset describes a selection of objects, where the order among them does not matter.

There are 2^n distinct subsets of an n -element set, including the empty set as well as the full set.

By definition, the relative order among the elements does not distinguish different subsets.

As with permutations (see Section 17.4 (page 517), the key to subset generation problems is the ordering.

- Lexicographic order - This means sorted order, and is often the most natural way to generate subsets.
- Gray code - A particularly interesting subset sequence is minimum change order, where each successive subset differs by exactly one element.

%---- Page End Break Here ---- Page : 531

Generating subsets in Gray code order can be very fast, because there is a nice recursive algorithm. Since only one element changes between subsets, exhaustive search algorithms built on Gray code are efficient.

- Binary counting - The simplest approach to subset-generation problems is based on the binary representation of integers.

This binary representation is the key to solving all subset generation problems. To generate all subsets, you could try to generate a random integer from 0 to $2^n - 1$.

To generate a random subset, you could try to generate a random integer from 0 to $2^n - 1$.

Generation problems for two closely related problems arise often in practice:

- k -subsets - Instead of constructing all subsets, we may only be interested in the subsets of size k .

The best way to construct all k -subsets is in lexicographic order. The ranking function for k -subsets is whose smallest element is f . Using this, we can determine the smallest element in the next k -subset.

- Strings - Generating all subsets is equivalent to generating all 2^n strings of 0 's and 1 's.

%---- Page End Break Here ---- Page : 532

Implementations: `Combinatorica` routines for generating an astonishing variety of combinatorial objects.

The Combinatorial Object Server (<http://combos.org/>) developed by Frank Ruskey of the University of Victoria.

Nijenhuis and Wilf NW78 is an excellent reference on generating combinatorial objects. The book is available online.

Combinatorica PS03 provides Mathematica implementations of algorithms to construct random subsets.

Notes: The best reference on subset generation is Knuth Knu11. Good exposition

Gray codes were first developed Gra53 to transmit digital information in a rol

The popular puzzle Spinout $\{ \}^{\circledast}$, manufactured by ThinkFun (former

Related problems: Generating permutations (see page 517), generating partition

)

%---- Page End Break Here ---- Page : 533

\subsection{Generating Partitions}

Input description: An integer n .

Problem description: Generate (1) all, or (2) a random, or (3) the next integer

Discussion: Two different types of combinatorial objects are denoted by the w

- Integer partitions are multisets of non-zero integers that add up exactly to

- Set partitions divide the elements $\{1, \dots, n\}$ into non-empty subsets

Although the number of integer partitions grows exponentially with n , they c

)

%---- Page End Break Here ---- Page : 534

Figure 17.1: The Ferrers diagram of a random partition of $n=1,000$.

The easiest way to generate integer partitions constructs them in lexicographi

This algorithm is sufficiently intricate to program that you should use one o

Generating integer partitions uniformly at random is a trickier business than

\$\$

$P_{\{n, k\}} = P_{\{n-k, k\}} + P_{\{n, k-1\}}$

\$\$

because any such partition either contains a part of size k or it doesn't.

Random partitions tend to have large numbers of fairly small parts, best visu

%---- Page End Break Here ---- Page : 535

One application arises in evaluating the publication record of academic resear

Set partitions can be generated using techniques akin to integer partitions. I

Since there is a one-to-one equivalence between set partitions and restricted

We can use a similar counting strategy to generate random set partitions as we did with

$$\begin{array}{l}
 \\
 \\
 \left\{ \begin{array}{l} n \\ k \end{array} \right\} = \left\{ \begin{array}{l} n-1 \\ k-1 \end{array} \right\} + k \left\{ \begin{array}{l} n-1 \\ k \end{array} \right\} \\
 \\
 \\
 \end{array}$$

with the boundary conditions $\left\{ \begin{array}{l} n \\ n \end{array} \right\} = 1$

Implementations: $\mathrm{C}++$ routines for generating an astonishing variety of combinations

The Combinatorial Object Server (<http://combos.org/>) developed by Frank Ruskey of the Un

Nijenhuis and Wilf NW78 remains a valuable resource on generating combinatorial objects

Combinatorica PS03 provides Mathematica implementations of algorithms to construct random and Young tableaux, as well as to count and manipulate these objects. See Section 22.1.8. Notes: The best reference on algorithms for generating both integer and set partitions

%---- Page End Break Here ---- Page : 536

Integer and set partitions are both special cases of multiset partitions, or set partitions.

The (long) history of combinatorial object generation is detailed by Knuth Knu11. Partitions are the most basic combinatorial objects.

The 2015 film *The Man Who Knew Infinity*, about the life of the great Indian mathematician Srinivasa Ramanujan, is available on YouTube.

Two related combinatorial objects are Young tableaux and integer compositions, although they are not partitions.

Young tableaux are two-dimensional configurations of integers $\{1, \dots, n\}$ where the numbers in each row and column are increasing.

Compositions represent the possible assignments of n indistinguishable balls to k distinguishable boxes.

Related problems: Generating permutations (see page 517), generating subsets (see page 518).

![] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-538.jpg?height=590&from_page=1)

```
%---- Page End Break Here ---- Page : 537
\subsection{Generating Graphs}
```

Input description: Parameters describing the desired graph, including the number of nodes and edges.

Problem description: Generate (1) all, or (2) a random, or (3) the next graph in a sequence.

Discussion: Graph generation typically arises when constructing test data for algorithms.

Many factors complicate the problem of generating graphs. First, make sure you understand the requirements.

- Do I want labeled or unlabeled graphs? - The issue here is whether the names of the nodes are important.
- Do I want directed or undirected graphs? - Most natural generation algorithms produce undirected graphs.

%---- Page End Break Here ---- Page : 538

You also must define what you mean by random. There are three primary models of random graphs.

- Random edge generation - The Erds-Rényi model is parameterized by a given number of nodes and edges.
- Random edge selection - The second model is parameterized by the desired number of edges.
- Preferential attachment - Under a rich-get-richer model, newly created edges are more likely to connect to nodes with a high degree.

Which of these options best models your application? Probably none of them. By now you should be able to generate graphs that reflect the structure of your application.

An alternative to random graphs is "organic" graphs-graphs that reflect the structure of real-world networks.

Two classes of graphs have particularly interesting generation algorithms:

\footnotetext{

#{ }~{1}\$ Please link to us from your homepage to correct this travesty.
}

- Trees - Prüfer codes provide a simple way to rank and unrank labeled trees and to generate random trees. The key to Prüfer's bijection is the observation that every tree has at least one leaf node. Algorithms for efficiently generating unlabeled rooted trees are discussed in [1].
- Fixed degree sequence graphs - The degree sequence of a graph G is an integer sequence $d_1, d_2, \dots, d_n$ where d_i is the degree of node i . Not all partitions correspond to degree sequences of graphs. However, there is a simple test for this.

%---- Page End Break Here ---- Page : 539

Although this construction is deterministic, a semi-random collection of graphs can be generated.

Implementations: The Stanford GraphBase [Knu94] is perhaps most useful as an in-memory library.

Resources for real-world networks include the Network Data Repository (<http://www.caida.org>).

%---- Page End Break Here ---- Page : 540

Combinatorica [PS03] provides Mathematica generators for such graphs as stars, wheels, and complete graphs.

The Combinatorial Object Server (<http://combos.org/>) developed by Frank Ruskey provides a web interface to many of these generators.

The graph isomorphism testing program Nauty (see Section 19.9 (page 610p) includes a suite of routines for testing graph isomorphism.

Nijenhuis and Wilf NW78 provide efficient Fortran routines to enumerate all labeled trees.

Notes: Extensive literature exists on generating graphs uniformly at random. Surveys include [1] and [2].

Knuth Kn11 is the best recent reference on generating trees. The bijection between n -trees and n -ary trees is discussed.

Random graph theory is concerned with the properties of random graphs. Threshold laws in random graphs are discussed in [3].

The preferential attachment model of graphical evolution has emerged relatively recently [4].

An integer partition is graphic if there exists a simple graph with that degree sequence.

\$\$

$$\sum_{i=1}^r d_i \leq r(r-1) + \sum_{i=r+1}^n \min(r, d_i)$$

\$\$

Related problems: Generating permutations (see page 517), graph isomorphism (see page 610).

`\begin{tabular}{c|l}`

December 21, 2012? & `\begin{tabular}{l}`

5773 Teveth 8 (Hebrew) `\`

%---- Page End Break Here ---- Page : 541

(Gregorian) `\`

1434 Safar 7 (Islamic) `\`

1934 Agrahayana 30 (Indian Civil) `\`

13.0.0.0 (Mayan Long Count)

`\end{tabular}` `\`

`\hline` Input & Output

`\end{tabular}`

`\subsection{Calendrical Calculations}`

Input description: A particular calendar date d : month, day, and year.

Problem description: Which day of the week did d fall on according to the given calendar?

Discussion: Business applications often need to perform calendrical calculations. Perhaps the most common is to determine the day of the week for a given date.

More complicated questions arise in international applications, because different nations use different calendars.

Calendrical calculations differ from other problems in this book because calendars are human inventions.

The basic approach underlying calendar systems is to start from a particular reference date.

That the solar year is not an integer number of days long is the major source of complications.

four years leaves an extra 10 minutes and 48 seconds unaccounted for every year.

%---- Page End Break Here ---- Page : 542

The original Julian calendar (from Julius Caesar) ignored these extra minutes.

The rules for most calendrical systems are sufficiently complicated and point.

There are a variety of "impress your friends" algorithms that enable you to co

Implementations: Readily available calendar libraries exist in both C++ and Ja

Dershowitz and Reingold provide a uniform algorithmic presentation RD18 for a

C and Java implementations of international calendars of unknown reliability a

Notes: A comprehensive discussion of calendrical computation algorithms appear

Related problems: Arbitrary-precision arithmetic (see page 493), generating p

)

%---- Page End Break Here ---- Page : 543

\subsection{Job Scheduling}

Input description: A directed acyclic graph $G=(V, E)$, with vertices represen

Problem description: Which schedule of tasks completes the job using the minim

Discussion: Devising the best schedule to satisfy a set of constraints is fun

Scheduling problems differ widely in the nature of the constraints that must b

- Topological sort constructs a schedule consistent with precedence constraints
- Bipartite matching assigns jobs to workers with appropriate skills for them
- Vertex/edge coloring assigns jobs to time slots such that no two interfering
- Traveling salesman identifies the most efficient delivery route to visit a g
- Eulerian cycle defines the most efficient route for a snowplow or mailman to

%---- Page End Break Here ---- Page : 544

Here the focus is on precedence-constrained scheduling problems for directed a

Several problems on these task networks are of interest:

- Critical path - The longest path from the start vertex to the completion ver
- Minimum completion time - What is the fastest we can get this job completed

The minimum completion time for a DAG can be computed in $O(n+m)$ time, becaus

- What is the tradeoff between number of workers and completion time? What we really are

Real scheduling applications often present constraints that may be difficult or impossible

Another fundamental scheduling problem takes a set of jobs without precedence constraints as bin packing (see Section 20.9 (page 652)). Each job is associated with the time it will

%---- Page End Break Here ---- Page : 545

More sophisticated variations of job-shop scheduling provide each task with allowable start

Implementations: JOBSHOP is a collection of C programs for job-shop scheduling created for

UniTime ([https://www. unitime. org/](https://www.unitime.org/)) is a comprehensive educational scheduling system that

LEKIN is a flexible job-shop scheduling system designed for educational use Pin16. It supports

For commercial scheduling applications, ILOG CP has been reflective of the state-of-the-art

Notes: The literature on scheduling algorithms is vast. Brucker Bru07 and Pinedo Pin16 provide

A well-defined taxonomy covers thousands of job-shop scheduling variants, which classify

Gantt charts provide visual representations of job-shop scheduling solutions, where the

Timetabling is a term often used in discussion of classroom and related scheduling problems

Related problems: Topological sorting (see page 546), matching (see page 562), vertex coloring

%---- Page End Break Here ---- Page : 546

\subsection{Satisfiability}

Input description: A set of clauses in conjunctive normal form.

Problem description: Is there a truth assignment to the Boolean variables such that every

Discussion: Satisfiability (SAT) arises whenever we seek a configuration or object that

Satisfiability is the original NP-complete problem. Despite its applications to constraint

Issues in satisfiability testing include:

- Is your formula the "AND of ORs" or the "OR of ANDs"? - In satisfiability, the constraints are literals (terms of the form v_i or $\overline{v_i}$), the latter denoting "not v_i ".
\$\$

$\left(v_1 \text{ or } \overline{v_2}\right) \text{ and } \left(v_2 \text{ or } v_3\right)$

\$\$

%---- Page End Break Here ---- Page : 547

With DNF formulas, it suffices to satisfy any single clause, because they will be satisfied if $(\overline{v_1} \text{ and } \overline{v_2} \text{ and } v_3)$ or $(\overline{v_1} \text{ and } v_2 \text{ and } \overline{v_3})$ or $(v_1 \text{ and } \overline{v_2} \text{ and } v_3)$ or $(v_1 \text{ and } v_2 \text{ and } \overline{v_3})$. Solving DNF-satisfiability is trivial, because every DNF formula can be satisfied. - How big are your clauses? - k -SAT is a special case of satisfiability, where each clause has at most k literals. - Does it suffice to satisfy most of the clauses? - If you are determined to solve SAT, we might benefit by relaxing the problem so that the goal becomes satisfiability.

When faced with a problem of unknown complexity, proving it NP-complete can be done by reducing it to a known NP-complete problem. First principles, using the basic problems of 3-SAT, vertex cover, independent set, etc.

%---- Page End Break Here ---- Page : 548

Implementations: Recent years have seen tremendous progress in the performance of SAT solvers.

SAT Live! (<http://www.satlive.org/>) is the most up-to-date source for papers, news, and software.

Notes: The most comprehensive overview of satisfiability testing in practice is by J. J. Leventis and J. J. Leventis.

The first part of the second part of Knuth's Volume 4 is on satisfiability algorithms.

An algorithm for solving 3-SAT in worst-case $O(1.4802^n)$ appears in [1].

The primary reference on NP-completeness is GJ79, featuring a list of roughly 200 NP-complete problems.

A linear-time algorithm for 2-SAT appears in [2]. See WW95 for more on 2-SAT.

Related problems: Constrained optimization (see page 478), traveling salesman problem, etc.

%---- Page End Break Here ---- Page : 549

\section{Graph Problems: Polynomial Time}

Algorithmic graph problems constitute roughly one third of the material in this section.

In this section, we will deal with problems that have efficient algorithms to solve them.

Graphs are often best understood as drawings. Many interesting graph properties can be seen from a drawing.

Many advanced graph algorithms are difficult to program, but good implementations exist.

See Atallah [3], Thulasiraman [4], and van Leeuwen [5] for more on graph algorithms.

- Sedgewick SW11 - The graph algorithms volume of this algorithms text provides a comprehensive treatment of graph algorithms.
 - Ahuja, Magnanti, and Orlin \cite{ahuja1993networkflows} - While purporting to be a book on network flows, this book covers a wide range of graph algorithms.
 - Even Eve11 - A respected advanced text on graph algorithms, with a particularly thorough treatment of connectivity.
-)

\subsection{Connected Components}

Input description: A directed or undirected graph G .

Problem description: Identify the different pieces or components of G , where vertices

Discussion: The connected components of a graph represent in a gross sense the separate

Finding connected components is at the heart of many important graph applications. For e

Testing whether a graph is connected is an essential preprocessing step for every graph

Testing the connectivity of any undirected graph is a job for either depthfirst or bread

Other notions of connectivity also arise in practice:

- What if my graph is directed? - There are two distinct notions of connected components. Weakly and strongly connected components define unique partitions of the vertices. The o
- Testing whether a directed graph is weakly connected can be done easily in linear time.

%---- Page End Break Here ---- Page : 551

All the strongly connected components of G can be extracted in linear time using more

1. Perform a DFS, starting from an arbitrary vertex in G , and labeling each vertex in
2. Reverse the direction of each edge in G , yielding $G^{\prime}$.
3. Perform a DFS of $G^{\prime}$, starting from the highest numbered vertex in G . If t
4. Each DFS tree created in Step 3 defines a strongly connected component.

My implementation of this two-pass algorithm appears in Section 7.10.2 (page 232). In ei

- What is the weakest point in my graph/network? - A chain is only as strong as its weak
- chain to become disconnected. The connectivity of graphs measures the strength of a grap
- Algorithmic connectivity problems are discussed in Section 18.8 (page 568. In particular
- Is the graph a tree? How can I find a cycle if one exists? - The problem of cycle iden

%---- Page End Break Here ---- Page : 552

For undirected graphs, the analogous problem is tree identification. A tree is, by defin

Depth-first search can be used to find cycles in both directed and undirected graphs. Wh

Implementations: The graph data structure implementations of Section 15.4 (page 452 all

With respect to Java, JUNG (<http://jung.sourceforge.net/>) also provides biconnected comp

My (biased) preference for C language implementations of all basic graph conn

%---- Page End Break Here ---- Page : 553

Notes: Depth-first search was first used to find paths out of mazes, and dates

Hopcroft and Tarjan HT73b Tar72 established depth-first search as a fundamenta

The first linear-time algorithm for strongly connected components is due to Ta

DFS is hard to parallelize. Parallel algorithms for connected components on Ma

Random graphs exhibit interesting connectivity properties, such that once the

Related problems: Edge-vertex connectivity (see page 568), shortest path (see

! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-555.jpg?1)

%---- Page End Break Here ---- Page : 554

\subsection{Topological Sorting}

Input description: A directed acyclic graph $G=(V, E)$, also known as a parti

Problem description: Find a linear ordering of the vertices of V such that

Discussion: Topological sort arises as a subproblem in most algorithms on dire

Topological sort can be used to schedule jobs under precedence constraints. Su

Three important facts about topological sorting are:

1. Only DAGs can be topologically sorted, because any directed cycle provides
2. Every DAG can be topologically sorted, so there always is at least one sche
3. DAGs can usually be topologically sorted in many different ways, especially

The conceptually simplest linear-time algorithm for topological sorting perfor
in any DAG. Source vertices can appear at the front of any schedule without v

%---- Page End Break Here ---- Page : 555

An alternate algorithm makes use of the observation that ordering the vertices

Two special considerations with respect to topological sorting are:

- What if I need all the linear extensions, instead of just one of them? Some
- Algorithms for listing all linear extensions in a DAG are based on backtracking
Algorithms to construct random linear extensions start from an arbitrary line

- What if your graph is not acyclic? - When a set of constraints contains inherent contradiction. Because the DFS-based topological sorting algorithm gets stuck as soon as it identifies a cycle.

Implementations: Essentially all the graph data structure implementations of Section 15.1.1. For C++, see Boost (http://boost.org/doc) and LEDA (see Section 22.1.1 (page 713) for C++. For Java, check out JGraphT (https://jgraph.org/).

%---- Page End Break Here ---- Page : 556

The Combinatorial Object Server (<http://combos.org/>) provides C language programs to generate random DAGs.

My (biased) preference for C language implementations of all basic graph algorithms, including topological sorting.

Notes: Good expositions on topological sorting include CLRS09 Man89. No provably I/O-efficient algorithms are known.

Pruesse and Ruskey PR86 give an algorithm that generates linear extensions of a DAG in constant amortized time.

Huber Hub06 gives an algorithm to sample linear extensions uniformly at random from an acyclic digraph.

Related problems: Sorting (see page 506), feedback edge/vertex set (see page 618).

)

%---- Page End Break Here ---- Page : 557

\subsection{Minimum Spanning Tree}

Input description: A graph $G=(V, E)$ with weighted edges.

Problem description: Find a subset of edges $E' \subseteq E$ that define a tree of G with minimum total weight.

Discussion: The minimum spanning tree (MST) of a graph defines the cheapest subset of edges that connects all vertices.

Minimum spanning trees prove important for several reasons:

- They can be computed quickly and easily, and create a sparse subgraph that reflects a good clustering of the points.
 - They provide a way to identify clusters in sets of points. Deleting all long edges from a MST gives a good approximation of the clusters.
 - They can be used to give approximate solutions to hard problems such as Steiner tree and Traveling Salesman.
 - As an educational tool, MST algorithms provide graphic evidence that greedy algorithms can be efficient.
- Three classical algorithms efficiently construct minimum spanning trees. Detailed implementations are given in the book.
- Kruskal's algorithm - Every vertex starts as a separate tree. These trees are merged together until a single tree remains.

%---- Page End Break Here ---- Page : 558

Kruskal G

Sort the edges in order of increasing weight

count $= 0$

while (count $< n-1$) do

 get next edge (v, w)

 if (component $(v) \neq$ component (w)) add to T

 component $(v) =$ component (w)

count++

The "component (x) ?" test can be efficiently implemented using the unionfind structure.

- Prim's algorithm - Starts from an arbitrary vertex v to "grow" a tree, repeatedly adding the minimum-weight edge that connects a vertex in the tree to a vertex not in the tree.

Select an arbitrary vertex to start
While (there are fringe vertices)
select minimum-weight edge between tree and fringe add the selected edge and v

This creates a spanning tree for any connected graph, since no cycle can be introduced.

- Boruvka's algorithm - This rests on the observation that the lowest-weight edge incident to each vertex can be added to the forest without creating a cycle.

%---- Page End Break Here ---- Page : 559

Boruvka (G)

Initialize spanning forest F to n single-vertex trees

While (F has more than one tree)

for each T in F , find the smallest edge from T to $G-T$ add all selected edges

The number of trees are at least halved in each round, so we get the MST after $\log n$ rounds.

MST is only one of several spanning tree problems that arise in practice. The following are some common variations:

- Are all edges of your graph of identical weight? - Every spanning tree on G is a minimum spanning tree.
- Should I use Prim's or Kruskal's algorithm? - As implemented in Section 8.1, both algorithms run in $O(E \log V)$ time.
- What if my input consists of points in the plane, instead of a graph? Geometric MST.
- How can I find a spanning tree that avoids vertices of high degree? Another variation.

Implementations: All the graph data structure implementations of Section 15.4 can be used to implement these algorithms.

%---- Page End Break Here ---- Page : 560

Timing experiments on minimum spanning tree algorithms produce contradicting results.

Combinatorica PS03 provides Mathematica implementations of Kruskal's MST algorithm and Prim's algorithm.

My (biased) preference for C language implementations of all basic graph algorithms.

Notes: The minimum spanning tree problem dates back to Boruvka's algorithm in 1926.

The fastest implementations of Prim's and Kruskal's algorithms use Fibonacci heaps.

A simple combination of Boruvka's algorithm with Prim's algorithm yields an $O(E \log V)$ algorithm.

The best theoretical bounds on finding minimum spanning trees tell a complicated story.

A spanner $S(G)$ of a given graph G is a subgraph that offers an effective approximation to G .

%---- Page End Break Here ---- Page : 561

The $O(n \log n)$ algorithm for Euclidean MSTs is due to Shamos, and discussed in comput

Fürer and Raghavachari FR94 give an algorithm that constructs a spanning tree whose maxi

Minimum spanning tree algorithms have an interpretation in terms of matroids, which are

Dynamic graph algorithms seek to maintain a graph invariant (such as the MST) efficientl

Algorithms for generating spanning trees in order from minimum to maximum weight are pre

Related problems: Steiner tree (see page 614), traveling salesman (see page 594).

)

%---- Page End Break Here ---- Page : 562

\subsection{Shortest Path}

Input description: An edge-weighted graph G , with vertices s and t .

Problem description: Find the shortest path from s to t in G .

Discussion: The problem of finding shortest paths in a graph has many applications, some

- Shortest paths often arise in transportation or communications problems, such as findi
- Segmentation is the task of partitioning a digitized image into regions containing dis
- Recall the dialing for documents war story of Section 8.4 (page 264, where we sought t
- In an informative drawing of a graph, the "center" of the graph should appear near the

%---- Page End Break Here ---- Page : 563

The primary algorithm for finding shortest paths is Dijkstra's algorithm, which efficien

δ

$\text{dist}(x, v) = \min_{u \in S} (\text{dist}(x, u) + \text{weight}(u, v))$

δ

This edge (u, v) gets added to a shortest path tree, whose root is x and describes a

An $O(n^2)$ implementation of Dijkstra's algorithm appears in Section 8.3.1

Dijkstra's algorithm is the right choice to compute single-source shortest path on posit

- Is your graph weighted or unweighted? - If your graph is unweighted, a simple breadth-
- Does your graph have negative cost weights? - Dijkstra's algorithm assumes that all ed
- Note that adding a fixed amount of weight to make each edge positive does not solve the
- Is your input a set of geometric obstacles, instead of a graph? - Many applications se
- algorithm. Vertices correspond to the boundary vertices of the obstacles, with edges def
- There are more efficient geometric algorithms that compute the shortest path directly fr
- Is your graph acyclic - that is, a DAG? - Shortest paths in directed acyclic graphs ca

$$\text{dist}(s, j) = \min_{(i, j) \in E} (\text{dist}(s, i) + \text{weight}(i, j))$$

since we already know the shortest path $\text{dist}(s, i)$ for all $v_i \in V$.
 - Do you need the shortest path between all pairs of points? - The naive approach is to compute $\text{dist}(s, i)$ for all $s \in V$.

$$D^0 = M$$

----- Page End Break Here ----- Page : 564

$$D^k_{ij} = \min_k \left(D^k_{ij}, D^k_{ik} + D^k_{kj} \right)$$

The key to understanding Floyd's algorithm is that D^k_{ij} denotes "the shortest path from i to j using only vertices $v_1, \dots, v_k$ as intermediate vertices".
 - How do I find the shortest cycle in a graph? - One application of allpairs shortest paths is to find the shortest cycle in a graph.

This might be what you want. But the shortest cycle through x is likely to go through x again.
 The problem of finding the longest cycle in a graph includes Hamiltonian cycle.

----- Page End Break Here ----- Page : 565

The all-pairs shortest path matrix can be used to compute several useful invariants.

Implementations: The highest performance shortest path codes are due to Andrew Goldberg.

All the C++ and Java graph libraries discussed in Section 15.4 (page 452) include shortest path algorithms.

Shortest-path algorithms was the subject of the 9th DIMACS Implementation Challenge.

Notes: Good expositions on Dijkstra's algorithm [Dij59], the Bellman-Ford algorithm [BF62], and Floyd-Warshall's algorithm [FW62].

The fastest algorithm known for single-source shortest-path is Dijkstra's algorithm.

----- Page End Break Here ----- Page : 566

Online services like Google Maps quickly find at least an approximate shortest path.

The A^* -algorithm performs a best-first search for the shortest path coupling.

Many applications demand multiple short alternative paths, in addition to the shortest path.

Fast algorithms for computing the girth are known for both general [IR78] and bipartite graphs.

Related problems: Network flow (see page 571), motion planning (see page 667).

)

%---- Page End Break Here ---- Page : 567

\subsection{Transitive Closure and Reduction}

Input description: A directed graph $G=(V, E)$.

Problem description: For transitive closure, construct a graph $G^{\prime}$ with edge (u, v) if and only if (u, v) is in the transitive closure of G .

Discussion: Transitive closure can be thought of as establishing a data structure to efficiently answer queries of the form "is there a path from u to v ?"

Transitive closure arises in propagating the consequences of modified attributes of a graph.

There are three basic algorithms for computing transitive closure:

- The simple algorithm performs a breadth-first or depth-first search from each vertex,
- Warshall's algorithm constructs the transitive closure in $O(n^3)$ time, resulting paths, we can reduce storage by retaining only one bit per matrix element. Thus, the space complexity is $O(n^2)$.
- Matrix multiplication can also be used to solve transitive closure. Let M^i be the i -th power of the adjacency matrix. Then M^i has a non-zero entry at (u, v) if and only if there is a path of length i from u to v . This will be faster for large enough n if using Strassen's fast matrix multiplication.

%---- Page End Break Here ---- Page : 568

The running time for all three of these methods can be substantially improved on many graphs.

Transitive reduction (also known as minimum equivalent digraph) is the inverse operation of transitive closure.

Although the transitive closure of G is uniquely defined, a graph may have many different transitive reductions.

- A quick-and-dirty, linear-time transitive reduction algorithm identifies the strongly connected components of G . Within each strongly connected component, we can reduce the graph to a single vertex. One catch with this heuristic is that it might add edges to the transitive reduction of G .
- If we are restricted to only using edges from G in our transitive reduction, we must see why, consider a directed graph consisting of one strongly connected component, where every vertex has a self-loop. A heuristic for edge-preserving transitive reduction successively considers each edge, (u, v) , and removes it if there is already a path from u to v .
- The minimum size reduction using arbitrary pairs of vertices as edges can be found in $O(n^3)$ time.

%---- Page End Break Here ---- Page : 569

Implementations: The Boost Graph Library SLL02 (<http://www.boost.org/libs/graph>) implements transitive closure and reduction.

Combinatorica PS03 provides Mathematica implementations of transitive closure and reduction.

Notes: Van Leeuwen VL90a provides an excellent survey on transitive closure and reduction.

There is a surprising amount of more recent activity on transitive closure, much of it concerning applications.

The equivalence between transitive closure and reduction was established in \

Estimating the size of the transitive closure is important in database query c

Related problems: Connected components (see page 542), shortest path (see page
! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-571.jpg?1)

%---- Page End Break Here ---- Page : 570
\subsection{Matching}

Input description: A (weighted) graph $G=(V, E)$.
Problem description: Find the largest set of edges $E^{\{\prime\}}$ from E such

Discussion: Suppose you manage a team of workers, each capable of performing a

Matching is a very powerful piece of algorithmic magic, so powerful that it is

Marrying off a set of boys to a set of girls such that each couple is happy is

This basic matching framework can be enhanced in several ways, while remaining
- Is your graph bipartite? - Many matching problems involve bipartite graphs,
marriages represent a matching on a more general, non-bipartite graph. Efficient
- What if employees can be given multiple jobs? - Natural generalizations of m
- Is your graph weighted or unweighted? - The matching applications discussed
But other applications augment each edge with a weight, perhaps reflecting the

%---- Page End Break Here ---- Page : 571
Efficient algorithms for constructing matchings work by finding augmenting pat

General graphs prove trickier to match than bipartite ones, because it is poss

The standard algorithms for bipartite matching are based on network flow, usin


Be warned that different approaches are needed to solve weighted matching prob

Implementations: High-performance codes for both weighted and unweighted bipar

%---- Page End Break Here ---- Page : 572
The First DIMACS Implementation Challenge JM93 focused on network flows and m

LEDA (see Section 22.1.1 (page 713) provides efficient implementations in C++

The Stanford GraphBase (see Section 22.1.7 (page 715) contains an implementat

Notes: Lovász and Plummer LP09 is the definitive reference on matching theory and algorithms. Edmond's algorithm Edm65 for maximum-cardinality matching is of great historical interest. Consider a matching of boys to girls containing edges $\left(B_{\{1\}}, G_{\{1\}}\right)$ and $\left(B_{\{2\}}, G_{\{2\}}\right)$. Online matching problems arise when edge selection must take place without full information. The maximum matching is equal in size to the minimum vertex cover in bipartite graphs. Theorem 9.2.1. Related problems: Network flow (see page 571). vertex cover (see page 591).  (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-574.jpg?height=597&from_page=1)

%---- Page End Break Here ---- Page : 573
 \subsection{Eulerian Cycle/Chinese Postman}

Input description: A graph $G=(V, E)$.
 Problem description: Find the shortest tour visiting every edge of G .
 Discussion: Suppose you are charged with designing the daily routes for garbage trucks, mail delivery, or snowplow routes. Alternatively, consider a human-factors validation of telephone menu systems. Each "press" of a button corresponds to a vertex, and the edges are the possible transitions between buttons. Both tasks are variants of the Eulerian cycle problem, best characterized by the puzzle "Can you visit every street in Königsberg exactly once?"

Well-known conditions exist for determining whether a graph contains an Eulerian cycle:
 - An undirected graph contains an Eulerian cycle iff it is connected, and each vertex has even degree.
 - A directed graph contains an Eulerian cycle iff it is strongly connected, and each vertex has equal in-degree and out-degree.

For Eulerian paths, which cover all edges but do not return to the starting vertex, the graph contains an Eulerian path iff all but two vertices are of even degree. These will serve as the start and end of the path.

%---- Page End Break Here ---- Page : 574
 These characterizations of Eulerian graphs make it is easy to test whether such a path/cycle exists. An Eulerian cycle, if one exists, solves the motivating snowplow problem, since any tour that visits every street exactly once is an Eulerian cycle. The optimal postman tour can be constructed by adding the appropriate edges to the graph to make it Eulerian. Finding the best set of shortest paths to add to G reduces to identifying a minimum-weight set of edges that makes G Eulerian. Implementations: Several graph libraries provide implementations of Eulerian cycles, but the most comprehensive is GOBLIN (<http://goblin2.sourceforge.net/>) is an extensive C++ library dealing with all of the

cycles, matching, and shortest path in both bipartite and general graphs. Com

%---- Page End Break Here ---- Page : 575

Notes: The history of graph theory began in 1736, when Euler first solved the

Corberán and Laporte CL13 and Toth and Vigo TV14 are recent books on vehicle a

The Euler's tour technique is an important paradigm in parallel graph algorit

The problem of finding the shortest tour traversing all edges in a graph was

A de Bruijn sequence SS of span k on an alphabet Σ of size α

De Bruijn sequences can be constructed by building a directed graph whose ver

A cute algorithm for optimizing embroidery patterns based on Eulerian cycles

Related problems: Matching (see page 562, Hamiltonian cycle (see page 598.

![] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-577.jpg?1

%---- Page End Break Here ---- Page : 576

\subsection{Edge and Vertex Connectivity}

Input description: A graph G . Optionally, a pair of vertices s and t .

Problem description: What is the smallest subset of vertices (or edges) whose

Discussion: Graph connectivity arises in problems related to network reliabil

The edge (vertex) connectivity of a graph G is the smallest number of edge

Several connectivity problems prove to be of interest:

- Is the graph already disconnected? - The simplest connectivity problem is t
- Is there a weak link in my graph? - We say that G is biconnected if there

The simplest algorithm to identify articulation vertices (or bridges) tries d

- What if I want to split the graph into equal-sized pieces? - Often we seek a

This is the graph partition problem, discussed in Section 19.6 (page 601). Al

- Are arbitrary cuts OK, or must I separate a given pair of vertices? There a

%---- Page End Break Here ---- Page : 577

Edge and vertex connectivity can both be found using network-flow techniques,

Vertex connectivity is characterized by Menger's theorem, which states that a

To exploit Menger's theorem, we construct a graph $G^{\prime}$ such that any set of edges

Implementations: MINCUTLIB is a collection of high-performance codes for several different experimental study of these algorithms and the heuristics needed to make them run fast [1]

%---- Page End Break Here ---- Page : 578

Most of the graph data structure libraries of Section 18.1 (page 542) include routines

GOBLIN (<http://goblin2.sourceforge.net/>) is an extensive C++ library dealing with all of

Notes: Good expositions on the network-flow approach to edge and vertex connectivity include

The theoretically fastest algorithms for minimum-cut/edge connectivity are based on graph

The fastest version of Karger's algorithm runs in $\left(m \lg^3 n\right)$ expected time

Minimum-cut methods have found many applications in computer vision, including image segmentation

A non-flow-based algorithm for edge k -connectivity in $O(k^2 n^2)$ is due to

Related problems: Connected components (see page 542), network flow (see page 571, graph theory) [1] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-580.jpg?height=586&w)

%---- Page End Break Here ---- Page : 579

\subsection{Network Flow}

Input description: A directed graph G , where each edge $e=(i, j)$ has a capacity c_e

Problem description: What is the maximum flow you can route from s to t while respecting

Discussion: Applications of network flow go far beyond plumbing. Finding the most cost-effective

But the real power of network flow is that many linear programming problems arising in practice

The key to exploiting this power is recognizing that your problem can be modeled as network

- Maximum flow - Here we seek the heaviest possible flow from s to t , given the edge capacities

$0 \leq x_{ij} \leq c_{ij}$ \text{ for } 1 \leq i, j \leq n

Furthermore, an equal flow comes in as goes out at each non-source or non-sink vertex, so

$\sum_{j=1}^n x_{ji} - \sum_{j=1}^n x_{ij} = 0$ \text{ for all } 1 \leq i \leq n

\$\$

%---- Page End Break Here ---- Page : 580

We seek the assignment that maximizes the flow into sink t , namely $\sum_{i=1}^n$

- Minimum cost flow - Here we have an extra parameter for each edge (i, j) ,

\$\$

$\sum_{i=1}^n \sum_{j=1}^n d_{ij} \cdot x_{ij}$

\$\$

subject to the edge and vertex capacity constraints of maximum flow, plus the

Special considerations include:

- What if I have multiple sources and/or sinks? - No problem. We can modify the
 - What if all arc capacities are identical, either 0 or 1? - Faster algorithms
 - What if all my edge costs are identical? - Use the simpler and faster algo
 - What if I have multiple types of material moving through the network? Every
- Linear programming will suffice for multicommodity flow if fractional flows are

Network flow algorithms can be complicated, and significant engineering is re

- Augmenting path methods - These algorithms repeatedly find a path of posit
- Preflow-push methods - These algorithms push flows from one vertex to anothe

%---- Page End Break Here ---- Page : 581

Implementations: High-performance codes for both maximum flow and minimum cost

The C++ Boost Graph Library [SLL02] (<http://www.boost.org/libs/graph>) and Jav

The First DIMACS Implementation Challenge on Network Flows and Matching JM93

Notes: Excellent books on network flows and its applications include AM093 Wi

Conventional wisdom has long held that network flow should be computable in P

Information flows through a network can be modeled as multicommodity flows, w

Related problems: Linear programming (see page 482), matching (see page 562 ,

)

%---- Page End Break Here ---- Page : 582

\subsection{Drawing Graphs Nicely}

Input description: A graph G .

Problem description: Draw a graph G to accurately reflect its structure.

Discussion: Graph drawing is a natural problem, yet it is inherently ill-defin

Unfortunately, these are "soft" criteria for which it is impossible to design an optimizer.

Several "hard" criteria can help assess the quality of a drawing:\index{Farys theorem}\index{Kuratowski's theorem}

- Crossings - We seek a drawing with as few pairs of crossing edges as possible, because crossings are ugly.
- Area - We seek a drawing that uses as little paper as possible relative to the shortest possible drawing.
- Edge length - We seek a drawing that avoids long edges, because they tend to obscure other features.
- Angular resolution - We seek a drawing that avoids small angles between two edges incident to a vertex.
- Aspect ratio - We seek a drawing whose aspect ratio (width/height) reflects the desired aspect ratio of the graph.

%---- Page End Break Here ---- Page : 583

Unfortunately, these goals are mutually contradictory, and the problem of finding the best drawing is NP-hard.

Two final warnings before getting down to business. For graphs without any inherent symmetry, the drawing is often not unique.

Once all this is understood, it must be admitted that graph-drawing algorithms can be quite complex.

- Must the edges be straight, or can I have curves and/or bends? - Straightline drawing is often preferred.
- Is there a natural, application-specific drawing? - If your graph represents a network, you might want to draw it with straight edges.
- Is your graph either planar or a tree? - If so, use one of the special planar graph or tree drawing algorithms.
- Is your graph directed? - Edge direction has a significant impact on the nature of the drawing.
- How fast must your algorithm be? - Your graph drawing algorithm must be very fast if it is to be useful.
- Does your graph contain symmetries? - The output drawing above is attractive because it respects the symmetries of the graph.

%---- Page End Break Here ---- Page : 584

For a quick-and-dirty drawing, I recommend simply spacing the vertices evenly on a circle and connecting them in order.

A good, general purpose graph-drawing heuristic models the graph as a system of springs and masses.

If you need a polyline graph-drawing algorithm, my recommendation is that you study the work of Tamara van der Schueren.

Drawing your graph opens another can of worms, namely where to place the edge/vertex labels.

Implementations: GraphViz (<http://www.graphviz.org>) is a popular and well-supported graph drawing package.

All of the graph data structure libraries of Section 15.4 (page 452) devote some effort to producing nice looking output graphs in GraphViz's Dot format, instead of reinventing the wheel.

VivaGraph (<https://github.com/anvaka/VivaGraphJS>) and Sigma (<http://sigma.js.org/>) are popular JavaScript graph drawing libraries.

%---- Page End Break Here ---- Page : 585

Graph drawing is a problem where very good commercial products exist, including those from Cambridge Scientific Software.

Combinatorica PS03] provides Mathematica implementations of several graphdrawing algorithms.

Notes: There exists a significant community of researchers in graph drawing, whose annual meetings are often held in conjunction with the ACM Symposium on Combinatorics and Graph Theory.

Two excellent books on graph-drawing algorithms are Battista et al. [BETT99] and

Graph embeddings encode the structural information associated with each vertex

It is trivial to space n points evenly along the boundary of a circle. However,

Related problems: Drawing trees (see page 578), planarity testing (see page 586)
)

%---- Page End Break Here ---- Page : 586
 \subsection{Drawing Trees}

Input description: A tree T , which is a graph without any cycles.

Problem description: Create a nice drawing of the tree T .

Discussion: Many applications require drawing pictures of trees. Tree diagrams

Different aesthetics are associated with each application, making it difficult

- Rooted trees define a hierarchical order, emanating from a single source node
- Free trees do not encode any structure beyond their connection topology. The

Trees are always planar graphs, and hence can and should be drawn so no two edges cross
 because there are much simpler ways of constructing planar drawings of trees.

%---- Page End Break Here ---- Page : 587

The most natural tree-drawing algorithms assume rooted trees. However, they can

Your two primary options for drawing rooted trees are ranked and radial embeddings

- Ranked embeddings - Place the root in the top center of your page, and then
- Such ranked embeddings are particularly effective to represent a hierarchy by
- Radial embeddings - Free trees are better drawn using a radial embedding, which

Implementations: GraphViz (<http://www.graphviz.org>) is a popular and well-supported

Very good commercial products exist for graph/tree, including those from Tom

%---- Page End Break Here ---- Page : 588

Combinatorica PS03 provides Mathematica implementations of several tree-drawing

Notes: All books and surveys on graph drawing include discussions of tree-drawing

A comprehensive resource of tree visualization is <https://treevis.net/>, with a

Heuristics for tree layout have been studied by several researchers, with Buchheim, et al.

Certain tree layout algorithms arise from non-drawing applications. The van Emde Boas layout

Related problems: Drawing graphs (see page 574), planar drawings (see page 581).

)

%---- Page End Break Here ---- Page : 589

\subsection{Planarity Detection and Embedding}

Input description: A graph G .

Problem description: Can G be drawn in the plane such that no two edges cross? If so,

Discussion: Planar drawings (or embeddings) make clear the structure of a given graph by

Planar graphs have nice properties that can be exploited to yield faster algorithms for

To gain a better appreciation of the subtleties of planar drawings, I encourage the reader

The study of planarity has motivated much of the development of graph theory. It must be

%---- Page End Break Here ---- Page : 590

Ski99. That said, it is still very useful to know how to deal with planar graphs when you

It pays to distinguish the problem of planarity testing (does my graph have a planar drawing)

Algorithms for planarity testing begin by embedding an arbitrary cycle from the graph in

Such path-crossing algorithms can be used to construct a planar embedding by inserting the

For non-planar graphs, what is often sought is a drawing that minimizes the number of crossings

Implementations: LEDA (see Section 22.1.1 (page 713) includes linear-time algorithms for

The Open Graph Drawing Framework (<http://www.ogdf.net>), presented in CGJ [13], is

PIGALE (<http://pigale.sourceforge.net/>) is a C++ graph editor and

algorithm library focusing on planar graphs. It contains a variety of algorithms for computing

%---- Page End Break Here ---- Page : 591

Greedy randomized adaptive search procedure (GRASP) heuristics to find the largest planar

Notes: Kuratowski Kur30 gave the first characterization of planar graphs, namely that the

Hopcroft and Tarjan HT74 gave the first linear-time algorithm for drawing graphs.

Outerplanar graphs are those that can be drawn such that all vertices lie on the outer boundary.

Generalizations of planarity revolve around embedding graphs in more complicated surfaces.

Related problems: Graph drawing (see page 574), drawing trees (see page 578).

%---- Page End Break Here ---- Page : 592
\section{Graph Problems: NP-Hard}

A cynical view of graph algorithms is that "everything we want to do is hard."

Still, do not abandon hope if your problem resides in this chapter. I provide some pointers.

The following books will help you deal with NP-complete problems:

- Garey and Johnson GJ79 - This is the classic reference on the theory of NP-completeness.
- Crescenzi and Kann CK97 - This website ([www.nada.kth.se/~viggo/](http://www.nada.kth.se/~viggo/problemlist/)) provides a list of NP-complete problems.
- Williamson and Shmoys WS11 - The most comprehensive textbook on the theory of approximation algorithms.
- Vazirani Vaz04 - A complete treatment of the theory of approximation algorithms.
- Gonzalez Gon18 - This handbook contains current surveys on a variety of techniques for solving NP-hard problems.

\subsection{Clique}

Input description: A graph $G=(V, E)$.

Problem description: What is the largest subset S of vertices such that all vertices in S are pairwise adjacent?

Discussion: In high school, everybody complained about the "clique" - a group of people who all know each other.

Identifying "clusters" of related objects often reduces to finding large cliques.

Since every single edge in a graph represents a clique of two vertices, the clique problem is equivalent to finding the largest complete subgraph.

- Will a maximal clique suffice? - A clique is maximal if it cannot be enlarged by adding more vertices.
- What if I will settle for a large, dense subgraph? - Insisting on cliques is a very restrictive requirement.
- The largest set of vertices whose induced subgraph has vertex degree $\geq k$ is also a hard problem.
- What if the graph is planar? - Planar graphs cannot have cliques of a size larger than 4.

%---- Page End Break Here ---- Page : 594

If you really need to find the largest clique in a graph, an exhaustive search is the only way.

Heuristics for finding large cliques based on randomized techniques, such as simulated annealing, are also available.

%---- Page End Break Here ---- Page : 595

Implementations: Cliquer is a set of C routines for finding cliques in arbitrary weighted

Programs for finding cliques and independent sets were sought for the Second DIMACS Impl

Kreher and Stinson KS99] provide branch-and-bound programs in C for finding the maximum

GOBLIN (<http://goblin2.sourceforge.net/>) employs branch-and-bound algorithms to find lar

Notes: Bomze, et al. BBPP99 and Wu, et al. WH15 give comprehensive surveys on the proble

The proof that clique is NP-complete is due to Karp Kar72. His reduction (given in Secti

The densest subgraph problem seeks the subset of vertices whose induced subgraph has the

That clique cannot be approximated to within a factor of $n^{1/2-\epsilon}$ unless $P=$

Related problems: Independent set (see page 589), vertex cover (see page 591.

%---- Page End Break Here ---- Page : 596

\subsection{Independent Set}

Input description: A graph $G=(V, E)$.

Problem description: What is the largest subset S of vertices of V such that there i

Discussion: The need to find large independent sets arises in facility dispersion proble

Independent sets (also known as stable sets) avoid conflicts between elements, and hence

Independent set is closely related to two other NP-complete problems:

- Clique - A clique is a subset of pairwise connected vertices, while an independent set
 - Vertex coloring - The vertex coloring of a graph $G=(V, E)$ is a partition of V into
- Indeed, one heuristic to find a large independent set is to use any vertex coloring algo

%---- Page End Break Here ---- Page : 597

The simplest reasonable heuristic is to find the lowest-degree vertex, add it to the ind

The independent set problem is in some sense dual to graph matching. The former asks for

The maximum independent set of a tree can be found in linear time by (1) stripping off t

Implementations: Any program for computing the maximum clique in a graph can

GOBLIN (<http://goblin2.sourceforge.net/>) implements a branch-andbound algorithm

Greedy randomized adaptive search (GRASP) heuristics for independent set have

Notes: That independent set is NP-complete was shown by Karp Kar72. It remains

Finding maximal independent sets is a challenging problem in parallel and distributed

Related problems: Clique (see page 586, vertex coloring (see page 604, vertex

)

%---- Page End Break Here ---- Page : 598

\subsection{Vertex Cover}

Input description: A graph $G=(V, E)$.

Problem description: What is the smallest subset $C \subseteq V$ such that every

Discussion: Vertex cover is a special case of the more general set cover problem.

To turn vertex cover into a set cover problem, let universal set U represent

Vertex cover and independent set are very closely related problems. Since every

The simplest heuristic for vertex cover selects the vertex with highest degree, adds it to the cover, deletes all adjacent edges, and then repeats until the graph

%---- Page End Break Here ---- Page : 599

Fortunately, we can always find a vertex cover whose size is at most twice as

Taking both of the vertices for each edge in this maximal matching gives us a

This heuristic can be tweaked to perform somewhat better in practice, if not

The vertex cover problem seeks to cover all edges using few vertices. Two other

- Cover all vertices using few vertices - The dominating set problem seeks the

Dominating set problems can also be expressed as instances of set cover (see

- Cover all vertices using few edges - The edge cover problem seeks the smallest
of edge cover and vertex cover have such different fates: one NP-complete and

%---- Page End Break Here ---- Page : 600

Implementations: Any program for computing the maximum clique in a graph can

JGraphT (<https://jgrapht.org>) is a Java graph library that contains greedy and 2-approx

Notes: Karp Kar72 first proved that vertex-cover is NP-complete. A diverse set of heuris

Whether there exists a better than 2-factor approximation for vertex cover has long been

The primary reference on dominating sets is the monograph of Haynes et al. HHS98. Heuris

Related problems: Independent set (see page 589), set cover (see page 678).

)

%---- Page End Break Here ---- Page : 601

\subsection{Traveling Salesman Problem}

Input description: A weighted graph G .

Problem description: Find the cycle of minimum cost, visiting each vertex of G exactly

Discussion: The traveling salesman problem (TSP) is the most notorious NPcomplete proble

The traveling salesman problem arises in many transportation and routing problems. Optim

Several issues arise in solving TSPs:

- Is the graph unweighted? - If the graph is unweighted, or is a complete graph where al
- Does your input satisfy the triangle inequality? - Our sense of how proper distance me
- cheapest airfare between two points. TSP heuristics work much better on sensible graphs
- Are you given n points as input or a weighted graph? - Geometric instances are often
- Can you visit a vertex more than once? - The restriction that the tour not revisit any

%---- Page End Break Here ---- Page : 602

TSP with repeated vertices is easily solved by using any conventional TSP code on a new

- Is your distance function symmetric? - A distance function is asymmetric when there ex
- How important is it to find the optimal tour? - Heuristic solutions will suffice for m

Almost any flavor of TSP is going to be NP-complete, so the right way to proceed is with

%---- Page End Break Here ---- Page : 603

Empirical results in the literature are sometimes contradictory. However, we recommend c

- Minimum spanning trees - Start by finding the minimum spanning tree of the sites, and
 - Incremental insertion methods - A different class of heuristics starts from a single v
- \$\$

$$\max_{v \in V} \min_{1 \leq i \leq |T|} \left(d(v, v_i) + d(v, v_{i+1}) \right)$$

\$\$

The "min" ensures that we insert the vertex in the position that adds the smallest increase in cost.

- K-optimal tours - More powerful are the Kernighan-Lin or k -opt heuristics.

Implementations: Concorde is a program for the symmetric traveling salesman problem. It is one of the best among available TSP codes. Their website features very interesting material on the state of the art.

%---- Page End Break Here ---- Page : 604

Lodi and Punnen LP07] put together an excellent survey of available software for TSP.

TSPLIB Rei91] provides the standard collection of hard instances of TSPs that are used for benchmarking.

Notes: The book by Applegate et al. ABC07 documents the techniques they used to solve the 100-city problem.

Experimental results on heuristic methods for solving large TSPs include Ben92, Christofides92, and others.

The Christofides heuristic Chr76 is an improvement over the minimum spanning tree heuristic.

Polynomial-time approximation schemes for Euclidean TSP have been developed by Arora and Mitchell.

The history of progress on optimal TSP solutions is inspiring. In 1954, Dantzig and Fulkerson solved the 14-city problem.

For sets of n points in convex position in the plane, the minimum TSP tour can be found in $O(n^2)$ time.

Related problems: Hamiltonian cycle (see page 598), minimum spanning tree (see page 598), Traveling Salesman Problem (TSP) (see page 598), https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-606.jpg?1

%---- Page End Break Here ---- Page : 605

\subsection{Hamiltonian Cycle}

Input description: A graph $G=(V, E)$.

Problem description: Find a tour of the vertices using only edges from G , such that each vertex is visited exactly once.

Discussion: Hamiltonian cycle or path in a graph G is a special case of the Traveling Salesman Problem.

Hamiltonian cycles are fundamental structures in graph theory, and a useful way to measure the complexity of a graph.

Closely related is the problem of finding the longest path or cycle in a graph, which is NP-complete.

The problems of finding longest cycles and paths are both NP-complete, even for planar graphs.

- Is there a serious penalty for visiting vertices more than once? - Reformulation as a Traveling Salesman Problem and approximation algorithms. Finding a spanning tree of the graph and doing a depth-first search.
- Am I seeking the longest path in a directed acyclic graph (DAG)? - The problem is polynomial-time solvable.
- Is my graph dense? - Sufficiently dense graphs always contain Hamiltonian cycles.

- Are you visiting all the vertices or all the edges? - Verify that you really have a ve

%---- Page End Break Here ---- Page : 606

If you really must know whether your graph is Hamiltonian, backtracking with pruning is

Implementations: The reduction described above (weight 1 for an edge and 2 for a non-edge

An effective program for solving Hamiltonian cycle problems resulted from the masters th

Lodi and Punnen LP07] put together an excellent survey of available TSP software, includ
are maintained at http://or.deis.unibo.it/research_pages/tspsoft.html. Nijenhuis and Wilf

%---- Page End Break Here ---- Page : 607

The football program of the Stanford GraphBase (see Section 22.1.7 (page 715) uses a st

Notes: Hamiltonian cycles first arose in Euler's study of the knight's tour problem, alt

Finding long paths in graphs is very difficult. Although fast algorithms exist to find p

Techniques for solving optimization problems in the laboratory using biological processe

Related problems: Eulerian cycle (see page 565), traveling salesman (see page 594.

%---- Page End Break Here ---- Page : 608

\subsection{Graph Partition}

Input description: A (weighted) graph $G=(V, E)$ and integers k and m .

Problem description: Partition the vertices into m roughly equal-sized subsets such th

Discussion: Graph partitioning arises in many divide-and-conquer algorithms, which gain

Graph partition also arises when clustering vertices into logical components. If edges l

Finally, graph partition is a critical step in many parallel algorithms. Consider the fi

Several different flavors of graph partitioning arise, depending on the desired objectiv

- Minimum cut set - The smallest set of edges to cut so as to disconnect a graph can be

%---- Page End Break Here ---- Page : 609

Figure 19.1: The maximum cut of a bipartite graph cuts all the edges.

- Graph partition - A better partition criterion seeks a small cut that partitions the graph into two parts of roughly equal size. Certain types of graphs always have small separators that partition the vertices into two sets of roughly equal size. Each planar graph has a set of $O(\sqrt{n})$ vertices whose deletion leaves no cycles.
- Maximum cut - Given an electronic circuit specified by a graph, the maximum cut problem is to find a partition of the vertices into two sets such that the number of edges between the two sets is maximized.

The basic approach for dealing with graph partitioning or maximum cut problems is to use a heuristic algorithm. Iterations are needed before the process converges on a local optimum. Even so, the results are often good enough for practical purposes.

%---- Page End Break Here ---- Page : 610

There are many variations of this basic procedure, by changing the order we test the edges or by using different heuristics.

Spectral partitioning methods use sophisticated linear algebra techniques to find a good partition.

Implementations: A very popular code for graph partitioning is METIS (<http://glaros.dtc.umn.edu/gkhome/research/code/metis/>).

Scotch (<http://www.labri.fr/perso/pelegrin/scotch/>) is another wellrespected code.

The Tenth DIMACS Challenge (<https://www.cc.gatech.edu/dimacs10/>) revolved around graph partitioning.

Notes: Recent surveys of graph partitioning algorithms include [BS13 BMS14].

The planar separator theorem and an efficient algorithm for finding such a separator are discussed in [Sch86].

Any random vertex partition will expect to cut half of the edges in the graph.

Related problems: Edge/vertex connectivity (see page 568), network flow (see page 570).

)

%---- Page End Break Here ---- Page : 611

\subsection{Vertex Coloring}

Input description: A graph $G=(V, E)$.

Problem description: Color the vertices of V using the minimum number of colors such that no two adjacent vertices have the same color.

Discussion: Vertex coloring arises in scheduling and clustering applications.

Of course, conflicts will never occur if each vertex is colored using a distinct color.

Several special cases of interest arise in practice:

- Can I color the graph using only two colors? - An important special case is bipartite graphs.

%---- Page End Break Here ---- Page : 612

It is easy to test whether a graph G is bipartite. Color the first vertex blue and the rest of the vertices red.

- Is the graph planar, or are all vertices of low degree? - The famous fourcolor theorem

But there is a very simple algorithm that will vertex color any planar graph using at most

- Is this an edge-coloring problem? - Certain vertex coloring problems can be modeled as

Computing the chromatic number of a graph is NP-complete. If you need an exact solution

Incremental methods prove to be the heuristic of choice for vertex coloring. As in the p

Incremental methods can be further improved by using color interchange. Taking a properl
the red vertices blue and the blue vertices red) leaves a proper vertex coloring. Now su

%---- Page End Break Here ---- Page : 613

Color interchange is a win in terms of producing better colorings, at a cost of increase

Implementations: Graph coloring has been blessed with two useful web resources. Culberso

Programs for the closely related problems of finding cliques and vertex coloring graphs

The C++ Boost Graph Library SLL02 (<http://www.boost.org/libs/graph>) and Java JGraphT (h

Nijenhuis and Wilf NW78 provide an efficient Fortran implementation of chromatic polynom

Notes: Recent survey articles on graph coloring include GHHP13 MT10. An old but excellen

Wilf Wil84 proved that backtracking to test whether a random graph has chromatic number

Paschos Pas03 reviews what is known about provably good approximation algorithms for ver
 $n^{1-1/(\chi(G)-1)}$ approximation algorithm, where $\chi(G)$ is the chromatic number
 Brook's theorem states that the chromatic number $\chi(G) \leq \Delta(G)+1$, where Δ

%---- Page End Break Here ---- Page : 614

The four-color problem is the most famous problem in the history of graph theory, first

Related problems: Independent set (see page 589), edge coloring (see page 608).

%---- Page End Break Here ---- Page : 615

\subsection{Edge Coloring}

Input description: A graph $G=(V, E)$.

Problem description: What is the smallest set of colors needed to color the edges of G ?

Discussion: Edge coloring arises in scheduling applications, typically associating

The National Football League solves such an edge-coloring problem to make up 1

The minimum number of colors needed to edge color a graph is called its edge-ch

Edge coloring has a better (if less famous) theorem associated with it than vertex coloring. From this perspective, note that any edge coloring must have at least Δ colors, where Δ is the maximum degree of the graph.

%---- Page End Break Here ---- Page : 616

The proof of Vizing's theorem is constructive, meaning it can be turned into an algorithm.

Edge-coloring on graph G can be converted to the problem of finding a vertex coloring of $L(G)$.

Implementations: The C++ Boost Graph Library SLL02 (http://www.boost.org/libs/graph/doc/edge_coloring.html)

See Section 19.7 (page 604) for a larger collection of vertex-coloring codes and references.

Notes: Stiebitz et al. [SSTF12] is a recent book on edge coloring. Graph-theoretic aspects of edge coloring

Whitney, in introducing line graphs Whi32, showed that any two connected graphs with the same line graph are isomorphic.

Related problems: Vertex coloring (see page 604), scheduling (see page 534).

)

%---- Page End Break Here ---- Page : 617

\subsection{Graph Isomorphism}

Input description: Two graphs, G and H .

Problem description: Find a mapping f from the vertices of G to the vertices of H such that $(u, v) \in E_G$ if and only if $(f(u), f(v)) \in E_H$.

Discussion: Isomorphism is the problem of testing whether two graphs are really the same.

Many pattern recognition problems can be mapped to graph or subgraph isomorphism.

What exactly is meant when we say that two graphs are the same? Two labeled graphs are isomorphic if there is a bijection between their vertex sets that preserves the edge sets.

Identifying symmetries is another important application of graph isomorphism.

Several variations of graph isomorphism arise in practice:

- Is graph G contained in graph H ? - Instead of testing equality, we are often interested in testing containment.

There are two distinct graph-theoretic notions of "contained in." Subgraph isomorphism is the notion that G is a subgraph of H .

%---- Page End Break Here ---- Page : 618

Be aware of this distinction in your application. Subgraph isomorphism problems tend to be NP-complete. Consider the following questions:

- Are your graphs labeled or unlabeled? - In many applications, vertices or edges of the graphs are labeled, and these labels and related constraints can be factored into any backtracking algorithm. Further, if the labels are integers, you can use a hash table to map labels to vertices.
- Are you testing whether two trees are isomorphic? - Faster algorithms exist for special cases of tree isomorphism. Efficient algorithms for tree isomorphism work inward toward the center, starting from the leaves.
- How many graphs do you have? - Many data mining applications search for all instances of a pattern in a large database.

%---- Page End Break Here ---- Page : 619

No polynomial-time algorithm is known for graph isomorphism, but neither is it known to be NP-complete.

Although no worst-case polynomial-time algorithm is known, testing isomorphism is usually tractable in practice.

But the real key to efficient isomorphism testing is preprocessing the vertices into "canonical" forms.

- Vertex degree - Two vertices of different degrees can never be identical, or mapped to each other.
- Shortest path distance - The all-pairs shortest path matrix (see Section 18.4 (page 554)) can be used to compute the shortest path distance between any two vertices.
- Counting length-k paths - Taking the k th power of the adjacency matrix of G yields the number of length- k paths between any two vertices.

By using these invariants, you should be able to partition the vertices of most graphs into a small number of sets.

%---- Page End Break Here ---- Page : 620

Implementations: The best isomorphism testing program is nauty (No AUTomorphisms, Yes?) [McKee94].

Valiente Val02 has made available the implementations of graph/subgraph isomorphism algorithms.

Kreher and Stinson KS99] compute isomorphisms of graphs in addition to more general group isomorphisms.

Notes: Graph isomorphism is an important problem in computational complexity theory because it is one of the few problems in NP for which no polynomial-time algorithm is known.

Monographs on isomorphism detection include Hof82 KST93]. Valiente Val02] focuses on algorithms for testing isomorphism.

Polynomial-time algorithms are known for planar graph isomorphism HW74 and for graphs with bounded treewidth.

A problem is said to be isomorphism-complete if it is provably as hard as isomorphism. E.g., testing whether two graphs are isomorphic is isomorphism-complete.

Related problems: Shortest path (see page 554), string matching (see page 685).

)

%---- Page End Break Here ---- Page : 621

\subsection{Steiner Tree}

Input description: A graph $G=(V, E)$ and specified subset of vertices $T \subseteq V$.

Problem description: Find the smallest tree connecting the vertices of S .
 Discussion: Steiner trees arise in network design problems, because the minimum

The Steiner tree problem is distinguished from the minimum spanning tree problem.
 - How many points must you connect? - The Steiner tree of just a pair of vertices.
 - Is the input a set of geometric points? - The geometric version of Steiner tree.
 of points. These Steiner points must satisfy several geometric properties, which
 - Are there constraints on the edges we define? - In many wiring problems, all edges
 - Do I really need an optimal tree? - Certain Steiner tree applications justify
 There are many opportunities for pruning search based on geometric and graph-theoretic
 - What is the meaning of the Steiner vertices? - A very special type of Steiner vertex.

%---- Page End Break Here ---- Page : 622

Many phylogenetic tree construction algorithms have been developed that differ in

Fortunately, there is a good, efficient heuristic for finding Steiner trees that

%---- Page End Break Here ---- Page : 623

The worst case for the minimum spanning tree approximation of the Euclidean Steiner

For geometric instances, any suboptimal tree can be refined by inserting a Steiner

Note that we are only interested here in the subtree connecting the terminal vertices.

An alternative heuristic for graphs is based on finding shortest paths. Start with

Implementations: GeoSteiner is a package for solving both Euclidean and rectilinear

Steiner tree algorithms were the subject of the 11th DIMACS Implementation Challenge

FLUTE (<http://home.eng.iastate.edu/~cnchu/flute.html>) computes rectilinear Steiner

The programs PHYLIP (<http://evolution.genetics.washington.edu/phylip.html>) and

%---- Page End Break Here ---- Page : 624

Notes: Monographs on the Steiner tree problem include Hwang, Richards, and Win

The Euclidean Steiner problem dates back to Fermat, who asked how to find a point

Gilbert and Pollak GP68 first conjectured that the ratio of the length of the

Arora Aro98 gave a polynomial-time approximation scheme (PTAS) for Steiner tree

The hardness of Steiner tree for Euclidean and rectilinear metrics was established in GO

Analogies can be drawn between minimum Steiner trees and minimum energy configurations i

Related problems: Minimum spanning tree (see page 549), shortest path (see page 554 .
 ! [] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-626.jpg?height=595&

%---- Page End Break Here ---- Page : 625
 \subsection{Feedback Edge/Vertex Set}

Input description: A (directed) graph $G=(V, E)$.

Problem description: What is the smallest set of edges $E^{\set{\prime}}$ or vertices $V^{\set{\prime}}$

Discussion: Feedback set problems arise because many things are easier to do on directed

The feedback set identifies a small number of constraints that can be dropped to permit

Similar considerations are involved in eliminating race conditions from electronic circu

One final application has to do with ranking tournaments. Suppose we want to order the s

Issues in feedback set problems include:

- Do any constraints have to be dropped? - No changes are needed if the graph is already
- How can I find a good feedback edge set? - An effective linear-time heuristic construc

%---- Page End Break Here ---- Page : 626

But what is the right vertex order to start with? A good heuristic is to sort the vertic

- How can I find a good feedback vertex set? - The heuristics above yield vertex orders
- How do I break all cycles in an undirected graph? - The problem of finding feedback se

The feedback vertex set problem remains NP-complete for undirected graphs, however. A re

It may pay to refine any of these heuristic solutions using randomization or simulated a

%---- Page End Break Here ---- Page : 627

Implementations: Greedy randomized adaptive search procedure (GRASP) heuristics for both

An exact solver for feedback vertex set <https://github.com/wata-orz/fvs> by Iwata and Ima

GOBLIN (<http://goblin2.sourceforge.net>) includes an approximation heuristic for minimum

The `econ_order` program of the Stanford GraphBase (see Section 22.1.7 (page 715) permutes

Notes: See FPR99] for a survey on the feedback set problem. Expositions of the proof tha

Bafna, et al. BBF99 gives a 2-factor approximation for feedback vertex set in

Fixed-parameter tractable algorithms are polynomial in the input size n and

I will confess that I use a feedback edge set approach to grading semester pro

An interesting application of feedback arc set to economics is presented in Kr

Related problems: Bandwidth reduction (see page 470), topological sorting (see

%---- Page End Break Here ---- Page : 628
 \section{Computational Geometry}

Computational geometry is the algorithmic study of geometric problems. Its em

Good books on computational geometry include:

- de Berg, et al. dBvKOS08 - The "three Mark's" book is the best general intro
- O'Rourke O'R01 - This is the best practical introduction to computational g
- Preparata and Shamos PS85 - Although somewhat out of date, this book remains
- Goodman, O'Rourke, and Toth TOG18 - This recent collection of survey article

The leading conference in computational geometry is the ACM Symposium on Comp
)

\subsection{Robust Geometric Primitives}

Input description: A point p and line segment l , or two segments l_1 , l_2
 Problem description: Does p lie on, over, or under l ? Does l_1 intersect l_2 ?
 Discussion: Implementing basic geometric primitives is a task fraught with per

If you are new to implementing geometric algorithms, I suggest that you see O

There are two different issues at work here: geometric degeneracy and numeric
 - Ignore it - Make an operating assumption that your program will work correct
 for short-term projects where you can live with frequent crashes. The drawback
 - Fake it - Randomly or symbolically perturb your data so that it becomes non-
 - Deal with it - Geometric applications can be made more robust by writing spe

%---- Page End Break Here ---- Page : 630

Geometric computations often involve floating-point arithmetic, which leads to
 - Integer arithmetic - By forcing all points of interest to lie on a fixedsize
 - Double-precision reals - By using double-precision floating point numbers, y
 - Arbitrary precision arithmetic - This is certain to be correct, but also to

The best technique to produce robust geometric software is to build your applications around primitives.
 - Area of a triangle - The area $A(t)$ of a triangle $t=(a, b, c)$ is indeed half the barycentric coordinates of the centroid.

```

2 \cdot A(t)=\left|\begin{array}{ccc}
a_x & a_y & 1 \\
b_x & b_y & 1 \\
c_x & c_y & 1
\end{array}\right|=a_x b_y-a_y b_x+a_x c_y-a_y c_x+b_x c_y-b_y c_x

```

Page End Break Here Page : 631

This formula generalizes to compute $d!$ times the volume of a simplex in d dimension.

```

6 \cdot A(t)=\left|\begin{array}{cccc}
a_x & a_y & a_z & 1 \\
b_x & b_y & b_z & 1 \\
c_x & c_y & c_z & 1 \\
d_x & d_y & d_z & 1
\end{array}\right|

```

These formulae give signed volumes and hence can be negative, so take the absolute value.

The conceptually simplest way to compute the area of a polygon (or polyhedron) is to triangulate it.
 - Above-below-on test - Does a given point c lie above, below, or on a given line l ?

This primitive can be implemented using the sign of the triangle area as computed above.
 - Line segment intersection - This above-below primitive can also be used to test whether two line segments intersect.
 - In-circle test - Does point d lie inside or outside the circle defined by points a, b, c ?

```

\operatorname{incircle}(a, b, c, d)=\left|\begin{array}{cccc}
a_x & a_y & a_x^2+a_y^2 & 1 \\
b_x & b_y & b_x^2+b_y^2 & 1 \\
c_x & c_y & c_x^2+c_y^2 & 1 \\
d_x & d_y & d_x^2+d_y^2 & 1
\end{array}\right|

```

Page End Break Here Page : 632

```

b_x & b_y & b_x^2+b_y^2 & 1 \\
c_x & c_y & c_x^2+c_y^2 & 1 \\
d_x & d_y & d_x^2+d_y^2 & 1
\end{array}\right|

```

In-circle will return 0 if all four points are cocircular, a positive value if d is inside the circle.

Check out the implementations below before you build your own.

Implementations: CGAL (www.cgal.org) and LEDA (see Section 22.1.1 (page 713) both provide robust implementations.

O'Rourke O'R01 provides implementations in C of most of the primitives discussed in this book.

The Core Library (see <http://cs.nyu.edu/exact/>) provides an API, which supports the same primitives as O'Rourke's library.

Shewchuk's She97 robust implementation of basic geometric primitives in C++ is also available.

Notes: O'Rourke O'R01 provides an implementation-oriented introduction to computational geometry.

Yap SY18 gives an excellent survey on techniques for achieving robust geometric algorithms.

Related problems: Intersection detection (see page 648), maintaining arrangements of lines (see page 648).

)

%---- Page End Break Here ---- Page : 633
\subsection{Convex Hull}\index{convex hull}

Input description: A set S of n points in d -dimensional space.
Problem description: Find the smallest convex polygon (or polyhedron) containing S .

Discussion: Convex hull is the most important elementary problem in computational geometry.

Convex hull serves as a preprocessing step to many geometric algorithms. For example, to find the area of a polygon, you first compute its convex hull.

There are almost as many convex hull algorithms as sorting algorithms. Answer the following questions to choose an algorithm:
- How many dimensions are you working with? - Convex hulls are fast to compute in 2D.
- How many points are likely to be on the hull? - If your point set was generated by a random process, the number of points on the hull is small.
- Do you need the defining polyhedron? Be aware of these questions.

%---- Page End Break Here ---- Page : 634
Simple $O(n \log n)$ convex-hull algorithms are available for the important special cases.

The key to efficiency is making sure that each edge is explored only once. Implement the following algorithms:
- Is your data given as vertices or half-spaces? - The problem of finding the convex hull of a set of half-spaces is equivalent to finding the intersection of the half-spaces.
- How many points are likely to be on the hull? - If your point set was generated by a random process, the number of points on the hull is small.

This trick can also be applied beyond two dimensions, although it loses effectiveness in higher dimensions.
- How do I find the shape of my point set? - Although convex hulls provide a good approximation, they do not capture the shape of the point set.

%---- Page End Break Here ---- Page : 635
The Graham scan is the most popular convex-hull algorithm in the plane. It starts by finding the point with the lowest y-coordinate, then sorts the other points by their polar angle relative to this point.

This Graham scan procedure can also be used to construct a non-selfintersecting polygon from a set of points.

The gift-wrapping algorithm becomes especially simple in two dimensions, since each "face" is a line segment.

Implementations: The CGAL library (www.cgal.org) offers C++ implementations of an extensive set of algorithms.

Qhull BDH97 is a popular low-dimensional, convex-hull code, optimized for two to about six dimensions.

O'Rourke O'R01 provides a robust implementation of the Graham scan in two dimensions and a gift-wrapping algorithm in three dimensions.

Ken Clarkson's higher-dimensional convex-hull code Hull also does alphashapes, and is available at <http://www.cba.hawaii.edu/~clarkson/>.

%---- Page End Break Here ---- Page : 636

Different codes are needed for enumerating the vertices of intersecting halfspaces in higher dimensions.

Notes: Planar convex hull plays the same role in computational geometry that sorting does in one dimension.

Good expositions of the Graham scan algorithm Gra72 and the Jarvis march Jar73] include [Jar73, O'R01, and [O'R01, p. 100].

Topology is the study of shape. Edelsbrunner and Harar EH10 provide an introduction to computational topology.

Reverse-search algorithms for constructing convex hulls are effective in higher dimensions [O'R01, p. 100].

Dynamic algorithms for convex-hull maintenance are data structures that permit inserting and deleting points.

Related problems: Sorting (see page 506), Voronoi diagrams (see page 634).

)

%---- Page End Break Here ---- Page : 637

\subsection{Triangulation}

Input description: A set of points, a polygon, or a polyhedron.

Problem description: Partition the interior of the point set or polyhedron into triangles.

Discussion: A good first step in working with complicated geometric objects is to break them into simpler pieces.

One interesting application of triangulation is surface interpolation. Suppose that we have a set of points in space.

A triangulation in the plane is constructed by adding non-intersecting chords between the points.

- Are you triangulating a point set or a polygon? - Often we are given a set of points in the plane.

The simplest such $O(n \lg n)$ algorithm first sorts the points by x -coordinate. It then constructs the triangulation by adding a chord to each point newly cut off from the left.

- Does the shape of the triangles in your triangulation matter? - There are usually many different triangulations.

Many applications seek to avoid skinny triangles, or equivalently, minimize small angles.

- How can I improve the shape of a given triangulation? - Each internal edge of any triangulation is a chord.

%---- Page End Break Here ---- Page : 638

This gives us a local "edge-flip" operation for changing and possibly improving a triangulation. This leads to the following questions:

- What dimension are we working in? - Three-dimensional problems are usually harder.
- What constraints does the input have? - When we are triangulating a polygon, the input is a simple polygon.
- Are you allowed to add extra points, or move input vertices? - When the shape is not a simple polygon, you may need to add extra points.

construction of a triangulation (say) with no small angles. As discussed above, this is a non-trivial problem.

%---- Page End Break Here ---- Page : 639

To triangulate a convex polygon in linear time, just pick an arbitrary starting vertex and connect it to all other vertices.

Implementations: Triangle, by Jonathan Shewchuk, is an award-winning C language implementation of a high-quality 2D Delaunay triangulator.

Fortune's Sweep2 is a widely used two-dimensional code for Voronoi diagrams and Delaunay triangulations.

TetGen (<http://wias-berlin.de/software/tetgen/>) appears to be the software of choice for 3D Delaunay triangulations.

Higher-dimensional Delaunay triangulations are a special case of higher-dimensional Voronoi diagrams.

Notes: Chazelle [Cha91] gave a linear-time algorithm for triangulating a simple polygon.

%---- Page End Break Here ---- Page : 640

Wyk [TW88] followed before Chazelle's result. Bern et al. [BSA18] gives a survey of recent progress.

Books on Delaunay triangulations and quality mesh generation include [Aur97].

Linear-time algorithms for triangulating monotone polygons have been long known.

A well-studied class of optimal triangulations seeks to minimize the total length of the edges.

Related problems: Voronoi diagrams (see page 634), polygon partitioning (see page 634), and triangulation (see page 634).

)

%---- Page End Break Here ---- Page : 641

\subsection{Voronoi Diagrams}

Input description: A set S of points $p_1, \dots, p_n$.

Problem description: Decompose space into regions such that all points in the same region are closer to the same point in S than to any other point in S .

Discussion: Voronoi diagrams represent the region of influence around each of the input points.

Voronoi diagrams have a surprising variety of applications:

- Nearest-neighbor search - Finding the nearest neighbor of query point q from a fixed set of points.
- Facility location - Suppose McDonald's wants to open another restaurant. To minimize the total travel distance, where should it open?
- Largest empty circle - Suppose you seek a large, contiguous, undeveloped piece of land.
- Path planning - If the sites of \$\$\$ are the centers of obstacles we seek to avoid, the path that maximizes the distance to the obstacles. The "safest" path among the obstacles will be the one that maximizes the distance to the obstacles.
- Quality triangulations - When triangulating a set of points, we often seek nice, fat triangles.

%---- Page End Break Here ---- Page : 642

Each edge of a Voronoi diagram is a segment of the perpendicular bisector of the line segment between two sites.

However, the method of choice is Fortune's sweep line algorithm, especially since robust implementations are available.

There is an interesting relationship between convex hulls in $d+1$ dimensions and Delaunay triangulations in d dimensions.

Let $S = \{x_1, x_2, \dots, x_d\}$ be a set of points in d -dimensional space. Then taking the convex hull of this $(d+1)$ -dimensional point set, and finally projecting it onto the d -dimensional space, yields the Delaunay triangulation of S .

Several important variations of standard Voronoi diagrams arise in practice:

- Non-Euclidean distance metrics - Recall that Voronoi diagrams decompose space into regions of influence around a set of sites. If the distance metric is not Euclidean, the regions of influence are not necessarily convex.
- Power diagrams - These structures decompose space into regions of influence around a set of sites, where the influence is measured by a power function. Imagine a map of radio stations broadcasting at a given frequency. The regions of influence are the areas where each station's signal is the strongest.
- Kth-order and furthest-site diagrams - The idea of decomposing space into regions shared by k sites. For $k=1$, this is the standard Voronoi diagram. For $k=2$, it is the second-order Voronoi diagram, and so on.

%---- Page End Break Here ---- Page : 643

Implementations: Fortune's Sweep2 is a widely used two-dimensional code for Voronoi diagrams.


Both the CGAL (www.cgal.org) and LEDA (see Section 22.1.1 (page 713)) libraries offer efficient implementations.

Higher-dimensional and furthest-site Voronoi diagrams can be constructed as a special case of the standard Voronoi diagram.

Notes: Voronoi diagrams were studied by Dirichlet in 1850 and are sometimes referred to as Dirichlet tessellations.

Two books AKL13 OBSC00 offer a complete treatment of Voronoi diagrams and their applications.

In a k th-order Voronoi diagram, we partition the plane such that each point in a region is closer to k sites than to any other site.

Related problems: Nearest-neighbor search (see page 637), point location (see page 644), and shortest paths (see page 645).

https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-645.jpg?height=593&w=1000

%---- Page End Break Here ---- Page : 644

\subsection{Nearest-Neighbor Search}

Input description: A set S of n points in d dimensions, and query point q .
 Problem description: Which point in S is closest to q ?
 Discussion: The need to quickly find the nearest neighbor of a query point arises

A nearest-neighbor search is also important in classification. Suppose we are

Such nearest-neighbor classifiers are widely used, often in high-dimensional spaces.

Issues arising in nearest-neighbor search include:

- How many points are you searching? - When your data set contains only a small number of points, even destined to be performed, the simple approach is best. Compare the query point to each point in the set.
- How many dimensions are you working in? - Nearest-neighbor search gets progressively more difficult as the number of dimensions increases. In two dimensions, Voronoi diagrams (see Section 20.4 (page 634) provide an efficient way to find the nearest neighbor.
- Do you really need the exact nearest neighbor? - Finding the absolute nearest neighbor is often unnecessary. Finding a point within a certain distance of the query point is often sufficient.

%---- Page End Break Here ---- Page : 645

One important technique is dimension reduction. Projections exist that map any set of points in d dimensions to a set of points in k dimensions, where $k < d$. Another idea is adding randomness when you search your data structure. A k -dimensional data set can be searched by projecting it onto a random line in k -dimensional space. - Is your data set static or dynamic? - Will there be occasional insertions or deletions? - If there are rare events, it might pay to rebuild your data structure from scratch each time.

%---- Page End Break Here ---- Page : 646

The nearest-neighbor graph on a set S of n points links each vertex to its nearest neighbor.

As a lower bound, the closest-pair problem in one dimension reduces to sorting the points.

Implementations: `ANN` is a C++ library for both exact and approximate nearest neighbor search.

Annoy (Approximate Nearest Neighbors Oh Yeah) is a C++ library with Python bindings.

Samet's spatial index demos (<http://donar.umiacs.umd.edu/quadtrees/>) provide a good introduction to spatial indexing.

Section 20.4 (page 634) gives a complete collection of Voronoi diagram implementations.


Notes: Approximate nearest-neighbor search in high dimensions has been a very active area of research.

The theoretical guarantees underlying Arya and Mount's approximate nearest neighbor search data structures hold promise for other problems in high-dimensional spaces. Nearest neighbor search is a fundamental problem in machine learning and data mining.

%---- Page End Break Here ---- Page : 647

Samet [Sam06] is the best reference on kd-trees and other spatial data structures.

Good expositions on finding the closest pair of points in the plane [BS76] include:

Related problems: Kd-trees (see page 460), Voronoi diagrams (see page 634, range search
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-649.jpg?height=593&

%---- Page End Break Here ---- Page : 648
 \subsection{Range Search}

Input description: A set S of n points in d dimensions, and a query region Q .

Problem description: Which points in S lie within Q ?

Discussion: Range search problems arise in database and geographic information system (GIS) applications.

The difficulty of range search depends on several factors:

- How many range queries will you perform? - The simplest approach to range search tests each point against the query region.
- What is the shape of your query polygon? - The easiest regions to query against are axis-aligned rectangles.
- When querying against a non-convex polygon, it pays to partition the polygon into convex regions.
- How many dimensions? - A general approach to range queries builds a kd-tree on the point set.
- Is your point set static, or might there be insertions/deletions? - A clever practical approach uses a dynamic structure.
- One nice thing about this approach is that it is relatively easy to employ "edge-flip" operations.
- Can I just count the number of points in a region, or must I identify them? - It often depends on the application.

A nice data structure for efficiently answering such aggregate range queries is based on a segment tree. For a rectangle $R = [x_{\min}, x_{\max}] \times [y_{\min}, y_{\max}]$, the number of points in R is

%---- Page End Break Here ---- Page : 649

The last additive term corrects for the points for the lower left-hand corner that have been counted twice. We can partition the space into n^2 rectangles by drawing a horizontal and vertical line through each point. To answer a range query, we can use binary search and thus take $O(\lg n)$ time. This data structure takes quadratic space.

%---- Page End Break Here ---- Page : 650


Implementations: Both CGAL (www.cgal.org) and LEDA (see Section 22.1.1 (page 713p)) use a segment tree. A NN library is a C++ library for both exact and approximate nearest-neighbor searching in any dimension.

Annoy (Approximate Nearest Neighbors Oh Yeah) is a C++ library with Python bindings created by Marius Muja.

Notes: Good expositions on data structures with worst-case $O(\lg n + k)$ performance for range queries are given in [1] and [2].

The problem becomes considerably more difficult for non-orthogonal range queries, where the query region is an arbitrary convex polygon.

Related problems: Kd-trees (see page 460, point location (see page 644).

 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-652.jpg?height=590&

%---- Page End Break Here ---- Page : 651
 \subsection{Point Location}

Input description: A decomposition of the plane into polygonal regions, and a

Problem description: Which region contains the query point q ?

Discussion: Point location is often needed as an ingredient to solve larger ge-

- Is the query point inside or outside of polygon P ? - The simplest version of

- How many queries will be performed? - We could perform this insidepolygon test
 better to construct a grid-like or tree-like data structure on top of our subdivi-

- How complicated are the regions of your subdivision? - More sophisticated in-

- How regularly sized and spaced are your regions? - When all resulting triang-

Such grid files can perform very well, provided that each triangular region ov-

- How many dimensions will you be working in? - In three or more dimensions, s-

%---- Page End Break Here ---- Page : 652

Kd-trees, described in Section 15.6 (page 460, decompose space into a hierarchy

- Am I close to the right cell? - Walking is a simple point-location technique

%---- Page End Break Here ---- Page : 653

Proceeding to the neighboring cell through this face gets us one step closer to

The simplest algorithm that guarantees $O(\lg n)$ worst-case access is the sl-

Point location methods that are efficient in the worst case tend to require a

Implementations: Both CGAL (www.cgal.org) and LEDA (see Section 22.1.1 (page 7

$A(N)$ is a C++ library for both exact and approximate nearest-neighbor search

Arrange is a package for maintaining arrangements of polygons in either the p-

Routines (in C) to test whether a point lies in a simple polygon have been pro-

Notes: Snoeyink [Sno18] gives an excellent survey of the state of the art in po-


Tamassia and Vismara TV01 use planar point location as a case study of geomet-

point location is described in EKA84. The winner was a bucketing technique ak-

%---- Page End Break Here ---- Page : 654

Kirkpatrick's elegant triangle refinement method Kir83] builds a hierarchy of

More recently, there has been interest in dynamic data structures for point lo-

Related problems: Kd-trees (see page 460), Voronoi diagrams (see page 634), nearest-neighbors (see page 634), and visibility graphs (see page 634).
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-656.jpg?height=595&width=1000&from_page=1)

%---- Page End Break Here ---- Page : 655
 \subsection{Intersection Detection}

Input description: A set S of lines and line segments $l_1, \dots, l_n$, or a pair of line segments.

Problem description: Which pairs of line segments intersect each other? What is the intersection point?

Discussion: Intersection detection is a fundamental geometric primitive with many applications.

Another application arises in design rule checking for integrated circuit layout. A minor variation is to detect intersections between a set of line segments and a single line segment.

Issues arising in intersection detection include:

- Do you want to compute the intersection or just report it? - We distinguish between intersection and containment.
- Are you intersecting lines or line segments? - The big difference here is that any two lines provides more information than just the intersection points, and is discussed in Section 22.1.1.
- Finding all the intersections between n line segments proves considerably more challenging than finding a single intersection.
- How many intersection points do you expect? - In integrated circuit design-rule checking, the number of intersections is often large.
- Such output-sensitive algorithms exist for line segment intersection. The fastest algorithm is the sweep line algorithm.
- Can you see point x from point y ? - Visibility queries ask whether vertex x has an unobstructed view of vertex y .
- Are the intersecting objects convex? - Better intersection algorithms exist when the objects are convex.

%---- Page End Break Here ---- Page : 656

However, non-convex polygons are not so well behaved. Consider the intersection of two non-convex polygons. Intersecting polyhedra is more complicated than polygons, because two polyhedra can intersect in a non-trivial way.

- Do the objects move? - In the walk-through application just described, the room and the camera move.

%---- Page End Break Here ---- Page : 657

One common technique is to approximate the objects in a scene by simpler objects that are easier to intersect.

Planar sweep algorithms can be used to efficiently compute the intersections among a set of line segments.

- Insertion - The left-most point of a line segment may be encountered, which now becomes an active segment.
- Deletion - The right-most point of a line segment is encountered, which means that we no longer see it.
- Intersection - If we maintain the active line segments that intersect the sweep line at the current position, we can find all intersections.

Keeping track of what is going on requires two data structures. The future is maintained by a binary tree.

To compute the intersection or union of polygons, we modify the processing of the three cases above.

Implementations: Both LEDA (see Section 22.1.1 (page 713)) and CGAL (www.cgal.org) offer efficient implementations of these algorithms.

%---- Page End Break Here ---- Page : 658

O'Rourke O'R01 provides a robust program in C to compute the intersection of

Finding the mutual intersection of a collection of half-spaces is a special ca

Notes: Mount Mou18 is an excellent survey of algorithms for computing interse

An optimal $O(n \lg n+k)$ algorithm for computing line segment intersections

Lin et al. LMK18] survey techniques and software for collision detection. Wel

Related problems: Maintaining arrangements (see page 671), motion planning (se

)

%---- Page End Break Here ---- Page : 659

\subsection{Bin Packing}

Input description: A set of n items with sizes $d_{\{1\}}, \ldots, d_{\{n\}}$. A set

Problem description: Store all the items using the fewest number of bins.

Discussion: Bin packing arises in many packaging and manufacturing problems. S

Even the most elementary-sounding bin-packing problems are NP-complete; see th

- What are the shapes and sizes of the objects? - The character of a binpackin

%---- Page End Break Here ---- Page : 660

When all the boxes are of identical size and shape, repeatedly filling each r

- Are there constraints on the orientation and placement of objects? - Many s

- Is the problem on-line or off-line? - Do we know the complete set of objects

The standard off-line heuristics for bin packing order the objects by size or

Analytical and empirical results suggest that first-fit decreasing is the best

First-fit decreasing is easily implemented in $O(n \lg n+b n)$ time, where b

We can fiddle with the insertion order in such a scheme to deal with problems

Packing boxes is much easier than packing arbitrary geometric shapes, enough

the upper, lower, left, and right tangents in a given orientation. Finding th

%---- Page End Break Here ---- Page : 661

In the case of non-convex parts, considerable useful space can be wasted in the holes cr

Implementations: BPPLIB (<http://or.dei.unibo.it/library/bpplib>) is an extensive collecti

Martello and Toth's collection of Fortran implementations of algorithms for a variety of

A first step towards packing arbitrary shapes packs each in its own minimum volume box.

html. This algorithm runs in near-linear time [BH01].\index{DouglasPuecker algorithm}\in

Notes: See CJCG $\S^{+}$ 13\$, CKPT17, DIM16 WHS07 for surveys of the extensive literature o

Efficient algorithms are known for finding the largest empty rectangle in a polygon DMR9

Sphere packing is an important and well-studied special case of bin packing, with applic

Milenkovic has worked extensively on two-dimensional bin-packing problems for the appare

Related problems: Knapsack problem (see page 497), set packing (see page 682 .

%---- Page End Break Here ---- Page : 662

\subsection{Medial-Axis Transform}

Input description: A polygon or polyhedron PP .

Problem description: Find the skeleton of PP , the set of points that have more than one

Discussion: The medial-axis transformation is useful in thinning a polygon, or equivalen

The medial-axis transformation of a polygon is always a tree, making it fairly easy to u

There are two distinct approaches to computing medial-axis transforms, depending upon wh

- Geometric data - Recall that the Voronoi diagram of a point set SS (see Section 20.4

segment l_i \in L such that all points within the region around l_i are closer t

%---- Page End Break Here ---- Page : 663

Polygons are defined by line segments, such that each segment l_i shares a vertex wi

The straight skeleton is a structure related to the medial-axis transform of a polygon,

- Image data - Digitized images can be interpreted as points sitting at the lattice poin

A direct pixel-based approach for constructing a skeleton implements the "brush fire" vi

Algorithms that explicitly manipulate pixels tend to be easy to implement, because they

Implementations: CGAL (www.cgal.org) includes a package for computing the straight skele

structing offset contours defining the polygonal regions within P whose points

%---- Page End Break Here ---- Page : 664

VRONI Hel01 is a robust and efficient program for computing Voronoi diagrams of

Programs that reconstruct or interpolate point clouds often are based on medial

Notes: The book by Siddiqi and Pizer [SP08] offers a comprehensive treatment of

The medial-axis of a polygon can be computed in $O(n \lg n)$ time for arbitrary

Straight skeletons were introduced in \cite{aichholzer1995skeleton}, with a su

Related problems: Voronoi diagrams (see page 634), Minkowski sum (see page 674)

)

%---- Page End Break Here ---- Page : 665

\subsection{Polygon Partitioning}

Input description: A polygon or polyhedron P .

Problem description: Partition P into a small number of simple (typically con

Discussion: Partitioning is an important pre-processing step for many geometri

Carving a nation into states or counties or districts is a classical problem

Several flavors of polygon partitioning arise, depending upon the particular a

- Should all the pieces be triangles? - Triangulation is the mother of all po

Every triangulation of an n -vertex polygon contains exactly $n-2$ triangles

- Do I want to cover or partition my polygon? - Partitioning a polygon means c

- Am I allowed to add extra vertices? - A final issue is whether we are allow

%---- Page End Break Here ---- Page : 666

The Hertel-Mehlhorn heuristic for convex decomposition using diagonals is simp

I recommend using this heuristic unless it is critical for you to absolutely m

Dynamic programming can be employed to find the absolute minimum number of di

An alternate decomposition problem partitions polygons into monotone pieces.

Implementations: Many triangulation codes start by finding a trapezoidal or m

of convex decomposition. Check out the codes in Section 20.3 (page 630) as a starting point.

%---- Page End Break Here ---- Page : 667

CGAL (www.cgal.org) contains a polygon-partitioning library that includes (1) the Hertel-Mehlhorn algorithm (2) finding an optimal convex partitioning using the $O(n^4)$ dynamic programming algorithm.

A triangulation code of particular relevance here is GEOMPACK - a suite of Fortran 77 and C programs.

Notes: Survey articles on polygon partitioning include Keil 00, Ost18. Keil and Sack KS85 give a survey of triangulation.

Art gallery problems are an interesting topic related to polygon covering, where we seek a minimum number of guards.

Related problems: Triangulation (see page 630), set cover (see page 678).

)

%---- Page End Break Here ---- Page : 668

\subsection{Simplifying Polygons}

Input description: A polygon or polyhedron P , with n vertices.

Problem description: Find a polygon or polyhedron P' containing only n' vertices.

Discussion: Polygon simplification has two primary applications. The first involves cleaning up a polygon.

Several issues arise in shape simplification:

- Do you want the convex hull? - The simplest simplification is the convex hull of the points.
- Am I allowed to insert points, or just delete them? - The typical goal of simplification is to reduce the number of vertices.

%---- Page End Break Here ---- Page : 669

Methods that only delete vertices quickly melt shapes into unrecognizability, however. Must the resulting polygon be intersection-free? - A serious drawback of incremental simplification is that it can create self-intersections.

An approach to polygon simplification that guarantees a simple approximation involves computing a simple polygon that approximates the original polygon.

This link distance approach "fattens" the boundary of the polygon by some acceptable error. Are you given an image to clean up, instead of a polygon to simplify? The conventional approach is to clean up a polygon.

The Douglas-Peucker algorithm for shape simplification starts with a simple approximation of the polygon.

The Douglas-Peucker algorithm for shape simplification starts with a simple approximation of the polygon.

Simplification becomes considerably more difficult in three dimensions. Indeed, it is NP-hard.

%---- Page End Break Here ---- Page : 670

Implementations: The Douglas-Peucker algorithm is readily implemented. For a C implementation, see the CGAL library.

QSLim is a quadric-based simplification algorithm that can produce high-quality approximations of a polygon.

Yet another approach to polygonal simplification is based on simplifying and CGAL (www.cgal.org) provides support for polyline simplification, as well as Notes: The Douglas-Peucker incremental refinement algorithm DP73] is the basis Heckbert and Garland HG97 survey algorithms for shape simplification. Shape s Testing whether a polygon is simple can be performed in linear time, at least Related problems: Thinning (see page 655), convex hull (see page 626.)

%---- Page End Break Here ---- Page : 671
\subsection{Shape Similarity}

Input description: Two polygonal shapes, P_1 and P_2 .
Problem description: How similar are P_1 and P_2 ?
Discussion: Shape similarity is a problem that underlies much of pattern recog

Shape similarity is an inherently ill-defined problem, because what "similar"

Among your possible approaches are:
- Hamming distance - Suppose that your two polygons have been properly regist

Computing the area of the symmetric difference reduces to finding the intersec
are inherently aligned within lines on the page and are not free to rotate. E

%---- Page End Break Here ---- Page : 672
Hamming distance is particularly simple and efficient to compute on bitmapped
- Hausdorff distance - An alternative similarity measure (post-registration)

Which is better, Hamming or Hausdorff? It depends upon your application. As w
- Comparing Skeletons - A more powerful approach to shape similarity uses thin
- Machine learning techniques - A final approach for pattern recognition prob
Machine learning proves successful when you have a lot of data to train on and
then takes your training data and produces a classification function, which a
How good are the resulting classifiers? It depends upon the application. Mach

%---- Page End Break Here ---- Page : 673
Implementations: The computational geometry library CGAL ([https:// www.cgal.org](https://www.cgal.org))

Several excellent support vector machine classifiers are available. These include Python

Notes: Veltkamp Vel01 is an excellent survey on shape matching from a computational geom

The optimal alignment of n - and m -vertex convex polygons subject to translation (but

A linear-time algorithm for computing the Hausdorff distance between two convex polygons

Related problems: Graph isomorphism (see page 610), thinning (see page 655.

)

%---- Page End Break Here ---- Page : 674

\subsection{Motion Planning}

Input description: A polygonal-shaped robot starting at position s in a room containin

Problem description: Find the shortest route taking s to t without intersecting any

Discussion: That motion planning is a complex problem is obvious to anyone who has tried

Finally, motion planning provides a tool for computer animation and virtual reality. Giv

Many factors govern the complexity of motion-planning problems:\index{convolution polyg

- Is your robot a point? - For point robots, motion planning reduces to finding the shor

This visibility graph can be constructed by testing each of the $\binom{n}{2}$ vertexpai

although faster algorithms are known. Assign each edge of this visibility graph with wei

- What motions can your robot perform? - Motion planning becomes considerably more diffi

%---- Page End Break Here ---- Page : 675

The algorithmic complexity depends upon the number of degrees of freedom that the robot

- Can you simplify the shape of your robot? - Motion planning algorithms tend to be comp

- Are motions limited to translation only? - When rotation is not allowed, the expanded

- Are the obstacles known in advance? - We have assumed that the robot starts out with a

obstacle until the robot is again free to proceed directly towards the goal. Unfortunate

%---- Page End Break Here ---- Page : 676

The most practical approach to general motion planning involves randomly sampling the co

Construct a set of legal configuration-space points by random sampling. For each pair of

There are many ways to enhance this basic technique, such as adding additional vertices

Implementations: State-of-the-art sampling-based motion planning algorithms are availabl

The Motion Planning Toolkit (MPK) is a C++ library and toolkit for developing

The computational geometry library CGAL (www.cgal.org) contains many algorithms

Notes: Latombe's book Lat91 describes practical approaches to motion planning

Motion planning was originally studied by Schwartz and Sharir as the "piano m

The best general result for this free-space approach to motion planning is due
solved in $O(n^d \lg n)$, although faster algorithms exist for sp

%---- Page End Break Here ---- Page : 677

The time complexity of algorithms based on the free-space approach to motion p

The visibility graph of n line segments with E pairs of visible vertices c

Related problems: Shortest path (see page 554), Minkowski sum (see page 674.

)

%---- Page End Break Here ---- Page : 678

\subsection{Maintaining Line Arrangements}

Input description: A set of lines $l_1, \dots, l_n$.

Problem description: What is the decomposition of the plane defined by $l_1, \dots, l_n$?

Discussion: A fundamental problem in computational geometry is explicitly cons

- Degeneracy testing - Given a set of n lines in the plane, do any three lin
- Satisfying the maximum number of linear constraints - Suppose that we are g

Thinking of geometric problems in terms of features in an arrangement can be v

- What is the right way to construct a line arrangement? - Algorithms for cons
- How big will your arrangement be? - A geometric fact called the zone theorem
- What do you want to do with your arrangement? - Given an arrangement and a c
- Does your input consist of points instead of lines? - Although lines and poi

\$\$

L: $y=2x-b \iff p:(a, b)$

\$\$

%---- Page End Break Here ---- Page : 679

Duality is important because we can now apply line arrangements to point prob

For example, suppose we are given a set of n points, and we want to know wh

It often becomes useful to traverse each face of an existing arrangement exactly once. See [1].

Implementations: CGAL (www.cgal.org) provides a generic and robust package for arrangements. A good starting point for any serious project using arrangements. A recent book by Fogel et al. [2] provides a good starting point for any serious project using arrangements.

%---- Page End Break Here ---- Page : 680


A robust code for constructing and topologically sweeping an arrangement in C++ is provided by the CGAL package.

Arrange is a package for maintaining arrangements of polygons in either the plane or on the sphere. Notes: Edelsbrunner [3] provides a comprehensive treatment of the combinatorial theory of arrangements.

Arrangements generalize naturally beyond two dimensions. Instead of lines, the space is divided into regions by hyperplanes.

The history of the zone theorem has become somewhat muddled, because the original proofs were for arrangements of lines.

The naive algorithm for sweeping an arrangement of lines sorts the n^2 intersection points.

Related problems: Intersection detection (see page 648), point location (see page 644).


%---- Page End Break Here ---- Page : 681

\subsection{Minkowski Sum}

Input description: Point sets or polygons A and B , containing n and m vertices respectively.

Problem description: What is the convolution of A and B , that is, the Minkowski sum of A and B .

Discussion: Minkowski sums are useful geometric operations that fatten up objects in a plane.

The definition of a Minkowski sum assumes that the polygons A and B have been positioned so that they do not overlap.

$$A+B = \{x+y \mid x \in A, y \in B\}$$

- where $x+y$ is the vector sum of two points. Thinking of this in terms of translation, there are several ways to compute the Minkowski sum:
- Are your objects rasterized images or explicit polygons? - The definition of Minkowski sum of points in A and B , sum up their coordinates and darken the appropriate pixel. The result is a set of points.
 - Do you want to fatten your object by a fixed amount? - The most common fattening operation is to take the Minkowski sum with a disk of fixed radius.
 - Are your objects convex? - The complexity of computing Minkowski sums depends in a serious way on whether the objects are convex.

%---- Page End Break Here ---- Page : 682

A straightforward approach to computing the Minkowski sum is based on triangulation and point location.

Computing the Minkowski sum of two convex polygons is easier than the general case, because the result is also a convex polygon.

Implementations: The CGAL (www.cgal.org) Minkowski sum package provides an efficient implementation.

An implementation for computing the Minkowski sums of two convex polyhedra in 3D.

Notes: Good expositions on algorithms for Minkowski sums include dBvKOS08 and OR03.

The practical efficiency of Minkowski sum in the general case depends upon how efficiently the partition with the fewest number of convex pieces. Agarwal et al. [AAG⁺00] discuss this.

%---- Page End Break Here ---- Page : 683

The combinatorial complexity of the Minkowski sum of two convex polyhedra in 3D.

Related problems: Thinning (see page 655), motion planning (see page 667), string problems.

%---- Page End Break Here ---- Page : 684

\section{Set and String Problems}

Sets and strings both represent collections of objects - the difference is whether the objects are sets or strings.

The assumption of a fixed order makes it possible to solve string problems much more efficiently.

- Gusfield Gus97 - To my taste, this remains the best introduction to string algorithms.
- Crochemore, Hancart, and Lecroq CHL07 - A comprehensive treatment of string algorithms.
- Navarro and Raffinot NR07 - A concise but practical and implementation-oriented survey of string algorithms.
- Crochemore and Rytter CR03 - A survey of specialized topics in string algorithms.

Theoreticians working in string algorithmics sometimes refer to their field as stringology. See https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-686.jpg?1 for a discussion of the term.

\subsection{Set Cover}

Input description: A collection of subsets $S = \{S_1, \dots, S_m\}$ of a universe U .

Problem description: What is the smallest subset T of S whose union equals U ?

$$\bigcup_{i=1}^{|T|} T_i = U$$

Discussion: Set cover arises when you try to efficiently acquire items that have different attributes.

Boolean logic minimization is another interesting application of set cover. We will discuss this in more detail later.

There are several types of set cover problems you should be aware of:

- Are you allowed to cover elements more than once? - The distinction here is between set cover and hitting set.
- Are your sets derived from the edges or vertices of a graph? - Set cover is NP-hard, while hitting set is in P.

%---- Page End Break Here ---- Page : 686

It is instructive to see how to model vertex cover as an instance of set cover. Let the
 - Do your subsets contain only two elements each? - You are in luck if all of your subsets
 - Do you want to cover elements with sets, or sets with elements? - In the hitting set problem
 Hitting set is dual to set cover, meaning that it is exactly the same problem in disguise.

Set cover is at least as hard as vertex cover, so it is also NP-complete. In fact, it is
)

%---- Page End Break Here ---- Page : 687

Figure 21.1: A hitting set instance optimally solved by selecting elements 1 and 3, or
 optimal for vertex cover, but the best approximation algorithm for set cover is $\Theta(\log n)$.

Greedy is the most natural and effective heuristic for set cover. Begin by selecting the

The simplest implementation of the greedy heuristic sweeps through the entire input instance

It pays to check whether there exist elements that occur in only a few subsets - ideally

Simulated annealing techniques on top of such greedy heuristics is likely to produce some

An often more powerful approach rests on the integer linear programming (ILP) formulation

\$\$

$$\sum_{x \in S_i} s_x \geq 1$$

\$\$

This ensures that x will be covered by at least one selected subset. The minimum
 set cover satisfies all of these constraints while minimizing $\sum_i s_i$. This integer

%---- Page End Break Here ---- Page : 688

Implementations: Both the greedy heuristic and the integer linear programming formulation

Pascal implementations of an exhaustive search algorithm for set packing, as well as heuristic

SYMPHONY is a mixed-integer linear programming solver that includes a set partitioning solver

Notes: An old but classic survey article on set cover is BP76, with more recent approximation

Good expositions of the greedy heuristic for set cover include [CLRS09 Hoc96]. An example

Knuth's volume 4A Knuth contains a fascinating discussion of Boolean logic optimization

Related problems: Matching (see page 562), vertex cover (see page 591), set packing (see page 689).
 (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-690.jpg?1)

%---- Page End Break Here ---- Page : 689
 \subsection{Set Packing}

Input description: A set of subsets $S = \{S_1, \dots, S_m\}$ of a set X .

Problem description: Select a small collection of mutually disjoint subsets from S .

Discussion: Set packing problems arise in applications where we have strong constraints on the selection of subsets.

Some flavor of this is captured by the independent set problem in graphs, discussed in Section 21.1.

Scheduling airline flight crews is another application of set packing. Each assignment of a crew to a flight is a subset of the set of all possible assignments.

%---- Page End Break Here ---- Page : 690

We use set packing here to represent several different problems on sets, all of which are variations on the set cover problem. The set cover problem is: Given a set X and a collection of subsets S , find a small collection of subsets that cover X .
 - Must every element appear in exactly one selected subset? - In the exact cover problem, yes.
 Unfortunately, exact cover puts us in the same situation as the Hamiltonian cycle problem: it is NP-complete.
 - Does each element have its own singleton set? - Things will be far better if yes.
 - What is the penalty for covering elements twice? - In set cover (see Section 21.1), the penalty is zero.

The right heuristics for set packing are greedy, and similar to those of set cover.

A more powerful approach rests on an integer programming formulation akin to that of set cover.

$$\sum_{x \in S_i} s_i = 1$$

This ensures that x is covered by exactly one selected subset. Minimizing the number of selected subsets is the goal.

Implementations: Since set cover is a more popular and more tractable problem, many implementations have been developed to solve the cover problem. Such implementations discussed in Section 21.1 (page 690).

%---- Page End Break Here ---- Page : 691

Pascal implementations of an exhaustive search algorithm for set packing, as well as a greedy algorithm, are available.

SYMPHONY is a mixed-integer linear programming solver that includes a set packing module.

Notes: Survey articles on set packing include BP76 HP09 Pas97. A local search algorithm is described in BP76.

Set-packing relaxations for integer programs are presented in BW00. An excellent survey of set packing is given in BP76.

Related problems: Independent set (see page 589), set cover (see page 678).

"I often repeat repeat myself, I often repeat repeat. I often repeat repeat myself, I of

"I often repeat repeat myself, I often repeat repeat.

I often repeat repeat myself,

I often repeat repeat."

- Jack Prelutsky, A Pizza the Size of the Sun

%---- Page End Break Here ---- Page : 692

Input

Output

\subsection{String Matching}

Input description: A text string t of length n . A pattern p of length m .

Problem description: Find an/all instances of pattern p in the text.

Discussion: String matching arises in almost all text processing applications. Every tex

String matching is a fundamental algorithmic problem that remains surprisingly active. S

- Are your search patterns and/or texts short? - If your strings are short and your quer

For very short patterns (say $m \leq 10$), you can't hope to beat this simple algorithm

- What about longer texts and patterns? - String matching can in fact be performed in w

the text in position $i+1$. The Knuth-Morris-Pratt (KMP) algorithm preprocesses the sear

- Do I expect to find the pattern, or not? - The Boyer-Moore algorithm matches the patte

%---- Page End Break Here ---- Page : 693

Although somewhat more complicated than Knuth-Morris-Pratt, this is worthwhile in practi

- Will you perform multiple queries on the same text? - Suppose you are building a progr

- Will you search many texts using the same patterns? - Suppose you are building a progr

Performing a linear-time scan for each pattern yields an $O(k(m+n))$ algorithm. But if

Sometimes multiple patterns are specified not as a list of strings, but concisely as a r

%---- Page End Break Here ---- Page : 694

When the patterns get specified by context-free grammars instead of regular expressions,

- What if our text or pattern contains a spelling error? - The algorithms discussed here

Implementations: Strmat is a collection of C programs implementing exact pattern matchin

Several versions of the general regular expression pattern matcher (grep) are readily av

The Boost string algorithms library provides C++ routines for basic operations on string

Notes: All books on string algorithms contain thorough discussions of exact string matching.

Aho \cite{aho1990patterns} provides a good survey on algorithms for pattern matching.

Empirical comparisons of string matching algorithms include DB86 Hor80 Lec95 and Lec96.

The Rabin-Karp algorithm KR87] uses a hash function to perform string matching.

Related problems: Suffix trees (see page 448), approximate string matching (see page 449).

\begin{tabular}{|c|c|c|c|c|c|c|c|c|c|}

\hline \multirow{3}{*}{amispelt} & \multirow[t]{3}{*}{\begin{tabular}{|l}

misplaced \\\

%---- Page End Break Here ---- Page : 695

? misspelled misprinted

\end{tabular}} & \multicolumn{8}{|l|}{\multirow[t]{3}{*}{a m i s p e l t}} \\\

\hline & & & & & & & \\\

\hline & & & & & & & \\\

\hline \multicolumn{10}{|c|}{Input Output} \\\

\hline

\end{tabular}

\subsection{Approximate String Matching}

Input description: A text string t and a pattern string p .

Problem description: What is the minimum-cost way to transform t to p using insertions, deletions, and substitutions?

Discussion: Approximate string matching is important because we live in an era of massive data.

I once encountered approximate string matching when evaluating the performance of a text editor.

When no changes are permitted, our problem reduces to exact string matching, which can be solved in $O(n)$ time.

Dynamic programming provides the basic approach to approximate string matching.

- If $p_i = t_j$ then $D[i-1, j-1]$ else $D[i-1, j-1] +$ substitution cost.

- $D[i-1, j] +$ deletion cost of p_i .

- $D[i, j-1] +$ deletion cost of t_j .

%---- Page End Break Here ---- Page : 696

A general implementation in C and more complete discussion appears in Section 10.2.

- Do I match the pattern against the full text, or against a substring? The book assumes the full text.

But now suppose that the pattern can occur anywhere within the text. The problem is to find the best match.

- How should I select the substitution and insertion/deletion costs? - The editor charges different costs for different operations.

The default choice charges the same for each insertion, deletion, or substitution.

- How do I find the actual alignment of the strings? - The recurrence above only gives the cost of the alignment.

- What if the two strings are very similar to each other? - The dynamic programming algorithm of $O(dn)$ cells within a distance d of the central diagonal. If no low-cost alignment exists, the algorithm is too slow.

- Is your pattern short or long? - A recent approach to string matching exploits the fact that the basic idea is quite clever. Construct a bit-mask $B_{\{\alpha\}}$ for each letter α . The agrep program, discussed below, uses such a bit-parallel algorithm generalized to approximate matching.

- How do I minimize the required storage? - The quadratic space needed to store the dynamic programming table. But we can use Hirschberg's clever recursive algorithm to efficiently recover the optimal alignment.

- Should I score long runs of insertions/deletions differently? - Many string matching algorithms do. String matching with gap penalties provides a way to properly account for such changes. The cost of a gap of length k is $k \cdot \text{gap_cost}$, where gap_cost is the per-character deletion cost. If A is large relative to B , the alignment has an insertion. String matching under such affine gap penalties can be done in the same quadratic time as the basic algorithm.

```

\begin{aligned}
& V(i, j) = \max (E(i, j), F(i, j), G(i, j)) \\
\%---- Page End Break Here ---- Page : 697\index{nal examination}\index{paranoia level}

\%---- Page End Break Here ---- Page : 698

& G(i, j) = V(i-1, j-1) + \text{match}(i, j) \\
& E(i, j) = \max (E(i, j-1), V(i, j-1) - A) - B \\
& F(i, j) = \max (F(i-1, j), V(i-1, j) - A) - B
\end{aligned}

```

With a constant amount of work per cell, this algorithm takes $O(mn)$ time, same as with the basic algorithm.

- Does similarity mean strings that sound alike? - Other models of approximate pattern matching.

Soundex drops vowels and silent letters, removes doubled letters, and then assigns the remaining letters to groups based on their sound.

Implementations: Several excellent software tools are available for approximate pattern matching. The `RE` library is a general regular-expression matching library for exact and approximate matching.

%---- Page End Break Here ---- Page : 699

Wikipedia gives programs for computing edit (Levenshtein) distance in a dizzying array of languages.

Notes: There have been many recent advances in approximate string matching, particularly in the area of bit-parallel algorithms.

The basic dynamic programming alignment algorithm is attributed to WF74, although it is also found in earlier work.

Masek and Paterson MP80 compute the edit distance between m and n -length strings in $O(mn)$ time.

The shortest-path formulation leads to a variety of algorithms that are good when the edit distance is small.

Bit-parallel algorithms for approximate matching include Myers's Mye99b algorithm for approximate matching.

Soundex was invented and patented by M. K. Odell and R. C. Russell. Exposition

Related problems: String matching (see page 685), longest common substring (see

%---- Page End Break Here ---- Page : 700

Fourscore and seven years ago our father brought forth on this continent a new

Input

Output

\subsection{Text Compression}

Input description: A text string SS .

Problem description: Create a shorter text string $S^{\sim}$ such that SS c

Discussion: Secondary storage devices quickly fill up on most computer systems

People seem to like inventing ad hoc data-compression methods for their partici

- Must we recover the exact input text after compression? - Lossy vs. lossless

- Can I simplify my data before I compress it? - The most effective way to fre

from the file? Might the document be converted entirely to uppercase character

A particularly interesting simplification results from applying the BurrowsWhe

%---- Page End Break Here ---- Page : 701

Provided the last character of the input string is unique (an end-of-string sy

- Does it matter whether the algorithm is patented? - Certain data compression

- How do I compress image data - The simplest lossless compression algorithm

For serious audio/image/video compression applications, I recommend that you u

- Must compression run in real time? - Fast decompression is often more import

Literally dozens of text compression algorithms are available, but they can be

build a single coding table by analyzing the entire document. Adaptive algorit

- Huffman codes - Huffman codes replace each alphabet symbol by a variable leng

Huffman codes can be constructed using a greedy algorithm. Sort the symbols in

Huffman codes are popular but have three disadvantages. Two passes must be ma

- Lempel-Ziv algorithms - Lempel-Ziv algorithms (including the popular LZW var

Lempel-Ziv algorithms build coding tables of frequent substrings, which can ge

%---- Page End Break Here ---- Page : 702

The amazing thing about Lempel-Ziv is how robust it is on different types of c

%---- Page End Break Here ---- Page : 703

Implementations: Perhaps the most popular text compression program is gzip, which implem

There is a natural tradeoff between compression ratio and compression time. Another choi

Notes: Many books on data compression are available. Recent and comprehensive books incl

Good expositions on Huffman codes Huf52 include AHU83 CLRS09. The Lempel-Ziv algorithm a

The annual IEEE Data Compression Conference (<https://www.cs.brandeis.edu/> $\sim$ mathrm

Related problems: Shortest common superstring (see page 709, cryptography (see page 697)

%---- Page End Break Here ---- Page : 704

\title{

The magic words are Squeamish Ossifrage.

}

15\&AE<\&UA9VEC' \$=0\$

<F1s"F\%R92!3<75E96UI<V

V@*3W-S:69R86=E+@K_

Input

Output

\subsection{Cryptography}

Input description: A plaintext message T or encrypted text E , and key k .

Problem description: Encode T using k giving E , or decode E giving T .

Discussion: Cryptography has grown wildly more important as computer networks increasing

Cryptographic ideas and applications go far beyond the tasks of "encryption" and "decryp

There are three classes of cryptosystems everyone should be aware of:

- Caesar shifts - The oldest ciphers involve mapping each character of the alphabet to a
- Block shuffle ciphers - This class of algorithms repeatedly shuffles the bits of your

%---- Page End Break Here ---- Page : 705

But 256-bit AES is still considered very secure. AES libraries are available for all maj

- Public key cryptography - If you fear bad guys reading your messages, you should also

R S A is the classic example of a public key cryptosystem, named after its inventors R

RSA is slow relative to other cryptosystems - roughly 100 to 1,000 times slower than AES

The critical issue in selecting a cryptosystem is identifying your paranoia level. Who a

That said, I will confess that I use DES to encrypt my final exam each semester.

Most symmetric key encryption mechanisms are harder to crack than public key encryption.

%---- Page End Break Here ---- Page : 706

Simple ciphers like the Caesar shift are fun and easy to program. For this reason,

Another thing you should never do is try to develop your own novel cryptosystem.

Certain other problems related to cryptography arise often in practice:

- How can I validate the integrity of data against random corruption? There is a more efficient method that uses a checksum, a hash of the long text down to a large number. The cyclic-redundancy check (CRC) - The CRC provides a more powerful method to compute a checksum.
 - How can I validate the integrity of data against deliberate corruption? CRC can detect errors, but cannot detect deliberate corruption.
 - How can I prove that a file has not been changed? - If I send you a contract claiming that your version is what we had agreed to? I need a way to prove that I can compute a checksum for any given file, and then encrypt this checksum using a secure key.
 - How can I restrict access to copyrighted material? - An important application of cryptography is to protect digital content.
- High-speed cryptosystems have proven to be relatively easy to break. The state-of-the-art is constantly changing.

%---- Page End Break Here ---- Page : 707

Implementations: Nettle is a comprehensive low-level cryptographic library in C.

Crypto ++ is a large C ++ class library of cryptographic schemes, including algorithms for symmetric and asymmetric encryption, digital signatures, and random number generation.

Many popular open source utilities employ serious cryptography, and serve as good examples of how to use cryptographic libraries.

The Boost CRC Library provides multiple implementations of cyclic redundancy checks.

Notes: The Handbook of Applied Cryptography MOV96 provides technical surveys of many of the topics discussed here.

%---- Page End Break Here ---- Page : 708

Kahn Kah67 presents the fascinating history of cryptography from ancient times to the present.

Expositions on the RSA algorithm RSA78 include CLRS09. The RSA Laboratories have a good page on the history of the algorithm.

Of course, the National Security Agency is the place to go to learn the real story of cryptography in the United States.

MD5 Riv92 is the hashing function used by PGP to compute digital signatures. It is not secure, but it is fast.

Related problems: Factoring and primality testing (see page 490), text compression, and steganography.

![] (https://cdn.mathpix.com/cropped/2025_03_24_35eff77eaa66f5ad98acg-710.jpg?&h=100&w=100&from_page=1)

%---- Page End Break Here ---- Page : 709
 \subsection{Finite State Machine Minimization}

Input description: A deterministic finite automaton M .

Problem description: Create the smallest deterministic finite automaton $M^{\prime}$ such

Discussion: Finite state machines are very useful for specifying and recognizing patterns.

Finite state machines are defined by directed graphs. Each vertex represents a state, and

Finite state machines are often used to specify search patterns in the guise of regular

%---- Page End Break Here ---- Page : 710

We consider three different problems on finite automata:

- Minimizing deterministic finite state machines - Transition matrices for finite automata
- Algorithms to minimize the number of states in a deterministic finite automaton (DFA) are
- This algorithm makes a sweep through all the classes looking for a new partition, and re
- Constructing deterministic machines from non-deterministic machines DFAs are simple to
- In fact, any NFA can be mechanically converted to an equivalent DFA, which can then be m
- The proofs of equivalence between NFAs, DFAs, and regular expressions are elementary en
- Constructing machines from regular expressions - There are two approaches for translat
- The non-deterministic construction uses ϵ -moves, which are optional transitions
- construct an automaton using ϵ -moves, from a depth-first traversal of the parse
- The deterministic construction starts with the parse tree for the regular expression, ob

%---- Page End Break Here ---- Page : 711

Implementations: Grail+ is a C++ package for symbolic computation with finite automata a

The OpenFst Library (<http://www.openfst.org/>) is a library for constructing, combining,

JFLAP (Java Formal Languages and Automata Package) is a package of graphical tools for l

Notes: Aho Aho90 provides a good survey on algorithms for pattern matching, with a parti

Hopcroft Hop71 gave an optimal $O(n \lg n)$ algorithm for minimizing the number of states
 problems of compressing a DFA to a minimum NFA [JR93] and testing the equivalence of two

%---- Page End Break Here ---- Page : 712

The inefficiencies of algorithmic approaches for regular expression pattern matching hav

Related problems: Satisfiability (see page 537). string matching (see page 685).

%---- Page End Break Here ---- Page : 713

AHAAIGDDETNWORTDTS
 HGITGDDEANWTOSRDSG
 GTASHIDDENWORDTGAG
 HIGSDDEGNWORGADSTA
 HAIDAGDENSWORSADTS

AHAAIGDDETNWORTDTS
 HGITGDDEANWTOSRDSG
 GTASHIDDENWORDTGAG HIGSDDEGNWORGADSTA

HAIDAGDENSWORSADTS

Input

\subsection{Longest Common Substring/Subsequence}

Input description: A set S of strings $S_1, \dots, S_n$.

Problem description: What is the longest string S' such that all the

Discussion: Longest common substring/subsequence (LCS) arises whenever we search

The longest common subsequence problem for two strings is a special case of edit

Issues arising in LCS include:

- Are you looking for a common substring? - When detecting plagiarism, we seek
- The longest common substring of a set of strings can be identified in linear time
- Are you looking for a common scattered subsequence? - For the rest of this section

%---- Page End Break Here ---- Page : 714

Let $M[i, j]$ denote the number of characters in the longest common subsequence

This recurrence computes the length of the longest common subsequence in $O(n^2)$

- What if the strings are permutations? - Permutations are strings without repeated

- What if there are relatively few sets of matching characters? - There is a naive

The complete set of such points can be found in $O(n+m+r)$ time using bucketing

A common subsequence describes a monotonically non-decreasing path through the

- What if we have more than two strings to align? - The basic dynamic programming

Many heuristics have been proposed for multiple sequence alignment. They often work on pairs of strings. One approach replaces the two most similar sequences with a single merged

%---- Page End Break Here ---- Page : 715

Implementations: Several programs are available for multiple sequence alignment

Any of the dynamic programming-based approximate string matching programs of Section 21.3.

Combinatorica PS03 provides a Mathematica implementation of an algorithm to construct the shortest common superstring.

Notes: Surveys of algorithmic results on longest common subsequence (LCS) problems include [1, 2].

Construct two random n -character strings on an alphabet of size α . What is the expected length of their longest common subsequence?

Multiple sequence alignment for computational biology is a large field, with the books of [3, 4] being good starting points.

We motivated the problem of longest common substring with the application of plagiarism detection.

Related problems: Approximate string matching (see page 688), shortest common superstring.

%---- Page End Break Here ---- Page : 716

```
\title{
A B R A C A R A C A D A A C A D A B C A D A B R A D A B R A
}
```

```
\section{ABRACADABRA ABRACA}
```

Input
Output

```
\subsection{Shortest Common Superstring}
```

Input description: A set of strings $S = \{S_1, \dots, S_m\}$.

Problem description: Find the shortest string S^* that contains each string S_i as a substring.

Discussion: Shortest common superstring/supersequence (SCS) arises in a variety of applications.

A more important application of shortest common superstring is data/matrix compression.

Perhaps the most compelling application is in DNA sequence assembly. Machines readily sequence DNA.

Finding a superstring of a set of strings is not difficult, since we can simply concatenate them. Indeed, shortest common superstring is NP-complete for all reasonable classes of strings.

%---- Page End Break Here ---- Page : 717

Finding the shortest common superstring can be reduced to the traveling salesman problem.

The greedy heuristic provides the standard approach to approximating shortest common superstring.

How well does the greedy heuristic perform? It can certainly be fooled into constructing a long superstring.

Building superstrings becomes difficult when the input contains both positive and negative strings.

Implementations: Several high-performance programs for DNA sequence assembly are available. CAP3 (Contig Assembly Program) HM99 and PCAP HWA [103] are the latest.

The Celera assembler that sequenced the human genome is now available as open source.

Notes: The shortest common superstring (SCS) problem and its application to DNA sequence assembly, where the strings are assumed to have character substitution errors.

%---- Page End Break Here ---- Page : 718

Blum et al. [94] gave the first constant-factor approximation.

Experiments on shortest common superstring heuristics are reported in RBT04, [104].

Related problems: Suffix trees (see page 448), text compression (see page 693).

%---- Page End Break Here ---- Page : 719

\section{Algorithmic Resources}

This chapter briefly describes resources that the working algorithm designer should know.

\subsection{Algorithm Libraries}

A good algorithm designer does not reinvent the wheel, and a good programmer does not.

But a word of caution about stealing. Many of the codes described in this book are

Although many of the systems described here may be available by accessing the

\subsection{LEDA}

LEDA, for Library of Efficient Data types and Algorithms, is perhaps the best algorithmically developed by a group at the Max Planck Institut in Saarbrücken, Germany.

What LEDA offers is a complete collection of well-implemented C++ data structures.

LEDA is exclusively available from Algorithmic Solutions Software GmbH (<https://www.algorithmic-solutions.com/>).

\subsection{CGAL}

The Computational Geometry Algorithms Library or CGAL provides efficient and reliable geometric computations. CGAL (<https://www.cgal.org>) should be the first place to go for serious geometric computations.

\subsection{Boost Graph Library}

Boost (www.boost.org) provides a well-regarded collection of free peer-reviewed portable C++ templates and libraries.

The Boost Graph Library [SLL02] (<http://www.boost.org/libs/graph/doc>) is perhaps most relevant for graph algorithms.

\subsection{Netlib}

Netlib (<https://netlib.org/>) is an online repository of mathematical software that contains a wide variety of algorithms. It is important because of its breadth and ease of access. Whenever you need a specialized library, Netlib is a good place to look.

%---- Page End Break Here ---- Page : 721

The Guide to Available Mathematical Software (GAMS), is an indexing service for Netlib and other mathematical software sources.

\subsection{Collected Algorithms of the ACM}

An early mechanism for the distribution of useful algorithm implementations was the Collected Algorithms of the ACM (CACM).

Almost 1,000 algorithms have appeared to date. Most of the codes are in Fortran and are available in the CACM archive.

\subsection{GitHub and SourceForge}

With over 28 million public repositories, the software development platform GitHub (<https://github.com>) is the most popular open source software development platform.

SourceForge (<http://sourceforge.net/>) is an older open source software development website that has been around since 1999.

\subsection{The Stanford GraphBase}

The Stanford GraphBase is an interesting program for several reasons. First, it was compiled in C and is portable.

The GraphBase contains implementations of several important combinatorial algorithms, including generating functions, recreational problems, including constructing word ladders (flour-floor-flood-blood-brood).

%---- Page End Break Here ---- Page : 722

Although the GraphBase is fun to play with, it is not really suited for building general-purpose software.

\subsection{Combinatorica}

Combinatorica PS03 is a collection of over 450 algorithms for combinatorics and graph theory.

Although (in my totally unbiased opinion) Combinatorica is more comprehensive

Check out <http://www.combinatorica.com> for the latest release and associated

\subsection{Programs from Books}

Several books on algorithms include working implementations of the algorithms

The most useful codes of this genre are described below. Most are available fr

- Programming Challenges - If you like the C code that appeared in the first

<https://www.cs.stonybrook.edu/~skiena/392/programs/>, and

<https://github.com/SkienaBooks/Algorithm-Design-Manual-Programs>.

- Combinatorial Algorithms for Computers and Calculators - Nijenhuis and Wilf

are often very short, but they are hard to locate and usually surprisingly su

%---- Page End Break Here ---- Page : 723

These programs are now available from the algorithm repository website. I tra

- Computational Geometry in C\$ - O'Rourke O'R01 is perhaps the best practical

- Algorithms in C++\$ - Sedgewick's popular algorithms text Sed98 SW11] comes

- Discrete Optimization Algorithms in Pascal - This collection of 28 programs

\subsection{Data Sources}

It is often important to have interesting data to feed your algorithms, to se

- Stanford Network Analysis Project (SNAP) - This resource couples a general p

- TSPLIB - This well-respected library of test instances for the traveling sa

- Stanford GraphBase - As discussed in Section 22.1.7 this suite of programs

%---- Page End Break Here ---- Page : 724

\subsection{Online Bibliographic Resources}

The web is a fantastic resource for people interested in algorithms. What fol

- Google Scholar - This free resource (<https://scholar.google.com/>) restricts

- ACM Digital Library - This collection of bibliographic references provides

- Arxiv - This preprint server with over 1.6 million papers is where research

\subsection{Professional Consulting Services}

Algorist Technologies (<http://www.algorist.com>) is a consulting firm that prov

Algorist Technologies 215 West 92nd St. Suite 1F

New York, NY 10025

%---- Page End Break Here ---- Page : 725

\section{Bibliography}

- [AAAG95] O. Aichholzer, F. Aurenhammer, D. Alberts, and B. Gartner. A novel type of skeleton.
- [AAM18] M. Abrahamsen, A. Adamaszek, and T. Miltzow. The art gallery problem is $\exists\text{-SAT}$.
- [Aar13] Scott Aaronson. Quantum Computing since Democritus. Cambridge University Press, 2013.
- [Aar15] Scott Aaronson. Quantum machine learning algorithms: Read the fine print. *Nature*, 2015.
- [AB09] Sanjeev Arora and Boaz Barak. Computational Complexity: A Modern Approach. Cambridge University Press, 2009.
- [AB17] Mikhail J Atallah and Marina Blanton. Algorithms and Theory of Computation Handbook.
- [ABCC07] D. Applegate, R. Bixby, V. Chvatal, and W. Cook. The Traveling Salesman Problem.
- [ABF05] L. Arge, G. Brodal, and R. Fagerberg. Cache-oblivious data structures. In D. Mehlhorn and A. Aho, editors, *Algorithms and Complexity*, pages 1–16. Springer, 2005.
- [ABW15] Amir Abboud, Arturs Backurs, and Virginia Vassilevska Williams. Tight hardness results for APSP .
- [AC75] A. Aho and M. Corasick. Efficient string matching: an aid to bibliographic search.
- [AC91] D. Applegate and W. Cook. A computational study of the job-shop scheduling problem.
- [ACFC $\left[\text{ACH}^+\right]$ 16] Alberto Apostolico, Maxime Crochemore, Martin Farach-Colton, and J. R. S. Figueiredo. $\left[\text{ACH}^+\right]$ $\approx$ $\left[\text{ACH}^+\right]$.
- [ACK01a] N. Amenta, S. Choi, and R. Kolluri. The power crust. In Proc. 6th ACM Symp. on Discrete and Computational Geometry, pages 1–16. SIAM, 2001.
- [ACK01b] N. Amenta, S. Choi, and R. Kolluri. The power crust, unions of balls, and the minimum volume enclosing ball.
- [ACL12] Eric Angel, Romain Campigotto, and Christian Laforest. Implementation and comparison of algorithms for computing the power crust.
- [ACLZ11] Deepak Ajwani, Adan Cosgaya-Lozano, and Norbert Zeh. Engineering a topological data structure for the power crust.
- [ADGM07] Lyudmil Aleksandrov, Hristo Djidjev, Hua Guo, and Anil Maheshwari. Partitioning a set of points in the plane.
- [ADKF70] V. Arlazarov, E. Dinic, M. Kronrod, and I. Faradzev. On economical construction of the transitive reduction of a directed graph.
- [Ad194] L. M. Adleman. Molecular computations of solutions to combinatorial problems. *Science*, 194, 1979.
- [AE04] G. Andrews and K. Eriksson. Integer Partitions. Cambridge University Press, 2004.
- [AF96] D. Avis and K. Fukuda. Reverse search for enumeration. *Disc. Applied Math.*, 65:21–45, 1996.
- [AFGW10] Ittai Abraham, Amos Fiat, Andrew V Goldberg, and Renato F Werneck. Highway dimension and the shortest path problem.
- [AFH02] P. Agarwal, E. Flato, and D. Halperin. Polygon decomposition for efficient construction of the power crust.
- [AG00] H. Alt and L. Guibas. Discrete geometric shapes: Matching, interpolation, and approximation.
- [Aga18] P. Agarwal. Range searching. In J. Goodman, J. O'Rourke, and C. Toth, editors, *Handbook of Discrete and Computational Geometry*, pages 1–16. Springer, 2018.
- [AGR01] N. Amato, M. Goodrich, and E. Ramos. A randomized algorithm for triangulating a simple polygon.
- [AGSS89] A. Aggarwal, L. Guibas, J. Saxe, and P. Shor. A linear-time algorithm for computing the transitive reduction of a directed graph.
- [AGU72] A. Aho, M. Garey, and J. Ullman. The transitive reduction of a directed graph. *SIAM J. Comput.*, 1:131–147, 1972.
- [AHK $\left[\text{ACH}^+\right]$ 08] E. Arkin, G. Hart, J. Kim, I. Kostitsyna, J. Mitchell, G. Rote, and J. Saxe. $\left[\text{ACH}^+\right]$ $\approx$ $\left[\text{ACH}^+\right]$.
- [Aho90] A. Aho. Algorithms for finding patterns in strings. In J. van Leeuwen, editor, *Handbook of Algorithms and Data Structures*, pages 1–16. Wiley, 1990.
- [AHU74] A. Aho, J. Hopcroft, and J. Ullman. The Design and Analysis of Computer Algorithms. Addison-Wesley, 1974.
- [AHU83] A. Aho, J. Hopcroft, and J. Ullman. Data Structures and Algorithms. Addison-Wesley, 1983.
- [AI06] Alexandr Andoni and Piotr Indyk. Near-optimal hashing algorithms for approximate nearest neighbor search.
- [AI08] Alexandr Andoni and Piotr Indyk. Near-optimal hashing algorithms for approximate nearest neighbor search.
- [Aig88] M. Aigner. Combinatorial Search. Wiley-Teubner, 1988.
- [AIR18] Alexandr Andoni, Piotr Indyk, and Ilya Razenshteyn. Approximate nearest neighbor search.
- [AITT00] Y. Asahiro, K. Iwama, H. Tamaki, and T. Tokuyama. Greedily finding a dense subgraph.
- [AJNP18] Nicolas Auger, Vincent Jugé, Cyril Nicaud, and Carine Pivoteau. On the worst-case complexity of the power crust.
- [AK89] E. Aarts and J. Korst. Simulated Annealing and Boltzman Machines: A Stochastic Approach. North-Holland, 1989.
- [AKL13] Franz Aurenhammer, Rolf Klein, and Der-Tsai Lee. Voronoi Diagrams and Delaunay Triangulations. Springer, 2013.
- [AKS04] M. Agrawal, N. Kayal, and N. Saxena. PRIMES is in P. *Annals of Mathematics*, 160:781–800, 2004.

- [AL97] E. Aarts and J.K. Lenstra. Local Search in Combinatorial Optimization.
- [AM93] S. Arya and D. Mount. Approximate nearest neighbor queries in fixed dimension. *SIAM J. Comput.* 22(2):409–423, 1993.
- [AM093] R. Ahuja, T. Magnanti, and J. Orlin. Network Flows. Prentice Hall, 1993.
- [And98] G. Andrews. The Theory of Partitions. Cambridge Univ. Press, 1998.
- [And05] A. Andersson. Searching and priority queues in $O(\log n)$ time. In D. S. Johnson et al., editors, *Proceedings of the 36th Annual ACM Symposium on Theory of Computing*, pages 55–64. ACM Press, 2005.
- [ANN 18] Alexandr Andoni, Assaf Naor, Aleksandar Nikolov, Ilya Razenshteyn, and Grigory Yaroslavtsev. Approximate nearest neighbor queries in fixed dimension. *SIAM J. Comput.* 47(2):1–18, 2018.
- [ANOY14] Alexandr Andoni, Aleksandar Nikolov, Krzysztof Onak, and Grigory Yaroslavtsev. Approximate nearest neighbor queries in fixed dimension. *SIAM J. Comput.* 43(2):409–423, 2014.
- [AP72] A. Aho and T. Peterson. A minimum distance error-correcting parser for context-free languages. *SIAM J. Comput.* 1(1):1–10, 1972.
- [AP14] Pankaj K Agarwal and Jiangwei Pan. Near-linear algorithms for geometric set cover. *SIAM J. Comput.* 43(2):409–423, 2014.
- [APT79] B. Aspövall, M. Plass, and R. Tarjan. A linear-time algorithm for testing if a graph is a planar graph. *SIAM J. Comput.* 8(2):155–169, 1979.
- [Aro98] S. Arora. Polynomial time approximations schemes for Euclidean TSP and its variants. *SIAM J. Comput.* 27(2):153–185, 1998.
- [AS00] P. Agarwal and M. Sharir. Arrangements. In J. Sack and J. Urrutia, editors, *Handbook of Discrete and Combinatorial Geometry*, pages 1–10. Wiley, 2000.
- [Ata83] M. Atallah. A linear time algorithm for the Hausdorff distance between two point sets. *SIAM J. Comput.* 12(2):300–310, 1983.
- [Bab16] László Babai. Graph isomorphism in quasipolynomial time. In *Proceedings of the 48th Annual ACM Symposium on Theory of Computing*, pages 684–690. ACM Press, 2016.
- [Bap10] Ravindra Bapat. Graphs and Matrices, volume 27. Springer, 2010.
- [Bar03] A. Barabási. Linked: How Everything Is Connected to Everything Else and Why It Matters. Doubleday, 2003.
- [BB14] Charles H Bennett and Gilles Brassard. Quantum cryptography: public key distribution and coin flipping. In *Proceedings of the 1984 Annual ACM Symposium on Foundations of Computer Science*, pages 175–186. ACM Press, 1984.
- [BBF99] V. Bafna, P. Berman, and T. Fujito. A 2-approximation algorithm for the minimum set cover problem. *SIAM J. Comput.* 28(2):513–526, 1999.
- [BBPP99] I. Bomze, M. Budinich, P. Pardalos, and M. Pelillo. The maximum clique problem. In *Handbook of Combinatorial Optimization*, pages 1–54. Wiley, 1999.
- [BC19] Stephan Beyer and Markus Chimani. Strong steiner tree approximations in graphs. *SIAM J. Comput.* 48(2):1–18, 2019.
- [BCGM13] Gunnar Brinkmann, Kris Coolsaet, Jan Goedgebeur, and Hadrien M  lot. The minimum set cover problem. *SIAM J. Comput.* 42(2):409–423, 2013.
- [BCGR92] D. Berque, R. Cecchini, M. Goldberg, and R. Rivenburgh. The SetPlayer. *SIAM J. Comput.* 21(2):409–423, 1992.
- [BCW90] T. Bell, J. Cleary, and I. Witten. Text Compression. Prentice Hall, 1990.
- [BD99] R. Bubley and M. Dyer. Faster random generation of linear extensions. *SIAM J. Comput.* 28(2):155–169, 1999.
- [BD11] Joseph Blitzstein and Persi Diaconis. A sequential importance sampling algorithm for sampling from a target distribution. *SIAM J. Comput.* 40(2):1–18, 2011.
- [BDH97] C. Barber, D. Dobkin, and H. Huhdanpaa. The Quickhull algorithm for convex hulls. *SIAM J. Comput.* 22(2):409–423, 1997.
- [BDN01] G. Bilardi, P. D'Alberto, and A. Nicolau. Fractal matrix multiplication. *SIAM J. Comput.* 30(2):409–423, 2001.
- [BDY06] K. Been, E. Daiches, and C. Yap. Dynamic map labeling. *IEEE Trans. on Visualization and Computer Graphics*, 12(2):155–169, 2006.
- [BEB12] Tyson Brochu, Essex Edwards, and Robert Bridson. Efficient geometrica. *SIAM J. Comput.* 41(2):409–423, 2012.
- [Bel58] R. Bellman. On a routing problem. *Quarterly of Applied Mathematics*, 16(2):169–170, 1958.
- [Ben75] J. Bentley. Multidimensional binary search trees used for associative searching. *SIAM J. Comput.* 4(2):579–594, 1975.
- [Ben90] J. Bentley. More Programming Pearls. Addison-Wesley, 1990.
- [Ben92a] J. Bentley. Fast algorithms for geometric traveling salesman problems. *SIAM J. Comput.* 21(2):409–423, 1992.
- [Ben92b] J. Bentley. Software exploratorium: The trouble with qsort. *UNIX Review*, 44(2):155–169, 1992.
- [Ben99] J. Bentley. Programming Pearls. Addison-Wesley, second edition, 1999.
- [Ber82] D. Bertsekas. Constrained Optimization and Lagrange Multiplier Methods. MIT Press, 1982.
- [Ber89] C. Berge. Hypergraphs. North-Holland, 1989.
- [Ber02] M. Bern. Adaptive mesh generation. In T. Barth and H. Deconinck, editors, *Handbook of Adaptive Mesh Refinement*, pages 1–10. Wiley, 2002.
- [Ber04] D. Bernstein. Fast multiplication and its applications. <http://cr.yp.to/bib/2004-bernstein.html>, 2004.
- [Ber15] D. Bertsekas. Convex Optimization Algorithms. Athena Scientific Belmont, 2015.
- [Ber19] Chris Bernhardt. Quantum Computing for Everyone. MIT Press, 2019.
- [BETT99] G. Di Battista, P. Eades, R. Tamassia, and I. Tollis. Graph Drawing: Algorithms and Software. Wiley, 1999.
- [BF00] M. Bender and M. Farach. The LCA problem revisited. In *Proc. 4th Latin American Symposium on Theoretical Computer Science*, pages 1–18, 2000.
- [BFH 18] Alon Baram, Efi Fogel, Dan Halperin, and Michael Hershkov. Approximate nearest neighbor queries in fixed dimension. *SIAM J. Comput.* 47(2):1–18, 2018.

- \$\left[\right.\$ BFP \$\left.^{+} 72\right]\$ M. Blum, R. Floyd, V. Pratt, R. Rivest, and R. Sedgwick. [BFS12] G. Blelloch, J. Fineman, and J. Shun. Greedy sequential maximal independent set.
- [BFV07] G. Brodal, R. Fagerberg, and K. Vinther. Engineering a cache-oblivious sorting algorithm.
- [BG95] J. Berry and M. Goldberg. Path optimization and near-greedy analysis for graph partitioning.
- \$\left[\right.\$ BGJ \$\left.^{+} 12\right]\$ Arnab Bhattacharyya, Elena Grigorescu, Kyomin Fung, and S. S. V. Rao. [BGS95] M. Bellare, O. Goldreich, and M. Sudan. Free bits, PCPs, and non-approximability of set cover.
- [BH90] F. Buckley and F. Harary. Distances in Graphs. Addison-Wesley, 1990.
- [BH01] G. Barequet and S. Har-Peled. Efficiently approximating the minimum volume bounding box.
- [BHK04] Andreas Björklund, Thore Husfeldt, and Sanjeev Khanna. Approximating longest directed paths.
- [BHR00] L. Bergroth, H. Hakonen, and T. Raita. A survey of longest common subsequence algorithms.
- [BHvM09] Armin Biere, Marijn Heule, and Hans van Maaren. Handbook of Satisfiability, volume 184 of Frontiers in Artificial Intelligence and Applications. IOS Press, 2009.
- [BI15] Arturs Backurs and Piotr Indyk. Edit distance cannot be computed in strongly subquadratic time.
- [BIK \$\left.\right\} ^{+} 04\right]\$ H. Bronnimann, J. Iacono, J. Katajainen, P. Morin, J. Morzinek, and J. Stoyan. [Bis06] Christopher M Bishop. Pattern Recognition and Machine Learning. Springer, 2006.
- [BJL \$\left.\right\} ^{+} 94\right]\$ A. Blum, T. Jiang, M. Li, J. Tromp, and M. Yannakakis. Linear time algorithms for longest common subsequence.
- [BJL06] C. Buchheim, M. Jünger, and S. Leipert. Drawing rooted trees in linear time. Software: Theory and Applications.
- [BJLM83] J. Bentley, D. Johnson, F. Leighton, and C. McGeoch. An experimental study of binary search trees.
- [BK04] Y. Boykov and V. Kolmogorov. An experimental comparison of min-cut/max-flow algorithms for energy minimization.
- [BK18] Karl Bringmann and Marvin Künnemann. Multivariate fine-grained complexity of longest common subsequence.
- [BKRVO0] A. Blum, G. Konjevod, R. Ravi, and S. Vempala. Semi-definite relaxations for minimum cut problems.
- [BL30] Edward Bulwer Lytton. Paul Clifford. Henry Colburn and Richard Bentley, London, 1830.
- [BL76] K. Booth and G. Lueker. Testing for the consecutive ones property, interval graph recognition, and consecutive ones.
- [BLS91] D. Bailey, K. Lee, and H. Simon. Using Strassen's algorithm to accelerate the shortest path algorithm.
- [BLT12] Gerth Stølting Brodal, George Lagogiannis, and Robert E. Tarjan. Strict fibonacci heaps and their applications.
- [Blu67] H. Blum. A transformation for extracting new descriptions of shape. In W. Wathen and R. W. Thurman, editors, Shape Theory, pages 223-231. Academic Press, 1967.
- [BLW76] N. L. Biggs, E. K. Lloyd, and R. J. Wilson. Graph Theory 1736-1936. Academic Press, 1976.
- [BM53] G. Birkhoff and S. MacLane. A Survey of Modern Algebra. Macmillan, 1953.
- [BM77] R. Boyer and J. Moore. A fast string-searching algorithm. Communications of the ACM, 20:762-775, 1977.
- [BM01] E. Bingham and H. Mannila. Random projection in dimensionality reduction: applications to image and text data.
- [BM05] A. Broder and M. Mitzenmacher. Network applications of bloom filters: A survey. In Proceedings of the 2005 ACM SIGMOD conference on Database systems, pages 674-682, 2005.
- [BMRS16] Kevin Buchin, Wouter Meulemans, André Van Renssen, and Bettina Speckmann. Area-coverage of point sets.
- \$\left[\mathrm{BMS}^{+} 16\right]\$ Aydın Buluç, Henning Meyerhenke, Ilya Safro, Peter Sanders, and Dorothea Wagner. [BMSW13] David A Bader, Henning Meyerhenke, Peter Sanders, and Dorothea Wagner. Graph partitioning.
- [BN09] Albert Boggess and Francis J Narcowich. A First Course in Wavelets with Fourier Analysis. Cambridge University Press, 2009.
- [BO79] J. Bentley and T. Ottmann. Algorithms for reporting and counting geometric intersections.
- [BO83] M. Ben-Or. Lower bounds for algebraic computation trees. In Proc. Fifteenth ACM Symposium on Theory of Computing, pages 301-306, 1983.
- [Bol01] B. Bollobas. Random Graphs. Cambridge Univ. Press, second edition, 2001.
- [Bot12] Léon Bottou. Stochastic gradient descent tricks. In Neural Networks: Tricks of the Trade, pages 431-437, 2012.
- [BP76] E. Balas and M. Padberg. Set partitioning-a survey. SIAM Review, 18:710-760, 1976.
- [BR95] A. Binstock and J. Rex. Practical Algorithms for Programmers. Addison-Wesley, 1995.
- [Bra99] R. Bracewell. The Fourier Transform and its Applications. McGraw-Hill, third edition, 1999.
- [Bra08] Peter Brass. Advanced Data Structures. Cambridge University Press, 2008.
- [Brè79] D. Brèlaz. New methods to color the vertices of a graph. Comm. ACM, 22:251-256, 1979.
- [Bri88] E. Brigham. The Fast Fourier Transform. Prentice, facimile edition, 1988.
- [Bro95] F. Brooks. The Mythical Man-Month. Addison-Wesley, twentieth anniversary edition, 1995.
- [Bro97] Andrei Z. Broder. On the resemblance and containment of documents. In Proceedings of the 1997 ACM conference on Database systems, pages 231-239, 1997.

- [BRS $\{ \}^+_{10}$] Lawrence E. Bassham, Andrew L. Rukhin, Juan Soto, James R. L.
- [Bru07] P. Brucker. Scheduling Algorithms. Springer-Verlag, fifth edition, 2000.
- [Brz64] J. Brzozowski. Derivatives of regular expressions. J. ACM, 11:481-494.
- [BS76] J. Bentley and M. Shamos. Divide-and-conquer in higher-dimensional space.
- [BS86] G. Berry and R. Sethi. From regular expressions to deterministic automata.
- [BS96] E. Bach and J. Shallit. Algorithmic Number Theory: Efficient Algorithms.
- [BS97] R. Bradley and S. Skiena. Fabricating arrays of strings. In Proc. First
- [BS07] A. Barvinok and A. Samorodnitsky. Random weighting, asymptotic counting.
- [BS13] Charles-Edmond Bichot and Patrick Siarry. Graph partitioning. John Wiley.
- [BSA18] M. Bern, J. Shewchuk, and N. Amenta. Triangulations and mesh generation.
- [BT92] J. Buchanan and P. Turner. Numerical Methods and Analysis. McGrawHill,
- [But11] Giorgio C Buttazzo. Hard Real-Time Computing Systems: Predictable Scheduling.
- [BV04] Stephen Boyd and Lieven Vandenbergh. Convex Optimization. Cambridge University Press.
- [BvG99] S. Baase and A. van Gelder. Computer Algorithms. Addison-Wesley, third edition.
- [BW91] G. Brightwell and P. Winkler. Counting linear extensions. Order, 3:225-237.
- [BW94] M. Burrows and D. Wheeler. A block sorting lossless data compression algorithm.
- [BW00] R. Borndorfer and R. Weismantel. Set packing relaxations of some integer programming problems.
- [BZ10] Richard P Brent and Paul Zimmermann. Modern computer Arithmetic, volume 1.
- [Can87] J. Canny. The complexity of robot motion planning. MIT Press, 1987.
- [Cas95] G. Cash. A fast computer algorithm for finding the permanent of adjacent matrices.
- [CB04] C. Cong and D. Bader. The Euler tour technique and parallel rooted spanning tree algorithms.
- [CC92] S. Carlsson and J. Chen. The complexity of heaps. In Proc. Third ACM-Symposium on Discrete Algorithms.
- [CC97] W. Cook and W. Cunningham. Combinatorial Optimization. John Wiley & Sons.
- [CC16] S. Chapra and R. Canale. Numerical Methods for Engineers. McGrawHill, sixth edition.
- [CCDG82] P. Chinn, J. Chvátolová, A. K. Dewdney, and N. E. Gibbs. The bandwidth of a matrix.
- [CCL15] Yixin Cao, Jianer Chen, and Yang Liu. On feedback vertex set: new measures and algorithms.
- [CD85] B. Chazelle and D. Dobkin. Optimal convex decompositions. In G. Toussaint, editor, Proceedings of the 1st Workshop on Computational Geometry.
- [CDG $\{ \}^+_{18}$] Diptarka Chakraborty, Debarati Das, Elazar Goldenberg.
- [CDL86] B. Chazelle, R. Drysdale, and D. Lee. Computing the largest empty rectangle.
- [CE92] B. Chazelle and H. Edelsbrunner. An optimal algorithm for intersecting line segments in the plane.
- [CFT99] A. Caprara, M. Fischetti, and P. Toth. A heuristic method for the set covering problem.
- [CFT00] A. Caprara, M. Fischetti, and P. Toth. Algorithms for the set covering problem.
- [CG94] B. Cherkassky and A. Goldberg. On implementing push-relabel method for maximum flow.
- [CGJ98] C.R. Coullard, A.B. Gamble, and P.C. Jones. Matching problems in selected combinatorial optimization.
- [CGJ $\{ \}^+_{13}$] Markus Chimani, Carsten Gutwenger, Michael Jünger, Gunnar W. M. Leuschke.
- [CGK $\{ \}^+_{97}$] C. Chekuri, A. Goldberg, D. Karger, M. Lev, and S. Suri.
- [CGL85] B. Chazelle, L. Guibas, and D. T. Lee. The power of geometric duality in visibility graph problems.
- [CGM $\{ \}^+_{98}$] B. Cherkassky, A. Goldberg, P. Martin, J. S. Mitchell, and S. Suri.
- [CGR99] B. Cherkassky, A. Goldberg, and T. Radzik. Shortest paths algorithms: theory and implementation.
- [CGS99] B. Cherkassky, A. Goldberg, and C. Silverstein. Buckets, heaps, lists, and shortest paths.
- [CH06] D. Cook and L. Holder. Mining Graph Data. John Wiley & Sons, 2006.
- [CH09] Graham Cormode and Marios Hadjieleftheriou. Finding the frequent items in data streams.
- [Cha91] B. Chazelle. Triangulating a simple polygon in linear time. Discrete & Computational Geometry.
- [Cha00] B. Chazelle. A minimum spanning tree algorithm with inverse-Ackerman time complexity.
- [Che85] L. P. Chew. Planing the shortest path for a disc in $\mathbb{R}^2$.
- [Che15] Chi-hau Chen. Handbook of Pattern Recognition and Computer Vision. World Scientific.

- [CHL07] M. Crochemore, C. Hancart, and T. Lecroq. Algorithms on Strings. Cambridge University Press, 2007.
- [Chr76] N. Christofides. Worst-case analysis of a new heuristic for the traveling salesman problem. *Mathematics of the Operations Research Society*, 7(1):28–35, 1976.
- [Chu97] F. Chung. Spectral Graph Theory. AMS, 1997.
- [Chv83] V. Chvatal. Linear Programming. Freeman, 1983.
- [CIPR01] M. Crochemore, C. Iliopolous, Y. Pinzon, and J. Reid. A fast and practical bit-parallel algorithm for the longest common subsequence problem. *Journal of Computer and System Sciences*, 62(2):249–262, 2001.
- [CJL⁺16] Lily Chen, Stephen Jordan, Yi-Kai Liu, Dustin Moody, Rene Peralta, Ray Russell, and David S. Weitz. A polynomial time approximation scheme for the maximum weight independent set problem in planar graphs. *Proceedings of the 47th Annual ACM Symposium on Theory of Computing*, 2015.
- [CK94] A. Chetverin and F. Kramer. Oligonucleotide arrays: New concepts and possibilities. *Journal of Molecular Biology*, 241(2):249–262, 1994.
- [CK97] Pierluigi Crescenzi and Viggo Kann. Approximation on the web: A compendium of NP-hard problems. *Journal of Computer and System Sciences*, 54(2):177–191, 1997.
- [CK05] Chandra Chekuri and Sanjeev Khanna. A polynomial time approximation scheme for the maximum weight independent set problem in planar graphs. *Proceedings of the 46th Annual ACM Symposium on Theory of Computing*, 2014.
- [CK12] W. Cheney and D. Kincaid. Numerical Mathematics and Computing. Centage Learning, 2012.
- [CKPT17] Henrik I. Christensen, Arindam Khan, Sebastian Pokutta, and Prasad Tetali. Approximating the maximum weight independent set in planar graphs. *Proceedings of the 48th Annual ACM Symposium on Theory of Computing*, 2016.
- [CL98] M. Crochemore and T. Lecroq. Text data compression algorithms. In M. J. Atallah, editor, *Text Compression*, pages 1–24. Kluwer, 1998.
- [CL13] Ángel Corberán and Gilbert Laporte. Arc Routing: Problems, Methods, and Applications. Springer, 2013.
- [Cla92] K. L. Clarkson. Safe and effective determinant evaluation. In *Proc. 31st IEEE Symposium on Foundations of Computer Science*, pages 352–361, 1992.
- [CLP11] Timothy M Chan, Kasper Green Larsen, and Mihai Patrascu. Orthogonal range searching in the plane. *Proceedings of the 42nd Annual ACM Symposium on Theory of Computing*, 2010.
- [CLRS09] T. Cormen, C. Leiserson, R. Rivest, and C. Stein. Introduction to Algorithms. MIT Press, 2009.
- [CM69] E. Cuthill and J. McKee. Reducing the bandwidth of sparse symmetric matrices. In *Proceedings of the 24th Annual ACM Symposium on Theory of Computing*, pages 379–382, 1970.
- [CM96] J. Cheriyan and K. Mehlhorn. Algorithms for dense graphs and networks on the random graph. *Journal of Computer and System Sciences*, 52(2):249–262, 1996.
- [CM99] G. Del Corso and G. Manzini. Finding exact solutions to the bandwidth minimization problem. *Journal of Computer and System Sciences*, 59(2):249–262, 1999.
- [CM13] Sergio Cabello and Bojan Mohar. Adding one edge to planar graphs makes crossing number at least 1. *Journal of Combinatorial Theory, Series B*, 101(1):1–10, 2013.
- [CN18] Timothy M. Chan and Yakov Nekrich. Towards an optimal method for dynamic planar point location. *Proceedings of the 49th Annual ACM Symposium on Theory of Computing*, 2017.
- [CNA085] Norishige Chiba, Takao Nishizeki, Shigenobu Abe, and Takao Ozawa. A linear algorithm for finding a maximum independent set of vertices of chordal graphs. *Journal of Computer and System Sciences*, 38(2):249–262, 1985.
- [Coh94] E. Cohen. Estimating the size of the transitive closure in linear time. In *35th Annual Symposium on Foundations of Computer Science*, pages 352–361, 1994.
- [Con71] J.H. Conway. Regular Algebra and Finite Machines. Chapman & Hall, 1971.
- [Coo71] S. Cook. The complexity of theorem proving procedures. In *Third ACM Symp. Theory of Computing*, pages 31–42, 1971.
- [Coo11] William J Cook. In Pursuit of the Traveling Salesman: Mathematics at the Limits of Computation. CRC Press, 2011.
- [CP90] R. Carraghan and P. Pardalos. An exact algorithm for the maximum clique problem. *Journal of Computer and System Sciences*, 41(2):249–262, 1990.
- [CP05] R. Crandall and C. Pomerance. Prime Numbers: A Computational Perspective. Springer, 2005.
- [CP18] Phillip Compeau and P.A. Pevzner. Bioinformatics Algorithms: An Active Learning Approach. CRC Press, 2018.
- [CPARS18] Haochen Chen, Bryan Perozzi, Rami Al-Rfou, and Steven Skiena. A tutorial on network embedding. *Journal of Computer and System Sciences*, 84(2):249–262, 2018.
- [CPW98] B. Chen, C. Potts, and G. Woeginger. A review of machine scheduling: Complexity, algorithms, and applications. *Journal of Computer and System Sciences*, 57(2):249–262, 1998.
- [CR76] J. Cohen and M. Roth. On the implementation of Strassen's fast multiplication algorithm. *Journal of Computer and System Sciences*, 12(2):249–262, 1976.
- [CR99] W. Cook and A. Rohe. Computing minimum-weight perfect matchings. *INFORMS Journal on Computing*, 11(2):249–262, 1999.
- [CR03] M. Crochemore and W. Rytter. Jewels of Stringology. World Scientific, 2003.
- [CS93] J. Conway and N. Sloane. Sphere Packings, Lattices, and Groups. Springer-Verlag, 1993.
- [CSG05] A. Caprara and J. Salazar-González. Laying out sparse graphs with provably minimum crossing number. *Journal of Computer and System Sciences*, 70(2):249–262, 2005.
- [CT65] J. Cooley and J. Tukey. An algorithm for the machine calculation of complex Fourier series. *IRE Transactions on Audio and Electroacoustics*, 13(2):249–262, 1965.
- [CT92] Y. Chiang and R. Tamassia. Dynamic algorithms in computational geometry. *Proc. IEEE Symposium on Foundations of Computer Science*, 1992.
- [CW90] D. Coppersmith and S. Winograd. Matrix multiplication via arithmetic progressions. *Journal of Computer and System Sciences*, 40(2):249–262, 1990.
- [CW16] Timothy M Chan and Bryan T Wilkinson. Adaptive and approximate orthogonal range searching. *Proceedings of the 47th Annual ACM Symposium on Theory of Computing*, 2015.
- [Dan63] G. Dantzig. Linear Programming and Extensions. Princeton University Press, 1963.
- [Dan94] V. Dancik. Expected length of longest common subsequences. PhD. thesis, Univ. of California, 1994.
- [DB74] G. Dahlquist and A. Björck. Numerical Methods. Prentice-Hall, 1974.
- [DB86] G. Davies and S. Bowsher. Algorithms for pattern matching. Software Practice and Experience, 16(12):1249–1262, 1986.
- [dBDK⁺98] M. de Berg, O. Devillers, M. Kreveld, O. Schwarzkopf, and J. Sack. On the complexity of the longest common subsequence problem. *Journal of Computer and System Sciences*, 56(2):249–262, 1998.

- [dBvKOS08] M. de Berg, M. van Kreveld, M. Overmars, and O. Schwarzkopf. Comput
- [DCSL18] James C Davis, Christy A Coghlan, Francisco Servant, and Dongyoon Lee
- [DDS09] Christopher Dyken, Morten Dählen, and Thomas Sevaldrud. Simultaneous c
- [Dem02] Erik D Demaine. Cache-oblivious algorithms and data structures. Lectur
- [Den05] L. Y. Deng. Efficient and portable multiple recursive generators of la
- [Dey06] T. Dey. Curve and Surface Reconstruction: Algorithms with Mathematical
- [DF79] E. Denardo and B. Fox. Shortest-route methods: 1. reaching, pruning, an
- [DF08] Sanjoy Dasgupta and Yoav Freund. Random projection trees and low dimens
- [DF12] Rodney G. Downey and Michael Ralph Fellows. Parameterized Complexity. S
- [DFJ54] G. Dantzig, D. Fulkerson, and S. Johnson. Solution of a large-scale tr
- [dFPP90] H. de Fraysseix, J. Pach, and R. Pollack. How to draw a planar graph
- [DFU11] Chandan Dubey, Uriel Feige, and Walter Unger. Hardness results for app
- [DGH \$\left. \right\}^{+}\$ 02\$\right]\$ E. Dantsin, A. Goerd, E. Hirsch, R. Kannan, J
- [DGKK79] R. Dial, F. Glover, D. Karney, and D. Klingman. A computational analy
- [DH92] D. Du and F. Hwang. A proof of Gilbert and Pollak's conjecture on the S
- [DH00] Dingzhu Du and Frank Hwang. Combinatorial Group Testing and its Applic
- [DHS00] R. Duda, P. Hart, and D. Stork. Pattern Classification. WileyIntersci
- [Die04] M. Dietzfelbinger. Primality Testing in Polynomial Time: From Randomiz
- [Dij59] E. W. Dijkstra. A note on two problems in connection with graphs. Num
- [DIM16] Maxence Delorme, Manuel Iori, and Silvano Martello. Bin packing and cu
- [DIM18] Maxence Delorme, Manuel Iori, and Silvano Martello. Bpplib: a library
- [DJ92] G. Das and D. Joseph. Minimum vertex hulls for polyhedral domains. The
- [Dji00] H. Djidjev. Computing the girth of a planar graph. In Proc. 27th Int.
- [DJP04] E. Demaine, T. Jones, and M. Patrascu. Interpolation search for nonin
- [DKR10] Prasun Dutta, S. Pratik Khastgir, and Anushree Roy. Steiner trees and
- [DL76] D. Dobkin and R. Lipton. Multidimensional searching problems. SIAM J. C
- [DLR79] D. Dobkin, R. Lipton, and S. Reiss. Linear programming is log-space ha
- [DM80] D. Dobkin and J.. Munro. Determining the mode. Theoretical Computer Sci
- [DM97] K. Daniels and V. Milenkovic. Multiple translational containment. part
- [DMBS79] J. Dongarra, C. Moler, J. Bunch, and G. Stewart. LINPACK User's Guide
- [dMPF09] Francisco de Moura Pinto and Carla Maria Dal Sasso Freitas. Fast med
- [DMR97] K. Daniels, V. Milenkovic, and D. Roth. Finding the largest area axisp
- [DN07] P. D'Alberto and A. Nicolau. Adaptive Strassen's matrix multiplication
- [DN09] Paolo D'Alberto and Alexandru Nicolau. Adaptive winograd's matrix mult
- [DNMB18] Wouter De Nooy, Andrej Mrvar, and Vladimir Batagelj. Exploratory Soc
- [DP73] D. H. Douglas and T. K. Peucker. Algorithms for the reduction of the nu
- [DP18] Samuel Dittmer and Igor Pak. Counting linear extensions of restricted p
- [DPS02] J. Diaz, J. Petit, and M. Serna. A survey of graph layout problems. A
- [DPV08] Sanjoy Dasgupta, Christos H Papadimitriou, and Umesh Virkumar Vaziran
- [DR90] N. Dershowitz and E. Reingold. Calendrical calculations. SoftwarePract
- [DR02] N. Dershowitz and E. Reingold. Calendrical Tabulations: 1900-2200. Cam
- [DRR \$\left. \right\}^{+}\$ 95\$\right]\$ S. Dawson, C. R. Ramakrishnan, I. V. Ramakrish
- [DS05] Irit Dinur and Samuel Safra. On the hardness of approximating minimum v
- [DSR00] D. Du, J. Smith, and J. Rubinstein. Advances in Steiner Trees. Kluwer
- [DT04] M. Dorigo and T. Stutzle. Ant Colony Optimization. MIT Press, 2004.
- [dVS82] G. de V. Smit. A comparison of three string matching algorithms. Soft

- [dVV03] S. de Vries and R. Vohra. Combinatorial auctions: A survey. *Inform. J. Computing*.
- [DY94] Y. Deng and C. Yang. Waring's problem for pyramidal numbers. *Science in China (Ser. A)*, 37:1722–1758, 1994.
- [DZ99] D. Dor and U. Zwick. Selecting the median. *SIAM J. Computing*, pages 1722–1758, 1999.
- [DZ01] D. Dor and U. Zwick. Median selection requires $(2+\epsilon)n$ comparisons. *SIAM J. Computing*, 30:1722–1758, 2001.
- [Ebe88] J. Ebert. Computing Eulerian trails. *Info. Proc. Letters*, 28:93–97, 1988.
- [ECW92] V. Estivill-Castro and D. Wood. A survey of adaptive sorting algorithms. *ACM Comput. Surv.*, 24:261–294, 1992.
- [Ede87] H. Edelsbrunner. *Algorithms for Combinatorial Geometry*. Springer-Verlag, 1987.
- [Ede06] H. Edelsbrunner. *Geometry and Topology for Mesh Generation*. Cambridge Univ. Press, 2006.
- [Edm65] J. Edmonds. Paths, trees, and flowers. *Canadian J. Math.*, 17:449–467, 1965.
- [Edm71] J. Edmonds. Matroids and the greedy algorithm. *Mathematical Programming*, 1:126–136, 1971.
- [EE99] D. Eppstein and J. Erickson. Raising roofs, crashing cycles, and playing pool: applications of the dual of a linear programming problem. *Comput. Geom. Appl.*, 58:1–22, 1999.
- [EG60] P. Erdős and T. Gallai. Graphs with prescribed degrees of vertices. *Mat. Lapok (Hungary)*, 11:264–268, 1960.
- [EG89] H. Edelsbrunner and L. Guibas. Topologically sweeping an arrangement. *J. Comput. Geom.*, 10:423–434, 1989.
- [EG91] H. Edelsbrunner and L. Guibas. Corrigendum: Topologically sweeping an arrangement. *J. Comput. Geom.*, 12:1–2, 1991.
- [EGI98] David Eppstein, Zvi Galil, and Giuseppe F Italiano. Dynamic graph algorithms. In *Handbook of Graph Algorithms and Applications*, pages 721–768. Wiley, 1998.
- [EGIN97] David Eppstein, Zvi Galil, Giuseppe F Italiano, and Amnon Nissenzeig. Sparsifying graph algorithms. *SIAM J. Computing*, 26:1500–1510, 1997.
- [EGS86] H. Edelsbrunner, L. Guibas, and J. Stolfi. Optimal point location in a monotone subdivision. *Comput. Geom. Appl.*, 19:187–208, 1986.
- [EH10] Herbert Edelsbrunner and John Harer. *Computational Topology: An Introduction*. American Mathematical Society, 2010.
- [EJ73] J. Edmonds and E. Johnson. Matching, Euler tours, and the Chinese postman. *Math. Ann.*, 215:16–24, 1973.
- [EK72] J. Edmonds and R. Karp. Theoretical improvements in the algorithmic efficiency of combinatorial algorithms. *J. ACM*, 19:685–695, 1972.
- [EK10] David Easley and Jon Kleinberg. *Networks, Crowds, and Markets*. Cambridge University Press, 2010.
- [EKA84] M. I. Edahiro, I. Kokubo, and T. Asano. A new point location algorithm and its application. *Comput. Geom. Appl.*, 13:1–12, 1984.
- [EKS83] H. Edelsbrunner, D. Kirkpatrick, and R. Seidel. On the shape of a set of points in the plane. *Comput. Geom. Appl.*, 12:1–10, 1983.
- [EM94] H. Edelsbrunner and E. Mücke. Three-dimensional alpha shapes. *ACM Transactions on Graphics*, 13:304–337, 1994.
- [ENSS98] G. Even, J. Naor, B. Schieber, and M. Sudan. Approximating minimum feedback sets and partitions via semidefinite programming. *SIAM J. Computing*, 28:652–673, 1998.
- [Epp98] D. Eppstein. Finding the k shortest paths. *SIAM J. Computing*, 28:652–673, 1998.
- [ES86] H. Edelsbrunner and R. Seidel. Voronoi diagrams and arrangements. *Discrete Comput. Geom.*, 1:5–15, 1986.
- [ESS93] H. Edelsbrunner, R. Seidel, and M. Sharir. On the zone theorem for hyperplane arrangements. *Comput. Geom. Appl.*, 58:1–22, 1993.
- [ESV96] F. Evans, S. Skiena, and A. Varshney. Optimizing triangle strips for fast rendering. *Comput. Geom. Appl.*, 68:1–12, 1996.
- [Eve79] G. Everstine. A comparison of three resequencing algorithms for the reduction of graph complexity. *Comput. Geom. Appl.*, 1:1–12, 1979.
- [Eve11] Shimon Even. *Graph Algorithms*. Cambridge University Press, second edition, 2011.
- [F48] I. Fáry. On straight line representation of planar graphs. *Acta. Sci. Math. Szeged*, 4:225–238, 1948.
- [FAKM14] Bin Fan, Dave G. Andersen, Michael Kaminsky, and Michael D. Mitzenmacher. Cuckoo hashing: a new approach to practical hashing. *SIAM J. Computing*, 43:1200–1221, 2014.
- [Fei98] U. Feige. A threshold of $\ln n$ for approximating set cover. *J. ACM*, 45:634–652, 1998.
- [FF62] L. Ford and D. R. Fulkerson. *Flows in Networks*. Princeton University Press, 1962.
- [FG95] U. Feige and M. Goemans. Approximating the value of two prover proof systems, with applications to MAX-2SAT and MAX-2DIP. *SIAM J. Computing*, 24:1316–1330, 1995.
- [FH06] E. Fogel and D. Halperin. Exact and efficient construction of Minkowski sums for planar polygons. *Comput. Geom. Appl.*, 168:1–12, 2006.
- [FHT01] Jerome Friedman, Trevor Hastie, and Robert Tibshirani. *The Elements of Statistical Learning*. Springer, 2001.
- [FHW07] E. Fogel, D. Halperin, and C. Weibel. On the exact maximum complexity of Minkowski sums of planar polygons. *Comput. Geom. Appl.*, 168:1–12, 2007.
- [FHW12] Efi Fogel, Dan Halperin, and Ron Wein. CGAL Arrangements and Their Applications. In *Handbook of Graph Algorithms and Applications*, pages 721–768. Wiley, 2012.
- [FJ05] M. Frigo and S. Johnson. The design and implementation of FFTW3. *Proc. IEEE*, 93:216–231, 2005.
- [FJM093] M. Fredman, D. Johnson, L. McGeoch, and G. Ostheimer. Data structures for traversing graphs. *SIAM J. Computing*, 28:1500–1510, 1993.
- [FK10] Alireza Fathi and John Krumm. Detecting road intersections from GPS traces. In *International Conference on Intelligent Transportation Systems*, pages 1–6. IEEE, 2010.
- [FK15] Alan Frieze and Micha Karoński. *Introduction to Random Graphs*. Cambridge University Press, 2015.
- [FKN08] Michael R. Fellows, Christian Knauer, Naomi Nishimura, Prabhakar Ragde, and Michael R. Fellows. *Computational Complexity: Theory and Applications*. Springer, 2008.

- [FL07] Uriel Feige and James R Lee. An improved approximation ratio for the m
- [Fle74] H. Fleischner. The square of every two-connected graph is Hamiltonian
- [Flo62] R. Floyd. Algorithm 97 (shortest path). Communications of the ACM, 7:3
- [Flo64] R. Floyd. Algorithm 245 (treesort). Communications of the ACM, 18:701
- [FLPR99] M. Frigo, C. Leiserson, H. Prokop, and S. Ramachandran. Cacheoblivious
- [FM71] M. Fischer and A. Meyer. Boolean matrix multiplication and transitive c
- [FM82] C. Fiduccia and R. Mattheyses. A linear time heuristic for improving ne
- [FN04] K. Fredriksson and G. Navarro. Average-optimal single and multiple app
- [For87] S. Fortune. A sweepline algorithm for Voronoi diagrams. Algorithmica,
- [For13] Lance Fortnow. The Golden Ticket: P, NP, and the Search for the Imposs
- [For18] S. Fortune. Voronoi diagrams and Delauney triangulations. In J. Goodma
- [FPR99] P. Festa, P. Pardalos, and M. Resende. Feedback set problems. In D.-Z
- [FPR01] P. Festa, P. Pardalos, and M. Resende. Algorithm 815: Fortran subrou
- [FR75] R. Floyd and R. Rivest. Expected time bounds for selection. Communica
- [FR94] M. Fürer and B. Raghavachari. Approximating the minimum-degree Steiner
- [Fre62] E. Fredkin. Trie memory. Communications of the ACM, 3:490-499, 1962.
- [Fre76] M. Fredman. How good is the information theory bound in sorting? Theor
- [FS03] N. Ferguson and B. Schneier. Practical Cryptography. John Wiley, 2003.
- [FSV01] P. Foggia, C. Sansone, and M. Vento. A performance comparison of five
- [FT87] M. Fredman and R. Tarjan. Fibonacci heaps and their uses in improved ne
- [FvW93] S. Fortune and C. van Wyk. Efficient exact arithmetic for computational
- [FW77] S. Fiorini and R. Wilson. Edge-Colourings of Graphs. Research Notes in
- [FW93] M. Fredman and D. Willard. Surpassing the information theoretic bound w
- [FWH04] E. Fogel, R. Wein, and D. Halperin. Code flexibility and program effici
- [Gab77] H. Gabow. Two algorithms for generating weighted spanning trees in ord
- $\left[\mathrm{GAD}^{+}\right]$ 13 Jared L. Gearhart, Kristin L. Adair, Richard
- [Gal86] Z. Galil. Efficient algorithms for finding maximum matchings in graphs
- [Gal90] K. Gallivan. Parallel Algorithms for Matrix Computations. SIAM, 1990.
- [GALL13] Mukulika Ghosh, Nancy M. Amato, Yanyan Lu, and Jyh-Ming Lien. Fast ap
- [Gas03] S. Gass. Linear Programming: Methods and Applications. Dover, fifth ed
- [GBC16] Ian Goodfellow, Yoshua Bengio, and Aaron Courville. Deep Learning. MI
- [GBY91] G. Gonnet and R. Baeza-Yates. Handbook of Algorithms and Data Structur
- [GE19] Craig Gidney and Martin Ekerå. How to factor 2048 bit RSA integers in 8
- [Gen06] James E Gentle. Random Number Generation and Monte Carlo Methods. Spr
- [GGJ77] M. Garey, R. Graham, and D. Johnson. The complexity of computing Stei
- [GGJK78] M. Garey, R. Graham, D. Johnson, and D. Knuth. Complexity results for
- [GH85] R. Graham and P. Hell. On the history of the minimum spanning tree prob
- [GH06] P. Galinier and A. Hertz. A survey of local search methods for graph co
- [Gha16] Mohsen Ghaffari. An improved distributed algorithm for maximal indeper
- [GHHP13] Philippe Galinier, Jean-Philippe Hamiez, Jin-Kao Hao, and Daniel Por
- [GHMS93] L. J. Guibas, J. E. Hershberger, J. S. B. Mitchell, and J. S. Snoeyin
- [GHR95] R. Greenlaw, J. Hoover, and W. Ruzzo. Limits to Parallel Computation:
- [GI89] D. Gusfield and R. Irving. The Stable Marriage Problem: Structure and A
- [GI91] Z. Galil and G. Italiano. Data structures and algorithms for disjoint s
- [Gin18] M. Ginsberg. Factor Man. Zowie Press, 2018.
- [GJ77] M. Garey and D. Johnson. The rectilinear Steiner tree problem is NPcomp

- [GJ79] M. R. Garey and D. S. Johnson. Computers and Intractability: A Guide to the theory of computational complexity. Wiley, 1979.
- [GJM02] M. Goldwasser, D. Johnson, and C. McGeoch, editors. Data Structures, Near Neighbor Search, and Graph Algorithms. Cambridge University Press, 2002.
- [GJPT78] M. Garey, D. Johnson, F. Preparata, and R. Tarjan. Triangulating a simple polygon. *SIAM J. Computing*, 7(2):245–260, 1978.
- [GK95] A. Goldberg and R. Kennedy. An efficient cost scaling algorithm for the assignment problem. *SIAM J. Computing*, 24(2):356–375, 1995.
- [GK98] S. Guha and S. Khuller. Approximation algorithms for connected dominating sets. *Algorithmica*, 19(2):175–190, 1998.
- [GKK74] F. Glover, D. Karney, and D. Klingman. Implementation and computational comparison of algorithms for the traveling salesman problem. *SIAM J. Computing*, 3(2):107–120, 1974.
- [GKP89] R. Graham, D. Knuth, and O. Patashnik. Concrete Mathematics. Addison-Wesley, 1989.
- [GKS95] S. Gupta, J. Kececioglu, and A. Schäffer. Improving the practical space and time complexity of the longest common subsequence problem. *SIAM J. Computing*, 24(2):376–395, 1995.
- [GKSS08] Carla P. Gomes, Henry Kautz, Ashish Sabharwal, and Bart Selman. Satisfiability Modulo Theories. Morgan Kaufmann, 2008.
- [GKT05] D. Gibson, R. Kumar, and A. Tomkins. Discovering large dense subgraphs in massive graphs. In *Proceedings of the 11th ACM SIGMOD conference on Management of data*, pages 736–747, 2005.
- [GKW06] A. Goldberg, H. Kaplan, and R. Werneck. Reach for A*: Efficient point-to-point shortest path computation. *SIAM J. Computing*, 35(2):400–415, 2006.
- [GL96] G. Golub and C. Van Loan. Matrix Computations. Johns Hopkins University Press, 1996.
- [GM86] G. Gonnet and J. Munro. Heaps on heaps. *SIAM J. Computing*, 15:964–971, 1986.
- [GM91] S. Ghosh and D. Mount. An output-sensitive algorithm for computing visibility graphs. *SIAM J. Computing*, 20(2):385–400, 1991.
- [GM12] Gary Gordon and Jennifer McNulty. Matroids: a geometric introduction. Cambridge University Press, 2012.
- [GMPV06] F. Gomes, C. Meneses, P. Pardalos, and G. Viana. Experimental analysis of approximation algorithms for the maximum clique problem. *SIAM J. Computing*, 35(2):416–431, 2006.
- [GO95] Anka Gajentaan and Mark H Overmars. On a class of $\mathcal{O}(n^2 \log n)$ algorithms for geometric intersection problems. *Computational Geometry*, 9(3):165–182, 1995.
- [GO14] Gene H. Golub and James M. Ortega. Scientific Computing: An Introduction with Parallel Algorithms. Wiley, 2014.
- [Goe97] M. Goemans. Semidefinite programming in combinatorial optimization. *Mathematical Programming*, 75(1):19–65, 1997.
- [Gol93] L. Goldberg. Efficient Algorithms for Listing Combinatorial Structures. Cambridge University Press, 1993.
- [Gol97] A. Goldberg. An efficient implementation of a scaling minimum-cost flow algorithm. *SIAM J. Computing*, 26(2):485–502, 1997.
- [Gol01] A. Goldberg. Shortest path algorithms: Engineering aspects. In *12th International Workshop on Algorithm Engineering and Experiments*, pages 1–15, 2001.
- [Gol04] M. Golumbic. Algorithmic Graph Theory and Perfect Graphs, volume 57 of *Annals of Discrete Mathematics*. North-Holland, 2004.
- [Gon08] Georges Gonthier. Formal proof-the four-color theorem. *Notices of the AMS*, 55(11):1205–1213, 2008.
- [Gon18] T. Gonzalez. Handbook of Approximation Algorithms and Metaheuristics. Chapman & Hall, 2018.
- [GP68] E. Gilbert and H. Pollak. Steiner minimal trees. *SIAM J. Applied Math.*, 16:1–29, 1968.
- [GP79] B. Gates and C. Papadimitriou. Bounds for sorting by prefix reversals. *Discrete Mathematics*, 26:47–57, 1979.
- [GP07] G. Gutin and A. Punnen. The Traveling Salesman Problem and Its Variations. Springer, 2007.
- [GPS76] N. Gibbs, W. Poole, and P. Stockmeyer. A comparison of several bandwidth and profile reduction algorithms. *SIAM J. Computing*, 5(2):107–120, 1976.
- [Gra53] F. Gray. Pulse code communication. US Patent 2632058, March 17, 1953.
- [Gra72] R. Graham. An efficient algorithm for determining the convex hull of a finite planar set. *Information Processing Letters*, 1(8):539–542, 1972.
- [Gri89] D. Gries. The Science of Programming. Springer-Verlag, 1989.
- [GS62] D. Gale and L. Shapely. College admissions and the stability of marriages. *American Economic Review*, 52(3):625–637, 1962.
- [GT94] T. Gensen and B. Toft. Graph Coloring Problems. John Wiley & Sons, 1994.
- [GT01] Jonathan L. Gross and Thomas W. Tucker. Topological Graph Theory. Courier Corporation, 2001.
- [GT14] Andrew V. Goldberg and Robert E. Tarjan. Efficient maximum flow algorithms. *Communications of the ACM*, 57(8):1206–1219, 2014.
- [GTG14] Michael T. Goodrich, Roberto Tamassia, and Michael H. Goldwasser. Data Structures and Algorithms in the Steiner Tree Problem. Morgan Kaufmann, 2014.
- [Gup66] R. P. Gupta. The chromatic index and the degree of a graph. *Notices of the American Mathematical Society*, 13(1):1–2, 1966.
- [Gus94] D. Gusfield. Faster implementation of a shortest superstring approximation. *Information Processing Letters*, 51(3):155–158, 1994.
- [Gus97] D. Gusfield. Algorithms on Strings, Trees, and Sequences: Computer Science and Combinatorics. Wiley, 1997.
- [GW95] M. Goemans and D. Williamson. 878-approximation algorithms for MAX CUT and MAX 2-SAT. In *Proceedings of the 26th Annual ACM Symposium on Theory of Computing*, pages 423–432, 1995.
- [GW96] I. Goldberg and D. Wagner. Randomness and the Netscape browser. *Dr. Dobbs's Journal of Computer Resources*, 21(12):1–10, 1996.
- [GW97] T. Grossman and A. Wool. Computational experience with approximation algorithms for the traveling salesman problem. *SIAM J. Computing*, 26(2):486–503, 1997.
- [Ham87] R. Hamming. Numerical Methods for Scientists and Engineers. Dover, second edition, 1987.
- [Has82] H. Hastad. Clique is hard to approximate within $n^{1-\epsilon}$. *Acta Mathematica*, 149(1):67–76, 1982.
- [HD80] P. Hall and G. Dowling. Approximate string matching. *ACM Computing Surveys*, 12(3):385–402, 1980.

- [HDD03] M. Hilgemeier, N. Drechsler, and R. Drechsler. Fast heuristics for the
- [HdlT01] J. Holm, K. de lichtenberg, and M. Thorup. Poly-logarithmic determin
- [Hel01] M. Held. VRONI: An engineering approach to the reliable and efficient
- [HFN05] H. Hyyro, K. Fredriksson, and G. Navarro. Increased bit-parallelism fo
- [HG97] P. Heckbert and M. Garland. Survey of polygonal surface simplification
- [HH00] I. Hanniel and D. Halperin. Two-dimensional arrangements in CGAL and ac
- [HH09] Idit Haran and Dan Halperin. An experimental study of point location in
- [HHL09] Aram W. Harrow, Avinatan Hassidim, and Seth Lloyd. Quantum algorithm
- [HHS98] T. Haynes, S. Hedetniemi, and P. Slater. Fundamentals of Domination in
- [HIKP12] Haitham Hassanieh, Piotr Indyk, Dina Katabi, and Eric Price. Simple a
- [Hir75] D. Hirschberg. A linear-space algorithm for computing maximum common s
- [HK73] J. Hopcroft and R. Karp. An $n^{\frac{5}{3}}$ algorithm for maximum matchings
- [HK90] D. P. Huttenlocher and K. Kedem. Computing the minimum Hausdorff distan
- [HK11] Markus Holzer and Martin Kutrib. Descriptive and computational comple
- [HKH12] Michael Hemmer, Michal Kleinbort, and Dan Halperin. Improved implement
- [HLD04] W. Hörmann, J. Leydold, and G. Derfinger. Automatic Nonuniform Random
- [HM83] S. Hertel and K. Mehlhorn. Fast triangulation of simple polygons. In Pr
- [HM99] X. Huang and A. Madan. Cap3: A DNA sequence assembly program. Genome Re
- [HMS03] J. Hershberger, M. Maxel, and S. Suri. Finding the k shortest simple p
- [HMU06] J. Hopcroft, R. Motwani, and J. Ullman. Introduction to Automata Theor
- [HNP91] Michael T. Heath, Esmond Ng, and Barry W Peyton. Parallel algorithms
- [HNSS18] Monika Henzinger, Alexander Noe, Christian Schulz, and Darren Strash
- [Hoa61] C. A. R. Hoare. Algorithm 63 (partition) and algorithm 65 (find). Com
- [Hoa62] C. A. R. Hoare. Quicksort. Computer Journal, 5:10-15, 1962.
- [Hoc96] D. Hochbaum, editor. Approximation Algorithms for NP-hard Problems. PU
- [Hof82] C. M. Hoffmann. Group-theoretic algorithms and graph isomorphism. Lect
- [Hol75] J.H. Holland. Adaptation in Natural and Artificial Systems. University
- [Hol81] I. Holyer. The NP-completeness of edge colorings. SIAM J. Computing, 1
- [Hol92] J.H. Holland. Genetic algorithms. Scientific American, 267(1):66-72, 1
- [Hop71] J. Hopcroft. An $n \log n$ algorithm for minimizing the states in a fi
- [Hor80] R. N. Horspool. Practical fast searching in strings. Software-Practic
- [HP73] F. Harary and E. Palmer. Graphical Enumeration. Academic Press, New Yor
- [HP09] Karla Hoffman and Manfred Padberg. Set covering, packing and partition
- $\left[\mathrm{HPS}^{+} 05\right]$ M. Holzer, G. Prasinos, F. Schulz, D. Wagner
- [HRW92] R. Hwang, D. Richards, and P. Winter. The Steiner Tree Problem, volume
- [HRW17] Monika Henzinger, Satish Rao, and Di Wang. Local flow partitioning fo
- [HS77] J. Hunt and T. Szymanski. A fast algorithm for computing longest common
- [HS94] J. Hershberger and J. Snoeyink. An $O(n \log n)$ implementation of the
- [HS98] J. Hershberger and J. Snoeyink. Cartographic line simplification and p
- [HS99] J. Hershberger and S. Suri. An optimal algorithm for Euclidean shortest
- [HS18] D. Halperin and M. Sharir. Arrangements. In J. Goodman, J. O'Rourke, and
- [HSS87] J. Hopcroft, J. Schwartz, and M. Sharir. Planning, Geometry, and Comp
- [HSS07] R. Hardin, N. Sloane, and W. Smith. Maximum volume spherical codes. ht
- [HSS18] D. Halperin, O. Salzmann, and M. Sharir. Algorithmic motion planning. 1
- [HSWW05] M. Holzer, F. Schultz, D. Wagner, and T. Willhalm. Combining speedup
- [HT73a] J. Hopcroft and R. Tarjan. Dividing a graph into triconnected componen

- [HT73b] J. Hopcroft and R. Tarjan. Efficient algorithms for graph manipulation. *Communications of the ACM*, 16:372-378, 1973.
- [HT74] J. Hopcroft and R. Tarjan. Efficient planarity testing. *J. ACM*, 21:549-568, 1974.
- [HT84] D. Harel and R. E. Tarjan. Fast algorithms for finding nearest common ancestors. *SIAM J. Computing*, 13:578-591, 1984.
- [Hub06] M. Huber. Fast perfect sampling from linear extensions. *Disc. Math.*, 306:420-428, 2006.
- [Huf52] D. Huffman. A method for the construction of minimum-redundancy codes. *Proc. of the IEEE*, 40:431-439, 1952.
- [HUW02] E. Haunschmid, C. Ueberhuber, and P. Wurzinger. Cache oblivious high performance algorithms for graph problems. *SIAM J. Computing*, 31:1000-1015, 2002.
- [HVDH19] David Harvey and Joris Van Der Hoeven. Integer multiplication in time $O(n \log \log n)$. *SIAM J. Computing*, 48:1000-1015, 2019.
- [HVDHL16] David Harvey, Joris Van Der Hoeven, and Grégoire Lecrèf. Even faster integer multiplication. *SIAM J. Computing*, 45:1000-1015, 2016.
- [HW74] J. Hopcroft and J. K. Wong. Linear time algorithm for isomorphism of planar graphs. *J. ACM*, 21:644-656, 1974.
- [HWA03] X. Huang, J. Wang, S. Aluru, S. Yang, and L. Hillier. PCA. *Proc. of the ACM*, 36:1-10, 2003.
- [IK75] O. Ibarra and C. Kim. Fast approximation algorithms for knapsack and sum of subset products. *SIAM J. Computing*, 4:380-391, 1975.
- [IMS18] P. Indyk, J. Matousek, and A. Sidiropoulos. Low-distortion embeddings of finite metric spaces. *SIAM J. Computing*, 47:1000-1015, 2018.
- [Ind98] P. Indyk. Faster algorithms for string matching problems: matching the convolution. *SIAM J. Computing*, 27:1000-1015, 1998.
- [IR78] A. Itai and M. Rodeh. Finding a minimum circuit in a graph. *SIAM J. Computing*, 7:413-426, 1978.
- [IR09] Costas S. Iliopoulos and M. Sohel Rahman. A new efficient algorithm for computing the minimum circuit in a graph. *SIAM J. Computing*, 38:1000-1015, 2009.
- [Ita78] A. Itai. Two commodity flow. *J. ACM*, 25:596-611, 1978.
- [Iwa16] Yoichi Iwata. Linear-time kernelization for feedback vertex set. *arXiv preprint 1605.04673*, 2016.
- [J92] J. JáJá. *An Introduction to Parallel Algorithms*. Addison-Wesley, 1992.
- [Jac89] G. Jacobson. Space-efficient static trees and graphs. In *Proc. Symp. Foundations of Computer Science*, pages 589-602, 1989.
- [JAMS91] D. Johnson, C. Aragon, C. McGeoch, and D. Schevon. Optimization by simulated annealing. *SIAM J. Computing*, 20:1000-1015, 1991.
- [Jar73] R. A. Jarvis. On the identification of the convex hull of a finite set of points in the plane. *Comput. J.*, 16:312-313, 1973.
- [JB19] Riko Jacob and Gerth Stølting Brodal. Dynamic planar convex hull. *arXiv preprint 1905.04673*, 2019.
- [JD88] A. Jain and R. Dubes. *Algorithms for Clustering Data*. Prentice-Hall, 1988.
- [JLR00] S. Janson, T. Luczak, and A. Rucinski. *Random Graphs*. John Wiley & Sons, 2000.
- [JM93] D. Johnson and C. McGeoch, editors. *Network Flows and Matching: First DIMACS Implementation Conference*. SIAM, 1993.
- [JM12] Michael Jünger and Petra Mutzel. *Graph drawing software*. Springer Science & Business Media, 2012.
- [Joh63] S. M. Johnson. Generation of permutations by adjacent transpositions. *Math. Comp.*, 27:1000-1015, 1963.
- [Joh74] D. Johnson. Approximation algorithms for combinatorial problems. *J. Computer and System Sciences*, 9:1000-1015, 1974.
- [Jon86] D. W. Jones. An empirical comparison of priority-queue and event-set implementations. *SIAM J. Computing*, 15:1000-1015, 1986.
- [Jos12] N. Josuttis. *The C++ Standard Library: A Tutorial and Reference*. Addison-Wesley, 2012.
- [JR93] T. Jiang and B. Ravikumar. Minimal NFA problems are hard. *SIAM J. Computing*, 22:1000-1015, 1993.
- [JS91] Brian Johnson and Ben Shneiderman. Tree-Maps: A Space-Filling Approach to the Visualization of Hierarchical Data. *IEEE J. Visual. & Computer Graphics*, 1:28-43, 1991.
- [JS01] A. Jagota and L. Sanchis. Adaptive, restart, randomized greedy heuristics for maximum independent set. *SIAM J. Computing*, 30:1000-1015, 2001.
- [JSV04] Mark Jerrum, Alistair Sinclair, and Eric Vigoda. A polynomial-time approximation scheme for counting. *SIAM J. Computing*, 33:1000-1015, 2004.
- [JT96] D. Johnson and M. Trick. *Cliques, Coloring, and Satisfiability: Second DIMACS Implementation Conference*. SIAM, 1996.
- [JWWZ18] Daniel Juhl, David M Warme, Pawel Winter, and Martin Zachariasen. The geosteinhaus problem. *SIAM J. Computing*, 47:1000-1015, 2018.
- [KA03] P. Ko and S. Aluru. Space-efficient linear time construction of suffix arrays. *SIAM J. Computing*, 32:1000-1015, 2003.
- [KA10] S.R. Kodituwakku and U.S. Amarasinghe. Comparison of lossless data compression algorithms. *SIAM J. Computing*, 39:1000-1015, 2010.
- [Kah67] D. Kahn. *The Code Breakers: The Story of Secret Writing*. Macmillan, New York, 1996.
- [Kar72] R. M. Karp. Reducibility among combinatorial problems. In *R. Miller and J. Thatcher, editors, Complexity of Computer Computations*, pages 85-103. Plenum Press, 1972.
- [Kar84] N. Karmarkar. A new polynomial-time algorithm for linear programming. *Combinatorica*, 4:367-401, 1984.
- [Kar96] H. Karloff. How good is the Goemans-Williamson MAX CUT algorithm? In *Proc. Twenty-Ninth Annual ACM Symposium on Theory of Computing*, pages 402-411, 1996.
- [Kar00] D. Karger. Minimum cuts in near-linear time. *J. ACM*, 47:46-76, 2000.
- [KBFS12] Alexander Kröller, Tobias Baumgartner, Sándor P Fekete, and Christiane Schmidt. *Handbook of Graph Drawing*. Springer, 2012.
- [KBV09] Yehuda Koren, Robert Bell, and Chris Volinsky. Matrix factorization techniques for recommendation systems. *SIAM J. Computing*, 38:1000-1015, 2009.
- [Kei00] M. Keil. Polygon decomposition. In *J.R. Sack and J. Urrutia, editors, Handbook of Graph Drawing*, pages 1-40. Kluwer Academic Publishers, 2000.

- [KF11] Sertac Karaman and Emilio Frazzoli. Sampling-based algorithms for optim
- [KGV83] S. Kirkpatrick, C. D. Gelatt, Jr., and M. P. Vecchi. Optimization by s
- [Kha79] L. Khachian. A polynomial algorithm in linear programming. Soviet Math
- [Kir79] D. Kirkpatrick. Efficient computation of continuous skeletons. In Proc
- [Kir83] D. Kirkpatrick. Optimal search in planar subdivisions. SIAM J. Comput.
- [KKT95] D. Karger, P. Klein, and R. Tarjan. A randomized linear-time algorithm
- [KL70] B. W. Kernighan and S. Lin. An efficient heuristic procedure for partiti
- $\left[\mathrm{KLM}^{+} 14\right]$ Raimondas Kiveris, Silvio Lattanzi, Vahab M
- [KM72] V. Klee and G. Minty. How good is the simplex algorithm. In Inequalitie
- [KM95] J.D. Kececioglu and E. W. Myers. Combinatorial algorithms for DNA sequ
- [KMP77] D. Knuth, J. Morris, and V. Pratt. Fast pattern matching in strings. S
- $\left[K_{MP}^{+} 04\right]$ L. Kettner, K. Mehlhorn, S. Pion, S. Schirra
- [KMR97] David Karger, Rajeev Motwani, and Gurumurthy D.S. Ramkumar. On approx
- [KMS97] S. Khanna, M. Muthukrishnan, and S. Skiena. Efficiently partitioning a
- [KMS98] János Komlós, Yuan Ma, and Endre Szemerédi. Matching nuts and bolts in
- [Knu94] D. Knuth. The Stanford GraphBase: A Platform for Combinatorial Comput
- [Knu97a] D. Knuth. The Art of Computer Programming, Volume 1: Fundamental Al
- [Knu97b] D. Knuth. The Art of Computer Programming, Volume 2: Seminumerical A
- [Knu98] D. Knuth. The Art of Computer Programming, Volume 3: Sorting and Se
- [Knu11] D. Knuth. The Art of Computer Programming, Volume 4A: Combinatorial A
- [Knu15] D. Knuth. The Art of Computer Programming, Volume 4, Fascicle 6: Satis
- [K063] A. Karatsuba and Yu. Ofman. Multiplication of multi-digit numbers on a
- [Koe05] H. Koehler. A contraction algorithm for finding minimal feedback sets
- [KOS91] A. Kaul, M. A. O'Connor, and V. Srinivasan. Computing Minkowski sums o
- [KP98] J. Kececioglu and J. Pecqueur. Computing maximum-cardinality matchings
- [KPP04] H. Kellerer, U. Pferschy, and P. Pisinger. Knapsack Problems. Springer
- [KR87] R. Karp and M. Rabin. Efficient randomized pattern-matching algorithms
- [KR91] A. Kanevsky and V. Ramachandran. Improved algorithms for graph four-cor
- [KR08] Subhash Khot and Oded Regev. Vertex cover might be hard to approximate
- [Kru56] J.B. Kruskal. On the shortest spanning subtree of a graph and the trav
- [KS74] D.E. Knuth and J.L. Szwarcfiter. A structured program to generate all t
- [KS85] M. Keil and J.R. Sack. Minimum decomposition of geometric objects. Mach
- [KS86] D. Kirkpatrick and R. Siedel. The ultimate planar convex hull algorithm
- [KS99] D. Kreher and D. Stinson. Combinatorial Algorithms: Generation, Enumer
- [KS02] M. Keil and J. Snoeyink. On the time bound for convex decomposition of
- [KS05a] H. Kaplan and N. Shafrir. The greedy algorithm for shortest superstrin
- [KS05b] J. Kelner and D. Spielman. A randomized polynomial-time simplex algor
- [KS07] H. Kautz and B. Selman. The state of SAT. Disc. Applied Math., 155:151
- [KSB06] Juha Kärkkäinen, Peter Sanders, and Stefan Burkhardt. Linear work suf
- [KSD07] H. Kautz, B. Selman, R. Brachman, and T. Dietterich. Satisfiability
- [KSPP03] D. Kim, J. Sim, H. Park, and K. Park. Linear-time construction of su
- [KST93] J. Köbler, U. Schöning, and J. Túran. The Graph Isomorphism Problem: 1
- [KSV97] D. Keyes, A. Sameh, and V. Venkatarishnan. Parallel Numerical Algorit
- [KT06] J. Kleinberg and E. Tardos. Algorithm Design. Addison Wesley, 2006.
- [Kur30] K. Kuratowski. Sur le problème des courbes gauches en topologie. Fund
- [KW01] M. Kaufmann and D. Wagner. Drawing Graphs: Methods and Models. Springer

- [Kwa62] M. Kwan. Graphic programming using odd and even points. *Chinese Math.*, 1:273-277.
- [LA04] J. Leung and J. Anderson, editors. *Handbook of Scheduling: Algorithms, Models, and Analysis*. Springer, 2004.
- [LA06] J. Lien and N. Amato. Approximate convex decomposition of polygons. *Computational Geometry*, 30(1):1-15, 2006.
- [Lam92] J.-L. Lambert. Sorting the sums $\sum_{i=1}^n x_i y_i$ in $O(n^2 \log n)$ time. *SIAM J. Comput.*, 21(1):1-15, 1992.
- [Lat91] J.-C. Latombe. *Robot Motion Planning*. Kluwer, 1991.
- [Lau98] J. Laumond. *Robot Motion Planning and Control*. Springer-Verlag, Lectures Notes in Computer Science, 1998.
- [LaV06] S. LaValle. *Planning Algorithms*. Cambridge University Press, 2006.
- [Law11] E. Lawler. *Combinatorial Optimization: Networks and Matroids*. Dover Publications, 2001.
- [LD03] R. Laycock and A. Day. Automatically generating roof models from building footprints. *ACM Trans. Graph.*, 22(3):1-15, 2003.
- [L'E12] Pierre L'Ecuyer. Random number generation. In *Handbook of Computational Statistics*, 2012.
- [Lec95] T. Lecroq. Experimental results on string matching algorithms. *Software Practice and Experience*, 25(12):1151-1165, 1995.
- [Lee82] D. T. Lee. Medial axis transformation of a planar shape. *IEEE Trans. Pattern Analysis and Machine Intelligence*, PAMI-4(3):162-168, 1982.
- [Len87a] T. Lengauer. Efficient algorithms for finding minimum spanning forests of hierarchical graphs. *SIAM J. Comput.*, 16(1):1-15, 1987.
- [Len87b] H. W. Lenstra. Factoring integers with elliptic curves. *Annals of Mathematics*, 129(1):61-91, 1987.
- [Len89] T. Lengauer. Hierarchical planarity testing algorithms. *J. ACM*, 36(3):474-509, 1989.
- [Len90] T. Lengauer. *Combinatorial Algorithms for Integrated Circuit Layout*. John Wiley & Sons, 1990.
- [LL96] A. LaMarca and R. Ladner. The influence of caches on the performance of heaps. *ACM Comput. Surv.*, 28(2):1-31, 1996.
- [LL99] A. LaMarca and R. Ladner. The influence of caches on the performance of sorting. *SIAM J. Comput.*, 28(1):1-15, 1999.
- [LLCC12] Cheng-Hung Lin, Chen-Hsiung Liu, Lung-Sheng Chien, and Shih-Chieh Chang. Accelerating the performance of sorting algorithms. *ACM Trans. Graph.*, 31(3):1-15, 2012.
- [LLK83] J.K. Lenstra, E. L. Lawler, and A. Rinnooy Kan. Theory of Sequencing and Scheduling. *SIAM J. Comput.*, 12(1):1-15, 1983.
- [LLKS85] E. Lawler, J. Lenstra, A. Rinnooy Kan, and D. Shmoys. The Traveling Salesman Problem. *SIAM J. Comput.*, 14(1):1-15, 1985.
- [LLS92] L. Lam, S.-W. Lee, and C. Suen. Thinning methodologies-a comprehensive survey. *IEEE Trans. Pattern Analysis and Machine Intelligence*, PAMI-14(1):1-15, 1992.
- [LMK18] M. Lin, D. Manocha, and Y. Kim. Collision and proximity queries. In J. Goodman, D. Manocha, and Y. Kim, editors, *Proceedings of the ACM Symposium on Computational Geometry*, 2018.
- [LMS06] L. Lloyd, A. Mehler, and S. Skiena. Identifying co-referential names across large datasets. *ACM Trans. Database Systems*, 31(2):1-15, 2006.
- [LP02] W. Langdon and R. Poli. *Foundations of Genetic Programming*. Springer, 2002.
- [LP07] A. Lodi and A. Punnen. TSP software. In G. Gutin and A. Punnen, editors, *The Traveling Salesman Problem: A Computational Guide*, 2007.
- [LP09] László Lovász and Michael D. Plummer. *Matching Theory*, volume 367. American Mathematical Society, 2009.
- [LP16] Adi Livnat and Christos H. Papadimitriou. Sex as an algorithm: the theory of evolution. *SIAM J. Comput.*, 45(1):1-15, 2016.
- [LPW79] T. Lozano-Perez and M. Wesley. An algorithm for planning collision-free paths among obstacles. *IEEE Trans. Robot. Automat.*, RA-5(2):113-124, 1979.
- [LR93] K. Lang and S. Rao. Finding near-optimal cuts: An empirical evaluation. In *Proceedings of the ACM Symposium on Computational Geometry*, 1993.
- [LRSV18] Philippe Laborie, Jérôme Rogerie, Paul Shaw, and Petr Vilím. Ibm ilog cp optimizer. *IBM Journal of Research and Development*, 62(1):1-15, 2018.
- [LS87] V. Lumelski and A. Stepanov. Path planning strategies for a point mobile automaton. *SIAM J. Comput.*, 16(1):1-15, 1987.
- [LS95] Y.-L. Lin and S. Skiena. Algorithms for square roots of graphs. *SIAM J. Discrete Mathematics*, 8(1):1-15, 1995.
- [LSCK02] P. L'Ecuyer, R. Simard, E. Chen, and W. D. Kelton. An object-oriented random-number generator. *ACM Trans. Model. Simul. Comput. Sci.*, 2(1):1-15, 2002.
- [LST14] Daniel H. Larkin, Siddhartha Sen, and Robert E. Tarjan. A back-to-basics empirical study of the performance of sorting algorithms. *SIAM J. Comput.*, 43(1):1-15, 2014.
- [LTL93] Liang Liu, Yuning Song, Haiyang Zhang, Huadong Ma, and Athanasios V. Vasilakos. A separator theorem for planar graphs. *SIAM J. Comput.*, 22(1):1-15, 1993.
- [LT79] R. Lipton and R. Tarjan. A separator theorem for planar graphs. *SIAM Journal on Algebraic Discrete Mathematics*, 12(1):1-15, 1979.
- [LT80] R. Lipton and R. Tarjan. Applications of a planar separator theorem. *SIAM J. Comput.*, 9(1):1-15, 1980.
- [Luc91] E. Lucas. *Récréations Mathématiques*. Gauthier-Villares, Paris, 1891.
- [Luk80] E. M. Luks. Isomorphism of bounded valence can be tested in polynomial time. In *Proceedings of the ACM Symposium on Computational Geometry*, 1980.
- [LV88] G. Landau and U. Vishkin. Fast string matching with k differences. *J. Comput. Sci.*, 1(1):1-15, 1988.
- [LV97] M. Li and P. Vitányi. An Introduction to Kolmogorov Complexity and its Applications. *SIAM J. Comput.*, 26(1):1-15, 1997.
- [LW77] D. T. Lee and C. K. Wong. Worst-case analysis for region and partial region search. *SIAM J. Comput.*, 6(1):1-15, 1977.
- [LW88] T. Lengauer and E. Wanke. Efficient solution of connectivity problems on hierarchical graphs. *SIAM J. Comput.*, 17(1):1-15, 1988.
- [LM18] Aranyak Mehta et al. Online matching and ad allocation. *SIAM J. Comput.*, 47(1):1-15, 2018.

- [Mah76] S. Maheshwari. Traversal marker placement problems are NP-complete. *Trans. Am. Math. Soc.*, 278:1-13, 1983.
- [Mai78] D. Maier. The complexity of some problems on subsequences and supersequences. *J. Comput. Syst. Sci.*, 16:181-192, 1978.
- [Mak02] R. Mak. Java Number Cruncher: The Java Programmer's Guide to Numerical Computing. Addison-Wesley, 2002.
- [Man89] U. Manber. Introduction to Algorithms. Addison-Wesley, 1989.
- [Man12] Toufik Mansour. Combinatorics of Set Partitions. Chapman & Hall/CRC, 2012.
- [MAR $\left. \right\}^{+}$ 17] Amgad Madkour, Walid G. Aref, Faizan Ur Rehman, and Mohamed A. Elmaghrabi. A fast algorithm for computing the number of set partitions. *Discrete Math.*, 332:1-10, 2012.
- [Mat87] D. W. Matula. Determining edge connectivity in $O(n \log n)$. In 28th Ann. Symp. Foundations of Computer Science, pages 1-10, 1987.
- [McC76] E. McCreight. A space-economical suffix tree construction algorithm. *SIAM J. Comput.*, 5:173-181, 1976.
- [McK81] B. McKay. Practical graph isomorphism. *Congressus Numerantium*, 30:45-60, 1981.
- [MDS01] D. Musser, G. Derge, and A. Saini. STL Tutorial and Reference Guide: C++ Standard Library. Addison-Wesley, 2001.
- [Men27] K. Menger. Zur allgemeinen Kurventheorie. *Fund. Math.*, 10:96-115, 1927.
- [Mey01] S. Meyers. Effective STL: 50 Specific Ways to Improve Your Use of the Standard Template Library. Addison-Wesley, 2001.
- [MF00] Z. Michalewicz and D. Fogel. How To Solve It: Modern Heuristics. Springer, 2000.
- [MG92] J. Misra and D. Gries. A constructive proof of Vizing's theorem. *Inf. Process. Lett.*, 41:139-145, 1992.
- [MG07] Jiri Matousek and Bernd Gärtner. Understanding and Using Linear Programming. Wiley, 2007.
- [MH78] R. Merkle and M. Hellman. Hiding and signatures in trapdoor knapsacks. *IEEE Trans. Comput.*, 27:459-469, 1978.
- [MH08] Laurens van der Maaten and Geoffrey Hinton. Visualizing data using t-SNE. *J. Mach. Learn. Res.*, 9:1153-1170, 2008.
- [Mil76] G. Miller. Riemann's hypothesis and tests for primality. *J. Computer Sci.*, 1:1-13, 1976.
- [Mil97] V. Milenkovic. Multiple translational containment. part II: exact algorithms. *Comput. Geom. Appl.*, 71:1-13, 1997.
- [Min78] H. Minc. Permanents, volume 6 of Encyclopedia of Mathematics and its Applications. Wiley, 1978.
- [Mit99] J. Mitchell. Guillotine subdivisions approximate polygonal subdivisions. *Comput. Geom. Appl.*, 71:1-13, 1999.
- [MKT07] E. Mardis, S. Kim, and H. Tang, editors. Advances in Genome Sequencing. Springer, 2007.
- [ML14] Marius Muja and David G Lowe. Scalable nearest neighbor algorithms for image retrieval. *IEEE Trans. Pattern Anal. Mach. Intell.*, 36:10-21, 2014.
- [MLL16] Javier Minguéz, Florant Lamiroux, and Jean-Paul Laumond. Motion planning with contact. *IEEE Trans. Robot.*, 32:1-13, 2016.
- [MM93] U. Manber and G. Myers. Suffix arrays: A new method for on-line string matching. *SIAM J. Comput.*, 22:195-202, 1993.
- [MM96] K. Mehlhorn and P. Mutzel. On the embedding phase of the Hopcroft and Tarjan algorithm. *Comput. Geom. Appl.*, 68:1-13, 1996.
- [MMI72] D. Matula, G. Marble, and J. Isaacson. Graph coloring algorithms. In *Handbook of Graph Theory*, pages 1-13, 1972.
- [MN98] M. Matsumoto and T. Nishimura. Mersenne twister: A 623dimensionally equidistributed uniform pseudo-random number generator. *ACM Comput. Surv.*, 31:1-13, 1998.
- [MN99] K. Mehlhorn and S. Naher. LEDA: A Platform for Combinatorial and Geometric Computing. Springer, 1999.
- [MN07] V. Makinen and G. Navarro. Compressed full text indexes. *ACM Computing Surveys*, 40:1-63, 2007.
- [M_{NM} $\left. \right\}^{+}$ 16] Thomas Monz, Daniel Nigg, Esteban A. Martinez, and Michael J. Heule. A fast algorithm for computing string edit distance. *SIAM J. Comput.*, 46:1-13, 2016.
- [MO63] L. E. Moses and R. V. Oakford. Tables of Random Permutations. Stanford University Press, 1963.
- [Moo59] E. F. Moore. The shortest path in a maze. In Proc. International Symposium on Information Theory, pages 1-6, 1959.
- [MOS11] Kurt Mehlhorn, Ralf Osbald, and Michael Sagraloff. A general approach to the shortest path problem in a maze. *Comput. Geom. Appl.*, 139:1-13, 2011.
- [Mou18] D. Mount. Geometric intersection. In J. Goodman, J. O'Rourke, and C. Tompkins, editors. *Handbook of Discrete and Computational Geometry*, pages 1-13, 2018.
- [MOV96] A. Menezes, P. Oorschot, and S. Vanstone. Handbook of Applied Cryptography. CRC Press, 1996.
- [MP80] W. Masek and M. Paterson. A faster algorithm for computing string edit distance. *SIAM J. Comput.*, 9:1-13, 1980.
- [MP14] Brendan D McKay and Adolfo Piperno. Practical graph isomorphism, ii. *J. Comput. Syst. Sci.*, 80:1-13, 2014.
- [MPC $\left. \right\}^{+}$ 06] S. Mueller, D. Papamichail, J.R. Coleman, S. Shrivastava, and S. Suri. A fast algorithm for computing string edit distance. *SIAM J. Comput.*, 35:1-13, 2006.
- [MPT99] S. Martello, D. Pisinger, and P. Toth. Dynamic programming and strong NP-completeness. *Comput. Geom. Appl.*, 71:1-13, 1999.
- [MPT00] S. Martello, D. Pisinger, and P. Toth. New trends in exact algorithms. *Comput. Geom. Appl.*, 71:1-13, 2000.
- [MR95] R. Motwani and P. Raghavan. Randomized Algorithms. Cambridge University Press, 1995.
- [MR01] W. Myrvold and F. Ruskey. Ranking and unranking permutations in linear time. *SIAM J. Comput.*, 30:1-13, 2001.
- [MR06] W. Mulzer and G. Rote. Minimum weight triangulation is NP-hard. In Proc. 39th Annual Symposium on Foundations of Computer Science, pages 1-13, 2006.
- [MR10] Nabil H Mustafa and Saurabh Ray. Improved results on geometric hitting set. *SIAM J. Comput.*, 39:1-13, 2010.
- [MRRT53] N. Metropolis, A. W. Rosenbluth, M. N. Rosenbluth, and A. H. Teller. A fast algorithm for computing string edit distance. *SIAM J. Comput.*, 2:28-45, 1953.

- [MS91] B. Moret and H. Shapiro. Algorithm from P to NP: Design and Efficiency. Benjamin/
- [MS95a] D. Margaritis and S. Skiena. Reconstructing strings from substrings in rounds. F
- [MS95b] J. S. B. Mitchell and S. Suri. Separation and approximation of polyhedral object
- [MS00] M. Mascagni and A. Srinivasan. Algorithm 806: Sprng: A scalable library for pseud
- [MS18] D. Mehta and S. Sahni. Handbook of Data Structures and Applications. Chapman \& H
- [MT85] S. Martello and P. Toth. A program for the $0-1$ multiple knapsack problem. ACM T
- [MT87] S. Martello and P. Toth. Algorithms for knapsack problems. In S. Martello, editor
- [MT90a] S. Martello and P. Toth. Knapsack Problems: Algorithms and Computer Implementati
- [MT90b] K. Mehlhorn and A. Tsakalidis. Data structures. In J. van Leeuwen, editor, Handb
- [MT10] Enrico Malaguti and Paolo Toth. A survey on vertex coloring problems. Internation
- [MT12] Bernhard Meindl and Matthias Templ. Analysis of commercial and free and open sour
- [MU17] M. Mitzenmacher and E. Upfal. Probability and Computing: Randomized Algorithms an
- [Muc13] Marcin Mucha. Lyndon words and short superstrings. In Proceedings of the Twenty-
- [Mul94] K. Mulmuley. Computational Geometry: An Introduction Through Randomized Algorith
- [Mut05] S. Muthukrishnan. Data Streams: Algorithms and Applications. Now Publishers, 200
- [MV80] S. Micali and V. Vazirani. An $O(\sqrt{|V|}|E|)$ algorithm for finding maximum ma
- [MV99] B. McCullough and H. Vinod. The numerical reliability of econometric software. J.
- [MY07] K. Mehlhorn and C. Yap. Robust Geometric Computation. manuscript, <http://cs.nyu.e>
- [Mye86] E. Myers. An $O(n \log n)$ difference algorithm and its variations. Algorith
- [Mye99a] E. Myers. Whole-genome DNA sequencing. IEEE Computational Engineering and Scien
- [Mye99b] G. Myers. A fast bit-vector algorithm for approximate string matching based on
- [Nav01a] G. Navarro. A guided tour to approximate string matching. ACM Computing Surveys
- [Nav01b] G. Navarro. Nr-grep: a fast and flexible pattern matching tool. Software Practi
- [NC02] Michael A Nielsen and Isaac Chuang. Quantum Computation and Quantum Information.
- [Nes13] Yuri Nesterov. Introductory Lectures on Convex Optimization: A Basic Course, vo
- [Neu63] J. von Neumann. Various techniques used in connection with random digits. In A. H.
- [New18] Mark Newman. Networks. Oxford university press, 2018.
- [NH19] M. Needham and A. Hodler. Graph Algorithms: Practical Examples in Apache Spark an
- [NI08] Hiroshi Nagamochi and Toshihide Ibaraki. Algorithmic Aspects of Graph Connectivit
- [NLKB11] Sadegh Nobari, Xuesong Lu, Panagiotis Karras, and Stéphane Bressan. Fast random
- [Not02] C. Notredame. Recent progress in multiple sequence alignment: a survey. Pharmaco
- [NR00] G. Navarro and M. Raffinot. Fast and flexible string matching by combining bit-pa
- [NR04] T. Nishizeki and S. Rahman. Planar Graph Drawing. World Scientific, 2004.
- [NR07] G. Navarro and M. Raffinot. Flexible Pattern Matching in Strings: Practical On-Li
- [NS07] G. Narasimhan and M. Smid. Geometric Spanner Networks. Cambridge Univ. Press, 200
- [Nuu95] E. Nuutila. Efficient transitive closure computation in large digraphs. <http://w>
- [NW78] A. Nijenhuis and H. Wilf. Combinatorial Algorithms for Computers and Calculators.
- [NZ02] S. Näher and O. Zlotowski. Design and implementation of efficient data types for
- [NZM91] I. Niven, H. Zuckerman, and H. Montgomery. An Introduction to the Theory of Num
- [OBSC00] A. Okabe, B. Boots, K. Sugihara, and S. Chiu. Spatial Tessellations: Concepts a
- [Ogn93] R. Ogniewicz. Discrete Voronoi Skeletons. Hartung-Gorre Verlag, 1993.
- [Omo89] Stephen M. Omohundro. Five Balltree Construction Algorithms. International Compu
- [O'R85] J. O'Rourke. Finding minimal enclosing boxes. Int. J. Computer and Information S
- [O'R87] J. O'Rourke. Art Gallery Theorems and Algorithms. Oxford University Press, 1987.
- [O'R01] J. O'Rourke. Computational Geometry in C. Cambridge University Press, second edi
- [Orl13] James B. Orlin. Max flows in $O(n \log n)$ time, or better. In Proceedings of the For

- [OST18] J. O'Rourke, S. Suri, and C. Toth. Polygons. In J. Goodman, J. O'Rourke, and C. Toth, editors, *Handbook of Discrete and Computational Geometry*, 4th edition, chapter 18, pages 1801–1819. CRC Press, 2018.
- [O08] Owen O'Malley. Terabyte sort on apache hadoop. <http://sortbenchmark.org/>, 2008.
- [Pal14] Katarzyna Paluch. Better approximation algorithms for maximum asymmetric k -median. *SIAM J. Computing*, 43(6):2038–2060, 2014.
- [Pan06] R. Panigrahy. Hashing, Searching, Sketching. PhD thesis, Stanford University, 2006.
- [Pap76a] C. Papadimitriou. The complexity of edge traversing. *J. ACM*, 23:544–556, 1976.
- [Pap76b] C. Papadimitriou. The NP-completeness of the bandwidth minimization problem. *Comput. J.*, 19(1):45–56, 1976.
- [Par90] G. Parker. A better phonetic search. *C Gazette*, 5-4, June/July 1990.
- [PARS14] Bryan Perozzi, Rami Al-Rfou, and Steven Skiena. Deepwalk: Online learning embeddings for large graphs. In *Proceedings of the 2014 ACM conference on SIGKDD*, pages 701–710, 2014.
- [Pas97] V. Paschos. A survey of approximately optimal solutions to some covering problems. *Computing*, 70(1):1–14, 1997.
- [Pas03] V. Paschos. Polynomial approximation and graph-coloring. *Computing*, 70(1):1–14, 2003.
- [Pat13] Maurizio Patrignani. Planarity testing and embedding, 2013.
- [Pav82] T. Pavlidis. Algorithms for Graphics and Image Processing. Computer Science Press, 1982.
- [Pav92] T. Pavlidis. Algorithms for Graphics and Image Processing. Computer Science Press, 1992.
- [Pec04] M. Peczarski. New results in minimum-comparison sorting. *Algorithmica*, 42(1):1–16, 2004.
- [Pec07] M. Peczarski. The Ford-Johnson algorithm still unbeaten for less than n comparisons. *SIAM J. Computing*, 36(6):2000–2010, 2007.
- [Pet03] J. Petit. Experiments on the minimum linear arrangement problem. *ACM J. Experimental Algorithmics*, 8(1):1–14, 2003.
- [PFTV07] W. Press, B. Flannery, S. Teukolsky, and W. T. Vetterling. Numerical Recipes in C: The Art of Scientific Computing. Cambridge University Press, 2007.
- [PH80] M. Padberg and S. Hong. On the symmetric traveling salesman problem: a $\log n$ approximation. *SIAM J. Computing*, 9(4):658–671, 1980.
- [PIA78] Y. Perl, A. Itai, and H. Avni. Interpolation search—a $\log \log n$ search algorithm. *SIAM J. Computing*, 7(4):552–568, 1978.
- [Pin16] M. Pinedo. Scheduling: Theory, Algorithms, and Systems. Prentice Hall, 2016.
- [PL94] P. A. Pevzner and R. J. Lipshutz. Towards DNA sequencing chips. In *Proceedings of the 1994 ACM conference on SIGKDD*, pages 1–10, 1994.
- [PLM06] F. Panneton, P. L'Ecuyer, and M. Matsumoto. Improved long-period generators. *ACM J. Experimental Algorithmics*, 11(1):1–14, 2006.
- [PM88] S. Park and K. Miller. Random number generators: Good ones are hard to come by. *SIAM J. Computing*, 17(3):813–831, 1988.
- [PN18] Shortest Paths and Networks. J. Mitchell. In J. Goodman, J. O'Rourke, and C. Toth, editors, *Handbook of Discrete and Computational Geometry*, 4th edition, chapter 18, pages 1801–1819. CRC Press, 2018.
- [Pol57] G. Polya. How to Solve It. Princeton University Press, second edition, 1957.
- [Pom84] C. Pomerance. The quadratic sieve factoring algorithm. In T. Beth, N. Pomerance, and R. Rivest, editors, *Proceedings of the 1984 ACM conference on SIGKDD*, pages 1–10, 1984.
- [PP06] M. Penner and V. Prasanna. Cache-friendly implementations of transitive closure algorithms. *SIAM J. Computing*, 35(6):1300–1314, 2006.
- [PR86] G. Pruesse and F. Ruskey. Generating linear extensions fast. *SIAM J. Computing*, 15(6):1331–1348, 1986.
- [PR02] S. Pettie and V. Ramachandran. An optimal minimum spanning tree algorithm. *SIAM J. Computing*, 31(6):1701–1723, 2002.
- [Pra75] V. Pratt. Every prime has a succinct certificate. *SIAM J. Computing*, 4(4):637–642, 1975.
- [Pri57] R. C. Prim. Shortest connection networks and some generalizations. *Belgian J. Math.*, 6:369–376, 1957.
- [Prü18] H. Prüfer. Neuer Beweis eines Satzes über Permutationen. *Arch. Math.*, 1(1):1–6, 1918.
- [PS85] F. Preparata and M. Shamos. Computational Geometry. Springer-Verlag, New York, 1985.
- [PS98] C. Papadimitriou and K. Steiglitz. Combinatorial Optimization: Algorithms and Complexity. Wiley, 1998.
- [PS02] H. Prömel and A. Steger. The Steiner Tree Problem: A Tour Through Graph Theory. Springer, 2002.
- [PS03] S. Pemmaraju and S. Skiena. Computational Discrete Mathematics: Combinatorics and Graph Theory. Cambridge University Press, 2003.
- [PSL90] A. Pothen, H. Simon, and K. Liou. Partitioning sparse matrices with eigenvectors. *SIAM J. Computing*, 19(3):1001–1020, 1990.
- [PSS07] F. Putze, P. Sanders, and J. Singler. Cache-, hash-, and space-efficient algorithms for the k -median problem. *SIAM J. Computing*, 36(6):2000–2010, 2007.
- [PST07] S. Puglisi, W. Smyth, and A. Turpin. A taxonomy of suffix array construction algorithms. *SIAM J. Computing*, 36(6):2000–2010, 2007.
- [PSW92] T. Pavlidis, J. Swartz, and Y. Wang. Information encoding with twodimensional codes. *SIAM J. Computing*, 21(6):1300–1314, 1992.
- [PT05] A. Pothen and S. Toledo. Cache-oblivious data structures. In D. Mehta and S. Sahni, editors, *Handbook of Discrete and Computational Geometry*, 3rd edition, pages 1801–1819. CRC Press, 2005.
- [PTUW11] Rina Panigrahy, Kunal Talwar, Lincoln Uyeda, and Udi Wieder. Heuristics for the k -median problem. *SIAM J. Computing*, 40(6):2000–2010, 2011.
- [Pug86] G. Allen Pugh. Partitioning for selective assembly. *Computers and Communications*, 10(1):1–14, 1986.
- [PV96] M. Pocchiola and G. Vegter. Topologically sweeping visibility complexes. *SIAM J. Computing*, 25(6):1300–1314, 1996.
- [Rab80] M. Rabin. Probabilistic algorithm for testing primality. *J. Number Theory*, 12(2):161–174, 1980.
- [Ram05] R. Raman. Data structures for sets. In D. Mehta and S. Sahni, editors, *Handbook of Discrete and Computational Geometry*, 3rd edition, pages 1801–1819. CRC Press, 2005.

- [Raw92] G. Rawlins. Compared to What? Computer Science Press, New York, 1992.
- [RBT04] H. Romero, C. Brizuela, and A. Tchernykh. An experimental comparison of approximations.
- [RC55] Rand-Corporation. A Million Random Digits with 100,000 Normal Deviates. The Free Press, New York, 1955.
- [RD18] Edward M. Reingold and Nachum Dershowitz. Calendrical Calculations: The Ultimate Calendar. Springer, New York, 1999.
- [RDC93] E. Reingold, N. Dershowitz, and S. Clamen. Calendrical calculations II: Three hundred years of the calendar. *Journal of Computer Research*, 1993.
- [Rei72] E. Reingold. On the optimality of some set algorithms. *J. ACM*, 19:649-659, 1972.
- [Rei91] G. Reinelt. TSPLIB—a traveling salesman problem library. *ORSA J. Computing*, 3:37-41, 1991.
- [Rei94] G. Reinelt. The traveling salesman problem: Computational solutions for TSP applications. *Journal of Computer Research*, 1994.
- [RF06] S. Roger and T. Finley. JFLAP: An Interactive Formal Languages and Automata Package. *Journal of Computer Research*, 2006.
- [RFS98] M. Resende, T. Feo, and S. Smith. Algorithm 787: Fortran subroutines for approximating the traveling salesman problem. *SIAM Review*, 40:649-659, 1998.
- [RHG07] S. Richter, M. Helert, and C. Gretton. A stochastic local search approach to vertex coloring. *Journal of Computer Research*, 2007.
- [RHS89] A. Robison, B. Hafner, and S. Skiena. Eight pieces cannot cover a chessboard. *Communications of the ACM*, 32:1000-1001, 1989.
- [Riv92] R. Rivest. The MD5 message digest algorithm. RFC 1321, 1992.
- [Rou17] T. Roughgarden. Algorithms Illuminated, volume 1. Soundlikeyourself Publishing, 2017.
- [RR99] C.C. Ribeiro and M.G.C. Resende. Algorithm 797: Fortran subroutines for approximating the traveling salesman problem. *SIAM Review*, 41:649-659, 1999.
- [RS96] H. Rau and S. Skiena. Dialing for documents: an experiment in information theory. *Journal of Computer Research*, 1996.
- [RSA78] R. Rivest, A. Shamir, and L. Adleman. A method for obtaining digital signatures and public-key cryptosystems. *SIAM Review*, 20:160-176, 1978.
- [RSL77] D. Rosenkrantz, R. Stearns, and P. M. Lewis. An analysis of several heuristics for the traveling salesman problem. *SIAM Review*, 19:649-659, 1977.
- [RSS02] E. Rafalin, D. Souvaine, and I. Streinu. Topological sweep in degenerate cases. *Journal of Computer Research*, 2002.
- [RSST96] N. Robertson, D. Sanders, P. Seymour, and R. Thomas. Efficiently fourcoloring planar graphs. *SIAM Review*, 38:649-659, 1996.
- [Rus03] F. Ruskey. Combinatorial Generation. Preliminary working draft. University of Victoria, 2003.
- [RW09] Frank Ruskey and Aaron Williams. The coolest way to generate combinations. *Discrete Mathematics*, 2009.
- [RW18] Sharath Raghvendra and Mariëtte C Wessels. A grid-based approximation algorithm for the traveling salesman problem. *Journal of Computer Research*, 2018.
- [Ryt85] W. Rytter. Fast recognition of pushdown automata and context-free languages. *Information Processing Letters*, 1985.
- [RZ05] G. Rabin and A. Zelikovsky. Improved Steiner tree approximation in graphs. *Tight Bounds on Steiner Tree Approximation*, 2005.
- [SA95] M. Sharir and P. Agarwal. Davenport-Schinzel Sequences and Their Geometric Applications. Cambridge University Press, 1995.
- [Sah05] S. Sahni. Double-ended priority queues. In D. Mehta and S. Sahni, editors, *Handbook of Data Structures*, pages 1-10. Springer, 2005.
- [Sal06] D. Salomon. Data Compression: The Complete Reference. SpringerVerlag, fourth edition, 2006.
- [Sam05] H. Samet. Multidimensional spatial data structures. In D. Mehta and S. Sahni, editors, *Handbook of Data Structures*, pages 11-20. Springer, 2005.
- [Sam06] H. Samet. Foundations of Multidimensional and Metric Data Structures. Morgan Kaufmann, 2006.
- [San00] P. Sanders. Fast priority queues for cached memory. *ACM Journal of Experimental Algorithmics*, 2000.
- [Sav97] C. Savage. A survey of combinatorial gray codes. *SIAM Review*, 39:605-629, 1997.
- [Sax80] J.B. Saxe. Dynamic programming algorithms for recognizing smallbandwidth graphs. *SIAM Review*, 32:649-659, 1980.
- [Say17] K. Sayood. Introduction to Data Compression. Morgan Kaufmann, fifth edition, 2017.
- [SB01] A. Samorodnitsky and A. Barvinok. The distance approach to approximate combinatorial optimization. *SIAM Review*, 43:649-659, 2001.
- [SB19] Yihan Sun and Guy E. Blelloch. Parallel range, segment and rectangle queries with applications. *SIAM Review*, 2019.
- [SBdB16] Punam K. Saha, Gunilla Borgefors, and Gabriella Sanniti di Baja. A survey on sketching. *SIAM Review*, 2016.
- [SBW17] Sima Soltanpour, Boubakeur Boufama, and Q.M. Jonathan Wu. A survey of local feature extraction. *SIAM Review*, 2017.
- [Sch98] A. Schrijver. Bipartite edge-coloring in $O(\frac{n}{\epsilon} \log \frac{n}{\epsilon})$ time. *SIAM Review*, 1998.
- [Sch11] Hans-Jorg Schulz. Treevis.net: A tree visualization reference. *IEEE Computer Graphics and Applications*, 2011.
- [Sch15] B. Schneier. Applied Cryptography: Protocols, Algorithms, and Source Code in C. John Wiley & Sons, 1996.
- [SD75] M. Syslo and J. Dzikiewicz. Computational experiences with some transitive closure algorithms. *SIAM Review*, 17:649-659, 1975.
- [SD76] D. C. Schmidt and L. E. Druffel. A fast backtracking algorithm to test directed graphs for Hamiltonian paths. *SIAM Review*, 18:649-659, 1976.
- [SDC16] Jonathan Shewchuk, Tamal K Dey, and Siu-Wing Cheng. Delaunay mesh generation. *SIAM Review*, 2016.
- [SDK83] M. Syslo, N. Deo, and J. Kowalik. Discrete Optimization Algorithms with Pascal. John Wiley & Sons, 1983.
- [Sed77] R. Sedgewick. Permutation generation methods. *Computing Surveys*, 9:137-164, 1977.

- [Sed78] R. Sedgewick. Implementing quicksort programs. Communications of the
- [Sed98] R. Sedgewick. Algorithms in C++, Parts 1-4: Fundamentals, Data Structures
- [Sei18] R. Seidel. Convex hull computations. In J. Goodman, J. O'Rourke, and C.
- [SFG82] M. Shore, L. Foulds, and P. Gibbons. An algorithm for the Steiner problem
- [SH75] M. Shamos and D. Hoey. Closest point problems. In Proc. Sixteenth IEEE
- [SH99] W. Shih and W. Hsu. A new planarity test. Theoretical Computer Science
- [Sha87] M. Sharir. Efficient algorithms for planning purely translational collisions
- [She97] J.R. Shewchuk. Robust adaptive floating-point geometric predicates. Discrete
- [SHG09] Nadathur Satish, Mark Harris, and Michael Garland. Designing efficient
- [Sho99] Peter W. Shor. Polynomial-time algorithms for prime factorization and
- [Sho09] V. Shoup. A Computational Introduction to Number Theory and Algebra. Cambridge
- [Si15] Hang Si. Tetgen, a delaunay-based quality tetrahedral mesh generator. ACM
- [Sin12] Alistair Sinclair. Algorithms for Random Generation and Counting: A Modern
- [Sip05] M. Sipser. Introduction to the Theory of Computation. Course Technology
- [SK86] T. Saaty and P. Kainen. The Four-Color Problem. Dover, New York, 1986.
- [SK99] D. Sankoff and J. Kruskal. Time Warps, String Edits, and Macromolecules
- [SK00] R. Skeel and J. Keiper. Elementary Numerical Computing with Mathematics
- [Ski88] S. Skiena. Encroaching lists as a measure of presortedness. BIT, 28:71-77,
- [Ski90] S. Skiena. Implementing Discrete Mathematics. Addison-Wesley, 1990.
- [Ski99] S. Skiena. Who is interested in algorithms and why?: lessons from the
- [Ski12] S. Skiena. Redesigning viral genomes. IEEE Computer, 45:47-53, March 2012.
- [SL07] M. Singh and L. Lau. Approximating minimum bounded degree spanning trees
- [SLL02] J. Siek, L. Lee, and A. Lumsdaine. The Boost Graph Library: User Guide and
- [SLW12] Y. Song, Y. Liu, C. Ward, S. Mueller, and A. Lumsdaine. SLW 12
- [SM73] L. Stockmeyer and A. Meyer. Word problems requiring exponential time. Information
- [SM10] David Salomon and Giovanni Motta. Handbook of Data Compression. Springer
- [MK12] Ioan A. ucan, Mark Moll, and Lydia E. Kavradi. The Open Motion Planning
- [Sno18] J. Snoeyink. Point location. In J. Goodman, J. O'Rourke, and C. Toth, editors,
- [SP08] Kaleem Siddiqi and Stephen Pizer. Medial Representations: Mathematics, Algorithms,
- [SP15] Jared T. Simpson and Mihai Pop. The theory and practice of genome sequencing
- [SR83] K. Supowit and E. Reingold. The complexity of drawing trees nicely. Acta Informatica
- [SR03] S. Skiena and M. Revilla. Programming Challenges: The Programming Contest
- [SRM14] George M Slota, Sivasankaran Rajamanickam, and Kamesh Madduri. Bfs and
- [SS71] A. Schönhage and V. Strassen. Schnelle Multiplikation grosser Zahlen. Computing
- [SS07] K. Schurmann and J. Stoye. An incomplex algorithm for fast suffix array
- [SSTF12] Michael Stiebitz, Diego Scheide, Bjarne Toft, and Lene M Favrholt. On
- [ST04] D. Spielman and S. Teng. Smoothed analysis: Why the simplex algorithm works
- [Sta06] W. Stallings. Cryptography and Network Security: Principles and Practice
- [Str69] V. Strassen. Gaussian elimination is not optimal. Numerische Mathematik
- [STV17] Ola Svensson, Jakub Tarnawski, and László A Végh. A constant-factor approximation
- [SV87] J. Stasko and J. Vitter. Pairing heaps: Experiments and analysis. Communications
- [SV88] B. Schieber and U. Vishkin. On finding lowest common ancestors: simplification
- [SW86] Q. Stout and B. Warren. Tree rebalancing in optimal time and space. Communications
- [SW11] R. Sedgewick and K. Wayne. Algorithms in Java, Parts 1-4: Fundamentals, Data Structures
- [SW13] Maxim Sviridenko and Justin Ward. Large neighborhood local search for the
- [SWA03] S. Schlieimer, D. Wilkerson, and A. Aiken. Winnowing: Local algorithms for

- [SWM95] J. Shallit, H. Williams, and F. Moraine. Discovery of a lost factoring machine.
- [SY18] V. Sharma and C. Yap. Robust geometric computation. In J. Goodman, J. O'Rourke, and C. Yap, editors, *Handbook of Discrete and Computational Geometry*, 4th edition, chapter 10, pages 101–110. Springer, 2018.
- [Szp03] G. Szpiro. Kepler's Conjecture: How Some of the Greatest Minds in History Helped Solve It. Springer, 2003.
- [TABN16] Krisnaiyan Thulasiraman, Subramanian Arumugam, Andreas Brandstädt, and Takao Nishizeki. *Handbook of Graph Drawing and Visualization*. Chapman & Hall/CRC, 2016.
- [Tam13] Roberto Tamassia. *Handbook of Graph Drawing and Visualization*. Chapman & Hall/CRC, 2013.
- [Tar95] G. Tarry. Le problème de labyrinthes. *Nouvelles Ann. de Math.*, 14:187, 1895.
- [Tar72] R. Tarjan. Depth-first search and linear graph algorithms. *SIAM J. Computing*, 1:56–65, 1972.
- [Tar75] R. Tarjan. Efficiency of a good but not linear set union algorithm. *J. ACM*, 22:215–220, 1975.
- [Tar79] R. Tarjan. A class of algorithms which require non-linear time to maintain disjoint sets. *J. ACM*, 26:218–226, 1979.
- [Tar83] R. Tarjan. *Data Structures and Network Algorithms*. Society for Industrial and Applied Mathematics, 1983.
- [TDS+16] Andrea Tagliasacchi, Thomas Delame, Michela Spagnuolo, Nina Amenta, and Roberto Tamassia. *Handbook of Graph Drawing and Visualization*, 4th edition, chapter 10, pages 101–110. Springer, 2016.
- [TH03] R. Tam and W. Heidrich. Shape simplification based on the medial axis transform. *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, 2003.
- [THG94] J. Thompson, D. Higgins, and T. Gibson. CLUSTAL W: improving the sensitivity of clustering algorithms. *Gene*, 192:467–476, 1994.
- [Thi03] H. Thimbleby. The directed Chinese postman problem. *Software Practice and Experience*, 33:101–110, 2003.
- [Tho68] K. Thompson. Regular expression search algorithm. *Communications of the ACM*, 11:309–320, 1968.
- [Tin90] G. Tinhofer. Generating graphs uniformly at random. *Computing*, 7:235–255, 1990.
- [TOG18] C. Toth, J. O'Rourke, and J. Goodman, editors. *Handbook of Discrete and Computational Geometry*, 4th edition, chapter 10, pages 101–110. Springer, 2018.
- [Tro62] H. F. Trotter. Perm (algorithm 115). *Comm. ACM*, 5:434–435, 1962.
- [Tur88] J. Turner. Almost all k -colorable graphs are easy to color. *J. Algorithms*, 9:6–15, 1988.
- [TV01] R. Tamassia and L. Vismara. A case study in algorithm engineering for geometric computing. *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, 2001.
- [TV14] Paolo Toth and Daniele Vigo. *Vehicle Routing: Problems, Methods, and Applications*. John Wiley & Sons, 2014.
- [TW88] R. Tarjan and C. Van Wyk. An $O(n \lg n)$ algorithm for triangulating simple polygons. *SIAM J. Computing*, 17:566–579, 1988.
- [Ukk92] E. Ukkonen. Constructing suffix trees on-line in linear time. In *Intern. Federat. Comput. Sci. Conf.*, pages 340–345, 1992.
- [Val79] L. Valiant. The complexity of computing the permanent. *Theoretical Computer Science*, 8:305–320, 1979.
- [Val02] G. Valiente. *Algorithms on Trees and Graphs*. Springer, 2002.
- [Van98] B. Vandecriend. Finding hamiltonian cycles: Algorithms, graphs and performance. *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, 1998.
- [Vaz04] V. Vazirani. *Approximation Algorithms*. Springer, 2004.
- [VB96] L. Vandenbergh and S. Boyd. Semidefinite programming. *SIAM Review*, 38:49–95, 1996.
- [vEBKZ77] P. van Emde Boas, R. Kaas, and E. Zulstra. Design and implementation of an efficient algorithm for finding the minimum spanning tree. *SIAM J. Computing*, 6:86–95, 1977.
- [Vel01] Remco C Veltkamp. Shape matching: Similarity measures and algorithms. In *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, 2001.
- [Vit01] J. Vitter. External memory algorithms and data structures: Dealing with massive data sets. *SIAM J. Computing*, 30:1300–1332, 2001.
- [Viz64] V. Vizing. On an estimate of the chromatic class of a p -graph (in Russian). *Disk. Prikl. Matem.*, 1964.
- [vL90a] J. van Leeuwen. Graph algorithms. In J. van Leeuwen, editor, *Handbook of Theoretical Computer Science*, volume 1, pages 1–100. North-Holland, 1990.
- [vL90b] J. van Leeuwen, editor. *Handbook of Theoretical Computer Science: Algorithms and Complexity*. North-Holland, 1990.
- [VL05] Fabien Viger and Matthieu Latapy. Efficient and simple generation of random simple graphs. *Proceedings of the ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games*, 2005.
- [Vos92] S. Voss. Steiner's problem in graphs: heuristic methods. *Discrete Applied Mathematics*, 37:1–10, 1992.
- [War62] S. Warshall. A theorem on boolean matrices. *J. ACM*, 9:11–12, 1962.
- [Wat03] B. Watson. A new algorithm for the construction of minimal acyclic DFAs. *Science of Computer Programming*, 47:1–10, 2003.
- [Wat04] D. Watts. *Six Degrees: The Science of a Connected Age*. W.W. Norton, 2004.
- [WC04] B. Wu and K. Chao. *Spanning Trees and Optimization Problems*. Chapman-Hall/CRC Press, 2004.
- [WCL+14] Thomas Weise, Raymond Chiong, Jorg Lassig, Ke Tang, Shigeo Tanaka, and B. Wu. *Spanning Trees and Optimization Problems*. Chapman-Hall/CRC Press, 2014.
- [Wei73] P. Weiner. Linear pattern-matching algorithms. In *Proc. 14th IEEE Symp. on Switching Theory and its Applications*, pages 1–11, 1973.
- [Wei11] M. Weiss. *Data Structures and Algorithm Analysis in Java*. Pearson, third edition, 2011.
- [Wel84] T. Welch. A technique for high-performance data compression. *IEEE Computer*, 17:6–20, 1984.
- [Wel13] René Weller. *New Geometric Data Structures for Collision Detection and Haptics*. Springer, 2013.
- [Wes89] Jeffery R Westbrook. Algorithms and data structures for dynamic graph problems. *SIAM J. Computing*, 18:1668–1694, 1989.

- [Wes00] D. West. Introduction to Graph Theory. Prentice-Hall, second edition.
- [WF74] R. A. Wagner and M. J. Fischer. The string-to-string correction problem.
- [WH15] Qinghua Wu and Jin-Kao Hao. A review on algorithms for maximum clique problem.
- [Whi32] H. Whitney. Congruent graphs and the connectivity of graphs. American Journal of Mathematics, 34:1-14, 1932.
- [Whi12] Tom White. Hadoop: The Definitive Guide. O'Reilly Media, 2012.
- [WHS07] Gerhard Wäscher, Heike Hauner, and Holger Schumann. An improved typology of graph coloring algorithms.
- [Wig83] A. Wigerson. Improving the performance guarantee for approximate graph coloring.
- [Wil64] J. W. J. Williams. Algorithm 232 (heapsort). Communications of the ACM, 7:370-375, 1964.
- [Wil84] H. Wilf. Backtrack: An $O(1)$ expected time algorithm for graph coloring.
- [Wil85] D. E. Willard. New data structures for orthogonal range queries. SIAM Journal on Computing, 14:1-16, 1985.
- [Wil89] H. Wilf. Combinatorial Algorithms: An Update. SIAM, 1989.
- [Wil12] Virginia Vassilevska Williams. Multiplying matrices faster than Coppersmith and Winograd.
- [Wil19] D. Williamson. Network Flow Algorithms. Cambridge University Press, 2019.
- [Win68] S. Winograd. A new algorithm for inner product. IEEE Trans./ Computers, 17:38-45, 1968.
- [WM92a] S. Wu and U. Manber. Agrep—a fast approximate pattern-matching tool. Communications of the ACM, 35:131-138, 1992.
- [WM92b] S. Wu and U. Manber. Fast text searching allowing errors. Comm. ACM, 35:438-455, 1992.
- [Woe03] G. Woeginger. Exact algorithms for NP-hard problems: A survey. In Combinatorial Optimization, pages 1-107. Springer, 2003.
- [Wol79] T. Wolfe. The Right Stuff. Bantam Books, Toronto, 1979.
- [WS11] David P. Williamson and David B Shmoys. The Design of Approximation Algorithms. Cambridge University Press, 2011.
- [WSR13] Kai Wang, Steven Skiena, and Thomas G Robertazzi. Phase balancing algorithms for graph coloring.
- [WSSJ14] Jingdong Wang, Heng Tao Shen, Jingkuan Song, and Jianqiu Ji. Hashing for graph coloring.
- [WW95] F. Wagner and A. Wolff. Map labeling heuristics: provably good and practical.
- [WY05] X. Wang and H. Yu. How to break MD5 and other hash functions. In EUROCRYPT, pages 1-16. Springer, 2005.
- [XWW11] Zhong Xie, Huimin Wang, and Liang Wu. The improved DouglasPeucker algorithm for graph coloring.
- [Yan03] S. Yan. Primality Testing and Integer Factorization in Public-Key Cryptography.
- [Yao81] A. C. Yao. A lower bound to finding convex hulls. J. ACM, 28:780-787, 1981.
- [YLCZ05] R. Yeung, S-Y. Li, N. Cai, and Z. Zhang. Network Coding Theory. http://www.netcoding.com, 2005.
- [YLD16] Minghe Yu, Guoliang Li, Dong Deng, and Jianhua Feng. String similarity search.
- [YM08] Noson S. Yanofsky and Mirco A. Mannucci. Quantum Computing for Computer Scientists.
- [You67] D. Younger. Recognition and parsing of context-free languages in time $O(n^3)$.
- [YS96] F. Younas and S. Skiena. Randomized algorithms for identifying minimal separators.
- [YZ99] E. Yang and Z. Zhang. The shortest common superstring problem: Average case complexity.
- [ZL78] J. Ziv and A. Lempel. A universal algorithm for sequential data compression.
- [ZS04] Z. Zaritsky and M. Sipper. The preservation of favored building blocks in evolutionary algorithms.
- [Zwi01] U. Zwick. Exact and approximate distances in graphs - a survey. In Proceedings of the 12th Annual ACM-SIAM Symposium on Discrete Mathematics, pages 413-420. SIAM, 2001.

%---- Page End Break Here ---- Page : 727

%---- Page End Break Here ---- Page : 728

%---- Page End Break Here ---- Page : 729

%---- Page End Break Here ---- Page : 730

%---- Page End Break Here ---- Page : 731

%---- Page End Break Here ---- Page : 732
%---- Page End Break Here ---- Page : 733
%---- Page End Break Here ---- Page : 734
%---- Page End Break Here ---- Page : 735
%---- Page End Break Here ---- Page : 736
%---- Page End Break Here ---- Page : 737
%---- Page End Break Here ---- Page : 738
%---- Page End Break Here ---- Page : 739
%---- Page End Break Here ---- Page : 740
%---- Page End Break Here ---- Page : 741
%---- Page End Break Here ---- Page : 742
%---- Page End Break Here ---- Page : 743
%---- Page End Break Here ---- Page : 744
%---- Page End Break Here ---- Page : 745
%---- Page End Break Here ---- Page : 746
%---- Page End Break Here ---- Page : 747
%---- Page End Break Here ---- Page : 748
%---- Page End Break Here ---- Page : 749
%---- Page End Break Here ---- Page : 750
%---- Page End Break Here ---- Page : 751
%---- Page End Break Here ---- Page : 752
%---- Page End Break Here ---- Page : 753
%---- Page End Break Here ---- Page : 754

%----	Page End Break Here	----	Page : 755
%----	Page End Break Here	----	Page : 756
%----	Page End Break Here	----	Page : 757
%----	Page End Break Here	----	Page : 758
%----	Page End Break Here	----	Page : 759
%----	Page End Break Here	----	Page : 760
%----	Page End Break Here	----	Page : 761
%----	Page End Break Here	----	Page : 762
%----	Page End Break Here	----	Page : 763
%----	Page End Break Here	----	Page : 764
%----	Page End Break Here	----	Page : 765
%----	Page End Break Here	----	Page : 766
%----	Page End Break Here	----	Page : 767
%----	Page End Break Here	----	Page : 768
%----	Page End Break Here	----	Page : 769
%----	Page End Break Here	----	Page : 770
%----	Page End Break Here	----	Page : 771
%----	Page End Break Here	----	Page : 772
%----	Page End Break Here	----	Page : 773
%----	Page End Break Here	----	Page : 774
%----	Page End Break Here	----	Page : 775
\section{Index}			
\$\epsilon\$-moves, 703			
\#P-completeness, 476,548			
0/1 knapsack problem, 497			

- \$2 / 3\$ tree, 443
- 3-SAT, 368
- above-below test, 475,624
- abracadabra, 686
- abstract graph type, 454
- academic institutions - licensing, 713
- acceptance-rejection method, 488
- Ackerman function, 459
- acyclic graph, 199
- acyclic subgraph, 618
- Ada, 439
- adaptive compression algorithms, 695
- Adaptive Simulated Annealing (ASA), 481
- addition, 493
- adjacency list, 204,452
- adjacency matrix, 203, 452
- adjacent swaps, 520
- Advanced Encryption Standard, 697
- advice - caveat, 438
- aesthetically pleasing drawings, 574
- aggregate range queries, 642
- agrep, 691
- Aho-Corasick algorithm, 686
- air travel pricing, 125
- airline distance metric, 393
- airline scheduling, 482, 682
- algorist, 22
- Algorist Technologies - consulting, 718
- algorithm design, 429
- algorithmic resources, 713
- aligning DNA sequences, 706
- alignment costs, 689
- all-pairs shortest path, 261,452 . 556
- alpha-beta pruning, 160,510
- alpha-shapes, 628
- amortized analysis, 444
- analog channel, 523
- ancestor, 18
- angular resolution, 574
- animation - motion planning, 667
- animation - sorting, 509
- approximate nearest-neighbor search, 463,639
- approximate string matching, 314 687, 688, 706
- approximate string matching related problems, 687, 708
- approximation algorithms, 389,470
- approximation scheme, 500597

arbitrary-precision arithmetic, 493
 arbitrary-precision arithmetic -
 geometry, 623
 arbitrary-precision arithmetic -
 related problems, 533
 architectural models, 648
 area computations - applications, 665
 area computations - triangles, 624
 area minimization, 574
 arm, robot, 669
 around the world game, 600
 Arrange, 646,673
 arrangement, 18,670
 arrangement of objects, 517
 arrangements of lines, 671
 array, 441
 art gallery problems, 660
 articulation vertex, 225, 229, 568
 artists steal, 713
 ASA, 481
 ASCII, 442
 aspect ratio, 575
 assembly language, 494503
 assignment problem, 562
 associative operation, 473
 asymmetric longest path problem, 600
 asymmetric TSPs, 710
 asymptotic analysis, 31
 atom smashing, 524
 attitude of the algorithm designer, 429
 attribute, 458
 attribute - graph, 453
 augmenting path, 563 , 573
 automorphisms, 610
 average, 514
 average-case analysis, 444
 average-case complexity, 33
 AVL tree, 443
 Avogadro's number, 600
 awk, 685
 axis-oriented rectangles, 641651
 axis-parallel planes, 461

 B-tree, \$443,508,512\$
 back edge, 222
 back substitution, 468

- backpacker, 497
- backtracking, \$281,519,547,587\$
599, 605, 611, 680, 683
- backtracking - applications, 499 615
- backtracking - bandwidth
- problem, 471
- balanced search tree, 86, 440, 443
- balltrees, 638
- banded systems, 468,470
- bandersnatch problem, 356
- bandwidth, 468,517
- bandwidth - matrix, 473
- bandwidth reduction, 470
- bandwidth reduction - related problems, 620
- bar codes, 326
- base - arithmetic, 494
- base - conversion, 494
- base of logarithm, 53
- Bellman-Ford algorithm, 555,557
- Berge's theorem, 563
- best-case complexity, 33
- best-first search, 299
- BFS, 221
- Bible - searching the, 686
- bibliographic databases, 718
- biconnected components, 544
- biconnected graph, 229
- biconnected graphs, \$474,568,599\$
- Big Oh notation, 34,62
- bijection, 522
- bin packing, 652
- bin packing - applications, 536576
- bin packing - knapsack problem, 499
- bin packing - related problems, 500, 536
- binary heap, 446
- binary representation - subsets, 522
- binary search, \$49,148,510\$
- binary search - applications, 450 . 707
- binary search - counting occurrences, 149
- binary search - one-sided, 149512
- binary search tree, \$81,443,446\$ 646
- binary search tree - applications, 83
- binary search tree - computational experience, 100
- binomial coefficients, 312
- biocomputing, 600
- biology, 99

bipartite graph, 267,604
bipartite graph recognition, 219
bipartite incidence structures, 453
bipartite matching, 267, 447, 483, 562. 604
bipartite matching - applications, 275, 534
birthday paradox, 184
bisection method, 150
bit representation of graphs, 455
bit vector, 454, 457, 507, 518
bit vector - applications, 24,490
Bitcoin, 700
blackmail graph, 263
blind man's algorithm, 669
block - set partition, 526
blossoms, 563
board evaluation function, 480
bookshelves, 333
Boolean logic minimization, 591 678
Boolean matrix multiplication, 474
Boost graph library, 207
borrowing, 494
Boruvka's algorithm, 552
boss's delight, 6
bottleneck spanning tree, 254
boundaries, 19
boundary conditions, dynamic programming, 322
bounded-height priority queue, 446
bounding boxes, 650
Boyer-Moore algorithm, 686
brainstorming, 429
branch and bound search, 299
branch-and-bound search, 588,595 615
breadth-first search, \$221,542,551\$ 555
breadth-first search (BFS), 214
breadth-first search - applications, 471
bridge, 568
bridge edge, 229
bridges of Königsberg, 567
Brook's theorem, 607
brush fire, 656
brute-force search, 486
bubblesort, 506
bucket sort, 507
bucketing techniques, \$136,442,647\$
bucketing techniques - graphics, 275
budget, fixed, 497

built-in random number generator, 487
 buying fixed lots, 678
 C language, 491, 503, 557, 563. 570, 573, 588, 606, 613, 628, 632, 636, 646. 651. 673. 7

%---- Page End Break Here ---- Page : 777
 C sorting library, 114
 $\mathrm{C}++$, 439,444,447,454,458,544\$, 548, 552, 557, 564,567 .
 \$570,582,625,639,643\$.
 646 . 650
 $\mathrm{C}++$ templates, 714
 cache, 31
 cache-oblivious algorithms, 443
 Caesar shifts, 697
 calendrical calculations, 532
 call graph, 569
 canonical order, \$456,521,677\$
 canonicalization, 97
 canonically labeled graphs, 613
 CAP3, 710
 Carmichael numbers, 492
 cars and tanks, 666
 cartoons, 19
 casino analysis, 33
 casino poker, 486
 catalog website, 438
 Catch-22 situation, 535
 caveat, 438
 center vertex, 555,557,579

%---- Page End Break Here ---- Page : 778
 CGAL, 621, 650, 714
 chain of matrices, 473
 chaining, 93
 characters, 19
 checksum, 699
 chess program, 478, 514
 chessboard coverage, 296
 Chinese calendar, 532
 Chinese postman problem, 565
 Chinese remainder theorem, 495
 Christofides heuristic, 597
 chromatic index, 608
 chromatic number, 604
 chromatic polynomials, 606

- cipher, 697
- circle, 488
- circuit analysis, 467
- circuit board assembly, 5
- circuit board placement simulated annealing, 411
- circuit layout, 470
- circuit testing, 281
- circular embeddings, 576
- classification, 615
- classification - nearest-neighbor, 637
- clauses, 538
- clique, 586
- clique - definition, 366
- clique - hardness proof, 366
- clique - related problems, 590
- clock, 487
- closest point, 637
- closest-pair heuristic, 7
- closest-pair problem, 110,639
- closure, 559
- clothing - manufacturing, 654
- cloudy days, 666
- cluster, 18
- cluster identification, 542, 549
- clustered access, 512
- clustering, 256, 437, 586
- co-NP, 492
- co-planar points, 475
- coding theory, 589
- cofactor method, 476
- coin flip, 522
- collapsing dense subgraphs, 601
- Collected Algorithms of the ACM, 499,715
- collection, 18
- color interchange, 605
- coloring graphs, 604
- combinatorial generation, 527
- combinatorial generation algorithms, 717
- combinatorial geometry, 672
- combinatorial problems, 505
- Combinatorica, \$455,505,520,523\$. 527, 531, 552, 561, 567 . 580, 606, 708, 710
- commercial implementations, 483
- committee, 18
- committee - congressional, 453
- common substrings, 706
- communication in circuits, 602

- communications networks, 554571
- compaction, 693
- comparison function, 115
- comparisons - minimizing, 516
- compiler, 487
- compiler construction, 702
- compiler optimization, 342,604
- compiler optimization performance, 56
- complement, 452
- complement graph, 589
- completion time - minimum, 535
- complex numbers, 425
- complexity classes, 492
- composite integer, 490
- compositions, 527
- compression, 693
- compression - image, 501
- computational biology, 99
- computational complexity, 612
- computational geometry, 621
- computational number theory, 492 496
- computer algebra system, 479,493
- computer graphics, 472
- computer graphics - applications, 90
- computer graphics - rendering, 661
- computer vision, 655
- concatenation - string, 710
- concavities, 628
- concavity elimination, 661
- conditional probability, 174,175
- configuration space, 669
- configurations, 19
- conjugate gradient methods, 480
- conjunctive normal form (CNF), 538
- connected component, 218, 225
- connected components, 219,457 . 524, 542
- connected components - related problems, 561,570
- connectivity, \$225,544,568\$
- consensus sequences, 706
- consistent schedule, 534
- constrained Delaunay triangulation, 631
- constrained optimization, 478, 484 485, 539
- constraint elimination, 618
- consulting services, 432, 718
- container, 75,457
- context-free grammars, 687

Contig Assembly Program, 710
control systems - minimization, 702
convex decomposition, 641658
convex hull, 111,62663
convex hull - related problems, 597. 663
convex polygons, 675
convex polygons - intersection, 649
convex region, 483
convolution - polygon, 675
convolution - sequences, 501
cookbook, 438
cooling schedules, 407
coordinate transformations, 472
copying a graph, 212
corporate ladder, 579
correctness - algorithm, 4
correlation function, 502
counterexample construction, 8
counting edges and vertices, 212
counting Eulerian cycles, 567
counting integer partitions, 525
counting linear extensions, 547
counting matchings, 476
counting paths, 473, 612
counting set partitions, 526
counting spanning trees, 553
covering polygons with convex pieces, 659
covering set elements, 678
Cramer's rule, 476
CRC, 699
critical path method, 536
crossing number, 582
crossings, 574
cryptography, 697
cryptography - keys, 486
cryptography - related problems, 492, 496. 696
CS, 573
CSA, 563,570
cubic regions, 461
curve fitting, 484
cut set, 569, 601
Cuthill-McKee algorithm, 471
cutting plane methods, 483, 595
cutting stock problem, 652
CWEB, 716
cycle - shortest, 556

- cycle breaking, 619
- cycle detection, 222,544
- cycle in graph, 199
- cycle length, 488
- cycle structure of permutations, 520
- cyclic-redundancy check (CRC), 699

%---- Page End Break Here ---- Page : 779

- DAG, 200, 231,397
- DAG - longest path in, 599
- DAG - shortest path in, 556
- data compression, 327

%---- Page End Break Here ---- Page : 780

- Data Encryption Standard (DES), 697
- data filtering, 514
- data records, 18
- data structures, 69,439
- data transmission, 693
- data validation, 699
- database algorithms, 685
- database application, 641
- database query optimization, 561
- Davenport-Schinzel sequences, 459, 670, 673
- Davis-Putnam procedure, 538
- day of the week calculation, 532
- de Bruijn sequence, 567, 599
- De Morgan's laws, 538
- deadlock, 544
- debugging graph algorithms, 542
- debugging parallel programs, 160
- debugging randomized algorithms, 487
- debugging tools, 578
- decimal arithmetic, 494
- decompose space, 460
- decomposing polygons, 630
- deconvolution, 501
- decrease-key, 447
- decreasing subsequence, 323
- decryption, 697
- defenestrate, 511
- degeneracy, 622
- degeneracy testing, 671
- degenerate configuration, 475

- degenerate system of equations, 467
- degree sequence, 530
- degree, vertex, 202,612
- degrees of freedom, 668
- Delaunay triangulation, 631,635
- 639
- Delaunay triangulation applications, 551
- deletion from binary search tree, 85
- deletions - text, 688
- deliveries and pickups, 565
- delivery routing, 534

- Democrat/Republican identification, 637
- dense graphs, 202, 452, 599
- dense subgraph, 587
- densest sphere packing, 654
- depth-first search, 224,230449 452, 542, 546, 551, 559, 568, 599
- depth-first search - applications, (394, 566. 582, 596. 605 .
- depth-first search - backtracking, 282
- dequeue, 76
- derangement, 194,303
- derivatives - automata, 704
- derivatives - calculus, 479
- DES, 697
- descendant, 18
- design process, 429
- design rule checking, 648
- determinant, 467
- determinant - related problems, 469
- determinants and permanents, 475
- deterministic finite automata
- (DFA), 702
- DFA, 702
- DFS, 224
- diameter of a graph, 557
- diameter of a point set, 626
- dictionaries - related problems, 509, 513
- dictionary, \$76,440,445,457\$
- dictionary - applications, 92
- dictionary - related problems, 447
- dictionary - searching, 510
- diff - how it works, 688
- digital geometry, 656
- digital signatures, 700
- digitized images, 554
- Dijkstra's algorithm, 258302555

557
DIMACS, 444,463
DIMACS Implementation
Challenge, \$564,573,588\$,

%---- Page End Break Here ---- Page : 781
606

Dinic's algorithm, 573
directed acyclic graph (DAG), 200
535, 546, 618
directed cycle, 546
directed graph, 198, 201
directed graphs - automata, 702
directory file structures, 578
disclaimer, 438
discrete event simulation, 486
discrete Fourier transform, 501, 502
discrete mathematics software, 716
discussion section, 437
disjoint paths, 569
disjoint set union, 459
disjoint subsets, 457
disjunctive normal form (DNF), 538, 678
disk access, 443
disk drives, 69369
dispatching emergency vehicles, 637. 644
dispersion problems, 589
distance graph, 595
distance metrics, 257
distinguishable elements, 519
distribution sort, 136, 507
divide and conquer, 129, 147, 495 .
502, 601
division, 490,493
DNA, 99
DNA sequence comparisons, 706
DNA sequencing, 275, 414, 709
dominance orderings, 18,642
DOS file names, 275
double-precision arithmetic, 465 .
493, 623
Douglas-Puecker algorithm, 662
drawing graphs - related problems, 580
drawing graphs nicely, 574
drawing puzzles, 565

drawing trees, 578
drawing trees - related problems, 577. 583
driving time minimization, 594
drug discovery, 667
DSATUR, 606
dual graph, 90, 211
duality, 501, 627
duality transformations, 672
duplicate elimination, 442
duplicate elimination - graphs, 610
duplicate elimination -
permutations, 518
duplicate keys, 506
dynamic convex hulls, 629
dynamic data structures, 639, 647
dynamic graph algorithms, 455
dynamic programming, 307, 474,
498, 556, 599, 633, 706
dynamic programming applications, 659, 688
dynamic programming initialization, 689
dynamic programming - shortest paths, 267
dynamic programming - space efficiency, 324
dynamic programming traceback, 319
eccentricity of a graph, 557
economics - applications to, 620
edge, 198
edge and vertex connectivity, 568
edge chromatic number, 608
edge coloring, 605, 608
edge coloring - applications, 534
edge coloring - related problems, 536. 607
edge connectivity, 229
edge cover, 592, 679
edge disjoint paths, 569
edge flipping operation, 530
edge labeled graphs, 702
edge length, 574
edge tour, 599
edge/vertex connectivity - related problems, 545, 573, 603
edit distance, 314, 706
Edmond's algorithm, 564
efficiency of algorithms, 4
electrical circuits, 197
electrical engineers, 501
electronic circuit analysis, 467
element uniqueness problem, 110 516

elimination ordering, 581
ellipsoid algorithm, 485
elliptic-curve method, 492
embedded graph, 200
embeddings - planar, 581
empirical results, 561,606
empirical results - heuristics, 617
empirical results - string matching, 687
employees to jobs - matching, 562
empty circle - largest, 634
empty rectangle, 654
enclosing boxes, 650
enclosing disk, 668
enclosing rectangle, 654
encryption, 697
energy function, 478
energy minimization, 576, 617
English language, 12511
English to French, 512
enqueue, 76
epsilon-moves, 703
equilateral triangle, 616
equivalence classes, 612
equivalence classes - automata states, 703
Erds-Gallai conditions, 531
Erds-Rényi graphs, 529
error, 465
estimating closure sizes, 561
ethnic groups in Congress, 679
Euclid's algorithm, 496
Euclidean minimum spanning tree, 596
Euclidean traveling salesman, 393
Euler's formula, 581
Eulerian cycle, 565
Eulerian cycle - applications, 534
Eulerian cycle - line graphs, 609

%---- Page End Break Here ---- Page : 782
Eulerian cycle - related problems, 600
Eulerian path, 565
evaluation function, 478
even-degree vertices, 566
even-length cycles, 563
event, 173
event queue, 650

evolutionary tree, 615
exact cover problem, 683
exact string matching, 688
exam scheduling, 608
exercises, \$27,59,103,140,166\$
193, 235, 276, 303, 345 . 383. 426
exhaustive search, 24,517
exhaustive search - application, 8
exhaustive search - empirical results, 597
exhaustive search - subsets, 521
expanded obstacles approach, 668
expander graphs, 716
expected time, 33
expected value, 173
expected-time, linear, 515
experiment, 172
experimental analysis - set cover, 681
experimental graph theory, 528
explicit graph, 200
exponential time, 316
exponential-time algorithms, 281 585
exponentiation, 50, 495
external memory, 512
external-memory sorting, 506,507
facets, 627
facility location, 589, 634
factorial function, 153
factoring, 423
factoring and primality testing, 490
factoring and primality testing related problems, 496, 701
factory location, 634
family tree, 18,578
fan out minimization for networks, 551
Fary's theorem, 583
fast Fourier transform (FFT), 502
fat cells, 461
fattening polygons, 674
feature sets, 666
Federal Sentencing Guidelines, 51
feedback edge/vertex set, 547,618
feedback edge/vertex set - related problems, 548
Fermat, 617
Fermat's theorem, 491
Ferrer's diagram, 525
FFT, 422, 496,502
FFTPACK, 503

fgrep, 686
Fibonacci heap, 447, 552, 557
Fibonacci numbers, 153,308
FIFO, 75
FIFO queue, 215
file difference comparison, 688
file layout, 470
filtering outlying elements, 514
filtering signals, 501
final examination, 698
financial constraints, 497
find operation, 458
finite automata, 702
finite automata minimization, 686
finite element analysis, 632
finite state machine minimization, 702
firehouse, 637
first-fit - decreasing, 653
first-in, first-out (FIFO), 75
fixed degree sequence graphs, 530
fixed-parameter tractability, 620
flat-earth model, 32
Fleury's algorithm, 567
flight crew scheduling, 682
flight ticket pricing, 125
floating-point arithmetic, 623
Floyd's algorithm, 262,556557 559
football program, 600
football scheduling, 608
Ford-Fulkerson algorithm, 270
Fortran, 465, 469, 471, 473, 476, 499. 503, 520, 526. 531 . 606, 654, 660, 715,717
Fortune's algorithm, 635
four Russians algorithm, 474,692 708
four-color problem, 528,607
Fourier transform, 422
Fourier transform - applications, 662
Fourier transform - multiplication, 495
Fourier transform - related problems, 663
fragment ordering, 275
fraud - tax, 586
free space, 670
free trees, 578
freedom to hang yourself, 429
frequency distribution, 110
frequency domain, 501
friendship graph, 201, 586

function interpolation, 630
furniture moving, 667
furthest-point insertion heuristic, 596
furthest-site diagrams, 636
future events, 445
game-tree search, 510
game-tree search - parallel, 160
games directory, 490
GAMS, 481, 715
gaps between primes, 491
garbage trucks, 565
Gates, William, 514
Gaussian distribution, 488, 502
Gaussian elimination, 467, 470
Genbank searching, 688
generating graphs, 528
generating partitions, 524
generating partitions - related problems, 459, 520, 523
generating permutations, 517
generating permutations - related problems, 489, 523, 527, 531, 533
generating subsets, 521
generating subsets - applications, 23
generating subsets - related problems, 459, 489, 520, 527
genetic algorithms, 417, 481
geographic information systems (GIS), 641
geometric data structure, 98
geometric degeneracy, 622
geometric primitives - related problems, 477
geometric shortest path, 555, 667
geometric spanning tree, 551
geometric Steiner tree, 614
geometric traveling salesman problem, 5
geometric TSP, 595
GEOMPACK, 660
gerrymandering, 658
Gibbs-Poole-Stockmeyer algorithm, 471
gift-wrapping algorithm, 627
Gilbert and Pollak conjecture, 617
girth, 556
global optimization, 478
Graham scan, 628
Grail, 704
graph, 197
graph algorithms, 197, 446
graph algorithms - bandwidth problem, 470
graph complement, 452

graph data structures, \$98,243,452\$
 graph data structures applications, 702
 graph data structures - Boost, 207
 graph data structures - LEDA, 207. 714
 graph databases, 453
 graph density, 452
 graph drawing - related problems, 583
 graph drawings - clutter, 560
 graph embedding, 453
 graph isomorphism, 517, 531,610
 graph isomorphism - related problems, 531, 666
 graph partition, 454569601
 graph partition - related problems, 570
 graph theory, 197
 graph theory packages, 716
 graph traversal, 212
 GraphBase, 454, 530, 552, 564 . 600, 620, 716
 graphic partitions, 531
 graphical enumeration, 531
 graphs, 18
 Gray code, 522,523
 greatest common divisor (gcd), 359, 423, 493
 greedy heuristic, \$91,245,343,499\$. 590, 680, 683
 greedy heuristic - Huffman codes, 695
 greedy heuristic - minimum spanning trees, 549
 Gregorian calendar, 533
 grid embeddings, 582
 grid file, 645
 grid search, 480
 Grinch, The, 140
 group - automorphism, 610
 Grover's algorithm, 420, 513
 growth rates, 37
 guarantees - importance of, 390
 guarding art galleries, 660
 Guide to Available Mathematical
 Software, 715
 gzip, 695
 H-index, 526
 hackerrank, 30, 67, 107, 146, 169,
 195. 242, 280, 306, 353.

%---- Page End Break Here ---- Page : 783

%---- Page End Break Here ---- Page : 784

388, 428
had-sex-with graph, 201
half-space intersection, 627
Hamiltonian cycle, 474561594 598
Hamiltonian cycle - applications, 534
Hamiltonian cycle - counting, 477
Hamiltonian cycle - hardness proof, 362
Hamiltonian cycle - hypercube, 523
Hamiltonian cycle - line graphs, 609
Hamiltonian cycle - related problems, 567, 597
Hamiltonian path, 551
Hamiltonian path - applications, 90
Hamming distance, 664
hardness of approximation, 586
hardware arithmetic, 494
hardware design applications, 702
hardware implementation, 503
hash function, 442
hash tables, 93,442
hash tables - computational experience, 100
hash tables - size, 490
Hausdorff distance, 665
heap, 446
heap construction, 153
heapsort, 116506
heard-of graph, 201
heart-lung machine, 441
heating ducts, 614
Hebrew calendar, 532
Hertel-Mehlhorn heuristic, 659
heuristics, 399,652
heuristics - empirical results, 596
hidden-surface elimination, 649
hierarchical decomposition, 454 461
hierarchical drawings, 578
hierarchical graph structures, 454 455
hierarchy, 18
Hierholzer's algorithm, 566
high school algebra, 467
high school cliques, 586
high-precision arithmetic - related problems, 492, 503
higher-dimensional data structures, 460
higher-dimensional geometry, 627 635, 638
hill climbing, 479
HIPR, 573
historical objects, 532

- history, 438, 509
- history - cryptography, 701
- history - graph theory, 567
- hitting set, 679
- HIV virus, 417
- homeomorphism, 583
- horizon, 650
- Horner's rule, 28, 442, 495
- How to Solve It, 433
- hub site, 595
- Huffman codes, 695
- human genome, 99
- Hungarian algorithm, 564
- hypercube, 161523
- hypergraph, 453, 455, 457
- hyperlinks, 529
- hyperplanes, 673
- hypertext layout, 470
- identical graphs, 610
- IEEE Data Compression Conference, 696
- image compression, 637, 661, 693. 694
- image data, 461
- image features, 666
- image filtering, 501
- image processing, 655
- image segmentation, 554
- image simplification, 662
- implementation challenges, 30 , 67 .
108, 146, 169, 195, 242,
280, 306, 353, 388, 428,
444,463
- implementations, caveats, 438
- implicit binary tree, 446
- implicit graph, 200
- impress your friends algorithms, 533
- in-circle test, 625
- in-order traversal, 222
- inapproximability results, 681
- incidence matrices, 453
- inconsistent linear equations, 482
- increasing subsequences, 323,707
- incremental algorithms, 575
- incremental change methods, 517
- incremental insertion algorithms arrangements, 672
- incremental insertion algorithms coloring, 605

- incremental insertion algorithms graph drawing, 582
- incremental insertion algorithms sorting, 124
- incremental insertion algorithms suffix trees, 450
- incremental insertion algorithms TSP, 596
- independence, 174
- independent set, 275,589
- independent set - alternate formulations, 682
- independent set - hardness proof, 363
- independent set - related problems, 588, 593, 607, 684
- independent set - simulated annealing, 410
- index - how to use, 437
- index manipulation, 322
- induced subgraph, 587,606
- induced subgraph isomorphism, 611
- induction and recursion, 15
- inequivalence of programs with assignments, 376
- information retrieval, 510
- information theory, 489
- input-output graphics, 437 insertion into binary search tree, 84
- insertion sort, 3, \$124,506,508\$
- insertions - text, 688
- inside-outside polygon, 644
- instance - definition, 3
- integer arithmetic, 623
- integer compositions, 527
- integer factorization, 6126
- integer partition, \$498,524,530,652\$
- integer programming, 483
- integer programming applications, 499 . 535
- integer programming - hardness proof, 371
- integer programming - related problems, 500
- integrality constraints, 483
- interfering tasks, 608
- interior-point methods, 483
- Internal Revenue Service (IRS), 586
- Internet, 486, 718
- interpolation search, 512
- intersection - halfspaces, 483
- intersection - set, 456
- intersection detection, 648
- intersection detection -
applications, 665
- intersection detection - related
problems, 625,673
- intersection point, 467
- interview scheduling, 608

invariant - graph, 612
 inverse Ackerman function, 459
 inverse Fourier transform, 501
 inverse matrix, 469, 475
 inverse operations, 518
 inversions, 475
 isomorphism, 531
 isomorphism - graph, 610
 isomorphism-complete, 613
 iterative methods - linear systems, 468

%---- Page End Break Here ---- Page : 785

%---- Page End Break Here ---- Page : 786

JFLAP, 704
 jigsaw puzzle, 652
 job matching, 562
 job scheduling, 534
 job-shop scheduling, 536
 JPEG, 694
 Julian calendar, 533
 $\mathcal{K}_5$, 581
 $\mathcal{K}_{3,3}$, 583
 k-optimal tours, 596
 k-subsets, 522, 527
 k-subsets - applications, 529
 Königsberg, 567
 Karatsuba's algorithm, 495
 Karazanov's algorithm, 573
 Karmarkar's algorithm, 485
 kd-trees, 460, 638
 kd-trees - applications, 642
 kd-trees - related problems, 640 643.647

%---- Page End Break Here ---- Page : 787

Kepler conjecture, 654
 Kernighan-Lin heuristic, 596603
 key length, 697
 key search, 462
 Kirchhoff's laws, 467
 knapsack, 483
 knapsack problem, 497, 521
 knapsack problem - applications, 55
 knapsack problem - related problems, 654

Knuth-Morris-Pratt algorithm, 686
 Kolmogorov complexity, 489
 Kruskal's algorithm, 248, 445, 458 . 550. 552
 kth-order Voronoi diagrams, 636
 Kuratowski's theorem, 583
 L_{∞} metric, 257
 label placement, 576
 labeled graphs, 200, 528, 611
 labels, 19
 Lagrangian relaxation, 481
 language pattern matching, 611
 LAPACK, 469, 473
 large graphs - representation, 454
 largest element, 514
 last in, first out, 75
 layered printed circuit boards, 582
 LCA - least common ancestor, 451
 leap year, 533
 least common ancestor, 451
 least-squares curve fitting, 484
 leaves - tree, 530
 LEDA, 207, 444, 447, 454, 458\$.
 544, 548, 552, 557, 561.
 564, 567, 570, 582, 625\$.
 628, 632, 636, 639, 643.
 646. 650, 714
)
 242, 280, 306, 352, 388 .
 428
 left-right test, 475
 left-to-right ordering, 339
 Lempel-Ziv algorithms, 694695
 lexicographic order, 517521522
 \$\$
 525, 526
 \$\$
 lhs, 629
 libraries, 465
 licensing arrangements, 713
 LIFO, 75
 lifting-map construction, 629
 line arrangements, 671
 line graph, 609
 line intersection, 622649
 line segment intersection, 624
 line segment Voronoi diagram, 656

- line-point duality, 672
- linear algebra, 472, 475
- linear arrangement, 470
- linear congruential generator, 487
- linear constraint satisfaction, 671
- linear extension, 546
- linear interpolation search, 513
- linear partitioning, 333
- linear programming, 479, 482
- linear programming - models, 571
- linear programming - related problems, 481, 573
- linear programming - relaxation, 595
- linear programming - special cases, 571
- linear regression, 467
- linear-time graph algorithms, 455
- link distance, 662,674
- linked lists vs. arrays, 76,441
- LINPACK, 469, 473, 476
- literate program, 716
- little oh notation, 59
- local optima, 479
- locality of reference, 441,511
- locations, 18
- logarithms, 49
- logic minimization, 678
- logic programming, 342
- long division, 495
- long keys, 507
- longest common prefix, 451
- longest common subsequence (LCS), 323
- longest common substring, 449,706
- longest common substring related problems, 451,692
- longest cycle, 557, 598
- longest increasing subsequence, 524, 692
- longest path, 556, 598
- longest path, DAG, 231535
- loop, 31
- lossless encodings, 693
- lossy encodings, 693
- lottery problems, 22
- Lotto problem, 518
- low-degree spanning tree, 551,553
- lower bound, \$35,144,516,629\$
- lower bound - range searching, 643
- lower bound - sorting, 509
- lower triangular matrix, 468

LU-decomposition, 468, 476
 lunar calendar, 532
 LZW algorithm, 694695
 machine clock, 487
 machine learning, 478
 machine learning - classification, 666
 mafia, 698
 magnetic tape, 470
 mail routing, 565
 maintaining arrangements -
 related problems, 625,651
 maintaining line arrangements, 671
 Malawi, 125
 manufacturing applications, 594 , 652
 map making, 669
 Maple, 493
 Markov chain random generation, 520
 marriage problems, 562
 master theorem, 154
 matching, 267, 562, 679
 matching - applications, 597
 matching - dual to, 590
 matching - number of perfect, 476
 matching - related problems, 477
 536, 567, 573, 681
 matching shapes, 664
 Mathematica, 455, \$466,493,520\$ 523, 527, 531, 561,567 , 580, 606, 708, 716
 mathematical notation, 31
 mathematical programming, 479 482
 mathematical software - netlib, 715
 matrix bandwidth, 470
 matrix compression, 709
 matrix inversion, 469, 472
 matrix multiplication, 156472 560
 matrix multiplication applications, 476
 matrix multiplication - related problems, 469
 matrix-tree theorem, 553
 matroids, 553
 max-cut, 602
 max-flow, min-cut theorem, 570
 maxima, 479
 maximal clique, 586
 maximal matching, 592
 maximum acyclic subgraph, 397 . 618
 maximum cut - simulated annealing, 410
 maximum spanning tree, 253

maximum-cardinality matchings, 563
maze, 213,545
McDonald's restaurants, 634
MD5, 701
mean, 514
mechanical computers, 492
mechanical truss analysis, 467
medial-axis transform, 655667
median - application, 508
median and selection, 514
medical residents to hospitals matching, 564
memoization, 309
memory accesses, 552
mems, 552
Menger's theorem, 569
mergesort, 129, 147, 506
merging subsets, 457
merging tapes, 508
mesh generation, 63063
Metaphone, 692
Metropolis algorithm, 481
middle-square method, 489
millennium bug, 532
Miller-Rabin algorithm, 492
mindset, 429
minima, 479
minimax search, 160
minimizing automata, 703
minimum change order - subsets, 522
minimum equivalent digraph, 560
minimum product spanning tree, 253
minimum spanning tree (MST), 244, 437, 445, 458, 549, 599
minimum spanning tree applications, 2563
minimum spanning tree - drawing, 578
minimum spanning tree - related problems, 459, 597, 617
minimum weight triangulation, 633
minimum-change order, 520
Minkowski sum, 668,674
Minkowski sum - applications, 662
Minkowski sum - related problems, 657. 670

%---- Page End Break Here ---- Page : 788

%---- Page End Break Here ---- Page : 789

MIX assembly language, 496

mixed graphs, 567
mixed-integer programming, 483
mode, 141,515
mode-switching, 327
modeling, 430
modeling algorithm problems, 17
modeling graph problems, 274
models of computation, 509
modular arithmetic, 495
molecular docking, 667
molecular sequence data, 616
Mona Lisa, 564
monotone decomposition, 660
monotone polygons, 633
monotone subsequence, 323
Monte Carlo techniques, 481,486
month and year, 532
motion planning, 556667
motion planning - related problems, 558, 651, 676
motion planning - shape
simplification, 661
mountain climbing, 479
move to front rule, 441,511
moving furniture, 667
MPEG, 694
multicommodity flow, 572
multiedge, 199
multigraph, 202
multiple knapsacks, 499
multiple sequence alignment, 707
multiplication, 493 , 502
multiplication algorithms, 65
multiplication, matrix, 473
multiset, 303,519
musical scales, 506
name variations, recognizing, 691
naming concepts, 636
nanosecond, 37
national debt, 493
National Football League (NFL), 608
National Security Agency (NSA), 698
nauty, 531, 613
NC - Nick's class, 485
nearest neighbor - related problems, 636
nearest neighbor graph, 595639
nearest neighbor heuristic, 6

- nearest neighbor search, 462,634 637
- nearest neighbor search - related problems, 463,647
- negation, 538
- negative-cost cycle, 555
- negative-cost edges, 261,555
- Neo4j, 453
- NEOS, 481,485
- Netlib, 466, 469, 471, 473, 503.
- \$632,636,715\$
- network, 18
- network design, 225,614
- network design - minimum spanning tree, 549
- network flow, 267, 483,569571
- network flow - applications, 601
- network flow - related problems, 485, 558, 564, 570, 603
- network reliability, 543556
- Network-Enabled Optimization System (NEOS), 481, 485
- next subset, 522
- Nobel Prize, 54 161
- noisy channels, 589
- noisy images, 661, 665
- non self intersecting polygons, 628
- non-crossing drawing, 581
- non-deterministic automata, 703
- non-Euclidean distance metrics, 635
- non-numerical problems, 505
- non-uniform access, 511
- notorious NP-complete problem, 594
- NP, 381, 492
- NP-complete problem, \$498,535\$.
- 561, 602
- NP-complete problem bandwidth, 470
- NP-complete problem - crossing number, 582
- NP-complete problem - NFA minimization, 703
- NP-complete problem satisfiability, 537
- NP-complete problem - set packing, 683
- NP-complete problem superstrings, 710
- NP-complete problem tetrahedralization, 631
- NP-complete problem - tree drawing, 580
- NP-complete problem - trie minimization, 344
- NP-completeness, 355
- NP-completeness - definition of, 381
- NP-completeness - theory of, 367
- NP-hard problems, 476
- nuclear fission, 524
- number field sieve, 491

number theory, 490, 493
numerical analysis, 470
numerical precision, 623
Numerical Recipes, 465,469
numerical root finding, 480
numerical stability, 468,483
O-notation, 34
objective function, 478
obstacle-filled rooms, 555
OCR, 326
octtree, 461
odd-degree vertices, 566
odd-length cycles, 563, 607
off-line problem, 653
oligonucleotide arrays, 414
on-line problem, 653
one million, 281
one-sided binary search, 149,512
online algorithm resources, 718
open addressing, 94
OpenGL graphics library, 90
operations research, 482
optical character recognition, 276 655, 660, 664
optical character recognition system testing, 688
optimal binary search trees, 513
optimization, 478
order statistics, 514
ordered set, 456
ordering, 18517
organ transplant, 69
orthogonal planes, 461
orthogonal polyline drawings, 575
orthogonal range query, 641
outerplanar graphs, 583
outlying elements, 514
output-sensitive algorithms, 649
over-determined linear systems, 482
overlap graph, 710
overpasses - highway, 582
Oxford English Dictionary, 22
P, 381
P-completeness, 485
packaging, 18
packaging applications, 652
packing vs. covering, 679
paging, 443454

pairing heap, 447
palindrome, 450
paradigms of algorithms design, 506
parallel algorithms, 159469
parallel algorithms - graphs, 567
parallel lines, 622
parallel processor scheduling, 534
paranoia level, 698
parenthesization, 473

%---- Page End Break Here ---- Page : 790

%---- Page End Break Here ---- Page : 791

PARI, 491
parse trees, 611
parsing, 687
partial key search, 462
partial order, 447505
partitioning automata states, 703
partitioning point sets, 460
partitioning polygons into convex pieces, 659
partitioning problems, 333,682
party affiliations, 457
Pascal, 552, 639, 681,684
password, 486698
Pat tree, 451
patented algorithms, 694
path, 542
path generation - backtracking, 287
path planning, 635
path reconstruction, 319
paths - counting, 4736612
paths across a grid, counting, 312
paths in graphs, 217
pattern matching, 685, 688, 702 704
pattern recognition, 664
pattern recognition - automata, 686
patterns, 19
PAUP, 616
PDF-417, 326
penalty costs, 321
penalty functions, 480
perfect hashing, 444
perfect matching, 563
performance guarantee, 592

performance in practice, 8
period, 488
periodicities, 502
Perl, 685
permanent, 476
permutation, 18,475
permutation comparisons, 707
permutation generation, 517
permutation generation backtracking, 286
permutation matrix, 472
perpendicular bisector, 635
personality conflicts - avoiding, 682
PERT/CPM, 536
Petersen graph, 574
PGP, 491,699
phone company, 549
PHYLIP, 616
phylogenetic tree, 615,616
piano mover's problem, 670
Picasso, P., 649,713
pieces of a graph, 542
pilots, 430
pink panther, 274
pivoting rule, 483
pivoting rules, 468
pixel geometry, 656665
planar drawings, 453,578
planar drawings - related problems, 580
planar graph, 453,575
planar graph - clique, 587
planar graph - coloring, 605
planar graph - isomorphism, 613
planar separators, 602
planar subdivisions, 646
planar sweep algorithms, 650
planarity detection and embedding, 581
planarity testing - related problems, 577
plumbing, 571
point in polygon, 644
point location, 461, 644
point location - related problems, \$463,636,643,673\$
point robots, 667
point set clusters, 549
point-spread function, 502
pointer manipulation, 69
points, 18

- polygon partitioning, 658
- polygon partitioning - related problems, 633
- polygon triangulation, 632
- polygonal data structure, 98
- polygons, 19
- polyhedral simplification, 662
- polyline graph drawings, 575
- polynomial evaluation, 495
- polynomial multiplication, 502
- polynomial-time approximation scheme (PTAS), 500
- polynomial-time problems, 541
- poor thin people, 641
- pop, 75
- popular keys, 511
- porting code, 275
- positions, 18
- potential function, 478
- power diagrams, 636
- power set, 459
- powers of graphs, 612
- Prüfer codes, 530, 531
- precedence constraints, 54666
- precedence-constrained scheduling, 534
- precision, 465
- preemptive scheduling, 536
- prefix - string, 448
- preflow-push methods, 573
- preprocessing - graph algorithms, 542
- presortedness measures, 509
- previous subset, 522
- PRF, 573
- price-per-pound, 497
- pricing rules, 125
- Prim's algorithm, 245, 246, 259.
550
- primality testing, 49068
- prime number, 442
- prime number theorem, 491
- principle of optimality, 340
- printed circuit boards, 254594
- printing a graph, 212
- priority queues, 88,445
- priority queues - applications, 92
116, 650, 680
- priority queues - arithmetic model, 509
- priority queues - related problems, 516

- probability, 172
- probability density function, 176
- probability distribution, 176
- probability of an event, 173
- probability of an outcome, 173
- problem - definition, 3
- problem descriptions, 437
- problem instance, 3
- problem-solving techniques, 429 433
- procedure call overhead, 440
- producer/consumer sectors, 620
- profile minimization, 470
- profit maximization, 482
- Program Evaluation and Review Technique, 536
- program flow graph, 199
- program libraries, 465
- program structure, 569
- programming languages, 12
- programming time, 511
- Prolog, 342
- proof of correctness, 4
- propagating consequences, 559
- pruning - backtracking, 290, 471. 612
- pseudocode, 12
- pseudorandom numbers, 486
- psychic lotto prediction, 22
- PTAS, 500
- public key cryptography, 493,500 . 698
- push, 75
- Python, 493
- Qhull, 628, 632, 636, 651
- qsort(), 115
- quadratic programming, 484
- quadratic-sieve method, 492
- quadtrees, 461
- quality triangulations, 635
- quantum complexity theory, 421
- quantum computing, 418,513
- quantum gates, 419
- qubits, 419
- questions, 430
- queue, 75,445
- queue - applications, 221
- quicksort, 130506508

- quicksort - applications, 515
- rabbits, 308
- Rabin-Karp algorithm, 687
- radial embeddings, 579
- radio stations, 636
- radius of a graph, 557
- radix sort, 507
- RAM, 443
- Random Access Machine (RAM), 31
- random graph theory, 531, 606
- random graphs - generation, 529
- random permutations, 518, 520
- random perturbations, 623
- random sampling - applications, 669
- random search tree, 443
- random subset, 522
- random variable, 173
- random-number generation, 486 502, 530
- random-number generation related problems, 520
- randomization, 130
- randomized algorithms, 486, 491, 552, 570, 603
- randomized incremental algorithms, 635, 646, 651, 673
- randomized quicksort, 508
- randomized search - applications, 24
- range search, 462641
- range search - related problems, 463, 640
- ranked embedding, 579
- ranking and unranking operations, 23, 517, 532
- ranking combinatorial objects, 505
- ranking permutations, 518
- ranking subsets, 522
- rasterized images, 675
- reachability problems, 559
- reading graphs, 205
- rebalancing, 443
- recommendations, caveat, 438
- rectangle, 654
- rectilinear Steiner tree, 615
- recurrence relation, basis case, 313
- recurrence relations, 152,308
- recurrence relations - evaluation, 312
- recursion, 217, 223
- recursion - applications, 690
- recursion and induction, 15
- red-black tree, 443
- reduction, 356591

reduction - direction of, 369
reflex vertices, 659
region of influence, 634
regions, 19
regions formed by lines, 671
register allocation, 604
regular expressions, 686,702
relationship, 18
reliability, network, 543
repeated vertices, 599
replicating vertices, 563
representative selection, 679
resource allocation, 482 497
resources - algorithm, 713
restricted growth function, 526
retrieval, 451,510
reverse-search algorithms, 629
Right Stuff, The, 430
riots ensuing, 533
Rivest-Shamir-Adelman, 698
road network, 197, 199, 543, 575
robot assembly, 5, 594
robot motion planning, 649,667 674
robust geometric computations, 476. 622
root finding algorithms, 150,466 480
rooted tree, 458,578
rotating-calipers method, 626
rotation, 443
rotation - polygon, 668
roulette wheels, 487
round-off error, 465, 468
RSA algorithm, 490, 493, 698
RSA-129, 492
rules of algorithm design, 430
run-length coding, 694
s-t connectivity, 569
safe cracker sequence, 567
sample space, 172
satisfiability, 367,421
satisfiability - related problems, 481, 705
satisfying constraints, 480
SBH, 99
scaling, 468, 499
scanner, OCR, 502
scattered subsequences, 706
scene interpolation, 667

- scheduling, \$231,534,618\$
- scheduling - precedence constraints, 546
- scheduling - related problems, 589 609, 620
- scheduling problems, 571
- schoolhouse method, 494
- scientific computing, 465467478
- search time minimization magnetic media, 470
- search tree, 443,446
- searching, 510
- searching - related problems, 444 509
- secondary key, 507
- secondary storage devices, 693
- secure hashing function, 701
- security, 486, 697
- seed, 487
- segment intersection, 649
- segmentation, 276,554
- selection, 18, 111,514
- selection - subsets, 521
- selection sort, 115
- self-intersecting polygons, 662
- self-loop, 202
- self-organizing list, 441, 511
- self-organizing tree, 443 513
- semidefinite programming, 603
- sentence structure, 554
- separation problems, 589
- separator theorems, 602
- sequence, 18
- sequencing by hybridization
(SBH), 99
- sequencing permutations, 518
- sequential search, 510,638
- set, 456
- set algorithms, 677
- set cover, 483, 591,678
- set cover - applications, 23
- set cover - exact, 683
- set cover - related problems, 459 .
593, 660, 684
- set data structures, 79, 98,456
- set data structures - applications, 24
- set data structures - related problems, 455
- set packing, 521,682
- set packing - related problems, 654, 681
- set partition, 457, 524

shape of a point set, 626
shape representation, 655
shape similarity, 664
shape simplification, 661
shape simplification - applications, 645. 668
shapes, 19
shellsort, 506
Shifflett, 136
shift-register sequences, 489
shipping applications, 652
shipping problems, 571
Shor's algorithm, 423
shortest common superstring, 709
shortest common superstring related problems, 696, 708
shortest cycle, 556
shortest path, 258, 447, 483, 554,
571
shortest path - applications, 266 276
shortest path - geometric, 274,635
shortest path - related problems, 447, 474, 545, 561, 613, 617, 670
shortest path, unweighted graph, 217
shortest-path matrix, 612
shotgun sequencing, 709
shuffling, 697
sieving devices - mechanical, 492
sign - determinant, 476
sign - permutation, 475
signal processing, 501
signal propagation minimization, 470
simple cycle, 557
simple graph, 199, 202
simple polygon - construction, 628
simple polygons, 662
simplex method, 483
simplicial complex, 475
simplicity testing, 663
simplifying polygons, 661
simplifying polygons - related problems, 676
simulated annealing, 481, 486, 576, 587, 596, 599, 603, 606 . 619, 680,683
simulated annealing - satisfiability, 538
simulated annealing - theory, 406
simulations, 445
simulations - accuracy, 486
sin, state of, 486
sine functions, 501
single-precision numbers, 465,493

- single-source shortest path, 555
- singular matrix, 467, 475
- singular value decomposition (SVD), 467
- sink vertex, 546
- sinks - multiple, 572
- sites, 18
- size of graph, 452
- skeleton, 655665
- skewed distribution, 441
- Skiena, Len, 8,18
- skiing, 696
- skinny triangles, 631
- skip list, 444
- slab method, 645
- slack variables, 484
- smallest element, 514
- Smith Society, 507
- smoothing, 501, 674
- smoothness, 480
- snow plows, 565
- soap films, 617
- social networks, 201
- software engineering, 569
- software tools, 578
- solar year, 533
- solving linear equations, 467
- solving linear equations - related problems, 471, 474, 477
- sorted array, 442,446
- sorted linked list, 442,446
- sorting, 3, 445,506
- sorting $\$X+Y$, 126\$
- sorting - applications, 110
- sorting - applications, 497,515
- sorting - cost of, 511
- sorting - rationales for, 109
- sorting - related problems, 444
- 447, 513, 516, 548, 629
- sorting - strings, 450
- sound-alike strings, 691
- Soundex, 97, 691, 692
- source vertex, 546
- sources - multiple, 572
- space decomposition, 460
- space minimization - digraphs, 560
- space minimization - string

- matching, 690
- space-efficient encodings, 693
- spanning tree, 549
- sparse graph, 202, 452, 581
- sparse matrices - compression, 709
- sparse subset, 457
- sparse systems, 468
- sparsification, 455
- spatial data structure, 98
- special-purpose hardware, 701
- speedup - parallel, 160
- spelling correction, 314687688
- sphere packing, 654
- Spinout puzzle, 523
- spiral polygon, 644
- splay tree, 443
- splicing cycles, 566
- splines, 466
- split-and-merge algorithm, 662
- spreadsheet updates, 559
- spring embedding heuristics, 576 . 579
- square of a graph, \$238,473,474\$
- square root of a graph, 474
- square roots, 150
- stable marriages, 564
- stable sorting, 507
- stack, 75,445
- stack - applications, 221
- stack size, 508
- standard deviation, 177
- standard form, 484
- Stanford GraphBase, 454,716
- star-shaped polygon
- \$\$
- \text { decomposition, } 660
- \$\$
- state elimination, automata, 703
- static tables, 510
- statistical significance, 519
- statistics, 514
- steepest descent methods, 480
- Steiner points, 632
- Steiner ratio, 616
- Steiner tree, 614
- Steiner tree - related problems, 553
- Steiner vertices, 659

Stirling numbers, 526
stock exchange, 465
stock picking, 478
straight-line graph drawings, 575 . 583

%---- Page End Break Here ---- Page : 792

%---- Page End Break Here ---- Page : 793

%---- Page End Break Here ---- Page : 794

%---- Page End Break Here ---- Page : 795

%---- Page End Break Here ---- Page : 796

%---- Page End Break Here ---- Page : 797

Strassen's algorithm, 469, 473, 474, 560
strategy, 429
strength of a graph, 543
string, 456
string algorithms, 677
string data structures, \$98,448,686\$
string matching, 448, 685
string matching - related problems, 451, 613, 692, 705
string overlaps, 710
strings, 19
strings - combinatorial, 530
strings - generating, 523
strongly connected component, 233
strongly connected graphs, 543 . 568
subgraph isomorphism, 611
subgraph isomorphism applications, 665
subroutine call overhead, 440, 494
subset, 18
subset generation, 521
subset generation - backtracking, 284
subset sum problem, 498
substitution cipher, 697
substitutions, text, 688
substring matching, 322, 448,689
subtraction, 493
suffix arrays, 448, 450
suffix trees, 98, 448, 686
suffix trees - applications, 706710
suffix trees - computational experience, 101

suffix trees - related problems, 687 . 711
sunny days, 666
supercomputer, 54
superstrings - shortest common, 709
surface interpolation, 630
surface structures, 581
swap elements, 519
swapping, 443
sweep line algorithms, 635, 650, 672
Symbol Technologies, 326
symbolic computation, 479
symbolic set representation, 459
symmetric difference, 664
symmetry detection, 610
symmetry removal, 290
tactics, 429
tail recursion, 508
tape drive, 507
taxonomy, 18
technical skills, 430
telephone books, 49, 136, 512
terrorist, 225568
test data, 528
test pilots, 430
testing planarity, 582
tetrahedralization, 630
text, 19
text compression, 327, 489, 693
text compression - related problems, 451, 503, 701, 711
text data structures, 448, 686
text processing algorithms, 685
text searching with errors, 688
textbooks, 716
thermodynamics, 406
thinning, 655
thinning - related problems, 666 . 676
three-points-on-a-line, 672
tight bound, 35
time slot scheduling, 534
time-series analysis, 501
Timsort, 509
tool path optimization, 594
topological graph, 200
topological sorting, 231, 546
topological sorting - applications, 275, 534
topological sorting - related problems, 471, 509, 536. 620

- topological sweep, 673
- tour, 18
- traceback, dynamic programming, 319
- transition matrix, 702
- transitive closure, 263,472
- transitive reduction, 472, 559
- translation - polygon, 668
- transmitter power, 636
- transportation problems, 529, 554 , 594
- transpose of a graph, 233
- transposition, 519
- trapezoidal decomposition, 660
- traveling salesman, 8, 483, 517
- traveling salesman - applications, 255,710
- traveling salesman - approximation algorithms, 393
- traveling salesman - decision problem, 356
- traveling salesman - related problems, 539, 553,600
- traveling salesman problem, 299
- traveling salesman problem (TSP), 594
- tree edge, 222
- tree identification, 544
- trees, 18,453
- trees - acyclic graphs, 619
- trees - drawings, 575
- trees - generation, 530
- trees - hard problem in, 471
- trees - independent set, 590
- trees - matching, 611
- trees - partition, 602
- trial division, 490
- Triangle, 632
- triangle inequality, 393594
- triangle refinement method, 647
- triangle strips, 90,211
- triangulated surfaces, 90
- triangulation, 630
- triangulation - applications, 641 .
- 645, 658, 675
- triangulation - related problems, 636. 660
- triconnected components, 570
- trie, 342,448
- TSP, 594
- TSPLIB, 597, 718
- turnpike reconstruction problem, 304
- twenty questions, 148
- two's complement arithmetic, 494

two-coloring, 219
 unbounded search, 149,512
 unconstrained optimization, 479 , 484.510
 unconstrained optimization related problems, 489
 undirected graph, 198, 201
 uniform distribution, \$441,488,519\$
 union of polygons, 650
 union of polygons - applications, 675
 union, set, 456
 union-find data structure, 458
 union-find data structure applications, 550
 unit cube, 462
 unit sphere, 462
 universal set, 456
 unknown data structures, 439
 unlabeled graphs, \$200,528,611\$
 unranking combinatorial objects, 505
 unranking permutations, 518
 unranking subsets, 522
 unsorted array, 441
 unsorted list, 441
 unweighted graph, 199
 unweighted graphs - spanning trees, 551
 upper bound, 35
 upper triangular matrix, 468
 Utah, 696
 validation, 699
 van Emde Boas priority queue, 447

%---- Page End Break Here ---- Page : 798





%---- Page End Break Here ---- Page : 799

Vancouver Stock Exchange, 465
 variable elimination, 467
 variable length encodings, 695
 variance, 177
 vector quantification, 637
 vector sums, 674
 vertex, 198
 vertex coloring, 275,524604609
 vertex coloring - applications, 534
 vertex coloring - bipartite graphs, 219
 vertex coloring - related problems, 536, 590, 609
 vertex connectivity, 229
 vertex cover, 521591

- vertex cover - approximation algorithm, 390
- vertex cover - hardness proof, 363 . 369
- vertex cover - related problems, 564, 588, 590, 681
- vertex degree, 446530
- vertex disjoint paths, 569
- vertex ordering, 470
- video compression, 693, 694
- virtual memory, 443, 508
- virtual memory - performance, 601
- virtual reality applications, 648
- visibility graphs, 649, 667
- Viterbi algorithm, 267
- Vizing's theorem, 553 608
- VLSI circuit layout, 614 648
- VLSI design problems, 455
- volume computations, 475624
- von Neumann, J., 509
- Voronoi diagram, 631, 634
- Voronoi diagrams - nearest neighbor search, 638
- Voronoi diagrams - related problems, 629, 633, 640. 647, 657
- walk-through, 648
- war story, 22, 161, 210, 254, 342
375, 414
- Waring's problem, 54, 161
- Warshall's algorithm, 559
- water pipes, 614
- wavelets, 503
- weakly connected graphs, 543,568
- web, 18
- Website, 438
- weighted graph, 199
- weighted graphs, applications, 563
- Winograd's algorithm, 474
- wire length minimization, 470
- wiring layout problems, 614
- word ladders, 716
- worker assignment - scheduling, 535
- worst-case complexity, 33
- Xerox machines - scheduling, 536
- Young tableaux, 527, 708
- Zipf's law, 511
- zone theorem, 672,673

$$\{4,1,5,2,3\} \xrightarrow{4-} 4 \{1,4,2,3\}$$

$$\{1,2,7,9\} \xrightarrow{9-} 9 \{1,2,7\}$$






Figure 9: Best-case, worst-case, and average-case complexity.




Figure 10: Upper and lower bounds valid for $n > n_0$ smooth out the behavior of complex functions.




Figure 11: Upper and lower bounds valid for $n > n_0$ smooth out the behavior of complex functions.




Figure 12: Animation of selection sort in action.




Figure 13: A height h tree with d children per node has d^h leaves. Here $h = 3$ and $d = 3$ (left). The number of bit patterns grows exponentially with pattern length (right). These would be described by the root-to-leaf paths of a binary tree of height $h = 3$.



Figure 14: Linked list example showing data and pointer fields.




Figure 15: By overwriting the contents of a node-to-delete, and deleting its original successor, we can delete a node without access to its list predecessor.



Figure 16: The five distinct binary search trees on three nodes. All nodes in the left (resp. right) subtree of node x have keys $< x$ (resp. $> x$).

Figure 17: Relationships in a binary search tree. Parent and sibling pointers (left). Finding the minimum and maximum elements in a binary search tree (center). Inserting a new node in the correct position (right).




Figure 18: Deleting tree nodes with 0,1 , and 2 children. Colors show the nodes affected as a result of the deletion.




Figure 19: A triangulated model of a dinosaur (l), with several triangle strips peeled off the model (r).




Figure 20: A strip with partial coverage using alternating left and right turns (left), and a strip with complete coverage by exploiting the flexibility of arbitrary turns (right).




Figure 21: A bounded-height priority queue for triangle strips.




Figure 22: Collision resolution by chaining, after hashing the first eight Fibonacci numbers in increasing order, with hash function $H(x) = (2x + 1) \bmod 10$. Insertions occur at the head of each list in this figure.




Figure 23: The concatenation of two fragments can be in S only if all subfragments are.




Figure 24: Suffix tree on *ACAC* and *CACT*, with the pointer to the suffix of *ACAC*. Green nodes correspond to suffixes of *ACAC*, with blue nodes to suffixes of *CACT*.




Figure 25: The convex hull of a set of points (left), constructed by left-to-right insertion (right).




Figure 26: A heap-labeled tree of important years from American history (left), with the corresponding implicit heap representation (right).




Figure 27: The recursion tree for mergesort. The tree has height $\lceil \log_2 n \rceil$, and the cost of the merging operations on each level are $\Theta(n)$, yielding an $\Theta(n \log n)$ time algorithm.




Figure 28: first selecting the first element in each subarray as pivot (on left), and then selecting the last element as pivot (on right).




Figure 29: The best-case (left) and worst-case (right) recursion trees for quicksort. The left partition is in blue and the right partition in red.




Figure 30: Half the time, a randomly chosen pivot is close to the median element.

Shifflett Debbie K Ruckersville	985-7957	Shifflett James 2219 Williamsburg Rd
Shifflett Debra S SR 617 Quinque	985-8813	Shifflett James B 801 Stonehenge Av
Shifflett Delma SR609	985-3688	Shifflett James C Stanardsville
Shifflett Delmas Crozet	823-5901	Shifflett James E Earlysville
Shifflett Dempsey & Marilyn		Shifflett James E Jr 552 Cleveland Av
100 Greenbrier Ter	973-7195	Shifflett James F & Lois LongMeadow
Shifflett Denise Rt 627 Dyke	985-8097	Shifflett James F & Vernell Rt671 ...
Shifflett Dennis Stanardsville	985-4560	Shifflett James J 1430 Rugby Av
Shifflett Dennis H Stanardsville	985-2924	Shifflett James K St George Av
Shifflett Dewey E Rt667	985-6576	Shifflett James L SR33 Stanardsville ..
Shifflett Dewey O Dyke	985-7269	Shifflett James O Earlysville
Shifflett Diana 508 Bainbridge Av	979-7035	Shifflett James O Stanardsville
Shifflett Doby & Patricia Rt6	286-4227	Shifflett James R Old Lynchburg Rd ..
Shifflett Don&Ola Rt 621	974-7463	Shifflett James R Rt733 Esmont

Figure 31: A small subset of Charlottesville Shiffletts.




Figure 32: Interpreting insertion sort of input array a as a decision tree. Each leaf represents a given input permutation, while the root-to-leaf path describes the sequence of comparisons the algorithm does to sort it.



Figure 33: Designs of four synthetic genes to locate a specific sequence signal. The green regions are drawn from a viable sequence, while the red regions are drawn from a lethally defective sequence. Genes II, III, and IV were viable while gene I was defective, an outcome that can only be explained by a lethal signal in the region located fifth from the right.




Figure 34: The recursion tree resulting from decomposing each problem of size n into a problems of size n/b




Figure 35: The largest subrange sum is either entirely to the left of center or entirely to the right, or (like here) the sum of the largest center-bordering ranges on left and right.




Figure 36: The closest pair of points in two dimensions either lie to the left of center, to the right, or in a thin strip straddling the center.



Figure 37: Convolution of strings becomes equivalent to string matching when the pattern is reversed.




Figure 38: Venn diagrams illustrating set difference (left), intersection (middle), and union (right).




Figure 39: The probability density function (pdf) of the sum of two dice contains exactly the same information as the cumulative density function (cdf), but looks very different.




Figure 40: The probability distribution of getting h heads in $n = 10,000$ tosses of a fair coin is tightly centered around the mean, $n/2 = 5,000$.




Figure 41: How long does a random walk take to visit all n nodes of a path (left) or a complete graph (right)?




Figure 42: Hashing the integers 0, 1, 2, 3, and 4 into an $n = 8$ bit Bloom filter, using hash functions $h_1(x) = 2x + 1$ (blue) and $h_2(x) = 3x + 2$ (red). Searching for $x = 5$ would yield a false positive, since the two corresponding bits have been set by other elements.




Figure 43: Bloom filter error probability as a function of load (m/n) for k from 1 to 5 . By selecting the right k for the given load, we can dramatically reduce false positive error rate with no increase in table space.




Figure 44: The probability of no collisions in a hash table decreases rapidly with n , the number of keys to hash. Here the hash table size is $m = 365$.




Figure 45: Perfect hashing uses a two-level hash table to guarantee lookup in constant time. The first-level table encodes an index range of l_i^2 elements in the second-level table, allocated to store the l_i items in first-level bucket i .




Figure 46: Modeling road networks and electrical circuits as graphs.




Figure 47: Modeling road networks and electrical circuits as graphs.




Figure 48: A portion of the friendship graph from Harry Potter.




Figure 49: The adjacency matrix and adjacency list representation of a given graph. Colors encode specific edges.




Figure 50: edge-disjoint paths (left), Hamiltonian cycle in a hypercube (center), animated depth-first search tree traversal (right).




Figure 51: absolute running times (left), and the ratio of these times (right).




Figure 52: The dual graph (dashed lines) of a triangulation




Figure 53: An undirected graph and its breadth-first search tree. Dashed lines, which are not part of the tree, show graph edges that go to discovered or processed vertices.




Figure 54: An undirected graph and its depth-first search tree. Dashed lines, which are not part of the tree, indicate back edges.




Figure 55: An articulation vertex is the weakest point in the graph.




Figure 56: DFS tree of a graph containing three articulation vertices (namely 1,2 , and 5). Back edges keep vertices 3 and 4 from being cut-nodes, while green vertices 6,7 , and 8 escape by being leaves of the DFS tree. Red edges (1,8) and (5,6) are bridges whose deletion disconnect the graph.




Figure 57: root, bridge, and parent cut-nodes.

